Chemical Science



EDGE ARTICLE

View Article Online
View Journal | View Issue



Cite this: Chem. Sci., 2015, 6, 4324

Received 21st March 2015

Accepted 9th May 2015
DOI: 10.1039/c5sc01035g

www.rsc.org/chemicalscience

Mechanism of the cooperative Si-H bond activation at Ru-S bonds†

Timo Stahl,^a Peter Hrobárik,*a C. David F. Königs,^{ab} Yasuhiro Ohki,^b Kazuyuki Tatsumi,^b Sebastian Kemper,^a Martin Kaupp,^a Hendrik F. T. Klare*a and Martin Oestreich*a

The nature of the hydrosilane activation mediated by ruthenium(II) thiolate complexes of type [(R₃P)-Ru(SDmp)]⁺[BAr^F₄]⁻ is elucidated by an in-depth experimental and theoretical study. The combination of various ruthenium(III) thiolate complexes and tertiary hydrosilanes under variation of the phosphine ligand and the substitution pattern at the silicon atom is investigated, providing detailed insight into the activation mode. The mechanism of action involves reversible heterolytic splitting of the Si-H bond across the polar Ru-S bond without changing the oxidation state of the metal, generating a ruthenium(II) hydride and sulfur-stabilized silicon cations, i.e. metallasilylsulfonium ions. These stable yet highly reactive adducts, which serve as potent silicon electrophiles in various catalytic transformations, are fully characterized by systematic multinuclear NMR spectroscopy. The structural assignment is further verified by successful isolation and crystallographic characterization of these key intermediates. Quantumchemical analyses of diverse bonding scenarios are in excellent agreement with the experimental findings. Moreover, the calculations reveal that formation of the hydrosilane adducts proceeds via barrierless electrophilic activation of the hydrosilane by sterically controlled η^1 (end-on) or η^2 (side-on) coordination of the Si-H bond to the Lewis acidic metal center, followed by heterolytic cleavage of the Si-H bond through a concerted four-membered transition state. The Ru-S bond remains virtually intact during the Si-H bond activation event and also preserves appreciable bonding character in the hydrosilane adducts. The overall Si-H bond activation process is exergonic with ΔG_r^0 ranging from -20 to -40 kJ mol⁻¹, proceeding instantly already at low temperatures.

Introduction

Neutral tetracoordinate hydrosilanes do generally not undergo spontaneous reactions with organic substrates and require the activation of the Si–H bond. Among the diverse modes that are known for hydrosilane activation, protocols using transition metal complexes clearly prevail. Numerous transition metal hydrosilane complexes were structurally characterized and identified as key intermediates in various catalytic processes. The different bonding motifs in these structures reveal a continuum along the Si–H bond activation pathway, ranging from several nonclassical (three-center-two-electron) interactions

formal oxidation state and coordination number of the metal (cf. IV), this mechanism is usually invoked with low-valent, electron-rich transition metal complexes, particularly those of groups 9 and 10. Alternatively, the Si-H bond is heterolytically split without change in the oxidation state of the metal to formally generate a hydride (H⁻) and a silylium ion (R₃Si⁺).⁴ This event is favored with electrophilic (cationic) metal centers and requires assistance of a Lewis base. By coordination to the Lewis acidic metal center, through either binding modes I, II, and III, the silicon atom is rendered sufficiently electrophilic to react with a wide variety of nucleophiles. In the absence of any externally added Lewis base, heterolytic cleavage of the Si-H bond is also facilitated by cooperative metal-ligand interactions where the ancillary ligand serves as an internal Lewis-basic site and is directly involved in the Si-H bond activation process.5 In this case, a mechanism following a [2 + 2]-type cycloaddition (Scheme 1B) or a σ-bond metathesis (Scheme 1C) is generally postulated.6 In the former scenario, well-defined addition of the Si-H bond across a metal-ligand multiple bond results in the

formation of a metal hydride complex in which the silyl group is

to full homolytic cleavage of the Si-H bond ($I \rightarrow IV$, Scheme 1A).³

Since oxidative addition typically leads to an increase of both the

[&]quot;Institut für Chemie, Technische Universität Berlin, Straße des 17. Juni 115, 10623 Berlin, Germany. E-mail: peter.hrobarik@tu-berlin.de; hendrik.klare@tu-berlin.de; martin.oestreich@tu-berlin.de

^{*}Department of Chemistry, Graduate School of Science and Research Center for Materials Science, Nagoya University, Furo-cho, Chikusa-ku, Nagoya 464-8602, Japan † Electronic supplementary information (ESI) available: Experimental procedures and computational details, characterization, crystallographic and quantum-chemical calculation data as well as NMR spectra. CCDC 1055362–1055364. For ESI and crystallographic data in CIF or other electronic format see DOI: 10.1039/c5sc01035g

[M]ⁿ⁺² Si Ш Ш I۷ η^{1} -MH(Si) η^2 -M(SiH) M(SiH) (Si)M(H) α-agostic. σ-complex classical IHI, SISHA, silyl hydride d (Si-H): (A)SOAP 1.4-1.5 Å 1.8-2.4 Å 1.5-1.6 Å 1.7-1.8 Å >2.5 Å X = NR, O, S[2+2] addition С VIII typically L = H or Me

Scheme 1 Diverse bonding scenarios in the Si–H bond activation by transition metal complexes [IHI = interligand hypervalent interactions, SISHA = secondary interactions between a silicon and a hydrogen atom, (A)SOAP = (a)symmetric oxidation addition products, and $Si = R_3Si = \text{triorganosilyl}$].

typically L = OR or NR

incorporated (cf. V). In the latter, the product distribution strongly depends on the nature of the metal-ligand combination. While σ -bond metathesis via concerted transition state **TS-VI** (Scheme 1C, upper) leads to a metal silyl complex **VII** with release of side product **VIII** (typically dihydrogen or methane), reaction via **TS-IX** (Scheme 1C, lower) produces a metal hydride **X** with concomitant dissociation of silylated ligand **XI** (typically a silyl ether or silyl amine).

Compared to the classical oxidative addition pathway commonly proposed, heterolytic Si-H bond activation with transition metals is less well-established and was initially postulated by Luo and Crabtree in the iridium(III)-catalyzed alcoholysis of hydrosilanes.7 Since this report, several transition metal mediated heterolyses of Si-H bonds have been documented.8 In most cases, however, a highly reactive silicon electrophile was generated through coordination to a cationic metal center and subsequently trapped in a less controlled manner by intermolecular reaction with adventitious water, the solvent (e.g. CH₂Cl₂), or counteranion (e.g. OTf⁻, SbF₆⁻ or BF₄⁻). A few examples of intramolecular cooperative Si-H bond activation were shown where the Si-H bond is preferentially split across a polar M=X double bond (cf. Scheme 1B with X = NR, O, S), using early or middle transition metals in high oxidation states where oxidative addition is not possible or unlikely [e.g. Ti(IV), Ta(V), Re(V)].8f-o Although this activation mode allowed for the isolation and crystallographic characterization of unique hydrosilane adducts, as specified by complex V, its synthetic use and application to catalytic processes is still out of the ordinary and mainly restricted to hydrosilylation reactions.8

As part of our ongoing research endeavors of exploring new approaches to the generation of silicon electrophiles, we

introduced the cationic ruthenium(II) thiolate complexes 1 (with Ar^F = 3,5-bis(trifluoromethyl)phenyl, Scheme 2, top right). The tethered bulky 2,6-dimesitylphenyl thiolate (SDmp) ligand stabilizes the coordinatively unsaturated metal center in 1 and also prevents formation of binuclear sulfur-bridged complexes. The polar Ru-S bond of these (formally) 16-electron complexes combines Lewis acidity at the metal center and Lewis basicity at the adjacent sulfur atom. We reasoned that this motif that could be considered as a transition metal frustrated Lewis pair (FLP)10 mediates the heterolytic cleavage of Si-H bonds, generating a metal hydride and a sulfur-stabilized silicon cation (Scheme 2, top left).11 This assumption was corroborated by a related study of Stradiotto and co-workers, reporting the addition of the Si-H bond of Ph₂SiH₂ and PhSiH₃ across the M-S bond of cationic $[Cp*M(\kappa^2-3-PiPr_2-2-S-indene)]^+[B(C_6F_5)_4]^-$ complexes (with M = Rh^{III} and Ir^{III}). ¹² Compared to harder nitrogen or oxygen donors, the interaction with the soft sulfur atom was expected to give a more reactive silicon electrophile. 11b,13 In addition, weak stabilization ought to favor reversible coordination, thereby facilitating R₃Si⁺-transfer and securing turnover in catalytic processes. The rationally designed complexes 1 indeed proved to serve as potent catalysts for the facile activation not only of Si-H14 but also H-H9 and B-H15 bonds. Since our initial report on Si-H bond activation, 14a we have disclosed a number of catalytic transformations, including dehydrogenative silvlations, 14a-d chemoselective hydrosilylations, 14ef as well as hydrodefluorination reactions 14g (Scheme 2, bottom). It is interesting that Stradiotto and

Scheme 2 Proposed cooperative Si-H bond heterolysis by ruthenium(III) thiolate complexes 1 (top) and reported catalytic applications (bottom).

Chemical Science

co-workers had been able to apply their rhodium(III) thiolate complex in ketone hydrosilylation (not shown)¹² where we later observed dehydrogenative silyl enol ether formation with our system. 14b All catalyses proceeded already at room temperature, neither requiring a hydrogen acceptor nor an added base for the catalytic cycle to close.

Encouraged by the broad spectrum of catalytic reactions that were accomplished by using a single catalyst, we pursued an indepth analysis of the Si-H bond activation event by ruthenium(II) thiolate complexes 1. Since the activation mode naturally impacts the course and outcome of a reaction, its mechanistic understanding is of vital importance and provides useful insights for the future design and development of more efficient catalysts.

All proposed mechanistic assumptions have so far relied on the heterolytic splitting of the Si-H bond at the polar Ru-S bond in 1 (cf. Scheme 2, top left) and have been primarily based on the interpretation of experimental observations. 12,14 In view of the fact that the ruthenium(II) metal center is coordinatively unsaturated and in low oxidation state several possibilities of Si-H bond activation exist (Chart 1). Aside from the proposed cooperative activation mode (cf. 3 in Chart 1), addition of the Si-H bond across the Ru-S bond with reversed regioselectivity might occur, leading to metal silyl complex 4 (cf. Scheme 1C). Since tetracoordinate silicon readily expands its coordination sphere, activation of the hydrosilane through coordination to the Lewis basic sulfur atom as in 5 needs to be considered. Moreover, pathways without participation of the sulfur atom are another option. These could proceed via electrophilic activation of the Si-H bond either by η^1 (end-on) or η^2 (side-on) coordination (cf. 6 and 6', respectively), followed by heterolytic cleavage of the Si-H bond by an externally added nucleophile. Likewise, full homolytic cleavage of the hydrosilane via classical oxidative addition affording metal silyl hydride 7 cannot be ignored. Therefore, several mechanistic questions remained, including the role of the thiolate ligand.12

We report here the results of our mechanistic study on hydrosilane activation promoted by ruthenium(II) thiolate complexes 1. By using various NMR techniques, we were able to




Chart 1 Possible modes for the Si-H bond activation by ruthenium(II) thiolate complexes 1 with (top) and without (bottom) participation of the sulfur atom.

detect the key intermediate of the Si-H bond activation step and fully assign its structure. The mechanism was further elucidated with the aid of a deuterium-labeled and a silicon-stereogenic hydrosilane as a stereochemical probe. Supported by quantum-chemical calculations, the experimental findings provide compelling evidence for a cooperative Si-H bond activation pathway that is in accordance with our originally formulated mechanistic model (cf. Scheme 2, top left)14 and Stradiotto's work.12 Finally, we succeeded in the isolation and crystallographic characterization of the sensitive silylthioruthenium hydride intermediate 3.

Results and discussion

From our previous studies, we already knew that Si-H bond activation with cationic ruthenium(II) thiolate complexes 1 is remarkable facile, proceeding instantly at room temperature.14 The tethered coordination mode of the SDmp ligand proved to be crucial: while the lability of a monodentate thiolate ligand in related rhodium(III) and iridium(III) complexes16 resulted in decomposition and formation of various metal hydride species in the presence of hydrosilanes, the two-point binding mode in 1 imparts increased stability to the Ru-S bond. In addition, this motif leads to structural rigidity and improved steric accessibility of the Ru-S bond, as seen in the molecular structure of these complexes.9

Elucidation of the Si-H bond activation by NMR spectroscopy

To gain deeper insight into the Si-H bond activation, we performed a detailed NMR study using one- and two-dimensional multinuclear NMR measurements. In an initial investigation, monitoring the reaction of ruthenium(II) thiolate complex 1a $(R_3P = Et_3P)$ with hydrosilanes under typical catalysis conditions (room temperature, excess hydrosilane) emerged as difficult since dynamic processes led to significant line-broadening in the NMR spectra.14a However, we identified the combination of complex 1b where the ruthenium atom is coordinated by a para-fluorinated aryl phosphine and MePh2SiH (2a) to be particularly suitable for NMR studies. Treatment of 1b with two equivalents of MePh₂SiH (2a) at ambient temperature resulted in an immediate color change from green to yellow, "visualizing" successful Si-H bond activation. Clearly resolved spectra, obtained in both C₆D₆ and CD₂Cl₂ (with slightly better resolution in CD2Cl2, see the ESI† for details) were consistent with formation of hydrosilane adduct 3ba ($1b \rightarrow 3ba$, Scheme 3).

The reaction proceeded cleanly, and resonance signals of unsaturated ruthenium(II) thiolate complex 1b were no longer detectable. Instead, a doublet at -7.5 ppm in the 1 H NMR spectrum (Fig. 1) provided unambiguous evidence for a phosphine-ligated ruthenium hydride (ruling out intermediates 4 and 5). The absence of any ${}^{1}J_{H,Si}$ satellites, typically observed for η^1 and η^2 hydrosilane complexes, further supported complete Si-H bond cleavage (making 6 and 6' unlikely). The coupling constant of 47 Hz is in the typical range for ${}^2J_{H,P}$ couplings and was also identified in the 31P NMR spectrum at 48.5 ppm whereas a singlet is observed at 30.0 ppm for complex 1b. While

 $Ar_{3}P \xrightarrow{[Ru]} SAr$ BAr^{F}_{4} BAr^{F}_{4} $CD_{2}Cl_{2}$ r.t. 3ba m m m m m

Scheme 3 Cooperative Si-H bond heterolysis with ruthenium(II) thiolate complex 1b.




Fig. 1 1 H NMR spectrum (500 MHz, CD₂Cl₂, 300 K) of adduct **3ba**, formed by reaction of complex **1b** and hydrosilane **2a** [# = CDHCl₂, * = excess MePh₂SiH (**2a**)].

the latter is C_s symmetric, the additional hydride ligand creates a chiral center at the ruthenium atom in **3ba**. This is also reflected in the ¹H NMR spectrum that shows six rather than four singlets for the methyl groups and four rather than two signals for the *meta*-CH groups of the SDmp ligand (Fig. 1).

Using a 1 H, 29 Si HMQC experiment, a 29 Si NMR resonance signal was detected at 20.1 ppm, significant downfield shifted ($\Delta\delta=37.6$ ppm) relative to free MePh₂SiH (2a, $\delta=-17.5$ ppm). This is an indication for the generation of an electrophilic silicon species and is in accordance with postulated intermediate $3ba.^{17}$ For comparison, the corresponding neutral silyl thioether MePh₂SiSDmp (for its preparation and characterization, see the ESI†) that features an S–Si linkage without an adjacent metal center is characterized by a 29 Si NMR chemical shift of 2.9 ppm [$\Delta\delta=20.4$ ppm relative to MePh₂SiH (2a)]. The substantial deshielding of the silicon nucleus in hydrosilane adduct 3ba reveals a strong influence of the metal center on its Lewis acidity that is expected to be higher compared to MePh₂SiSDmp. The latter is in fact not a potent silyl transfer agent.

All NMR signal assignments were also confirmed by our state-of-the-art relativistic calculations of NMR chemical shifts at the four-component matrix Dirac–Kohn–Sham (mDKS) level¹⁸ (cf. Table 1 and S2 in the ESI† for detailed data). Spin–orbit (SO) effects were found to have a sizeable shielding contribution to both ¹H (up to -3.1 ppm) and ³¹P (up to -35 ppm) NMR chemical shifts, owing to the large involvement of both ruthenium 4d-orbitals and ligand s-orbitals in metal–ligand binding.^{18,19}

The analysis of the NMR spectroscopic data, including further 2D NMR measurements (see the ESI† for details), clearly supports the structural assignment of adduct 3ba. Evidence for the intact Ru–S bond is provided by a $^3J_{\rm C,H}$ coupling in the 1 H, 13 C HMBC NMR spectrum between the quaternary sulfursubstituted carbon atom of the SDmp ligand and the ruthenium hydride. However, unambiguous information about the

Table 1 Experimental and calculated ¹H, ²⁹Si, and ³¹P NMR chemical shifts of hydrosilane adducts 3rd

		¹ H NMR			²⁹ Si NMR ^c			³¹ P NMR		
Entry	Reaction	δ(Si–H) [ppm]	$\delta (\text{Ru-H})^d$ [ppm]	$\Delta \delta(^{1}\mathrm{H})^{e}$ [ppm]	δ(Si–H) [ppm]	δ (S–Si) [ppm]	$\Delta \delta (^{29} \text{Si})^f$ [ppm]	$\delta(1)$ [ppm]	$\delta(3)$ [ppm]	$\Delta \delta (^{31}P)^g$ [ppm]
$\boldsymbol{1}^h$	$1a + MePh_2SiH (2a) \rightarrow 3aa$	4.8	$-8.2(-7.8)^{b}$	-13.0	-17.5	$18.2 (14.8)^b$	35.7	$23.0 (23.0)^b$	39.8 (37.2) ^b	16.8
2^h	$1a + Me_2PhSiH(2b) \rightarrow 3ab$	4.4	$-8.3 (-7.9)^{b}$	-12.7	-17.0	$28.4 (33.5)^b$	45.4	23.0	$40.4 (36.7)^b$	17.4
3^i	$1a + Et_3SiH (2c) \rightarrow 3ac$	3.7	-8.0	-11.7	0.4	41.0	40.6	23.0	40.1	17.1
4^{i}	$1a + EtMe_2SiH (2d) \rightarrow 3ad$	3.7	$-8.1(-7.8)^{b}$	-11.8	-10.7	$39.0 (44.1)^b$	49.7	23.0	$40.2 (38.2)^b$	17.2
5^i	$1b + MePh_2SiH(2a) \rightarrow 3ba$	4.8	$-7.5(-7.6)^{b}$	-12.3	-17.5	$20.1 (28.3)^b$	37.6	$30.0 (31.6)^b$	$48.5 (39.7)^b$	18.5
6^i	$\mathbf{1b} + \mathrm{Me_2PhSiH}(\mathbf{2b}) \rightarrow \mathbf{3bb}$	4.4	$-7.7(-7.5)^{b}$	-12.1	-17.0	$29.8 (33.3)^b$	46.8	30.0	$48.7 (41.3)^b$	18.7
7^i	$1b + Et_3SiH (2c) \rightarrow 3bc$	3.7	-7.6	-11.3	0.4	41.6	41.2	30.0	48.8	18.8
8^i	$1b + iPrMePhSiH (2e) \rightarrow 3be$	4.3	−7. 7	-12.0	-6.4	32.1	38.5	30.0	47.2	17.2

^a All reactions were performed in an NMR tube using ruthenium(II) thiolate complex **1a** or **1b** (1.0 equiv., 20 mM) and the corresponding hydrosilane 2 (2.0 equiv.). ^b In parentheses, NMR chemical shifts calculated at the four-component mDKS level using the PBE functional and the GIAO method in conjunction with Dyall's VDZ basis set on Ru and fully uncontracted IGLO-II basis sets on the ligand atoms (cf. computational details and Table S2 in the ESI†). ^c ¹H, ²⁹Si HMQC NMR spectroscopy optimized for J = 8 Hz. ^d The resonance appears as a doublet with a coupling constant of 47–50 Hz. ^e $\Delta \delta$ (¹H) = δ (Ru-H) – δ (Si-H). ^f $\Delta \delta$ (²⁹Si) = δ (S-Si) – δ (Si-H). ^g $\Delta \delta$ (³¹P) = δ (3) – δ (1). ^h In CD₂Cl₂ at 250 K. ⁱ In CD₂Cl₂ at 300 K.

Chemical Science Edge Article

existence of an S-Si linkage and the reversibility of the Si-H bond activation step was still elusive. A ¹H, ¹H EXSY NMR then shed light on this problem: cross peaks revealed chemical exchange between the hydrides of Ru-H and MePh₂Si-H on the NMR time scale (Fig. 2, upper); further exchange effects were found in the alkyl and aryl range (Fig. 2, lower). The two phenyl groups at the silicon atom are chemically inequivalent, showing chemical exchange between each other and the phenyl group of the free hydrosilane ([m,n,Ph2Si]). Surprisingly, chemical exchange is also observed for the "half-sites" of the SDmp ligand. These findings can be rationalized by cooperative Si-H bond activation. Heterolytic splitting of the Si-H bond across the polar Ru-S bond not only generates a stereogenic metal center but also stereogenicity at the sulfur atom. By reversible syn-addition from either side (front or back), the resulting enantiomers of 3ba are in equilibrium, and this is exactly what is observed as chemical exchange between the diastereotopic protons of [a,e], [b,d], [f,k], and [g,j] (Scheme 4). The syn-selectivity of the activation step was secured by the absence of any detectable diastereomers of 3ba.

The role of the phosphine ligand and the substitution pattern at the silicon atom

Having elucidated a cooperative hydrosilane activation mode, we next examined the reaction of hydrosilanes 2a-e with complexes 1a and 1b. In all cases, successful Si-H bond heterolysis was monitored by NMR spectroscopy. The characteristic 1H, 29Si, and 31P NMR chemical shifts of the various





Fig. 2 Selected segments of the ¹H, ¹H EXSY NMR spectrum (500/500 MHz, CD_2Cl_2 , 300 K, $T_m = 200$ ms) of adduct **3ba**, formed by reaction of complex 1b and hydrosilane 2a.



Scheme 4 Reversible syn-addition of the Si-H bond across the Ru-S

hydrosilane adducts 3 as well as the corresponding free hydrosilanes 2 and thiolate complexes 1 are collected in Table 1. While the resonance signals for mixtures of ruthenium complex 1a, decorated with a Et₃P ligand, and hydrosilanes 2a and 2b were too broad to be observed at 300 K, better resolved NMR resonances are obtained at 250 K (entries 1 and 2). The ¹H NMR spectra of adducts 3 each feature two signature resonances, one corresponding to the Si-H group of excess hydrosilane 2 (3.7-4.8 ppm) and one upfield-shifted doublet for the ruthenium hydride either at around -8.2 (for 3aa-3ad, entries 1-4) or -7.6 ppm (for **3ba-3bc** and **3be**, entries 5-8). The ²⁹Si NMR resonances of adducts 3 (18.2-41.6 ppm) are shifted to higher frequencies relative to 2 (-17.5 to 0.6 ppm), indicating decreased electron density at the silicon atom. 17 Although this is an oversimplified argument (for instance, a rather poor correlation, if any, between 29Si NMR chemical shifts and atomic charges on the silicon atom in ferrocene-stabilized silylium ions was found in our previous study20), the more electrophilic nature of the silicon atom in hydrosilane adducts 3 as compared to the starting hydrosilanes 2 is also evident from NPA charge analysis (cf. Table S4 in the ESI†). As expected, the ²⁹Si NMR chemical shifts are sensitive towards the substituents at the silicon atom, and the highest downfield shifts of 3 are observed for trialkylsilanes 2c and 2d (entries 3, 4, and 7). The ^{31}P NMR chemical shifts are static again, and a resonance at 40 ppm is characteristic for 3aa-3ad (entries 1-4), whereas a chemical shift at 48 ppm is indicative for 3ba-3bc and 3be (entries 5-8). The overall trends in the NMR spectroscopic data reveal that the phosphine ligand mainly influences the electronic nature of the ruthenium hydride while the Lewis acidity of the silicon electrophile is largely controlled by the substitution pattern at the silicon atom.

Mechanistic control experiments with deuterium-labeled and silicon-stereogenic hydrosilanes

To further probe the Si-H bond activation step, control experiments employing deuterium-labeled MePh₂SiD (2a-d₁) were performed. As expected, reaction of ruthenium(II) thiolate complex 1b with two equivalents of deuterosilane 2a-d1 in

 CD_2Cl_2 at room temperature resulted in complete incorporation of deuterium into adduct 3ba- d_1 (not shown). In $^1H/^2H$ scrambling experiments, deuterium-labeled Me_2PhSiD (2b- d_1) was treated with non-deuterated $MePh_2SiH$ (2a) in the presence of catalytic amounts of either complex 1a or 1b at room temperature (Scheme 5). Whereas $^1H/^2H$ exchange was fast and complete with ruthenium(π) thiolate complex 1a, no scrambling was observed with 1b even after 3h.

The pronounced differences in reactivity of both complexes led us to investigate the role of the phosphine ligand (Et₃P in **1a** *versus* (p-FC₆H₄)₃P in **1b**) in more detail. Since electron-rich Et₃P is a stronger σ -donor than the electron-deficient *para*-fluorinated aryl phosphine, the ruthenium hydride in hydrosilane adduct **3a** is expected to be a better hydride donor than in **3b**. On the other hand, **3b** is likely to be a better R₃Si⁺-transfer reagent compared to **3a**. Both of these properties will contribute to the 1 H/ 2 H exchange, depending on whether this process proceeds through a σ -bond metathesis⁶ solely involving the metal hydride (**TS-XII**, Scheme 6, left)²¹ or through formation of hydronium ions **9** ([Si-H–Si]⁺)²² by R₃Si⁺-transfer to a free hydrosilane (Scheme 6, right).

The use of a silicon-stereogenic hydrosilane as a stereochemical probe finally allowed to distinguish between these two mechanisms: enantioenriched hydrosilane (^{Si}S)-2e was reisolated with complete retention of configuration at the silicon atom after treatment with complex 1b (Scheme 7). On the basis of this result, the generation of hydronium ions is highly unlikely, as this pathway would result in racemization. The better hydride donor strength of 3a thus is likely to account for the $^1\text{H}/^2\text{H}$ exchange.

Isolation and crystallographic characterization of hydrosilane adducts 3ab and 3ad

To provide unambiguous evidence for the generation of silylthioruthenium hydride intermediates, we pursued the crystallization of hydrosilane adducts 3. Single crystals suitable

Scheme 5 $\,^{1}\text{H}/^{2}\text{H}$ scrambling experiments: the crucial role of the phosphine ligand.

$$\begin{bmatrix} [Ru] - H - Si \\ Si - D - [Ru] \end{bmatrix}^{\ddagger}$$


$$TS-XII$$

$$R_3P \stackrel{[Ru] - SAr}{H} \stackrel{\Rightarrow}{\longrightarrow} R_3P \stackrel{[Ru] - SAr}{H}$$

$$3 \stackrel{\Rightarrow}{\longrightarrow} SiMePh_2 \qquad 8 \qquad [Me_2PhSi-D-SiMePh_2]^{\ddagger}$$

$$BAr^F_4 \stackrel{\Rightarrow}{\longrightarrow} BAr^F_4 \stackrel{\Rightarrow}{\longrightarrow}$$

Scheme 6 Possible pathways for ¹H/²H exchange.



Scheme 7 Control experiment with a silicon-stereogenic hydrosilane: no support for the intermediacy of hydronium ions.

for X-ray diffraction were obtained for 3ab as well as 3ad at -30 °C from a solution of complex 1a in neat hydrosilane, either Me₂PhSiH (2b) or EtMe₂SiH (2d). Compared to the Ru-S bond in coordinatively unsaturated complex 1a (2.21 Å), the molecular structure of 3ab shows a slightly elongated (about 8%) yet intact Ru-S bond (2.39 Å, Fig. 3).9 The Si-H bond is completely broken and an interatomic Si···H distance of 3.17 Å indicates no interaction of the silicon with the hydrogen atom. While the hydride is bound to the ruthenium center with a bond length of 1.58 Å, the silicon atom is connected to the sulfur atom with a distance of 2.24 Å. This S-Si distance is slightly elongated (about 6-7%) compared to structurally related neutral ruthenium(II) silylthiolate complexes (2.11 Å (ref. 23a) and 2.09 Å (ref. 23b)). The average C-Si-C angle of 110.5° reflects a tetrahedral (silylated sulfonium ion) rather than a trigonal planar (sulfur-stabilized silicon cation) coordination around the silicon atom. All selected bond lengths and angles of the EtMe₂SiH adduct 3ad are comparable to those of 3ab and are in excellent agreement with the DFT optimized structures (see the ESI† for detailed data).

Isolation and characterization of [R₃POSiR'₃]⁺[BAr^F₄]⁻ (10)

During our NMR spectroscopy studies, we noticed the presence of minor amounts of another species next to hydrosilane adduct




Fig. 3 ORTEP diagram of the molecular structure of **3ab**. Thermal ellipsoids are shown at the 50% possibility level. Hydrogen atoms, except for the ruthenium hydride, and the counteranion are omitted for clarity. Selected interatomic distances (Å): Si···H, 3.17(4); S–Si, 2.2445(11); Ru–H, 1.58(4); Ru–S, 2.3882(10). For comparison, the DFT-optimized distances (Å) are as follows: Si···H, 3.188; S–Si, 2.255; Ru–H, 1.60; Ru–S, 2.394.

3 in the majority of the measurements. This observation became apparent by a second high-frequency-shifted signal in both the ²⁹Si NMR and ³¹P NMR spectra. For instance, when ruthenium(II) thiolate complex 1a was treated with MePh₂SiH (2a) to generate 3aa, an additional minor peak was observed at 8.8 ppm in the ²⁹Si NMR spectrum and at 92.9 ppm in the ³¹P NMR spectrum (later assigned to 10aa; for a tabulated summary of all combinations of 1 and 2 to form 10, see Table S1 in the ESI†). While the structure determination solely on the basis of NMR spectroscopy failed, the calculated mass for [(p-FC₆H₄)₃-POSiMePh₂]⁺ (10ba⁺) was found by ESI mass spectrometry. We were then able to crystallize the related silyloxyphosphonium salt [Et₃POSiMe₂Ph]⁺[BAr^F₄]⁻ (10ab), providing conclusive evidence for our structural assignment (Fig. 4). Single crystals of 10ab suitable for X-ray diffraction were obtained from a solution of ruthenium(II) thiolate complex 1a and excess hydrosilane 1b in toluene layered by *n*-hexane at -30 °C.

Chemical Science

To further probe the structure and reactivity of the silyloxyphosphonium salts, we independently prepared $[\mathrm{Et_3POSiMePh_2}]^+[\mathrm{BAr^F}_4]^-$ (10aa) by treatment of *in situ* generated silylthioruthenium hydride intermediate 3ba with stoichiometric amounts of $\mathrm{Et_3PO}$ (11a) in $\mathrm{C_6D_6}$ (Scheme 8). Beside the expected chemical shift for ruthenium hydride complex 8b at 53.5 ppm, a resonance signal at 91.3 ppm was seen in the $^{31}\mathrm{P}$ NMR spectrum, matching with the observed side product found in the above-described preparation of hydrosilane adduct 3aa (*cf.* Table S1in the ESI,† entry 1).

To test the ability of the silyloxyphosphonium salts to act as silyl transfer reagents, acetophenone was added to the independently prepared mixture of **10aa** and **8b**. No reaction was observed even at prolonged reaction times, thereby ruling out **10aa** as an active species in our catalyses. The source of oxygen, however, remains unclear but traces of dioxygen cannot be fully excluded given the high reactivity of intermediate 3. Water is unlikely since this would result in immediate silanol or disiloxane formation, and neither various equivalents of the hydrosilane nor a change of the solvent had an effect on the proportion of **10**.





Fig. 4 ORTEP diagram of the molecular structure of $[Et_3POSiMe_2-Ph]^+[BAr^F_4]^-$ (10ab). Thermal ellipsoids are shown at the 50% possibility level. Hydrogen atoms are omitted for clarity. Selected bond lengths (Å): Si-O, 1.674(4); P-O, 1.529(4).



Scheme 8 Independent preparation of $[Et_3POSiMePh_2]^+[BAr^F_4]^-$ (10aa).

DFT calculations

To gain deeper insight into the nature of the Si-H bond activation step and to identify possible intermediates, quantumchemical calculations at the B3LYP-D3(BJ)/ECP/6-31+G(d,p) level including an atom-pairwise correction of Grimme's D3 model with Becke-Johnson (BJ) damping for dispersion forces and using an SMD solvation model to account for bulk solvent effects (benzene as a solvent) were performed (cf. computational details in the ESI†). Combination of various triaryl- and trialkylphosphine ligands and hydrosilanes [MePh₂SiH (2a), Me₂PhSiH (2b), EtMe₂SiH (2d), tBuMe₂SiH] were examined computationally. The free-energy profile together with the optimized structures of relevant intermediates and transition states for the reaction of ruthenium(II) thiolate complex 1a⁺ with Me₂PhSiH (2b) is shown in Fig. 5 (selected structural parameters and thermodynamic data for the entire series of complexes studied in this work are collected in Table S3 in the ESI†).

Cooperative heterolysis of the Si-H bond commences with coordination of the hydrosilane to the unsaturated 16-electron [(R₃P)Ru(SDmp)]⁺ complex 1⁺, filling the ruthenium(II) vacant coordination site by forming a stable η^{1} - or η^{2} -hydrosilane complex (cf. 6 or 6' in Chart 1). The coordination of the hydrosilane to ruthenium(II) thiolate complex 1 was revealed as barrierless on the electronic energy surface, albeit the counteranion might affect the reaction barrier when ion-pair dissociation/ formation takes place. The reaction is in most cases exergonic, with exception of the hydrosilane decorated with a bulky tertbutyl group, where the $\Delta G_{\rm r}^0$ is slightly positive (cf. Table S3 in the ESI†). The bonding situation in the hydrosilane adducts 6⁺ depends on the nature of the phosphine ligand as well as on the hydrosilane (cf. Fig. 6). For instance, the sterically least demanding complex bearing a Me₃P ligand prefers side-on η² coordination of Me₂PhSiH (2b) with a somewhat more elongated Si-H bond (1.794 Å) and a more acute α(Ru···H···Si) angle (99°) as compared to the η^{1} -hydrosilane complex of $1a^{+}$ (with Et₃P instead of Me₃P) and Me₂PhSiH (2b), featuring a Si-H bond distance of 1.627 Å and $\alpha(\text{Ru} \cdots \text{H} \cdots \text{Si})$ angle of 120°. While the end-on η¹-hydrosilane coordination appears to be driven mainly by steric hindrance (changing the electron-donating/-withdrawing substituents in the Ar₃P ligand does not have any significant influence on the structural preference), the preference for a η²-H(Si) binding mode may be recovered by introducing a second phenyl group at the silicon atom (cf. Si-H bond distances in Table S3†). In spite of some structural and NMR spectroscopic differences between the η¹- and η²-hydrosilane

WBI(Ru-S) = 0.495 WBI(S-Si) = 0.733

 $\delta(^{1}H, calcd.) = -7.9 ppm$

 $\delta(^{1}H, \text{ expt.}) = -8.3 \text{ ppm}$

3ab

Edge Article

d(Ru-P) = 2.346 Å WBI(Ru-S) = 0.530WBI(Ru-S) = 0.940d(Ru-P) = 2.359 Å WBI(Ru-S) = 0.426 60.0 4ab[⁺]_TS Reaction Free Energy, ∆Gr⁰ [kJ/mol] 50.0 48.5 40.0 $\delta(^{1}H. calcd.) = +4.1 ppm$ 30.0 4ab 20.0 13.4 10.0 Me₂PhSiH (2b) 0.0 0.0 -10.0 -20.0 -25.2 -30.0 -36.1 -40.0 d(Ru-P) = 2.307 Å

Fig. 5 Calculated relative free energies $\Delta G_0^{\rm p}$ together with the structure of relevant intermediates and transition states for the Si-H bond activation of Me₂PhSiH (**2b**) by ruthenium(III) thiolate complex **1a**⁺ (results obtained at the B3LYP-D3(BJ)/ECP/6-31+G** level of theory using an SMD solvation model). All C-H hydrogen atoms are omitted for clarity. Bond lengths are in Å. Computed and experimental ¹H NMR shifts of intermediates are reported in ppm (with respect to TMS). Wiberg bond indices (WBI) of selected bonds are also indicated.

 $\alpha(Ru-H-Si) = 119.5^{\circ}$ d(Ru-P) = 2.333 Å

WBI(Ru-S) = 0.607

6ab

3ab⁺_TS d(Ru-P) = 2.318 Å WBI(Ru-S) = 0.535

WBI(S-Si) = 0.554

complexes (cf. Tables S2 and S3 in the ESI† for computed properties), the $\Delta G_{\rm r}^0$ of their formation are very similar (cf. Table S3 in the ESI†), indicating a rather weak stabilization energy due to Ru–Si interaction in the side-on adduct. These observations are fully consistent with some of the previous findings of Brookhart and co-workers on iridium(III) hydrosilane complexes. 24

 $\delta(^{1}H, calcd.) = -13.1 ppm$

not observed

In analogy to our previous study on iridium pincer complexes, ²⁵ we attempted to detect any intermediate experimentally by using NMR spectroscopy at low temperatures (note that the hydrosilane complexes 6^+ and $6'^+$ are predicted to display a characteristic ¹H hydride resonance shifted to lower frequencies by ca. -3 to -5 ppm as compared to those of the observed adducts 3; cf. Fig. 5 and Table S2 in the ESI†). Those attempts were, however, not successful, most likely due to the high reactivity of these species (vide~infra). Irrespective of the hydrosilane binding mode (η^1 or η^2), the Ru–S bond length in these complexes is much longer (2.39–2.40 Å) than in the starting complex 1^+ (\sim 2.24 Å; cf. Table S3 in the ESI†). Nevertheless, various bonding analyses including Wiberg bond indices (WBI, cf. Table S4 in the ESI†) and the electron localizability indicator (ELI-D; cf. Fig. 6, lower left) show the remaining partial Ru–S bonding character.

While a classical oxidative addition pathway (cf. 7 in Chart 1) could not be located by the calculations, two different pathways for the heterolytic Si-H bond cleavage based on hydrosilane complexes 6+ or 6'+ have been investigated. These include either migration of the silyl group or the hydrogen atom to the sulfur atom of the SDmp ligand. The hydrogen transfer has been found to be energetically disfavored by more than 30 kJ mol⁻¹ in both the transition state energy and in the free energy of the products when compared to the transfer of a silylium ion. This coincides with the experimental observations that a ruthenium silyl complex (cf. 4 in Chart 1) could not be detected by NMR spectroscopy (for predicted NMR shifts of these species, see Fig. 5 and Table S2 in the ESI†). The silyl transfer proceeds via a concerted four-membered transition state 3_TS with a remarkably weakened (broken) Si...H bond $(\sim 2.15-2.25 \text{ Å})$ and a nearly completed S-Si bond $(\sim 2.41-2.46$ A, Wiberg bond index ~ 0.55 ; cf. Tables S3 and S4 in the ESI†). The transition states are computed to lie at ca. 10-75 kJ mol⁻¹ relative to the reactants. In general, ruthenium(II) thiolate complexes that are decorated with a trialkylphosphine instead of a triarylphosphine ligand are found to have a lower reaction




Fig. 6 Cut-plane plots from ELI-D analyses of bonding in hydrosilane complexes 6 of $[(R_3P)Ru(SDmp)]^+$ ($R_3P=Me_3P$, upper left and $R_3P=Et_3P$, upper right) with Me_2PhSiH (2b), and in silylthioruthenium hydride intermediate $3ab^+$ (lower). The gray-white regions represent ELI-D maxima (bonding attractors).

barrier by about 14–20 kJ mol $^{-1}$. The highest barrier (56–75 kJ mol $^{-1}$) is computed for reactions with $tBuMe_2SiH$, which is by >20 kJ mol $^{-1}$ higher compared to reactions using hydrosilanes such as Me_2PhSiH (2b) and $EtMe_2SiH$ (2d). The overall Si–H bond activation process resulting in hydrosilane adducts 3^+ is exergonic with ΔG_r^0 ranging from ca. –20 to –40 kJ mol $^{-1}$. Nevertheless, the higher reaction barrier in the case of $tBuMe_2SiH$ would explain why hydrosilanes decorated with bulky groups do not react with ruthenium(π) thiolate complexes 1 although the overall free reaction energy is negative. Notably, the catalytically active cation in 1 may also form ion pairs with the sterically demanding BAr_4^F counterion (particularly in organic solvents with low polarity), and that could additionally hamper the interaction of 1 with bulky substrates.

During the formation of complexes **6**⁺ or **6**^{/+}, the Ru–S bond remains virtually intact and also preserves some bonding character in the hydrosilane adducts **3**⁺. Attempts to locate a possible intermediate corresponding to the activation of the hydrosilane through coordination to the Lewis basic sulfur atom failed (*cf.* **5** in Chart 1). This may be ascribed to a partial positive charge located on the sulfur atom in complex **1**⁺, reducing its electron-donating ability. Upon binding of the hydrosilane, the positive charge at the sulfur atom diminishes, which enhances its Lewis basic properties (*cf.* Fig. 7 for MEP and Table S4 in the ESI[†]).




Fig. 7 Molecular electrostatic potentials (MEP) of $[(Et_3P)Ru(SDmp)]^+(1a^+)$ and $[(Et_3P)Ru(SDmp)\cdot Me_2PhSiH]^+$ (6ab+). Isovalue surfaces are displayed at an electron density of 0.04 a.u. (B3LYP/ECP/6-31+G** results). Red and blue regions correspond to the extreme negative and positive potentials, respectively.

Conclusions

In the light of the reactivity of ruthenium(n) thiolate complexes of type [(R₃P)Ru(SDmp)]⁺[BAr^F₄]⁻ (1) in the activation of E–H bonds, *e.g.* H–H,⁹ Si–H,¹⁴ and B–H¹⁵ bonds, detailed mechanistic insight into the hydrosilane activation mode have been disclosed. A combined experimental, spectroscopic, crystallographic, and theoretical investigation provided conclusive evidence for a heterolytic Si–H bond activation pathway involving metal–ligand cooperativity.⁵ The principal results are summarized as follows:

- (1) The quantum-chemical analyses reveal that the hydrosilane is initially activated by coordination of the Si–H bond to the Lewis acidic metal center²⁶ rather than Lewis base activation through the Lewis basic thiolate ligand, as often proposed for metal–alkoxide and –oxo complexes (*cf.* 6 or 6′ vs. 5 in Chart 1). In accordance with previous studies,²⁴ the exact coordination mode, either η^1 (end-on) or η^2 (side-on), is driven by the steric demand of the phosphine ligand as well as the substituents at the silicon atom. While the η^1 -complexes can be considered as a more potent source of electrophilic silicon, the energy differences are very small, indicating a rather weak stabilization energy due to ruthenium to $\sigma^*(\text{Si-H})$ backbonding. Both coordination modes are barrierless on the electronic energy surface and could not be detected spectroscopically.
- (2) After electrophilic activation, the Si–H bond is heterolytically split at the polar Ru–S bond via a concerted four-membered transition state (*cf.* $3ab^+$ _TS in Fig. 5). The σ -bond metathesis results in formation of a cationic silylthioruthenium hydride intermediate (*cf.* 3 in Chart 1), combining a ruthenium(II) hydride and a sulfur-stabilized silicon cation, *i.e.* metallasilylsulfonium ion, in one molecule.¹²
- (3) Addition of the Si-H bond across the Ru-S bond with reversed regioselectivity, affording a ruthenium silyl complex with a ligated thiol (*cf.* 4 vs. 3 in Chart 1), is energetically disfavored by more than 30 kJ mol⁻¹.
- (4) The Ru–S bond remains virtually intact during the Si–H bond activation event, even preserving bonding character in the hydrosilane adducts (Wiberg bond indices around 0.5).
- (5) The overall Si–H bond activation process is reversible and exergonic with $\Delta G_{\rm r}^0$ ranging from -20 to -40 kJ mol⁻¹, proceeding instantly already at low temperatures.

(6) The spectroscopic and computational characterization of the stable yet reactive cationic silylthioruthenium hydride intermediates is reported. Unambiguous proof for the structural assignment was provided by the successful isolation and crystallographic characterization of these catalytically active key intermediates. The computational data are in full accordance with the experimental findings.

- (7) The regioselective and stereospecific *syn*-addition of the Si-H bond was further verified with the aid of deuterium labeling and a silicon-stereogenic hydrosilane as a stereochemical probe.
- (8) The analysis of the NMR spectra indicated the presence of a side product, which could be identified crystallographically as silyloxyphosphonium salt $[R_3POSiR'_3]^+[BAr^F_{4}]^-$. Even though its formation remains unclear, these species have been shown to be catalytically inactive.

Overall, the mechanistic details of the Si–H bond activation at polar Ru–S bonds have been clarified. Compared to nature, where a polar Ni–S bond potentially serves as a reactive site for heterolytic dihydrogen splitting in [NiFe] hydrogenases,²⁷ the present study of the closely related hydrosilane activation represents, next to Stradiotto's seminal report,¹² a rare example of a fully-understood system of heterolytic bond splitting mediated by a transition metal thiolate complex and might provide a solid foundation for the understanding of the basic mechanistic principles of both processes.

Acknowledgements

This research was supported by the Fonds der Chemischen Industrie (predoctoral fellowship to T.S., 2011–2013), the Deutsche Forschungsgemeinschaft (International Research Training Group Münster-Nagoya, GRK 1143 with a predoctoral fellowship to C.D.F.K., 2011–2012), and the Cluster of Excellence *Unifying Concepts in Catalysis* of the Deutsche Forschungsgemeinschaft (EXC 314/2). M.O. is indebted to the Einstein Foundation (Berlin) for an endowed professorship. We thank Dr Kazuki Tanifuji (Nagoya University) for expert advice with the X-ray structure analyses and Marko Vastag (research group of Dr Inez Weidinger and Prof. Dr Peter Hildebrandt, TU Berlin) for attempted resonance Raman measurements.

Notes and references

- 1 S. Rendler and M. Oestreich, in *Modern Reduction Methods*, ed. P. G. Andersson and I. J. Munslow, Wiley-VCH, Weinheim, 2008, ch. 8, pp. 183–207.
- 2 For authoritative reviews of hydrosilane activation by transition metals, see: (*a*) J. Y. Corey, *Chem. Rev.*, 2011, **111**, 863–1071; (*b*) J. Y. Corey and J. Braddock-Wilking, *Chem. Rev.*, 1999, **99**, 175–292.
- 3 The nonclassical interactions may be viewed as arrested intermediates ("snapshots") along the reaction coordinate towards oxidative addition. For reviews, see: (a) G. Alcaraz and S. Sabo-Etienne, *Coord. Chem. Rev.*, 2008, 252, 2395–2409; (b) S. Lachaize and S. Sabo-Etienne, *Eur. J. Inorg. Chem.*, 2006, 2115–2127; (c) G. I. Nikonov, *Adv. Organomet.*

- Chem., 2005, 53, 217–309; (d) Z. Lin, Chem. Soc. Rev., 2002, 31, 239–245; (e) G. I. Nikonov, J. Organomet. Chem., 2001, 635, 24–36; (f) J. J. Schneider, Angew. Chem., Int. Ed. Engl., 1996, 35, 1068–1075; (g) R. H. Crabtree, Angew. Chem., Int. Ed. Engl., 1993, 32, 789–805; (h) U. Schubert, Adv. Organomet. Chem., 1990, 30, 151–187; for a theoretical study, see: (i) W. Scherer, P. Meixner, J. E. Barquera-Lozada, C. Hauf, A. Obenhuber, A. Brück, D. J. Wolstenholme, K. Ruhland, D. Leusser and D. Stalke, Angew. Chem., Int. Ed., 2013, 52, 6092–6096.
- 4 For an overview of heterolytic splitting of Si-H bonds by electrophilic metal centers, see: G. J. Kubas, *Adv. Inorg. Chem.*, 2004, **56**, 127–177.
- 5 The synergistic reactivity of the metal center and coordinated ligands is commonly termed as cooperative, metal-ligand cooperating (MLC), ambifunctional or bifunctional catalysis. For reviews, see: (a) H. Grützmacher, Angew. Chem., Int. Ed., 2008, 47, 1814–1818; (b) J. I. van der Vlugt and J. N. H. Reek, Angew. Chem., Int. Ed., 2009, 48, 8832-8846; (c) M. Stradiotto, K. D. Hesp and R. J. Lundgren, Angew. Chem., Int. Ed., 2010, 49, 494-512; (d) Topics in Organometallic Chemistry, Bifunctional Molecular Catalysis, ed. T. Ikariya and M. Shibasaki, Springer, Heidelberg, 2011, vol. 37; (e) C. Gunanathan and D. Milstein, Acc. Chem. Res., 2011, 44, 588-602; (f) S. Kuwata and T. Ikariya, Chem.-Eur. J., 2011, 17, 3542-3556; (g) M. Kanai, in Organic Chemistry - Breakthroughs and Perspectives, ed. K. Ding and L.-X. Dai, Wiley-VCH, Weinheim, 2012, ch. 11, pp. 385-412; (h) B. Askevold, H. W. Roesky and S. Schneider, ChemCatChem, 2012, 4, 307-320; (i) J. I. van der Vlugt, Eur. J. Inorg. Chem., 2012, 363-375; (j) G. R. Owen, Chem. Soc. Rev., 2012, 41, 3535-3546; (k) V. K. K. Praneeth, M. R. Ringenberg and T. R. Ward, Angew. Chem., Int. Ed., 2012, 51, 10228-10234; (l) V. T. Annibale and D. Song, RSC Adv., 2013, 3, 11432-11449; (m) M. Trincado and H. Grützmacher, in Cooperative Catalysis, ed. R. Peters, Wiley-VCH, Weinheim, 2015, ch. 3, pp. 67-110.
- 6 (a) R. Waterman, Organometallics, 2013, 32, 7249-7263; (b)
 R. N. Perutz and S. Sabo-Etienne, Angew. Chem., Int. Ed., 2007, 46, 2578-2592; (c) Z. Lin, Coord. Chem. Rev., 2007, 251, 2280-2291.
- 7 X.-L. Luo and R. H. Crabtree, *J. Am. Chem. Soc.*, 1989, **111**, 2527–2535.
- 8 (a) S. Bourg, R. J. P. Corriu, M. Enders and J. J. E. Moreau, Organometallics, 1995, 14, 564–566; (b) X. Verdaguer, U. E. W. Lange, M. T. Reding and S. L. Buchwald, J. Am. Chem. Soc., 1996, 118, 6784–6785; (c) X. Liu, Z. Wu, Z. Peng, Y.-D. Wu and Z. Xue, J. Am. Chem. Soc., 1999, 121, 5350–5351; (d) X. Liu, Z. Wu, H. Cai, Y. Yang, T. Chen, C. E. Vallet, R. A. Zuhr, D. B. Beach, Z.-H. Peng, Y.-D. Wu, T. E. Concolino, A. L. Rheingold and Z. Xue, J. Am. Chem. Soc., 2001, 123, 8011–8021; (e) H. Cai, T. Chen, X. Wang, A. J. Schultz, T. F. Koetzle and Z. Xue, Chem. Commun., 2002, 230–231; (f) Z. K. Sweeney, J. L. Polse, R. A. Andersen, R. G. Bergman and M. G. Kubinec, J. Am. Chem. Soc., 1997, 119, 4543–4544; (g) Z. K. Sweeney, J. L. Polse, R. G. Bergman and R. A. Andersen, Organometallics, 1999,

Chemical Science

18, 5502–5510; (h) T. E. Hanna, E. Lobkovsky and P. J. Chirik, Inorg. Chem., 2007, 46, 2359-2361; (i) T. I. Gountchev and T. D. Tilley, J. Am. Chem. Soc., 1997, 119, 12831–12841; (j) A. W. Kaplan, J. L. Polse, G. E. Ball, R. A. Andersen and R. G. Bergman, J. Am. Chem. Soc., 1998, 120, 11649-11662; (k) P. J. Tiong, A. Nova, E. Clot and P. Mountford, Chem. Commun., 2011, 47, 3147-3149; (l) J. J. Kennedy-Smith, K. A. Nolin, H. P. Gunterman and F. D. Toste, J. Am. Chem. Soc., 2003, 125, 4056-4075; (m) K. A. Nolin, J. R. Krumper, M. D. Pluth, R. G. Bergman and F. D. Toste, J. Am. Chem. Soc., 2007, 129, 14684-14696; for a theoretical study on this work, see: (n) L. W. Chung, H. G. Lee, Z. Lin and Y.-D. Wu, J. Org. Chem., 2006, 71, 6000-6009; for a review, see: (o) S. C. A. Sousa, I. Cabrita and A. C. Fernandes, Chem. Soc. 5641-5653; (*p*) A. 2012, 41, Llamazares, H. W. Schmalle and H. Berke, Organometallics, 2001, 20, 5277-5288; (q) M. D. Fryzuk, J. B. Love, S. J. Rettig and V. G. Young, Science, 1997, 275, 1445-1447; for a theoretical study on this work, see: (r) H. Basch, D. G. Musaev, K. Morokuma, M. D. Fryzuk, J. B. Love, W. W. Seidel, A. Albinati, T. F. Koetzle, W. T. Klooster, S. A. Mason and J. Eckert, J. Am. Chem. Soc., 1999, 121, 523-528; (s) M. D. Fryzuk, B. A. MacKay and B. O. Patrick, J. Am. Chem. Soc., 2003, 125, 3234-3235; (t) B. A. MacKay, R. F. Munha and M. D. Fryzuk, J. Am. Chem. Soc., 2006, 128, 9472-9483; (u) J. Zhou, J. Chu, Y. Zhang, G. Yang, X. Leng and Y. Chen, Angew. Chem., Int. Ed., 2013, 52, 4243-4246; (v) P. Deglmann, E. Ember, P. Hofmann, S. Pitter and O. Walter, Chem.-Eur. J., 2007, 13, 2864-2879; (w) W.-Y. Chu, X. Zhou and T. B. Rauchfuss,

9 Y. Ohki, Y. Takikawa, H. Sadohara, C. Kesenheimer, B. Engendahl, E. Kapatina and K. Tatsumi, *Chem.-Asian J.*, 2008, **3**, 1625–1635.

Organometallics, 2015, 34, 1619-1626.

- 10 (a) S. R. Flynn and D. F. Wass, ACS Catal., 2013, 3, 2574–2581; (b) D. F. Wass and A. M. Chapman, Top. Curr. Chem., 2013, 334, 261–280.
- 11 For silylsulfonium ions, see: (*a*) G. K. S. Prakash, S. Bae, Q. Wang, G. Rasul and G. A. Olah, *J. Org. Chem.*, 2000, 65, 7646–7649; (*b*) V. H. G. Rohde, P. Pommerening, H. F. T. Klare and M. Oestreich, *Organometallics*, 2014, 33, 3618–3628.
- 12 K. D. Hesp, R. McDonald, M. J. Ferguson and M. Stradiotto, *J. Am. Chem. Soc.*, 2008, **130**, 16394–16406.
- 13 U.-H. Berlekamp, P. Jutzi, A. Mix, B. Neumann, H.-G. Stammler and W. W. Schoeller, *Angew. Chem., Int. Ed.*, 1999, **38**, 2048–2050.
- 14 (a) H. F. T. Klare, M. Oestreich, J.-i. Ito, H. Nishiyama,
 Y. Ohki and K. Tatsumi, J. Am. Chem. Soc., 2011, 133,
 3312–3315; (b) C. D. F. Königs, H. F. T. Klare, Y. Ohki,
 K. Tatsumi and M. Oestreich, Org. Lett., 2012, 14, 2842–2845; (c) J. Hermeke, H. F. T. Klare and M. Oestreich,
 Chem.-Eur. J., 2014, 20, 9250–9254; (d) C. D. F. Königs,

- M. F. Müller, N. Aiguabella, H. F. T. Klare and M. Oestreich, *Chem. Commun.*, 2013, 49, 1506–1508; (e) C. D. F. Königs, H. F. T. Klare and M. Oestreich, *Angew. Chem., Int. Ed.*, 2013, 52, 10076–10079; (f) T. T. Metsänen and M. Oestreich, *Organometallics*, 2015, 34, 543–546; (g) T. Stahl, H. F. T. Klare and M. Oestreich, *J. Am. Chem. Soc.*, 2013, 135, 1248–1251.
- 15 T. Stahl, K. Müther, Y. Ohki, K. Tatsumi and M. Oestreich, *J. Am. Chem. Soc.*, 2013, 135, 10978–10981.
- 16 (a) Y. Ohki, M. Sakamoto and K. Tatsumi, *J. Am. Chem. Soc.*, 2008, **130**, 11610–11611; for a theoretical study on the mechanism of the hydrogen activation by iridium(III) and rhodium(III) thiolate complexes, see: (b) J. Tao and S. Li, *Dalton Trans.*, 2009, 857–863.
- 17 The degree of deshielding of the silicon nucleus in the ²⁹Si NMR spectrum is often viewed as a good qualitative measure of its Lewis acidity: G. A. Olah and L. D. Field, *Organometallics*, 1982, 1, 1485–1487.
- 18 P. Hrobárik, V. Hrobáriková, F. Meier, M. Repiský, S. Komorovský and M. Kaupp, *J. Phys. Chem. A*, 2011, **115**, 5654–5659.
- 19 P. Hrobárik, V. Hrobáriková, A. H. Greif and M. Kaupp, Angew. Chem., Int. Ed., 2012, 51, 10884–10888.
- 20 K. Müther, P. Hrobárik, V. Hrobáriková, M. Kaupp and M. Oestreich, *Chem.-Eur. J.*, 2013, **19**, 16579–16594.
- 21 For a related racemization-free ¹H/²H scrambling catalyzed by B(C₆F₅)₃, see: S. Rendler and M. Oestreich, *Angew. Chem., Int. Ed.*, 2008, 47, 5997–6000.
- 22 (a) S. P. Hoffmann, T. Kato, F. S. Tham and C. A. Reed, *Chem. Commun.*, 2006, 767–769; (b) M. Nava and C. A. Reed, *Organometallics*, 2011, 30, 4798–4800; (c) S. J. Connelly, W. Kaminsky and D. M. Heinekey, *Organometallics*, 2013, 32, 7478–7481.
- 23 (a) [CpRu(Ph₃P)₂SSiiPr₃] with S-Si, 2.114(3) Å: I. Kovacs,
 C. Pearson and A. Shaver, *J. Organomet. Chem.*, 2000, 596,
 193-203; (b) [Cp*(CO)Ru(CNMes)SSiH₂C(SiMe₃)₃] with S-Si,
 2.092(2) Å: M. Ochiai, H. Hashimoto and H. Tobita,
 Organometallics, 2012, 31, 527-530.
- 24 J. Yang, P. S. White, C. K. Schauer and M. Brookhart, *Angew. Chem., Int. Ed.*, 2008, 47, 4141–4143.
- 25 T. T. Metsänen, P. Hrobárik, H. F. T. Klare, M. Kaupp and M. Oestreich, *J. Am. Chem. Soc.*, 2014, **136**, 6912–6915.
- 26 This situation resembles the Si–H bond activation mediated by electron-deficient boranes (*e.g.* B(C₆F₅)₃): (*a*) Ref. 21; (*b*) K. Sakata and H. Fujimoto, *J. Org. Chem.*, 2013, **78**, 12505–12512; (*c*) A. Y. Houghton, J. Hurmalainen, A. Mansikkamäki, W. E. Piers and H. M. Tuononen, *Nat. Chem.*, 2014, **6**, 983–988; for a review, see: (*d*) M. Oestreich, J. Hermeke and J. Mohr, *Chem. Soc. Rev.*, 2015, **44**, 2202–2220.
- 27 (a) W. Lubitz, H. Ogata, O. Rüdiger and E. Reijerse, Chem. Rev., 2014, 114, 4081–4148; (b) C. Tard and C. J. Pickett, Chem. Rev., 2009, 109, 2245–2274; (c) P. E. M. Siegbahn, J. W. Tye and M. B. Hall, Chem. Rev., 2007, 107, 4414–4435.