

View Article Online
View Journal

ChemComm

Chemical Communications

Accepted Manuscript

This article can be cited before page numbers have been issued, to do this please use: L. Topping, A. P. Welegedara, M. Judd, E. H. Abdelkader, N. Cox, G. Otting and S. J. Butler, *Chem. Commun.*, 2024, DOI: 10.1039/D4CC03007A.



This is an Accepted Manuscript, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. We will replace this Accepted Manuscript with the edited and formatted Advance Article as soon as it is available.

You can find more information about Accepted Manuscripts in the <u>Information for Authors</u>.

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard <u>Terms & Conditions</u> and the <u>Ethical guidelines</u> still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this Accepted Manuscript or any consequences arising from the use of any information it contains.



Dpen Access Article. Published on 16 2024. Downloaded on 23.7.2024 . 1:27:23.
 This article is licensed under a Creative Commons Attribution 3.0 Unported Licence.

View Article Online DOI: 10.1039/D4CC03007A

COMMUNICATION

A lanthanide tag for a complementary set of pseudocontact shifts

Lydia Topping,^a Adarshi P. Welegedara,^b Martyna Judd,^c Elwy H. Abdelkader,^b Nicholas

Cox,^c Gottfried Otting^b and Stephen J. Butler^a*

Received 00th January 20xx, Accepted 00th January 20xx

DOI: 10.1039/x0xx00000x

Pseudocontact shifts (PCS) generated by paramagnetic lanthanide ions deliver powerful restraints for protein structure analysis by NMR spectroscopy. We present a new lanthanide tag that generates different PCSs than that of a related tag, which differs in structure by a single oxygen atom. It is highly reactive towards cysteine and performs well in turn-on luminescence and in EPR spectroscopy.

Lanthanide complexes enable structural characterisation of biological macromolecules by different types of spectroscopy. For example, in nuclear magnetic resonance (NMR), paramagnetic lanthanide tags elicit large pseudocontact shifts (PCS), which form the basis of long-range structure restraints for 3D structure determination. In electron paramagnetic resonance (EPR), the interaction of pairs of gadolinium tags introduced into proteins, can measure distances ranging between 25 and 75 Å. In addition, terbium and europium tags feature long-lived luminescence, 4-7 which can be engineered to 'switch on' upon conjugation of the tag with the target biomolecule. 8,9

Recently, we showed that labelling a single solvent-accessible cysteine residue of a target protein with three to four different lanthanide tags delivers PCSs that allow the coordinates of the detected nuclear spins to be determined with high accuracy. ¹⁰ Most remarkably, the information content provided by the PCSs in this single-site-multiple-tag experiment is almost equivalent to that of the previously established multiple-site-single-tag approach, ¹¹⁻¹³ where different protein constructs must be produced for site-specific tag attachment. The ability to work with a single site is important, as mutations of some sites can result in unforeseen structural perturbations. Notably, the single-site-multiple-tag experiment is only

effective if the set of tags, relative to the protein, display different orientations of their magnetic susceptibility anisotropy ($\Delta\chi$) tensor. This $\Delta\chi$ tensor is an attribute of the chelated paramagnetic lanthanide ion.¹⁰

Unfortunately, a set of tags with a different $\Delta\chi$ tensor cannot be generated by simply changing the lanthanide ion; for a given ligand field, different lanthanides generally have very similar $\Delta\chi$ tensor orientations. ¹⁴ However, different $\Delta\chi$ tensor orientations can be achieved by changing the chirality of the tag ¹⁰ or the nature of the linker between the lanthanide tag and the protein. Ideally, the linker is conformationally rigid, as flexible reorientation of the lanthanide complex relative to the protein averages the PCSs and leads to smaller effective $\Delta\chi$ tensors. ¹⁵

Here we show that a small structural modification to the previously published C12 tag^8 creates a new tag that is more reactive towards cysteine and produces a significantly different $\Delta\chi$ tensor orientation. Furthermore, we demonstrate that it performs like the C12 tag in double-electron–electron resonance (DEER) experiments and possesses switch-on luminescence properties.

Figure 1. Chemical structures of Ln.C12 and Ln.C14 tags.

We refer to this new tag as **C14** as it is based on the cyclen macrocycle like its predecessor **C12** (Figure 1).⁸ Cyclen-based lanthanide complexes are attractive for their high thermodynamic and kinetic stability and ease of use, but their synthesis requires multiple steps.¹ The **C14** tag differs from the **C12** tag only by the oxidation of the nitrogen of the pyridyl ring

^a Department of Chemistry, Loughborough University, Epinal Way, Loughborough, LE11 3TU, United Kingdom

b. ARC Centre of Excellence for Innovations in Peptide & Protein Science, Research School of Chemistry, Australian National University, Canberra, ACT 2601, Australia

^c Research School of Chemistry, Australian National University, Canberra, ACT 2601, Australia

d.† Footnotes relating to the title and/or authors should appear here.
Electronic Supplementary Information (ESI) available: [details of any supplementary information available should be included here]. See DOI: 10.1039/x0xx00000x

COMMUNICATION Journal Name

to an N-oxide, simplifying the synthetic protocol, which is otherwise identical to that of the C12 tag (see Scheme S1 and supporting information for experimental details). The C14 tag reacts spontaneously with the thiol group of a cysteine residue in aqueous solution, forming a stable thioether bond. 16 The tag is stable to storage and shipping.§




Figure 2. a) Absorption and emission spectra of Tb.C14 (black) and its cysteine-tagged derivative Tb.C14-Cys (green), measured in 50 mM ammonium bicarbonate buffer at pH 8.0. To confirm that the absorbance and luminescence increase was due to the successful reaction of Tb.C14 with cysteine, Tb.C14-Cys was purified by preparative reverse-phase HPLC. b) Monitoring the reaction between Tb.C14 and cysteine by LCMS analysis, showing quantitative reaction after 2 hours. The percentage mass ion peaks of Tb.C14 (m/z = 322.1) and **Tb.C14**-Cys (m/z = 346.8) are plotted as a function of time, following incubation with 4 equivalents of cysteine in water at pH 8.0 and 37°C.

We initially investigated the photophysical properties of the Tb³⁺ complex **Tb.C14** and its reactivity towards cysteine. Figure 2a shows the change in UV-Vis absorption and emission spectra of Tb.C14 upon reaction with cysteine in buffered aqueous solution at pH 8.0 and 37 °C. Tb.C14 alone exhibits a broad featureless absorption band centred at 292 nm (ϵ = 1800 M⁻¹ cm¹). Indirect excitation of the 4-nitropyridine N-oxide group of Tb.C14 produces weak Tb(III)-centred luminescence with four characteristic bands in the green region of the visible spectrum (475 - 630 nm). Upon reacting with cysteine, Tb.C14 shows a pronounced 4-fold enhancement in Tb(III)-centred luminescence, attributed to displacement of the electron withdrawing nitro group and subsequent formation of an electron donating thioether bond. The absorption spectrum was slightly red-shifted to 302 nm upon cysteine ligation, and

the extinction coefficient increased to 4600 em Mricle cm⁻¹ approximately 2.5-fold higher than the untaggel ଓଡ଼ିମ୍ମ ନାଲ୍ୟ ଫନ୍ଲି increase in both the extinction coefficient and quantum yield means that the overall brightness of the cysteine-tagged Tb(III) complex, defined as the product of ϵ and Φ , increases approximately 10-fold. This increase in brightness, although less pronounced than that observed for the previously reported 4nitropyridine complex Tb.C12,8 is still highly effective for monitoring the cysteine labelling reaction using UV-Vis and luminescence spectroscopy, discussed further below.

The rate of reaction between Tb.C14 and cysteine was evaluated by LCMS analysis (Figures 2b, S1 and S2). Incubation of Tb.C14 (250 μM) with four equivalents of cysteine at 37 °C resulted in quantitative labelling of the Tb(III) complex within approximately 2 hours. This is a significantly faster rate of reaction compared with the previously studied Tb.C12, which achieved approximately 95% conversion at 37 °C after 16 hours under similar conditions.8 The increased reactivity of Tb.C14 can be attributed to the ability of the N-oxide to stabilise the developing negative charge in the transition state of the ratedetermining step, which is the nucleophilic addition of the thiol to the pyridyl ring. We demonstrated the ability to track the cysteine labelling reaction using UV-Vis and luminescence spectroscopy (Figure S3), taking advantage of the increase in both extinction coefficient and luminescence quantum yield. The spectra revealed steep increases in both the UV-Vis absorption and Tb(III) emission intensity within the first hour of the reaction, followed by stable signals after 2.5 hours, indicating quantitative reaction consistent with the LCMS data.

To explore the performance of the C14 tag for PCS measurements, we loaded the tag with Y3+, Tm3+ and Tb3+ (named Y.C14, Tm.C14 and Tb.C14, respectively) and reacted the tags with the S57C mutant of uniformly ¹⁵N-labelled ubiquitin. Full details of the tagging reaction conditions are provided in the ESI. Mass spectra confirming tagging of the ubiquitin S57C mutant are given in Figure S4. Figure 3 shows the ¹⁵N-HSQC spectra obtained.




Figure 3. Superimposition of 15N-HSQC spectra of ubiquitin S57C ligated with the C14 tag loaded with different metal ions. The spectra recorded with diamagnetic Y.C14 tag and paramagnetic Tm.C14 and Tb.C14 are plotted in black, blue and red, respectively. Lines link paramagnetic with diamagnetic cross-peaks, identifying the PCSs.

This article is licensed under a Creative Commons Attribution 3.0 Unported Licence

Open Access Article. Published on 16 2024. Downloaded on 23.7.2024.

Journal Name

COMMUNICATION


PCSs could be measured for most amide protons of the protein, allowing the accurate fitting of $\Delta \chi$ tensors. Table 1 compares the fitted $\Delta \chi$ tensors to those obtained previously for ubiquitin S57C tagged with Tm.C12 and Tb.C12. The C14 tags gave slightly smaller tensors than the C12 tags with comparable qualities of fit (Figure S5). Importantly, the tensor orientations are very different from those of the C12 tags (Figure 4) and the fitted metal positions differ by about 4.5 Å (Table S2). This shows that the single additional oxygen in the C14 tag changes the conformation of the linker between lanthanide ion and protein. In contrast, the tensor orientations obtained with Tm.C14 and Tb.C14 tags were closely similar, as expected for metal coordination geometries. Performing measurements with both metal ions thus adds little structural information but facilitates assignment of the paramagnetic cross-peaks, as they shift the peaks in opposite directions (Figure 3).

Table 1. $\Delta\chi$ tensors fitted to ubiquitin S57C with **C12** and **C14** tags.^a

Tag	$\Delta\chi_{ax}/10^{-23}\text{m}^3$	$\Delta\chi_{rh}/10^{-23}\mathrm{m}^3$	Q
Tm.C14	8.9	0.5	0.05
Tb.C14	-10.9	-1.6	0.04
Tm.C12	5.8	3.0	0.06
Tb.C12	8.3	3.3	0.05

^a The program Paramagpy¹⁷ was used to fit the PCSs of amide protons to the structure coordinates 1UBQ.18 The quality factor of each fit was calculated as the root-mean-square (RMS) of the differences between experimental and backcalculated PCSs divided by the MRS of the experimental PCSs. The full set of fitted tensor parameters is given in Table S2.

Figure 4. PCS isosurfaces illustrating the orientations of the $\Delta\chi$ tensors obtained with the



a) Tb.C14 and b) Tm.C14 tags. c) and d) show the corresponding isosurfaces obtained with the previously published Tb.C12 and Tm.C12 tags, respectively, for comparison. The isosurfaces correspond to PCSs of +/- 1 ppm (blue and red, respectively).

1D ¹H-NMR spectra recorded of the free **Tm.C14** tag showed chemical shifts ranging between about 270 and -160 ppm (Figure S6), which is comparable to the range observed for the Tm.C12 tag (250 to -150 ppm). This suggests that the intrinsic $\Delta \chi$ -tensor magnitudes are comparable for both tags. A q value of 2 obtained from the Tb luminescence lifetimes of 17b C14 (Table S1) contrasts with a value of 1 determined 3 Perious in 170 the Tb.C12 tag, indicating that the N-oxide renders the lanthanide ion more solvent accessible.

Gadolinium tags are also of great utility for distance measurements between Gd3+ ions by EPR spectroscopy. To test the performance of the Gd.C14 tag in DEER experiments, we tagged the single-cysteine mutant S114C of the homodimeric protein ERp29.11

The EPR spectrum is very similar to that of the same protein tagged with the C12 homologue, with a slightly broader line width of the central -1/2 to 1/2 transition (Figure S7). This suggests that the zero-field splitting is the same or only slightly larger than that of the C12 tag. Also, the relaxation properties of the Gd.C14 tag are similar to those of the Gd.C12 tag (Figure S8 and Table S4) and therefore should perform equally well as an EPR spin tag.




Figure 5. Comparison of DEER data obtained with ERp29 S114C tagged with either Gd.C14 or Gd.C12. (a) Background-subtracted dipolar evolution time trace of the protein with Gd.C14 tag (black trace) and the Gd.C12 tag (blue trace) showing the form factor fits calculated in DeerAnalysis2019 (red traces). The noise amplitudes differ because of different number of scans used. (b) Distance distributions obtained with the Gd.C14 (solid line) and Gd.C12 (dotted line) tags. The data in (a) were processed by DeerAnalysis2019 with Tikhonov regularisation top obtain the distance distributions in (b). Reliability ranges are identified by different colours: green - the shape of the distance distribution is reliable, yellow - the maximum of the distribution and its width are reliable, orange - the mean distance is reliable, red - long-range distances may be observable but cannot be quantified.

Figure 5 shows the DEER dipolar evolution trace and distance distribution calculated from it. The distance distribution has a Gaussian shape with mean distance of 5.7 nm.

Journal Name

COMMUNICATION

The modulation depth of the **Gd.C14** DEER trace was only 0.975, compared to the 0.91 modulation depth of the **Gd.C12** DEER. Subsequent analysis by non-reducing SDS-PAGE revealed a significant fraction of disulfide-bonded dimer in the ERp29 S114C sample used for **Gd.C14** labelling, which would have been undetectable in the DEER experiment. Consequently, only a fraction of the protein formed the native dimer with a **Gd.C14** tag in each monomer as required, explaining the relatively low modulation depth compared with ERp29 S114C tagged with **Gd.C12** (Figure 5).8 Importantly, a high-quality DEER trace was obtained despite incomplete tagging, and the relatively narrow width of the distance distribution obtained with the **Gd.C14** tag indicates a smaller variation of the Gd³+-Gd³+ distance.

In conclusion, the **C14** tag proves to be as versatile as the related **C12** tag for NMR, luminescence and EPR studies. Despite differing by only a single oxygen atom, the C14 tag generates different and highly complementary $\Delta\chi$ tensors. This behaviour can be attributed to different linker conformations between the tag and protein.

We have previously reported that the enantiomer of the **C12** tag, **C13**, also produces different $\Delta\chi$ tensors, ¹⁰ although the differences are smaller than those reported here. We envisage the same will be true for the enantiomer of the **C14** tag. This set of four tags is thus perfectly suited for protein structure determinations from PCSs using a single tagging site.

Author Contributions

This article is licensed under a Creative Commons Attribution 3.0 Unported Licence

Open Access Article. Published on 16 2024. Downloaded on 23.7.2024. 1:27:23.

L.T. synthesized the **C14** tags and evaluated the NMR data, E.A. produced the protein, A.W. optimized tagging conditions together with L.T., M.J. and N.C. measured and interpreted the EPR data, G.O. wrote the first draft of the manuscript, and S.J.B. designed the **C14** tag, coordinated the project and wrote the manuscript with G.O.

Conflicts of interest

There are no conflicts to declare.

Data availability

The data supporting this article have been included as part of the Supplementary Information, including synthesis and characterisation of Ln.C14, photophysical analysis of Tb.C14 and Tb.C14-Cys, NMR and EPR spectroscopic data of protein tagging experiments.

Acknowledgements

This work was supported by the Loughborough University Doctoral College for international research activity. Financial support by the Australian Research Council (grants CE200100012 and DP230100079) is gratefully acknowledged.

Notes and References

§ The tag demonstrated excellent stability during shipment between UK and Australian laboratories, maintaining its structural and Australian laboratories, maintaining its structural and the four integrity throughout the journey in solid form. Moreover, it can be stored at room temperature for several months without any degradation, ensuring reliability and ease of use in various protein tagging applications.

- Q. Miao, C. Nitsche, H. Orton, M. Overhand, G. Otting and M. Ubbink, Chem. Rev., 2022, 122, 9571-9642.
- H. Yagi, K. B. Pilla, A. Maleckis, B. Graham, T. Huber and G. Otting, Structure, 2013, 21, 883-890.
- A. Feintuch, G. Otting and D. Goldfarb, in *Methods in Enzymology*, eds. P. Z. Qin and K. Warncke, Academic Press, 2015, vol. 563, pp. 415-457.
- E. G. Moore, J. Xu, C. J. Jocher, T. M. Corneillie and K. N. Raymond, *Inorg. Chem.*, 2010, 49, 9928-9939.
- J. M. Zwier, H. Bazin, L. Lamarque and G. Mathis, *Inorg. Chem.*, 2014, 53, 1854-1866.
- S. J. Butler, M. Delbianco, L. Lamarque, B. K. McMahon, E. R. Neil, R. Pal, D. Parker, J. W. Walton and J. M. Zwier, *Dalton Trans.*, 2015, 44, 4791-4803.
- 7. J.-C. G. Bünzli, Acc. Chem. Res., 2006, **39**, 53-61.
- I. D. Herath, C. Breen, S. H. Hewitt, T. R. Berki, A. F. Kassir, C. Dodson, M. Judd, S. Jabar, N. Cox, G. Otting and S. J. Butler, *Chem. Eur. J.*, 2021, 27, 13009-13023.
- 9. S. Wheeler and S. J. Butler, Anal. Sens., 2022, 3, e202200036.
- 10. H. W. Orton, E. H. Abdelkader, L. Topping, S. J. Butler and G. Otting, *Magn. Reson.*, 2022, **3**, 65-76.
- 11. H. Yagi, D. Banerjee, B. Graham, T. Huber, D. Goldfarb and G. Otting, *J. Am. Chem. Soc.*, 2011, **133**, 10418-10421.
- 12. K. B. Pilla, G. Otting and T. Huber, *J. Mol. Biol.*, 2016, **428**, 522-532
- F.-J. Wu, P. S. Rieder, L. A. Abiko, P. Rößler, A. D. Gossert, D. Häussinger and S. Grzesiek, J. Am. Chem. Soc., 2022, 144, 21728-21740.
- 14. I. Bertini, M. B. L. Janik, Y.-M. Lee, C. Luchinat and A. Rosato, *J. Am. Chem. Soc.*, 2001, **123**, 4181-4188.
- 15. D. Shishmarev and G. Otting, J. Biomol. NMR, 2013, 56, 203-216.
- K. L. Gempf, S. J. Butler, A. M. Funk and D. Parker, Chem. Commun., 2013, 49, 9104-9106.
- 17. H. W. Orton, T. Huber and G. Otting, *Magn. Reson.*, 2020, **1**, 1-12.
- S. Vijay-Kumar, C. E. Bugg and W. J. Cook, J. Mol. Biol., 1987, 194, 531-544.

View Article Online DOI: 10.1039/D4CC03007A

Data availability

The data supporting this article have been included as part of the Supplementary Information, including synthesis and characterisation of **Ln.C14**, photophysical analysis of **Tb.C14** and **Tb.C14-Cys**, NMR and EPR spectroscopic data of protein tagging experiments.