



Cite this: *Phys. Chem. Chem. Phys.*, 2016, **18**, 15458

## Correction: Assembly and relaxation behaviours of phosphatidylethanolamine monolayers investigated by polarization and frequency resolved SFG-VS

Feng Wei,<sup>\*a</sup> Wei Xiong,<sup>a</sup> Wenhui Li,<sup>a</sup> Wangting Lu,<sup>a</sup> Heather C. Allen<sup>b</sup> and Wanquan Zheng<sup>ac</sup>

DOI: 10.1039/c6cp90132h

www.rsc.org/pccp

Correction for 'Assembly and relaxation behaviours of phosphatidylethanolamine monolayers investigated by polarization and frequency resolved SFG-VS' by Feng Wei *et al.*, *Phys. Chem. Chem. Phys.*, 2015, **17**, 25114–25122.

The authors would like to make some corrections to their article based on some recent calculations:

The spectral resolution of IR-scanning sum frequency generation vibrational spectroscopy (SFG-VS) system can be calculated using eqn (13) in ref. 1:

$$\Delta\nu_{\text{Instr}}^2 = \frac{8 \ln(2)}{(2\pi c)^2} \Delta\omega_{\text{SF}}^2 = \frac{8 \ln(2)}{(2\pi c)^2} (\Delta\omega_{\text{IR}}^2 + \Delta\omega_{\text{Vis}}^2) \quad (13)$$

where  $\Delta\omega_{\text{IR}}$  and  $\Delta\omega_{\text{Vis}}$  are the Gaussian bandwidths/linewidths of incident IR beam and visible beam, respectively.

So based on our latest experiments and calculation results:

1. "Bandwidth  $\approx 1 \text{ cm}^{-1}$ " in the abstract (line 3) should be corrected into "Linewidth  $\approx 1.5 \text{ cm}^{-1}$ ".
2. "The bandwidth of the final IR beam is calculated to be  $\approx 1 \text{ cm}^{-1}$ , about twice the transform-limited width of a 30 ps Gaussian pulse ( $0.48 \text{ cm}^{-1}$ ).", in "Experimental" (page 2, left column, last third line) should be corrected into "The linewidths of the final IR beams are calculated to be  $\approx 1.5 \text{ cm}^{-1}$ ".
3. "The spectral resolution of the current SFG system is  $\approx 1 \text{ cm}^{-1}$ ," in "Introduction" (page 2, left column, paragraph 2, line 11–12) should be corrected into "The calculated spectral resolution  $\Delta\nu_{\text{Instr}}$  of the current SFG system is about  $4.6 \text{ cm}^{-1}$ ."

## Reference

- 1 F. Wei, W. X. Xia, Z. J. Hu, W. H. Li, J. Y. Zhang and W. Q. Zheng, *Chin. J. Chem. Phys.*, 2016, **29**, 171–178.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> Institution for Interdisciplinary Research, Jiangnan University, Building J13, Room C202, 8th Triangle Lake Road, Zhuankou District, Wuhan, Hubei, 430056, China.  
E-mail: weifeng@jhu.edu.cn

<sup>b</sup> Department of Chemistry and Biochemistry, The Ohio State University, 100 West 18th Avenue, Columbus, OH 43210, USA

<sup>c</sup> Institut des Sciences Moléculaires d'Orsay, Université de Paris-Sud, 91405, ORSAY Cedex, France

