



## A smart “off–on” gate for the *in situ* detection of hydrogen sulphide with Cu(II)-assisted europium emission†

Zhenhao Liang,<sup>ab</sup> Tik-Hung Tsoi,<sup>b</sup> Chi-Fai Chan,<sup>c</sup> Lixiong Dai,<sup>bc</sup> Yudan Wu,<sup>a</sup> Guangyan Du,<sup>a</sup> Lizhi Zhu,<sup>ab</sup> Chi-Sing Lee,<sup>\*a</sup> Wing-Tak Wong,<sup>\*b</sup> Ga-Lai Law<sup>\*b</sup> and Ka-Leung Wong<sup>\*c</sup>

A water-soluble and emissive Eu-complex (**EuL1**) bearing a DO3A( $\text{Eu}^{3+}$ )-pyridine-aza-crown motif has been prepared and its  $\text{Cu}^{2+}$  complex has been demonstrated to be a smart luminescence “off–on” gate for  $\text{H}_2\text{S}$  detection in water with a nano-molar detection limit (60 nM). **EuL1** binds to  $\text{Cu}^{2+}$  ions selectively ( $K_B = 1.2 \times 10^5 \text{ M}^{-1}$ ) inducing 17-fold luminescence quenching and forming a 1:1 stoichiometric complex (**EuL1**– $\text{Cu}^{2+}$ ), which responds to  $\text{H}_2\text{S}$  selectively with restoration of the original Eu emission of **EuL1** followed by a further 40-fold luminescence enhancement, forming a 1:1 stoichiometric complex (**EuL1**– $\text{Na}_2\text{S}$ ,  $K_B = 1.5 \times 10^4 \text{ M}^{-1}$ ). Without  $\text{Cu}^{2+}$  ions, **EuL1** showed non-specific binding towards  $\text{H}_2\text{S}$  with only a 5-fold luminescence enhancement.

Received 28th October 2015  
Accepted 7th December 2015

DOI: 10.1039/c5sc04091d  
[www.rsc.org/chemicalscience](http://www.rsc.org/chemicalscience)

## Introduction

Hydrogen sulphide ( $\text{H}_2\text{S}$ ) is the smallest bioactive thiol that may act as a gaseous signalling agent,<sup>1</sup> and its production in different tissue types is associated with a wide range of physiological responses such as vascular smooth muscle relaxation,<sup>2</sup> mitochondrial ATP production,<sup>3</sup> insulin-signalling inhibition,<sup>4</sup> regulation of inflammation response<sup>5</sup> and mediation of neurotransmission.<sup>6</sup> Moreover, recent investigations show that abnormal levels of  $\text{H}_2\text{S}$  are associated with a variety of diseases, such as neurodegenerative diseases,<sup>7</sup> diabetes<sup>8</sup> and cancer.<sup>9</sup> However, the biological targets of  $\text{H}_2\text{S}$  and the mechanisms of these  $\text{H}_2\text{S}$ -related physiological phenomena remain unclear. Therefore the development of responsive and reversible luminescence probes for non-invasive real time monitoring of  $\text{H}_2\text{S}$  may be useful for understanding its biological modes of action.

One of the major approaches for developing luminescence  $\text{H}_2\text{S}$  detection<sup>10</sup> is based on sulphide-specific chemical reactions, such as reduction of an azide<sup>11</sup> and nucleophilic addition of a sulphide ion.<sup>12</sup> This type of luminescence probe is generally irreversible and usually requires a considerably long incubation

time. An alternative approach is based on  $\text{CuS}$  precipitation<sup>13</sup> due to the low-solubility of  $\text{CuS}$  ( $K_{\text{sp}} = 6.3 \times 10^{-36}$ ). These luminescence probes are generally reversible with low detection limits. We are particularly interested in developing  $\text{H}_2\text{S}$  luminescence sensors based on organo-lanthanide complexes due to their water-solubility and unique photophysical properties, including line-like emission spectra and long luminescence lifetimes (micro to milli second scale) that can effectively separate the observing signal from biological autofluorescence noise and are suitable for time-gated detection. Recently, a few studies have been found in the literature with irreversible  $\text{H}_2\text{S}$  lanthanide probes.<sup>12a</sup> Herein, we report the development of a novel responsive europium-based luminescence “off–on” gate for the *in situ* detection of  $\text{H}_2\text{S}$  in water.

As illustrated in Fig. 1, **EuL1** contains a DO3A– $\text{Eu}^{3+}$  complex and an aza-18-crown-6 moiety, which are linked to the 2- and 6-positions of a pyridine-containing chromophore constituting a switch-like structure. In the ground state, **EuL1** should be emissive due to the coordination of the pyridine chromophore

<sup>a</sup>Laboratory of Chemical Genomics, School of Chemical Biology and Biotechnology, Peking University Shenzhen Graduate School, Shenzhen University Town, Xili, Shenzhen 518055, China. E-mail: lizc@pkusz.edu.cn

<sup>b</sup>State Key Laboratory for Chiral Sciences, Department of Applied Biological and Chemical Technology, Hong Kong Polytechnic University Shenzhen Research Institute, Shenzhen, China

<sup>c</sup>Department of Chemistry, Hong Kong Baptist University, Kowloon Tong, Hong Kong

† Electronic supplementary information (ESI) available: Detailed experimental procedures, characterization of compounds, NMR spectra and supplementary fluorometric titration studies. See DOI: 10.1039/c5sc04091d




Fig. 1 The structure of **EuL1** and the illustration of the design of a reversible Eu-based luminescence probe (**EuL1**– $\text{Cu}^{2+}$ ) for  $\text{H}_2\text{S}$  detection.




to a  $\text{Eu}^{3+}$  ion, which favours energy transfer from the organic chromophore to the  $\text{Eu}^{3+}$  ion. Upon binding of the aza-18-crown-6 moiety with a  $\text{Cu}^{2+}$  ion, pyridine is expected to coordinate with the  $\text{Cu}^{2+}$  ion, resulting in luminescence quenching. The europium emission should be recovered after the displacement of the  $\text{Cu}^{2+}$  ion upon copper sulphide precipitation.

## Results and discussion

### Synthesis and photophysical properties of L1 and EuL1

Ligand **L1** was readily prepared from (4-iodopyridine-2,6-diyl) dimethanol (**1**)<sup>14</sup> *via* a desymmetrization synthetic strategy. As shown in Scheme 1, a pyridine-containing chromophore (based on a D- $\pi$ -A motif) was established *via* a Sonogashira cross-coupling reaction between **1** and 1-ethynyl-4-propoxybenzene (**2**).<sup>15</sup> After converting both hydroxyl groups of **3** into the corresponding bromide, the aza-18-crown-6 and DO3A moieties were incorporated into **4** sequentially under basic conditions and afforded **L1** in good yields. **L1** was fully characterized using  $^1\text{H}$  and  $^{13}\text{C}$  NMR spectroscopy and HRMS. Finally, acid hydrolysis of the *t*-butyl esters followed by Eu complex formation provided **EuL1**, which was characterized unambiguously using HRMS and HPLC (Table S1 and Fig. S1†).



Scheme 1 Synthesis of **L1** and **EuL1**.




Fig. 2 Emission spectrum of **EuL1** ( $\text{H}_2\text{O}$ ,  $\lambda_{\text{ex}} = 325$  nm,  $10 \mu\text{M}$ ).

In the UV-vis absorption spectrum, **L1** showed strong absorption bands at 235 and 310 nm in methanol which are attributed to the  $\pi$  to  $\pi^*$  transitions. The absorption bands were broadened and red-shifted in **EuL1** (245 and 333 nm,  $\epsilon_{333 \text{ nm}} = 7560 \text{ M}^{-1} \text{ cm}^{-1}$ ) in water (Fig. S2†). The excitation spectrum of **EuL1** at 615 nm showed maxima at 240 and 340 nm (Fig. S2†), evidencing an antenna effect due to energy transfer from the ligand to the  $\text{Eu}^{3+}$  ion. The  $^5\text{D}_0 \rightarrow ^7\text{F}_J$  transitions of **EuL1** ( $\lambda_{\text{ex}} = 325$  nm) were found at 578 ( $J = 0$ ), 585–603 ( $J = 1$ ), 604–637 ( $J = 2$ ), 646–658 ( $J = 3$ ), and 673–712 nm ( $J = 4$ ) in the emission spectrum (Fig. 2). The quantum yield of **EuL1** corresponding to the  $^5\text{D}_0 \rightarrow ^7\text{F}_2$  transitions of  $\text{Eu}^{3+}$  ions in water is 0.5% (Table S2†).

### Fluorimetric titration studies of **EuL1**

With **EuL1** in hand, its binding properties towards  $\text{Cu}^{2+}$  ions were investigated. Upon the addition of 1 equiv. of  $\text{Cu}^{2+}$  ions ( $\text{CuCl}_2$  as the source of  $\text{Cu}^{2+}$  ions), the absorption maximum of **EuL1** showed a slight red shift and the absorption ability slightly decreased due to the effect of the copper metal. In a titration study, **EuL1** exhibited a 17-fold quenching of the




Fig. 3 (a) Fluorimetric titration of **EuL1** ( $10 \mu\text{M}$ ) towards  $\text{Cu}^{2+}$ . The inset shows the plot of  $I_0/(I - I_0)$  vs.  $[\text{Cu}^{2+}]$  ( $0$ – $20 \mu\text{M}$ ).  $I$  and  $I_0$  stand for intensity of europium emission  $^5\text{D}_0 \rightarrow ^7\text{F}_2$ . (b) Effects of various metal ions on the luminescence intensity of **EuL1** ( $10 \mu\text{M}$ ). 1: **EuL1** only; 2:  $\text{Na}^+$ ; 3:  $\text{K}^+$ ; 4:  $\text{Ca}^{2+}$ ; 5:  $\text{Mg}^{2+}$ ; 6:  $\text{Ba}^{2+}$ ; 7:  $\text{Co}^{2+}$ ; 8:  $\text{Zn}^{2+}$ ; 9:  $\text{Ni}^{2+}$ ; 10:  $\text{Fe}^{2+}$ ; 11:  $\text{Mn}^{2+}$ ; 12:  $\text{Cu}^+$ ; 13:  $\text{Li}^+$ ; 14:  $\text{Cu}^{2+}$ ; 15: all of the above metal ions except  $\text{Cu}^{2+}$ . All spectra were acquired in water with excitation at 325 nm.






Fig. 4 The emission spectra of **EuL1** (10  $\mu$ M) (red), with 1 equiv. of  $\text{Cu}^{2+}$  ions (green), and with 1 equiv. of  $\text{Cu}^{2+}$  ions and 1 equiv. of  $\text{H}_2\text{S}$  (black). All spectra were acquired in water with  $\lambda_{\text{ex}}$  at 325 nm.

europeanium emission with an excess of  $\text{Cu}^{2+}$  ions and the Benesi–Hildebrand plot showed a 1 : 1 binding stoichiometry with  $K_B = 1.2 \times 10^5 \text{ M}^{-1}$  (inset of Fig. 3a).<sup>16</sup> The Job's plot also supported the formation of a **EuL1**– $\text{Cu}^{2+}$  complex in a 1 : 1 ratio (Fig. S3†).




Fig. 5 (a) Fluorimetric titration of **EuL1**– $\text{Cu}^{2+}$  (10  $\mu$ M, generated *in situ* with 2 equiv. of  $\text{Cu}^{2+}$ ) towards  $\text{H}_2\text{S}$  (0–100  $\mu$ M). The inset shows the plot of  $I_0/(I - I_0)$  vs.  $[\text{Na}_2\text{S}]$  (0–100  $\mu$ M).  $I$  and  $I_0$  stand for intensity of europium emission  ${}^5\text{D}_0 \rightarrow {}^7\text{F}_2$ . (b) Effects of various anions on the luminescence intensity of **EuL1** (10  $\mu$ M). 1: **EuL1** only; 2:  $\text{Cl}^-$ ; 3:  $\text{SO}_4^{2-}$ ; 4:  $\text{HSO}_4^-$ ; 5:  $\text{I}^-$ ; 6:  $\text{CO}_3^{2-}$ ; 7:  $\text{HPO}_4^{2-}$ ; 8:  $\text{Br}^-$ ; 9:  $\text{HCO}_3^-$ ; 10:  $\text{S}^{2-}$ ; 11:  $\text{GSH}$ ; 12: cysteine. All spectra were acquired in water with excitation at 325 nm.

In a competitive study, the addition of a large excess of various metal ions, such as  $\text{Na}^+$ ,  $\text{K}^+$ ,  $\text{Ca}^{2+}$ ,  $\text{Mg}^{2+}$ ,  $\text{Ba}^{2+}$ ,  $\text{Co}^{2+}$ ,  $\text{Zn}^{2+}$ ,  $\text{Ni}^{2+}$ ,  $\text{Fe}^{2+}$ ,  $\text{Mn}^{2+}$ ,  $\text{Cu}^+$  and  $\text{Li}^+$  ions, to **EuL1** resulted in only slight luminescence changes (red columns in Fig. 3b). The subsequent addition of excess  $\text{Cu}^{2+}$  ions caused significant luminescence quenching (blue columns in Fig. 3b). These results indicate the high selectivity of **EuL1** towards  $\text{Cu}^{2+}$  ions and that the binding between **EuL1** and  $\text{Cu}^{2+}$  ions is not interfered by other metal ions. In a pH study, **EuL1** remains highly emissive and was quenched by  $\text{Cu}^{2+}$  ions in the pH range 6 to 8 (Fig. S4†), indicating that **EuL1** is stable and can bind to  $\text{Cu}^{2+}$  ions under physiological conditions.

To study the reversibility of the binding between **EuL1** and  $\text{Cu}^{2+}$  ions, a small amount of  $\text{H}_2\text{S}$  ( $\text{Na}_2\text{S}$  as the source of  $\text{H}_2\text{S}$ ) was added. The **EuL1**– $\text{Cu}^{2+}$  complex responded instantaneously (requiring only 40 s to reach saturation without stirring or shaking) (Fig. S5†), and Eu emission resumed with a similar profile for the emission spectrum to that of **EuL1** (Fig. 4). This result indicated that the  $\text{DO3A}-\text{Eu}^{3+}$  complex was not displaced by a  $\text{Cu}^{2+}$  ion, forming the **EuL1**– $\text{Cu}^{2+}$  complex in the previous step. More interestingly, Eu emission was further enhanced (40-fold) with an excess of  $\text{H}_2\text{S}$  and the  $\text{Eu}^{3+}$  emission profile showed significant changes, suggesting binding between **EuL1** and  $\text{H}_2\text{S}$  (Fig. 5a). The Benesi–Hildebrand plot showed a 1 : 1 binding stoichiometry with  $K_B = 1.5 \times 10^4 \text{ M}^{-1}$  (inset of Fig. 5a).<sup>16</sup> The detection limit of **EuL1** towards  $\text{H}_2\text{S}$  was calculated according to the  $3S_D/\text{slope}$  as low as 60 nM. Surprisingly, direct titration of **EuL1** against  $\text{H}_2\text{S}$  resulted in only about a 5-fold luminescence enhancement with a non-linear relationship in the 1 : 1 Benesi–Hildebrand plot (Fig. 6). These results indicated that the  $\text{Cu}^{2+}$  ion facilitates the specific 1 : 1 binding of **EuL1** and  $\text{H}_2\text{S}$ , presumably *via* pre-organizing the conformation of **EuL1**. On the other hand, non-specific binding (possibly a mixture of 1 : 1 and 2 : 1 binding) between **EuL1** and  $\text{H}_2\text{S}$  resulted without the favourable conformation that is induced by




Fig. 6 Fluorimetric titration of **EuL1** (10  $\mu$ M) towards  $\text{H}_2\text{S}$  (0–300  $\mu$ M). The inset shows the plot of  $I_0/(I - I_0)$  vs.  $[\text{H}_2\text{S}]$  (0–300  $\mu$ M).  $I$  and  $I_0$  stand for intensity of europium emission  ${}^5\text{D}_0 \rightarrow {}^7\text{F}_2$ . All spectra were acquired in water with  $\lambda_{\text{ex}}$  at 325 nm.




Fig. 7 Top: proposed binding mechanism of **EuL1** towards  $\text{Cu}^{2+}$  and  $\text{H}_2\text{S}$  ( $\text{Na}_2\text{S}$  as the source of  $\text{H}_2\text{S}$ ). Bottom left: emission spectra of the Eu complexes ( $\lambda_{\text{ex}} = 325 \text{ nm}$ ). Bottom right:  $^1\text{H}$  NMR spectra of the La complexes (6.5–8.5 ppm).

the pre-complexation of a  $\text{Cu}^{2+}$  ion. This proposal was further supported by the dramatic luminescence drop of the **EuL1**– $\text{Na}_2\text{S}$  complex upon heating ( $>70^\circ\text{C}$ ) (Fig. S6†). This type of  $\text{Cu}^{2+}$ -assisted luminescence enhancement of Eu emission is unprecedented. In a competitive study, **EuL1**– $\text{Cu}^{2+}$  showed insignificant changes in luminescence with a large excess of anions, including  $\text{Cl}^-$ ,  $\text{SO}_4^{2-}$ ,  $\text{HSO}_4^-$ ,  $\text{I}^-$ ,  $\text{CO}_3^{2-}$ ,  $\text{HPO}_4^{2-}$ ,  $\text{Br}^-$  and  $\text{HCO}_3^-$ , and only small changes for GSH and cysteine (red columns in Fig. 5b). Upon the addition of  $\text{H}_2\text{S}$ , the Eu emissions were recovered in all the above cases, indicating a high selectivity of **EuL1**– $\text{Cu}^{2+}$  towards  $\text{H}_2\text{S}$ .

### Mechanistic studies

The binding mechanisms of **EuL1** towards  $\text{Cu}^{2+}$  ions and the **EuL1**– $\text{Cu}^{2+}$  complex towards  $\text{H}_2\text{S}$  were studied using

Table 1 The ratio of  $^5\text{D}_0 \rightarrow ^7\text{F}_J$  ( $J = 0$  to 4) emission bands of **EuL1**, **EuL1** +  $\text{Cu}^{2+}$  and **EuL1** +  $\text{Cu}^{2+}$  +  $\text{H}_2\text{S}$ <sup>a</sup>

$^5\text{D}_0 \rightarrow$	$^7\text{F}_0$	$^7\text{F}_1$	$^7\text{F}_2$	$^7\text{F}_3$	$^7\text{F}_4$
<b>EuL1</b>	0.01	1	1.22	0.08	0.55
<b>EuL1</b> + $\text{Cu}^{2+}$	0.08	1	1.86	0.15	0.91
<b>EuL1</b> + $\text{Cu}^{2+}$ + $\text{H}_2\text{S}$	0.48	1	3.98	0.15	1.95

<sup>a</sup> All spectra were acquired in water with excitation at 325 nm.

a comparative analysis of the emission spectra of the Eu complexes and the  $^1\text{H}$  NMR spectra of La complexes.<sup>17</sup> As shown in Fig. 7, the profile of the emission spectrum of **EuL1** did not change significantly upon the addition of  $\text{Cu}^{2+}$  ions. Comparing **[EuL1]**, **[EuL1 + Cu<sup>2+</sup>]** and **[EuL1 + Cu<sup>2+</sup> + H<sub>2</sub>S]**, measured under the same solution conditions, similar spectra were observed for **[EuL1]** and **[EuL1 + Cu<sup>2+</sup>]** ( $^5\text{D}_0 \rightarrow ^7\text{F}_1 : ^7\text{F}_2 : ^7\text{F}_4$  of **[EuL1]** = 1 : 1.122 : 0.55 and  $^5\text{D}_0 \rightarrow ^7\text{F}_1 : ^7\text{F}_2 : ^7\text{F}_4$  **[EuL1 + Cu<sup>2+</sup>]** = 1 : 1.186 : 0.91, Table 1). This is correlated with the NMR data and shows that the  $\text{Cu}^{2+}$  ion is coordinated in the aza-crown. However, signal broadening was observed in the  $^1\text{H}$  NMR spectrum of **LaL1**, indicating rapid metal-ligand exchange. These results suggested that the pyridine moiety of the organic chromophore is rapidly switching between the DO3A– $\text{Eu}^{3+}$  and




Fig. 8 The structures of the negative control compounds **EuL2**, **EuL3**, **L4** and **L5**.




Fig. 9 The emission spectra of negative control compounds (10  $\mu$ M) with various concentration of  $\text{Cu}^{2+}$  ions. (a): EuL2; (b): EuL3; (c): L4; (d): L5. All spectra were acquired in water with  $\lambda_{\text{ex}}$  at 325 nm.

aza-18-crown-6– $\text{Cu}^{2+}$  complexes, causing significant luminescence quenching. Moreover, the binding of  $\text{Cu}^{2+}$  would also provide a favourable conformation for forming a new 1 : 1 complex with  $\text{H}_2\text{S}$ . Upon the addition of  $\text{H}_2\text{S}$ , the emission profile of EuL1 changed significantly,  $\Delta J = 2/\Delta J = 1$  for [EuL1 +  $\text{Cu}^{2+}$  +  $\text{H}_2\text{S}$ ]<sup>18</sup> and the intensity ratio was about >200% higher for [EuL1] and [EuL1 +  $\text{Cu}^{2+}$ ]. This increase can be attributed to the lower symmetry of the complexes with the addition of sulphide ions (Fig. 7) and the <sup>1</sup>H NMR signals of LaL1 were sharpened. These results suggested new complex formation after the displacement of the  $\text{Cu}^{2+}$  ion *via* CuS precipitation. This proposal is further supported by the HRMS spectrum of the EuL1– $\text{Na}_2\text{S}$  complex (Fig. S7†) and the change in the quantum yields (Table S2†). The EuL1– $\text{Na}_2\text{S}$  complex is highly emissive probably due to its rigid structure.

The proposed binding mechanism was also examined using a series of negative control compounds (Fig. 8).<sup>19</sup> EuL2 showed no luminescence quenching upon the addition of  $\text{Cu}^{2+}$  ions (Fig. 9a). This result indicated that the carbonyl linker of aza-18-crown-6 may be too rigid for coordination between  $\text{Cu}^{2+}$  and pyridine, which could be essential for Eu emission quenching. Without the aza-crown moiety, EuL3 also showed no luminescence quenching towards  $\text{Cu}^{2+}$  (Fig. 9b), suggesting DO3A–Eu<sup>3+</sup> is stable with  $\text{Cu}^{2+}$  and the aza-crown motif is important for the  $\text{Cu}^{2+}$  binding. L4 bearing the pyridine-chromophore showed

profound luminescence quenching, but its phenyl analogue (L5) showed no significant change in luminescence upon the addition of  $\text{Cu}^{2+}$  ions (Fig. 9c and d). These results indicated that the pyridine moiety of the chromophore is essential for the binding of  $\text{Cu}^{2+}$  to the aza-crown moiety. The results of this series of negative control compounds are in full agreement with the proposed mechanism in Fig. 7.

## Conclusions

In summary, we have prepared a water-soluble and emissive Eu-complex (EuL1) based on a DO3A(Eu<sup>3+</sup>)–pyridine–aza-crown motif, and studied its consecutive binding properties towards  $\text{Cu}^{2+}$  and  $\text{H}_2\text{S}$  extensively. EuL1 binds to  $\text{Cu}^{2+}$  ions selectively ( $K_B = 1.2 \times 10^5 \text{ M}^{-1}$ ) inducing 17-fold luminescence quenching and forming a 1 : 1 stoichiometric complex (EuL1– $\text{Cu}^{2+}$ ), which responds to  $\text{H}_2\text{S}$  selectively with restoration of the original EuL1 emission followed by a further 40-fold luminescence enhancement and a nano-molar detection limit (60 nM). Mass spectroscopic analysis showed the formation of a 1 : 1 stoichiometric complex (EuL1– $\text{Na}_2\text{S}$ ) with  $K_B = 1.5 \times 10^4 \text{ M}^{-1}$ . Without  $\text{Cu}^{2+}$  ions, EuL1 shows non-specific binding towards  $\text{H}_2\text{S}$  with only a 5-fold luminescence enhancement. These results indicate that the  $\text{Cu}^{2+}$  ion may pre-organize the conformation of EuL1 and facilitate the formation of the EuL1– $\text{Na}_2\text{S}$  complex. The studies

on this unprecedented  $\text{Cu}^{2+}$ -assisted luminescence enhancement of Eu emission are still ongoing. With long-lived Eu emission, reversible binding properties, an instantaneous response and high selectivity towards  $\text{H}_2\text{S}$ , this Eu-based luminescence “off-on” gate could find suitable applications for  $\text{H}_2\text{S}$  imaging in biological systems.

## Acknowledgements

This work is funded by the Peking University Shenzhen Graduate School (Key State Laboratory of Chemical Genomics open-project fellowship program), grants from Shenzhen Science, Technology Innovation Committee (KQTD201103), Nanshan (KC2014ZDZJ0026A), Hong Kong Baptist University (HKBU) (FRG2/14-15/013013), Hong Kong Polytechnic University (HKPolyU), Hong Kong Research Grants Council (HKBU 203012), Hong Kong Polytechnic University central Research Grant (G-UC08), Natural Science Foundation of China (21401158) and HKBU and HKPolyU Joint Research Programme (RC-ICRS/15-16/02F-WKL02F-WKL).

## Notes and references

- (a) B. Olas, *Clin. Chim. Acta*, 2015, **439**, 212; (b) H. Kimura, *Antioxid. Redox Signaling*, 2014, **20**, 783; (c) H. Kimura, N. Shibuya and Y. Kimura, *Antioxid. Redox Signaling*, 2012, **17**, 45; (d) C. Szabó, *Nat. Rev. Drug Discovery*, 2007, **6**, 917.
- 2 G. D. Yang, L. Y. Wu, B. Jiang, W. Yang, J. S. Qi, K. Cao, Q. H. Meng, A. K. Mustafa, W. T. Mu, S. M. Zhang, S. H. Snyder and R. Wang, *Science*, 2008, **322**, 587.
- 3 (a) M. Fu, W. Zhang, L. Wu, G. Yang, H. Li and R. Wang, *Proc. Natl. Acad. Sci. U. S. A.*, 2012, **109**, 2943; (b) G. A. Benavides, G. L. Squadrato, R. W. Mills, H. D. Patel, T. S. Isbell, R. P. Patel, V. M. Darley-Usmar, J. E. Doeller and D. W. Kraus, *Proc. Natl. Acad. Sci. U. S. A.*, 2007, **104**, 17977.
- 4 (a) Y. Kaneko, Y. Kimura, H. Kimura and I. Niki, *Diabetes*, 2006, **55**, 1391; (b) W. Yang, G. D. Yang, X. M. Jia, L. Y. Wu and R. Wang, *J. Physiol.*, 2005, **569**, 519.
- 5 (a) Y. J. Peng, J. Nanduri, G. Raghuraman, D. Souvannakitti, M. M. Gadalla, G. K. Kumar, S. H. Snyder and N. R. Prabhakar, *Proc. Natl. Acad. Sci. U. S. A.*, 2010, **107**, 10719; (b) L. Li, M. Bhatia, Y. Z. Zhu, Y. C. Zhu, R. D. Ramnath, Z. J. Wang, F. B. M. Anuar, M. Whiteman, M. Salto-Tellez and P. K. Moore, *FASEB J.*, 2005, **19**, 1196.
- 6 K. Abe and H. J. Kimura, *J. Neurosci.*, 1996, **16**, 1066.
- 7 (a) B. D. Paul, J. I. Sbodio, R. Xu, M. S. Vandiver, J. Y. Cha, A. M. Snowman and S. H. Snyder, *Nature*, 2014, **509**, 96; (b) L. F. Hu, M. Lu, C. X. Tiong, G. S. Dawe, G. Hu and J. S. Bian, *Aging Cell*, 2010, **9**, 135; (c) D. Giuliani, A. Ottani, D. Zaffe, M. Galantucci, F. Strinati, R. Lodi and S. Guarini, *Neurobiol. Learn. Mem.*, 2013, **104**, 82.
- 8 (a) L. Wu, W. Yang, X. Jia, G. Yang, D. Duridanova, K. Cao and R. Wang, *Lab. Invest.*, 2009, **89**, 59; (b) W. Yang, G. Yang, X. Jia, L. Wu and R. Wang, *J. Physiol.*, 2005, **569**, 519.
- 9 (a) J. Huang, S. Kumar, N. Abbassi-Ghadi, P. Španěl, D. Smith and G. B. Hanna, *Anal. Chem.*, 2013, **85**, 3409; (b) C. Szabó, C. Coletta, C. Chao, K. Módis, B. Szczesny, A. Papapetropoulos and M. R. Hellmich, *Proc. Natl. Acad. Sci. U. S. A.*, 2013, **110**, 12474.
- 10 For reviews, see: (a) V. S. Lin, W. Chen, M. Xian and C. J. Chang, *Chem. Soc. Rev.*, 2015, **44**, 4596; (b) E. L. Que, D. W. Domaille and C. J. Chang, *Chem. Rev.*, 2008, **108**, 1517.
- 11 For selected examples, see: (a) M. Tropiano and S. Faulkner, *Chem. Commun.*, 2014, **50**, 4696; (b) V. S. Lin, A. R. Lippert and C. J. Chang, *Proc. Natl. Acad. Sci. U. S. A.*, 2013, **110**, 7131; (c) S. Chen, Z.-J. Chen, W. Ren and H.-W. Ai, *J. Am. Chem. Soc.*, 2012, **134**, 9589; (d) A. R. Lippert, E. J. New and C. J. Chang, *J. Am. Chem. Soc.*, 2011, **133**, 10078; (e) H. Peng, Y. Cheng, C. Dai, A. L. King, B. L. Predmore, D. J. Lefer and B. A. Wang, *Angew. Chem., Int. Ed.*, 2011, **50**, 9672.
- 12 For selected examples, see: (a) J. Cao, R. Lopez, J. M. Thacker, J. Y. Moon, C. Jiang, S. N. S. Morris, J. H. Bauer, P. Tao, R. P. Mason and A. R. Lippert, *Chem. Sci.*, 2015, **6**, 1979; (b) Z. Huang, S. Ding, D. Yu, F. Huang and G. Feng, *Chem. Commun.*, 2014, **50**, 9185; (c) X. Li, S. Zhang, J. Cao, N. Xie, T. Liu, B. Yang, Q. He and Y. Hu, *Chem. Commun.*, 2013, **49**, 8656; (d) Y. Qian, L. Zhang, S. Ding, X. Deng, C. He, X. E. Zheng, H.-L. Zhu and J. Zhao, *Chem. Sci.*, 2012, **3**, 2920; (e) Y. Qian, J. Karpus, O. Kabil, S.-Y. Zhang, H.-L. Zhu, R. Banerjee, J. Zhao and C. He, *Nat. Commun.*, 2011, **2**, 495.
- 13 For selected examples, see: (a) L. E. Santos-Figueroa, C. de la Torre, S. El Sayed, F. Sancenón, R. Martínez-Máñez, A. M. Costero, S. Gil and M. Parra, *Eur. J. Inorg. Chem.*, 2014, **41**; (b) X. Qu, C. Li, H. Chen, J. Mack, Z. Guo and Z. Shen, *Chem. Commun.*, 2013, **49**, 7510; (c) M.-Q. Wang, K. Li, J.-T. Hou, M.-Y. Wu, Z. Huang and X.-Q. Yu, *J. Org. Chem.*, 2012, **77**, 8350; (d) F. Hou, J. Cheng, P. Xi, F. Chen, L. Huang, G. Xie, Y. Shi, H. Liu, D. Bai and Z. Zeng, *Dalton Trans.*, 2012, **41**, 5799; (e) F. Hou, L. Huang, P. Xi, J. Cheng, X. Zhao, G. Xie, Y. Shi, F. Cheng, X. Yao, D. Bai and Z. Zeng, *Inorg. Chem.*, 2012, **51**, 2454; (f) K. Sasakura, K. Hanaoka, N. Shibuya, Y. Mikami, Y. Kimura, T. Komatsu, T. Ueno, T. Terai, H. Kimura and T. Nagano, *J. Am. Chem. Soc.*, 2011, **133**, 18003.
- 14 L. C. Gilday, T. Lang, A. Caballero, P. J. Costa, V. Flix and P. D. Beer, *Angew. Chem., Int. Ed.*, 2013, **52**, 4356.
- 15 K. Sonogashira, Y. Tohda and N. Hagiwara, *Tetrahedron Lett.*, 1975, **16**, 4467.
- 16 (a) H. Benesi and J. H. Hildebrand, *J. Am. Chem. Soc.*, 1949, **71**, 2703–2707; (b) K. A. Connors, *Binding constants: the measurement of molecular complex stability*, Wiley, New York, 1987.
- 17 The preparation and characterization of **LaL1** are available in the ESI.†
- 18 J.-C. G. Bünzli and G.-O. Pradervand, *J. Chem. Phys.*, 1986, **85**, 2489.
- 19 The synthesis and characterization of the negative control compounds (**EuL2**, **EuL3**, **L4** and **L5**) are available in the ESI.†