RSC Advances



View Article Online

PAPER



Cite this: RSC Adv., 2017, 7, 51928

Ag($_{\rm I}$)/persulfate-catalyzed decarboxylative coupling of α -oxocarboxylates with organotrifluoroborates in water under room temperature†

Sheng Chang, **D*** Jian Feng Wang, **C Lin Lin Dong, **Dan Wang, **Bo Feng*** and Yuan Tai Shi**

The decarboxylative coupling reaction of α -oxocarboxylates and organotrifluoroborates was carried out smoothly in the presence of catalytic AgNO₃ using K₂S₂O₈ as oxidant to generate diarylketone products in high yields. The method is novel, simple, safe and efficient. Both aryl substituted potassium α -oxocarboxylates and organotrifluoroborates proceeded smoothly in water under room temperature. The utilization of α -oxocarboxylates as acylating agent presents some elements of interest.

Received 3rd October 2017 Accepted 26th October 2017

DOI: 10.1039/c7ra10924e

rsc li/rsc-advances

Introduction

Arylketone is a common functionality in many types of organic compounds, for example, pharmaceuticals and natural products.¹ For organic chemists, it is also an extremely useful functional group for further manipulations. Consequently, it continues to inspire the development of methods for the construction of this structural element. Classical routes to synthesize aryl ketones mainly rely on the Friedel–Crafts acylation of aromatic compounds² and the oxidation of the corresponding secondary alcohols.³ Transition-metal-catalyzed reactions provide many opportunities for the synthesis of aryl ketones. The coupling reaction of acylating agents with aryl halides (or aryl metallic compounds and their equivalents) has been developed under the catalysis of transition metals.⁴

Transition metal catalyzed decarboxylative coupling reactions have received much attention for their applications in the construction of C–C and C-hetero bonds in recent years. Among various types of carboxylic acids (carboxylate), α -oxocarboxylates have emerged as a novel class of acyl surrogates after releasing molecular CO_2 . Theoretically, there are three types of acyl reagents from the decarboxylation of α -oxocarboxylates: acyl anions, acyl cations and acyl radicals. The direct decarboxylative acylation of potassium α -oxocarboxylates with aryl bromides/chlorides have been demonstrated by

Gooßen's group, with the Pd(II)/Cu(I) catalytic system being

particularly efficient with the assistance of P-based and N-based ligands. 8α-8α Then they demonstrated a one-pot three-

Interestingly, there is a novel recognition that α -oxocarbox-ylic acids can serve as aryl radical precursors via oxidative silver-promoted carbon–carbon bond cleavage in recent years. ¹¹ Ag(ι)/ persulfate catalytic systems have been shown to be effective for

oxidative decarboxylation of potassium α-oxocarboxylates.

component decarboxylative coupling with α-oxocarboxylates, amines and aryl bromides for the synthesis of azomethines.8d In 2014, Ji et al. reported a palladium/copper-catalyzed decarboxylative coupling of aryl iodides with α-oxocarboxylates without the need of ligands.8e α-Oxocarboxylates providing acyl anions with Pd/Cu catalysis by this decarboxylation type, to afford diaryl ketones under harsh conditions (or derivatives) (Scheme 1, I). Recently, You and co-workers reported a transition-metal-free decarboxylation of α-oxocarboxylates with α-bromo-acetophenone.9a In 2017, the room-temperature coupling/decarboxylation reaction between in situ generated α-oxocarboxylates with α-bromoketones was described by their group. The transformation shows excellent regioselectivity for 1,2- and 1,3-diketones by solvent-controlled.9b Acyl cations were generated in this decarboxylation manner, with the coupling of α -oxocarboxylates with sp³ carbon center (Scheme 1, II). Acyl radicals were formed via Ag(1)/persulfate-catalysis of potassium α-oxocarboxylates by the third decarboxylation type. Lei's group described the first example for realizing isocyanide insertion by using an acyl radical via the oxidative radical decarboxylation, to construct 6-acyl phenanthridine structure (Scheme 1, III). 10a Synthesis of oxazoles by Ag(1)/persulfate-catalyzed oxidative decarboxylation-cyclization of α-oxocarboxylates and isocyanides was reported by them for the next year. 10b Therefore, it is still necessary to develop more Ag(1)/persulfate-catalyzed

[&]quot;College of Pharmacy, Jilin Medical University, Jilin, Jilin, 132013, China. E-mail: jmu_changsheng@126.com; furfolgbec84@163.com; Tel: +86 432 6456 0532

^bState Key Laboratory of Medicinal Chemical Biology, NanKai University, Tianjin, 300071, China

Department of Radiotherapy, China-Japan Union Hospital of Jilin University, Changcun, Jilin, 130033, China

[†] Electronic supplementary information (ESI) available. See DOI: 10.1039/c7ra10924e

Paper

Ref 8a
Ref 8b
Ref 8c
Cy
Ref 8d
Ref 8e
Ref 8b
Ref 8d
Ref 8d
Ref 8e

Scheme 1 Decarboxylation coupling of α -oxocarboxylates.

this transformation, including direct C–H acylation of arenes ¹² and oxidative radical decarboxylation–cyclization. ¹³ In the presence of silver(i) salts, a persulfate anion disproportionates into a sulfate dianion and a sulfate radical anion, which could react with α -oxocarboxylates through an radical process, providing an acyl radical.

As continued effort on coupling of organoboronic reagents and carbonylative coupling, ¹⁴ we report herein a novel method for the silver-catalyzed, decarboxylative acylation of aryltri-fluoroborates to form the corresponding diarylketones. It has been successfully developed using α -oxocarboxylates as acylating reagents, as well as a catalytic amount of a silver salt and a cheap inorganic oxidant. The reaction demonstrates a broad substrate scope and excellent functional-group tolerance. This catalytic method should be valuable in the synthesis of arylcarbonyl motifs.

Results and discussion

Initially, we optimized the reaction conditions using potassium oxophenylacetate and phenyltrifluoroborate as model substrate in acetone with 5 mol% AgNO3 and 1.5 equiv. K2S2O8 at room temperature for 1 h under air. Only trace amount of crosscoupling biphenyl ketone products was observed (Table 1, entry 1). Then we explored the silver-catalyzed reactions with a variety of reaction medium (Table 1), and 22% of yield were obtained when CH₃CN was used as a solvent (Table 1, entry 2). No better results were obtained with polar aprotic solvents such as DMF, DMSO, or NMP(N-methyl-2-pyrrolidone) (Table 1, entries 3-5). The solvents (DCE, DCM, CHCl₃ and CCl₄) were tested, and DCE gave the best result (Table 1, entries 6-9). Three additional ethereal solvents [1,4-dioxane, DME and THF] were surveyed without better results (Table 1, entries 10-12). However, the reaction did not proceed in toluene, EA or t-BuOH (Table 1, entries 13-15). Considered that the infusibility of both potassium α-oxocarboxylates and aryltrifluoroborate in organic

solvent, water could be much better medium candidate for this transformation. Water is an easily available, nontoxic, noninflammable, and renewable solvent. The unusual properties of water can lead to unusual reactivity that is not seen in traditional organic solvents. Consequently, the use of water as a solvent in synthetic organic chemistry and materials science has spread throughout the chemical community. The combination of water and metal catalysis has led in recent years to the development of a huge number of new and greener synthetic methodologies. It also provides opportunities for alternative reactivity and simplified product isolation compared to organic solvents. To our delight, sharply increase was observed with the application of water (Table 1, entry 16).

Ag(I)/persulfate catalysis (acyl radicals)

We began to screen many oxidants for the assistance of the regeneration of Ag(1). Many oxidants have been tested and showed different influence on the reaction (Table 2, entries 1-10). The cross-coupling could not proceed with Cu(OAc)2, oxygen and DDQ (Table 2, entries 2-4). PhI(OAc)2 and BPO (dibenzoyl peroxide) can enhance the efficiency to about 26-34% (Table 2, entries 5-6). In addition, inorganic peroxide are efficient to the cross-coupling. Oxone and (NH₄)₂S₂O₈ can afford diphenylketone with the yield of 70% and 74% (Table 2, entries 7-8), then Na₂S₂O₈ performed better and K₂S₂O₈ performed best (86%) (Table 2, entries 9-10). Then the effect of silver salts was investigated, and many silver(1) compounds such as AgOAc, Ag₂CO₃, and AgOTf were also applicable for this reaction, albeit in the slightly decreased yield (Table 2, entries 11-13). AgBF₄, AgOTf and Ag₂O were inferior to AgOTf (Table 2, entries 14-16). Meanwhile, the use of Ag₂SO₄, AgSbF₆ and AgF as catalysts gave no desired products (Table 2, entries 17-19). And 86% of yield were obtained when AgNO₃ was used as a catalyst (Table 2, entry 20). Therefore, AgNO₃/K₂S₂O₈ in water at room temperature under air for 1 hour was chosen as the optimal conditions for the synthesis of diarylketone from α -oxocarboxylates and aryltrifluoroborate.

With optimal conditions in hand, the scope of this decarboxylative coupling reaction method was evaluated next (Tables

Table 1 Solvent effect of cross-coupling reaction^a

Entry	Solvent	Yield ^b (%)	Entry	Solvent	Yield ^b (%)
1	Acetone	Trace	9	CCl_4	31
2	CH_3CN	22	10	1,4-Dioxane	26
3	DMF	15	11	DME	38
4	DMSO	20	12	THF	41
5	NMP	12	13	Toluene	Trace
6	DCE	58	14	EA	Trace
7	DCM	46	15	t-BuOH	Trace
8	CHCl_3	53	16	$\rm H_2O$	86

^a Reaction conditions: potassium oxophenylacetate (1.0 mmol), phenyltrifluoroborate (1.05 mmol), AgNO₃ (0.05 mmol), K₂S₂O₈ (1.5 mmol), solvent (2 mL), 25 °C, 1 h. ^b Isolated yields.

Table 2 The screening of various oxidants and silver salts^a

Entry	Oxidant	$Yield^{b}$ (%)	Entry	Silver salts	Yield ^c (%)
1	_	_	11	AgOAc	84
2	$Cu(OAc)_2$	Trace	12	Ag_2CO_3	81
3	O_2 (1 atm)	Trace	13	AgOTf	79
4	DDQ	Trace	14	$_{\mathrm{AgBF_{4}}}$	43
5	PhI(OAc) ₂	26	15	AgOTf	57
6	BPO	34	16	Ag_2O	59
7	Oxone	77	17	Ag_2SO_4	_
8	$(\mathrm{NH_4})_2\mathrm{S}_2\mathrm{O}_8$	74	18	$AgSbF_6$	_
9	$Na_2S_2O_8$	82	19	AgF	_
10	$K_2S_2O_8$	86	20	$\overline{\text{AgNO}_3}$	86

^a Reaction conditions: potassium oxophenylacetate (1.0 mmol), phenyltrifluoroborate (1.05 mmol), silver salts (0.05 mmol), oxidant (1.5 mmol), H₂O (2 mL), 25 °C, 1 h. ^b Isolated yields using AgNO₃ as the silver salt. ^c Isolated yields using K₂S₂O₈ as the oxidant.

3 and 4). As shown, the reaction exhibits a broad substrate scope, with respect to both of the α -oxocarboxylates and the organotrifluoroborates coupling partners. Importantly, the reaction is compatible with electron-neutral (3a), electron-rich (3b), and electron-deficient organotrifluoroborate precursors (3c-f), furnishing the products in good yields. The mild reaction conditions are compatible with a range of sensitive functional groups, such as nitro-(3c), trifluoromethyl-(3d), cyan-(3e), and even halides (fluoro-, bromo-, iodo-) (3f-h), affording diaryl ketone products with a bouquet of functional handles poised for further functionalization. Although, the organo-trifluoroborate component bearing functional groups at

different positions, such as methyl and chloro at 3- or 4-position of the phenyl ring were obtained in good yields (3i–l). Moreover, *meta, para*-di-methyl phenyltrifluoroborate and *meta, para*-di-chloro phenyltrifluoroborate (3m and 3n) underwent the desired cross-coupling in high yields. Substrates having *ortho* methyl (30) or *ortho*-chloro (3p) substituents at phenyl moiety gave slightly lower reactivity, presumably due to steric reason. Finally, we were pleased to find that the reaction conditions could be readily extended to the arylation of a range of polyfluorinated substrates (3q–t). Importantly, polyfluorinated biaryl building blocks are of great interest in materials chemistry, because of favorable physicochemical properties.

Table 3 The scope of various organotrifluoroborate a,b

^a Reaction conditions: potassium oxophenylacetate (1.0 mmol), aryltrifluoroborate (1.05 mmol), AgNO₃ (0.05 mmol), K₂S₂O₈ (1.5 mmol), H₂O (2 mL), 25 °C, 1 h. ^b Isolated yields.

The scope, with respect to the α -oxocarboxylates component, is also very broad (Table 4), including electron-rich (4a), and electron-deficient (4b-d). The reaction was shown to tolerate a wide variety of functionality on the aryl ring including methoxy-, cyan-, fluoro- and trifluoromethyl- (4a-d). Yields were reduced when using highly electron deficient arenes with substituents such as two CF₃ (4e). The reaction could accommodate substrates containing a chloro, bromo or iodo substituent, which can later be applied to various cross-coupling reactions with metal catalysts (4f-h). Good yield was achieved using para-methyl and para-nitro substituents, to afford corresponding diarylmethanone (4i-j). Meta-substituted examples such as 3-methyl and 3-nitro (4k-l) also gave desired products in excellent yield. The ortho-substituted example (4m-n) were also tolerated however in reduced yield for sterically hindered site-Furthermore, the formation of sterically selectivity. demanding per-methylated and per-fluorinated product was smoothly in this process (40-4p). The high selectivity of Ag(1)/ persulfate-catalyzed system across a range of sterically and

electronically diverse α -oxocarboxylates and organotrifluoroborate precursors is a particularly noteworthy feature of this reaction manifold.

To further explore the potential of this decarboxylative coupling method, several (E)-styryl potassium trifluoroborate derivatives were examined (Scheme 2). (E)-styryl potassium trifluoroborate underwent decarboxylative coupling with potassium 4-methoxy-oxophenylacetate in moderate Decarboxylative coupling of (E)-styryl potassium trifluoroborate with potassium 4-chloro-oxophenylacetate also provided chalcone in good to excellent yields. It is worth noting that when the hydroxyl group was introduced to ortho-position of potassium oxophenylacetate, the decarboxylative coupling with vinyl potassium trifluoroborate gave acceptable conversion to afford chromone, showing the robustness of our protocol and demonstrating potential for practical applications. This synthetic method could further be extended to a large-scale decarboxylative acylation. The desired products (3a, 3i, 3k, 4f, 4i) were obtained with slightly decreased yields on 10 mmol

^a Reaction conditions: α-oxocarboxylates (1.0 mmol), phenyltrifluoroborate (1.05 mmol), AgNO₃ (0.1 mmol), $K_2S_2O_8$ (1.0 mmol), H_2O (2 mL), 25 °C, 1 h. ^b Isolated yields.

 $\textbf{Scheme 2} \quad \textbf{Applications of Ag(I)/persulfate-catalyzed decarboxylative coupling}$

scale (78% for 3a, 72% for 3i, 86% for 3k, 77% for 4f, and 81% for 4i).

With regard to our results and literature reports, 10 we propose the following possible reaction mechanism (Scheme 3). Monovalent silver catalyst was oxidized by $K_2S_2O_8$ to persulfate anion radical and divalent silver ion (S3-1†) (the persulfate anion radical may also oxidize $Ag(\mathfrak{l})$ to $Ag(\mathfrak{l}\mathfrak{l})$ (S3-2†)). Then the $Ag(\mathfrak{l}\mathfrak{l})$ generated in situ reacted with the $\alpha\text{-oxocarboxylates}$ formed acyl radical complexes and CO_2 (S3-3†). Cross-coupling product obtained after the attack of acyl radical to

aryltrifluoroborate (S3-4†), which could be terminated by addition of radical scavengers such as hydroquinone or 2,6-di-*tert*-butylphenol, suggesting that the cross-coupling reactions proceed *via* a radical mechanism. Potassium trifluoroborate radical was finally quenched by oxidation of persulfate anion (S3-5†). Finally, 1.5 equiv. of TEMPO (2,2,6,6-tetramethyl-1-piperidinyloxy) was added to the reaction, and the acyl radical was trapped successfully by TEMPO, affording the corresponding adduct in 67% yields (Scheme 3, S3-6†).

Scheme 3 Possible mechanism.

Conclusions

Paper

In conclusion, we have demonstrated a general method for highly selective decarboxylative coupling of $\alpha\text{-}oxocarboxylates$ with aryltrifluoroborates enabled by versatile Ag(ı)/persulfate-catalyzed system. The development of this coupling further highlights the beneficial use of inexpensive Ag(ı) catalysts for decarboxylation, while exploiting $K_2S_2O_8$ promoter. We anticipate that this strategy will find widespread use as a practical alternative to the classic ketone construction in organic synthesis. Most notably, this new protocol features the synthesis of chalcone and chromone derivatives. Further mechanistic studies and extension to a variety of coupling partners are currently underway in our laboratories.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was supported by the State Key Laboratory of Medicinal Chemical Biology (2017001), National innovative undertaking plan of college students (201713743012), Young talent training plan Of Jilin Science and Technology Bureau (20156429), and NSFC (81773692).

References

(a) H. Surburg and J. Panten, Common Fragrance and Flavor Materials, Wiley, Weinheim, Germany, 2006; (b) Y. Deng, Y.-W. Chin, H. Chai, W. J. Keller and A. D. Kinghorn, J. Nat. Prod., 2007, 70, 2049; (c) K. R. Romins, G. A. Freeman, L. T. Schaller, J. R. Cowan, S. S. Gonzales, J. H. Tidwell, C. W. Andrews, D. K. Stammers, R. J. Hazen, R. G. Ferris, S. A. Short, J. H. Chan and L. R. Boone, J. Med. Chem., 2006, 49, 727; (d) B. M. O'Keefe, N. Simmons and S. F. Martin, Org. Lett., 2008, 10, 5301; (e) S. Rahimipour, C. Palivan, F. Barbosa, I. Bilkis, Y. Koch, L. Weiner,

M. Fridkin, Y. Mazur and G. Gescheidt, *J. Am. Chem. Soc.*, 2003, **125**, 1376; (f) D. Ma, Y. Jiang, F. Chen, L.-K. Gong, K. Ding, Y. Xu, R. Wang, A. Ge, J. Ren, J. Li, J. Li and Q. Ye, *J. Med. Chem.*, 2006, **49**, 456; (g) Y. Nishizuka, *Nature*, 1988, **334**, 661; (h) M. R. Hansen and L. H. Hurley, *Acc. Chem. Res.*, 1996, **29**, 249.

- 2 (a) G. Sartori and R. Maggi, Chem. Rev., 2006, 106, 1077; (b) G. A. Olah, Friedel-Crafts Chemistry., Wiley, New York, 1973.
- 3 (a) J. E. Bäckvall, *Modern Oxidation Methods.*, Wiley-VCH, Weinheim, 2010; (b) G. E. Dobereiner and R. H. Crabtree, *Chem. Rev.*, 2010, **110**, 681.
- 4 For reviews see: (a) C. Pan, X. Jia and J. Cheng, Synthesis, 2012, 44, 677; (b) X.-F. Wu, H. Neumann and M. Beller, Chem. Soc. Rev., 2011, 40, 4986; (c) J. Ruan and J. Xiao, Acc. Chem. Res., 2011, 44, 614; (d) L. Kollár, Modern Carbonylation Methods., Wiley, Weinheim, 2008; (e) A. Brennfuhrer, H. Neumann and M. Beller, Angew. Chem., Int. Ed., 2009, 48, 4114; (f) P. Anbarasan, T. Schareina and M. Beller, Chem. Soc. Rev., 2011, 40, 5049.
- 5 (a) P. Hu, M. Zhang, X. Jie and W. Su, Angew. Chem., Int. Ed., 2012, 51, 227; (b) P. Hu, Y. Shang and W. Su, Angew. Chem., Int. Ed., 2012, 51, 5945; (c) J. Cornella and I. Larrosa, Synthesis, 2012, 653; (d) J. D. Weaver, A. Recio, A. J. Grenning and J. A. Tunge, Chem. Rev., 2011, 111, 1846; (e) O. Baudoin, Angew. Chem., Int. Ed., 2007, 46, 1373; (f) N. Rodriguez and L. J. Goossen, Chem. Soc. Rev., 2011, 40, 5030; (g) T. Satoh and M. Miura, Synthesis, 2010, 3395; (h) L. J. Goosen, N. Rodríguez and K. Goosen, Angew. Chem., Int. Ed., 2008, 47, 3100; (i) D.-X. Liu, F.-L. Li, H.-X. Li, J. Gao and J.-P. Lang, Tetrahedron, 2014, 70, 2416; (j) W.-J. Gong, D.-X. Liu, F.-L. Li, J. Gao, H.-X. Li and J.-P. Lang, Tetrahedron, 2015, 71, 1269; (k) D.-X. Liu, F.-L. Li, H.-X. Li, W.-J. Gong, J. Gao and J.-P. Lang, Eur. J. Org. Chem., 2014, 4817; (l) R.-T. He, J.-F. Wang, H.-F. Wang, Z.-G. Ren and J.-P. Lang, Dalton Trans., 2014, 43, 9786.
- 6 (a) Q. Jiang, J. Jia, B. Xu, A. Zhao and C.-C. Guo, J. Org. Chem., 2015, 80, 3586; (b) N. Zhang, D. Yang, W. Wei, L. Yuan, F. Nie, L. Tian and H. Wang, J. Org. Chem., 2015, 80, 3258; (c) W.-P. Mai, G.-C. Sun, J.-T. Wang, G. Song, P. Mao, L.-R. Yang, J.-W. Yuan, Y.-M. Xiao and L.-B. Qu, J. Org. Chem., 2014, 79, 8094; (d) K. Yan, D. Yang, W. Wei, F. Wang, Y. Shuai, Q. Li and H. Wang, J. Org. Chem., 2015, 80, 1550.
- 7 C. Chatgilialoglu, D. Crich, M. Komatsu and I. Ryu, *Chem. Rev.*, 1999, **99**, 1991.
- 8 (a) L. J. Gooßen, F. Rudolphi, C. Oppel and N. Rodríguez, Angew. Chem., Int. Ed., 2008, 47, 3043; (b) L. J. Gooßen, B. Zimmermann, C. Linder, N. Rodríguez, P. P. Lange and J. Hartung, Adv. Synth. Catal., 2009, 351, 2667; (c) L. J. Gooßen, B. Zimmermann and T. Knauber, Angew. Chem., Int. Ed., 2008, 47, 7103; (d) F. Rudolphi, B. Song and L. J. Gooßen, Adv. Synth. Catal., 2011, 353, 337; (e) Y. Ji, X. Yang and W. Mao, Appl. Organomet. Chem., 2014, 28, 678.
- 9 (a) Z. He, X. Qi, S. Li, Y. Zhao, G. Gao, Y. Lan, Y. Wu, J. Lan and J. You, *Angew. Chem., Int. Ed.*, 2015, **54**, 855; (b) Z. He,

- X. Qi, Z. She, Y. Zhao, S. Li, J. Tang, G. Gao, Y. Lan and J. You, *J. Org. Chem.*, 2017, **82**, 1403.
- 10 (a) J. Liu, C. Fan, H. Yin, C. Qin, G. Zhang, X. Zhang, H. Yi and A. Lei, *Chem. Commun.*, 2014, 50, 2145; (b) Y. Ma, Z. Yan, C. Bian, K. Li, X. Zhang, M. Wang, X. Gao, H. Zhang and A. Lei, *Chem. Commun.*, 2015, 51, 10524.
- 11 (a) K. Cheng, B. Zhao and C. Qi, RSC Adv., 2014, 4, 48698; (b) N. Zhang, D. Yang, W. Wei, L. Yuan, F. Nie, L. Tian and H. Wang, J. Org. Chem., 2015, 80, 3258; (c) L.-N. Guo, H. Wang and X.-H. Duan, Org. Biomol. Chem., 2016, 14, 7380; (d) S. Zhang, L.-N. Guo, H. Wang and X.-H. Duan, Org. Biomol. Chem., 2013, 11, 4308; (e) H. Wang, L.-N. Guo and X.-H. Duan, Org. Biomol. Chem., 2013, 11, 4573; (f) H. Wang, H. Yang, Y. Li and X.-H. Duan, RSC Adv., 2014, 4, 8720; (g) H. Wang, L.-N. Guo and X.-H. Duan, Org. Lett., 2012, 14, 4358.
- 12 (a) W. P. Mai, B. Sun, L. Q. You, L. R. Yang, P. Mao, J. W. Yuan, Y. M. Xiao and L. B. Qu, Org. Biomol. Chem.,

- 2015, **13**, 2750; (*b*) R. Suresh, R. S. Kumaran, V. Senthilkumar and S. Muthusubramanian, *RSC Adv.*, 2014, **4**, 31685; (*c*) H. Wang, S. L. Zhou, L. N. Guo and X. H. Duan, *Tetrahedron*, 2015, **71**, 630.
- 13 (a) Z. Y. Lin, Y. L. Chen, C. S. Lee and C.-P. Chuang, Eur. J. Org. Chem., 2010, 3876; (b) T. Liu, Q. Ding, Q. Zong and G. Qiu, Org. Chem. Front., 2015, 2, 670; (c) H. Wang, L. N. Guo and X. H. Duan, Adv. Synth. Catal., 2013, 355, 2222; (d) H. Yang, L. N. Guo and X. H. Duan, RSC Adv., 2014, 4, 52986; (e) W. P. Mai, G. C. Sun, J. T. Wang, G. Song, P. Mao, L. R. Yang, J. W. Yuan, Y. M. Xiao and L. B. Qu, J. Org. Chem., 2014, 79, 8094.
- 14 (a) C. Y. Hao, D. Wang, Y. W. Li, L. L. Dong, Y. Jin, X. R. Zhang, H. Y. Zhu and S. Chang, RSC Adv., 2016, 6, 86502; (b) S. Chang, Y. Jin, X. R. Zhang and Y. B. Sun, Tetrahedron Lett., 2016, 57, 2017; (c) S. Chang, Y. B. Sun, X. R. Zhang, L. L. Dong, H. Y. Zhu, H. W Lai and D. Wang, Appl. Organomet. Chem., 2017, DOI: 10.1002/aoc.3970.