Chemical Science



EDGE ARTICLE

View Article Online
View Journal | View Issue



Cite this: Chem. Sci., 2025, 16, 11954

d All publication charges for this article have been paid for by the Royal Society of Chemistry

Received 22nd March 2025 Accepted 23rd May 2025

DOI: 10.1039/d5sc02206a

rsc.li/chemical-science

Radical-mediated proton transfer enables hydroxyl radical formation in charge-delocalized water†

The Grotthuss mechanism has long defined our understanding of proton transfer in water, where protons migrate through hydrogen bond networks via structural diffusion. However, whether radical intermediates participate in this process remains unresolved. Herein, we demonstrate a radical-mediated proton transfer mechanism in acidic aqueous solutions. Using electron paramagnetic resonance spectroscopy, we detect hydroxyl radicals ('OH) and water radical cations (H_2O^{++}), while isotope-labeled high-resolution mass spectrometry confirms the presence of crown ether H_2O^{++} complexes in HCl solutions. Quantum simulations reveal that excess charge is delocalized over neighboring water molecules rather than localized on the hydronium ion (H_3O^{+}), forming positively charged water clusters. We thus reveal that the proton transfer proceeds through ${}^{+}OH \cdots H^{+} \cdots H_2O$ intermediates under ambient conditions. Our findings extend beyond the Grotthuss framework, proposing a mechanism driven by hydrogen bond imbalance and charge delocalization that spontaneously generates ${}^{+}OH$ in acidic environments. This work advances the understanding of proton transfer in water and has implications for acid-induced reactions, electrochemical processes, and degradation mechanisms in energy technologies.

Introduction

Proton transfer in aqueous solution is a fundamental process central to acid-base chemistry, biochemistry, and energy conversion technologies. The Grotthuss mechanism, which describes proton migration through hydrogen bond networks via structural diffusion, has long been the prevailing framework for understanding this process. This mechanism involves the interconversion of two limiting structures: the Zundel cation $(H_5O_2^+)$ and the eigen $(H_9O_4^+)$ cation (yet a recent report described that both clusters do not represent limiting configurations and distinct thermodynamic states do, where proton transfer occurs through the concerted breaking and reformation of hydrogen bonds. However, this classical model assumes that proton transfer proceeds without charge delocalization between water molecules, an assumption that may not hold under certain conditions.

Theoretical studies suggest that localizing excess charge on the hydronium ion (H_3O^+) is energetically unfavorable, requiring 16–49 kcal mol $^{-1}$. $^{11-14}$ This raises the possibility that charge delocalization over neighboring water molecules may play a critical role in proton transfer dynamics. 14 Despite this insight, the potential involvement of radical intermediates, such as hydroxyl radicals ('OH) and water radical cations (H_2O^{++}) , in proton transfer remains largely unexplored. The generation of these radicals typically requires high-energy processes, such as radiolysis 15,16 or interfacial charge transfer, $^{17-21}$ making their spontaneous formation in bulk water under ambient conditions seem unlikely.

In this study, we investigate proton transfer in acidic aqueous solutions using a combination of experimental techniques and quantum simulations. Through electron paramagnetic resonance (EPR) spectroscopy, we detect the formation of 'OH and H_2O^{*+} radicals in HCl solutions with pH below 4.0. Isotope-labeled high-resolution mass spectrometry (HRMS) further confirms the presence of crown ether- H_2O^{*+} complexes, providing direct evidence for radical intermediates in proton transfer. Quantum simulations reveal that the excess charge is delocalized over neighboring water molecules rather than localized on the H_3O^{+} ion, leading to the formation of positively charged water clusters. We thus uncover that the proton transfer proceeds via a 'OH···H $^{+}$ ···H $_2$ O intermediate under ambient conditions, enabling a radical-mediated proton transfer pathway.

This mechanism advances our fundamental understanding of proton transfer in water and has significant implications for acid

[&]quot;Molecular Electrochemistry Laboratory, Institute of Fundamental and Frontier Sciences, University of Electronic Science and Technology of China, Chengdu 611731, China. E-mail: chunhua.cui@uestc.edu.cn

^bKey Laboratory of Precision and Intelligent Chemistry, University of Science and Technology of China, Hefei 230026, China. E-mail: zyli@ustc.edu.cn

School of Materials and Energy, University of Electronic Science and Technology of China, Chengdu, 610054, China

[‡] These authors contributed equally to this work.

Edge Article Chemical Science

corrosion of catalysts, such as Cu for acidic electrochemical $\rm CO_2$ reduction and oxidation-degradation of proton-exchange membrane in fuel cells. By revealing the role of radical intermediates in proton transfer, this work opens new avenues for research in catalysis, energy conversion, and environmental chemistry.

Results and discussion

pH-dependent formation of hydroxyl radicals ('OH)

To investigate the potential formation of radical species in aqueous solutions, we first employed EPR to detect radicals in pure water. To enhance the stability and detectability of transient radicals, 100 mM 5,5-dimethyl-1-pyrroline N-oxide (DMPO) was used as a spin-trapping agent.^{22,23} As expected, no EPR signals were detected in pure water, indicating the absence of detectable radicals under neutral conditions. To eliminate potential interference from oxygen-derived radicals, we used HCl (rather than oxygenated acids) to adjust the solution pH.^{24–26} Remarkably, upon decreasing the pH from neutral to 1.0, a distinct EPR signal corresponding to the DMPO-OH adduct ($A_N = A_H = 1.49 \text{ mT}$)²² emerged at pH values below 4.0, with the signal intensity reaching its maximum at pH 1.5 (Fig. 1A).

To confirm the identity of the detected radical as 'OH, we utilized an alternative spin-trapping agent, 5-tert-butox-ycarbonyl-5-methyl-1-pyrroline-N-oxide (BMPO).²² The BMPO-OH adducts, characterized by two distinct hyperfine splitting patterns (BMPO-OH-I: $A_{\rm N}=1.41$ mT, $A_{\rm H}=1.54$ mT; BMPO-OH-II: $A_{\rm N}=1.41$ mT, $A_{\rm H}=1.28$ mT), ^{23,27} were observed (Fig. S1†), providing further evidence for the presence of 'OH radicals.

To determine the origin of the oxygen atoms in the 'OH radicals, we performed isotope-labeling experiments using ${\rm H_2}^{17}{\rm O}$ (90% ¹⁷O abundance). As shown in Fig. 1B, the EPR spectrum revealed a mixture of DMPO-¹⁷OH and DMPO-¹⁶OH adducts ($A_{\rm N}=A_{\rm H}=1.49~{\rm mT};A_{\rm O}^{17}=0.46~{\rm mT}$), ²⁸ confirming that the 'OH radicals are derived from water molecules. This finding was further corroborated by ¹⁸O isotope-labeling experiments using ${\rm H_2}^{18}{\rm O}$, analyzed *via* HRMS. Peaks at m/z 130.08 and 132.09 were assigned to DMPO-¹⁶OH and DMPO-¹⁸OH, respectively (Fig. 1C), providing unambiguous evidence that 'OH radicals originate from water. Additionally, the addition of 50 mM vitamin C, a known 'OH scavenger,²⁹ completely quenched the DMPO-OH signal (Fig. S2†), further validating the presence of 'OH radicals.

To explore the excitation source responsible for 'OH generation, we investigated the temperature dependence of the DMPO-OH signal. By varying the temperatures from 0 to 50 °C using an EPR temperature controller, we observed that the DMPO-OH signal was detectable even at 0 °C and increased in intensity with rising temperature, reaching a significant concentration at ambient temperature (25 °C) (Fig. 1D). This result indicates that thermal energy at room temperature is sufficient to drive the formation of 'OH radicals in acidic solutions, highlighting an unrecognized implicit condition for radical generation.

The oxidizing reactions of 'OH

The high reactivity of 'OH radicals, evidenced by their strong oxidation potential ('OH/OH $^-$ of \sim 1.9 V), ³⁰ was further




Fig. 1 Detection of 'OH in acidic aqueous solutions. (A) EPR spectra of DMPO-OH adducts at various pH values (neutral to 1.0) at 25 °C. The pH was adjusted using HCl solutions. (B) Overlay of EPR spectra for DMPO- 17 OH and DMPO- 16 OH adducts in ${\rm H_2}^{17}$ O (90% 17 O abundance). (C) High-resolution mass spectra of DMPO-OH adducts without and with ${\rm H_2}^{18}$ O at pH 1.5. (D) Temperature-dependent EPR spectra of DMPO-OH adducts from 0 to 50 °C, measured using an EPR temperature controller. All experiments were performed in Ar-purged solutions containing 100 mM DMPO as a spin-trapping agent.

demonstrated through a series of oxidation reactions. For instance, 'OH can oxidize $\mathrm{Cu^0}$ to $\mathrm{Cu^{2^+}}$ (0.34 V), $\mathrm{I^-}$ to $\mathrm{I_3^-}$ (0.54 V), and $\mathrm{SO_3^{2^-}}$ to $\mathrm{SO_3^{\cdot -}}$ (0.73 V). Contrary to the conventional understanding that HCl solutions are non-oxidizing due to the low electrode potential of $\mathrm{H^+/H_2}$ (0 V) and the non-oxidizing nature of $\mathrm{Cl^-}$, we observed significant oxidation of high-purity Cu foil immersed in Ar pre-purged HCl solutions (pH 1.0–1.5). Optical microscopy and scanning electron microscopy (SEM) revealed pronounced surface roughening of the Cu foil at low pH (Fig. 2A), while X-ray fluorescence (XRF) analysis confirmed the increased dissolution of $\mathrm{Cu^{2^+}}$ (Fig. S3†), The formation of Cu–Cl species was further supported by UV-vis spectroscopy, which showed enhanced absorption at lower pH values (Fig. 2B), consistent with the trend of DMPO-OH intensity (Fig. 1A).

The oxidation of I $^-$ to I $_3$ $^-$ by $^{\bullet}$ OH was monitored using UV-vis spectroscopy, 36 with 20 mM I $^-$ solutions serving as the




Fig. 2 The oxidizing capability of 'OH radicals in acidic solutions. (A) pH-dependent oxidation of Cu foil observed by optical microscopy $(50\times)$ and SEM. (B) UV-vis spectra of dissolved Cu²⁺ ions in solutions with varying pH. A 50 mM CuCl₂ solution was used as a control. (C) UVvis spectra of I_3^- formed by the oxidation of 20 mM I^- by 'OH radicals at different pH values. The oxidation of 20 mM I⁻ to I₃⁻ by 0.05 mM H₂O₂ as a control. (D) EPR spectra of DMPO-SO₃⁻ adducts formed by the oxidation of 50 mM K₂SO₃ at different pH values.

substrate. Two characteristic absorption bands at 284 and 350 nm, corresponding to I3 formation, were observed in acidic solutions (pH < 4.0) but were absent at higher pH values (Fig. 2C and standard spectra in Fig. S4†). Similarly, the oxidation of SO₃²⁻ to SO₃⁻ was confirmed by the detection of the DMPO- SO_3^- adduct ($A_N = 1.47 \text{ mT}$; $A_H = 1.60 \text{ mT}$), with significantly higher intensity at pH 1.5 compared to pH 4.0 (Fig. 2D).

The ambient formation of 'OH radicals in an acidic aqueous solution offers significant potential for synthetic applications, as reported in interface-rich aqueous systems.³⁷⁻³⁹ For instance, 'OH can oxidize HCOO to CO2' radicals, as evidenced by the EPR signal of the DMPO-CO₂ adduct $(A_N = 1.56 \text{ mT}; A_H = 1.87 \text{ m})$ mT). 23,40,41 This signal was further confirmed by HRMS (Fig. 3A and S5†), demonstrating the robust oxidizing capability of 'OH under acidic conditions. Additionally, the well-documented reaction between CH3OH and 'OH to form the 'CH2OH radical was verified using DMPO as a spin-trapping agent (Fig. 3B). We also investigated the oxidation of benzoic acid to phenol, a classic organic transformation. HRMS revealed the formation of phenol in acidic solutions (Fig. 3C), further underscoring the synthetic utility of 'OH radicals. These results collectively highlight the strong oxidizing capability of 'OH radicals generated in acidic aqueous solutions.

A fundamental question arose: why can 'OH radicals spontaneously generate in acidic aqueous solutions? While interfacial charge transfer has been shown to enable the formation of H₂O₂ via the recombination of surface OH-derived 'OH




Fig. 3 Synthetic applications of 'OH radicals in acidic solutions. (A) Negative ion mode mass spectrum (top) and EPR spectrum (bottom) for the oxidation of HCOO⁻ to CO₂*- by *OH radicals. (B) Positive ion mode mass spectrum (top) and EPR spectrum (bottom) for the conversion of CH3OH to *CH2OH radicals. DMPO-CH4OH adducts represent carbon-centered radicals derived from CH₃OH. (C) Negative ion mode mass spectra for the oxidation of benzoic acid to phenol by *OH radicals. All experiments were performed at pH 1.5.

radicals,42-44 this mechanism is unlikely to account for our observations. In highly acidic solutions, the concentration of OH is negligible, making it improbable that 'OH radicals originate from OH-. So, how should we understand the formation mechanism of 'OH highlighted in this finding?

Determination of the water radical cation (H₂O'⁺) coordinated with 18-crown-6

Having established that 'OH radicals originate from water molecules through isotope-labeled experiments (Fig. 1B and C), we hypothesize that the radical-mediated proton transfer proceeds via the reaction: $H_2O^{+} + H_2O \rightarrow OH + H_3O^{+}$. However, direct detection of the transient H₂O^{*+} species at pH 1.5 using EPR spectroscopy proved challenging.²³ To overcome this limitation, we employed a complexation strategy using 18crown-6 (18C6) to stabilize H₂O^{*+}, thereby increasing its concentration and lifetime for EPR measurements.41 As shown in Fig. 4A, the stepwise addition of 18C6 led to a significant increase in the EPR intensity of both DMPO-OH adducts and DMPO- H_2O^+ species ($A_N = 1.58 \text{ mT}$; $A_H = 2.25 \text{ mT}$). The DMPO-OH signal arises from the classic spin-trapping mechanism, while the DMPO-H₂O⁺ signal is attributed to the epoxidation of DMPO by the highly oxidizing H₂O^{*+} (with a redox potential exceeding 3 V).23 The correlation between increasing H2O.+ concentration and enhanced 'OH formation further supports

Edge Article

18C6 in H₂¹⁸O 18C6 in H₂O Experimental data DMPO-H₂O⁴ 18C6-H₂18O DMPO-OH 18C6 18C6-H₂O 18C6-H₂18O 282 283 284 286 284 285 m/z D 282 20 18C6-H₂O⁺/18C6-HDO 18C6-D₂O 285.21

Fig. 4 Detection of H_2O^{++} radicals stabilized by 18-crown-6 (18C6). (A) EPR spectra of DMPO- H_2O^{++} and DMPO-OH adducts with increasing 18C6 concentration in Ar-purged HCl solution at pH 1.5. Higher 18C6 concentrations enhance the DMPO- H_2O^{++} signal and increase the intensity of the DMPO-OH signal. (B-D) High-resolution mass spectra of 18C6 complexes in H_2O , $H_2^{-18}O$, and D_2O solutions, respectively. Isotopelabeled peaks are highlighted in color.

282

the proposed mechanism, where H_2O^{*+} serves as the precursor for 'OH radicals.

3470

3495

3520

To unequivocally confirm the formation of the 18C6-H₂O^{•+} complex, we conducted HRMS combined with isotope labeling. In 18C6-containing H_2O , a peak at m/z 282.20 was observed, corresponding to the 18C6-H₂O⁺ complex (Fig. 4B). This peak is distinct from the well-documented 18C6-H₃O⁺ complex at m/z283.20.45 To further validate the assignment, we introduced H₂¹⁸O into the solution, which resulted in isotope mass shifts to m/z 284.20 and 285.20, assigned to 18C6-H₂¹⁸O⁺⁺ and 18C6-H₃¹⁸O⁺, respectively (Fig. 4C). Additionally, experiments using D_2O revealed a series of peaks at m/z 282.20, 283.20, 284.21, 285.21, and 286.21, corresponding to 18C6-H₂O⁺, 18C6-H₃O⁺/ 18C6-HDO⁺, 18C6-D₂O⁺, 18C6-HD₂O⁺, and 18C6-D₃O⁺, respectively (Fig. 4D). These isotope-labeled HRMS results provide unambiguous evidence for the formation of the 18C6-H₂O^{*+} complex, corroborating the EPR findings and confirming the stabilization of H_2O^{*+} by 18C6.

Electron quantum delocalization and the resultant proton transfer via H_2O^{-+}

In contrast to pure water, the formation of $H_2O^{\bullet,+}$ in an acidic solution is likely driven by hydrogen bond (HB) imbalance, which facilitates change delocalization in the presence of a dissociated H_3O^+ –Cl pair. To study this phenomenon, we applied *ab initio* molecular dynamics simulation to evaluate the electronic charge transfer through the HB at 298.15 K (see Methods†). First, we calculated the average charge transferred to a water molecule in pure water (Fig. 5A), which was found to be approximately 0.010e, consistent with previously reported values (\sim 0.008e). This value is lower than that observed in the water dimer system (0.020e) due to the more symmetric hydrogen bonding network in liquid water. However, the introduction of H_3O^+ disrupts this symmetry, creating an

imbalance in HB donors and acceptors and enabling charge delocalization.

286

We next analyzed the charge distribution around the H_3O^+ core and its neighboring water molecules (Fig. 5B). The simulations revealed that the H_3O^+ induces a significant positive charge on its neighboring H_2O molecules, increasing the likelihood of H_2O^{+} formation. A slight redistribution of charge was also observed in the second hydration shell (Fig. 5C), indicating that the Grotthuss proton transfer facilitates dynamic electron density redistribution along the proton transport trajectory. This charge delocalization is reminiscent of the strong charge segregation observed at the oil/water or gas/water interfaces, 17,20 but it is significantly more pronounced than the fleeting charge transfer $(H_2O^{+\delta}\cdots H_2O^{-\delta})$ in pure water. 47

To further explore the proton transfer process, we simulated a water box with an excess proton (Fig. 5D). Upon the formation of $\rm H_2O^{*+}$ radical intermediates (Fig. 5E), proton transfer occurred within 150 femtoseconds, consistent with the fastest known chemical process. This rapid transfer leads to the generation of detectable 'OH radicals and new $\rm H_3O^+$ ions (Fig. 5F, S6 and Movie S1†). The newly formed $\rm H_3O^+$ ions can subsequently transfer protons via the classic Grotthuss mechanism (Fig. 5G), a process that is significantly slower than the radical-mediated proton transfer observed here.

Implications of radical-mediated proton transfer

Our experimental observations of H_2O^{*+} and 'OH radical intermediates, combined with theoretical simulations of charge transfer in protonated water, provide strong evidence for a radical-mediated proton transfer mechanism. This mechanism, which involves the rapid formation and transfer of H_2O^{*+} and 'OH radicals, offers an alternative explanation for the anomalously high proton mobility observed in acidic solutions. Given the efficiency of radical reactions compared to the classical "structural diffusion" mechanism, this radical-mediated




Fig. 5 Ab initio molecular dynamics (AIMD) simulations. (A) Charge distribution in pure water. Charge distributions on neighboring H₂O molecules (B) and in the second hydration shell (C) of the H_3O^+ core in HCl solutions. Snapshots of the $H_2O^{•+}$ -mediated proton transfer process: (D) initial state, (E) formation of H_2O^{*+} radicals, (F) generation of H_3O^{+} and O^{*+} and O^{*+} and O^{*+} radicals, and (G) subsequent Grotthuss proton transfer. The radical intermediates and the proton transfer pathways are highlighted by yellow circles and arrows, respectively. Spin density isosurfaces of 0.02 au^{-3} for (F-G) are shown to visualize radical formation.

pathway may play a significant role in proton transport under certain conditions.

The charge delocalization observed in acidic water is a general phenomenon that can lead to the formation of waterderived radical species. This finding has broad implications for understanding the reactivity of the H₃O⁺-containing aqueous system under ambient conditions. For instance, the presence of H₃O⁺ ions can significantly enhance the chemical reactivity of water, particularly under external excitations, such as under radiolysis, 15 electric field, 48-51 or in microdroplets/aerosols, 52,53 where proton accumulation at interfaces further promotes radical formation.54

The intrinsic formation of 'OH in acidic solutions has important practical implications. For example, in electrocatalysis, the presence of 'OH can lead to the corrosion of catalysts, such as Cu in electrochemical CO2 reduction under strongly acidic conditions.⁵⁵ Similarly, the degradation of ionomers and carbon supports in proton-exchange membrane fuel cells (PEMFCs) may be exacerbated by 'OH radicals, particularly at elevated operating temperatures (~80 °C), where thermal excitation further promotes radical generation.56,57 These findings highlight the need to carefully consider the role of radicalmediated processes in the design and optimization of electrochemical systems.

Conclusions

Our study reveals a new proton transfer mechanism in acidic water, where the charge spreads across water molecules to form unstable intermediates (H₂O^{*+}), leading to the spontaneous creation of highly reactive hydroxyl radicals ('OH). This discovery challenges the traditional view that water is stable at room temperature and shows a deep connection between proton transfer and radical reactions. Understanding this mechanism helps explain real-world issues like material corrosion and fuel cell degradation while also guiding the design of better catalysts and energy technologies. This work reshapes our understanding of water's chemistry and opens new paths for innovation in chemistry, energy, and environmental science.

Data availability

The data supporting this article have been included as part of the ESI.†

Author contributions

C. C. conceived this study and led the project. R. Z. carried out the experiments. Q. Z. and Z. L. performed molecular dynamics simulations. N. Y. and L. L. implemented part measurements and data analysis. C. C. and R. Z. wrote the manuscript. All authors commented on the manuscript.

Conflicts of interest

There are no conflicts to declare.

Edge Article

Acknowledgements

This work was supported by the Natural Science Foundation of China (22372027 and 22393913) and the Strategic Priority Research Program of the Chinese Academy of Sciences (XDB0450101).

Notes and references

- 1 Q. Wu, N. Yang, M. Xiao, W. Wang and C. Cui, Nat. Commun., 2024, 15, 9145.
- 2 S. S. Xantheas, Nature, 2009, 457, 673-674.
- 3 D. Marx, M. E. Tuckerman, J. Hutter and M. Parrinello, Nature, 1999, 397, 601-604.
- 4 C. T. Wolke, J. A. Fournier, L. C. Dzugan, M. R. Fagiani, T. T. Odbadrakh, H. Knorke, K. D. Jordan, A. B. McCoy, K. R. Asmis and M. A. Johnson, Science, 2016, 354, 1131-1135.
- 5 T. C. Berkelbach, H.-S. Lee and M. E. Tuckerman, Phys. Rev. Lett., 2009, 103, 238302.
- 6 F. Dahms, B. P. Fingerhut, E. T. J. Nibbering, E. Pines and T. Elsaesser, Science, 2017, 357, 491-494.
- 7 M. Schröder, F. Gatti, D. Lauvergnat, H.-D. Meyer and O. Vendrell, Nat. Commun., 2022, 13, 6170.
- 8 Y. Tian, J. N. Hong, D. Y. Cao, S. F. You, Y. Z. Song, B. W. Cheng, Z. C. Wang, D. Guan, X. M. Liu, Z. P. Zhao, X. Z. Li, L. M. Xu, J. Guo, J. Chen, E. G. Wang and Y. Jiang, Science, 2022, 377, 315-319.
- 9 J. A. Fournier, W. B. Carpenter, N. H. C. Lewis and A. Tokmakoff, Nat. Chem., 2018, 10, 932-937.
- 10 S. Di Pino, E. D. Donkor, V. M. Sánchez, A. Rodriguez, G. Cassone, D. Scherlis and A. Hassanali, J. Phys. Chem. B, 2023, 127, 9822-9832.
- 11 J. M. J. Swanson and J. Simons, J. Phys. Chem. B, 2009, 113, 5149-5161.
- 12 T. D. Kühne and R. Z. Khaliullin, Nat. Commun., 2013, 4, 1450.
- 13 C. Schran, O. Marsalek and T. E. Markland, Chem. Phys. Lett., 2017, 678, 289-295.
- 14 M. Flór, D. M. Wilkins, M. de la Puente, D. Laage, G. Cassone, A. Hassanali and S. Roke, Science, 2024, eads4369.
- 15 Z. H. Loh, G. Doumy, C. Arnold, L. Kjellsson, S. H. Southworth, A. Al Haddad, Y. Kumagai, M. F. Tu, P. J. Ho, A. M. March, R. D. Schaller, M. S. B. Yusof, T. Debnath, M. Simon, R. Welsch, L. Inhester, K. Khalili, K. Nanda, A. I. Krylov, S. Moeller, G. Coslovich, J. Koralek, M. P. Minitti, W. F. Schlotter, J. E. Rubensson, R. Santra and L. Young, Science, 2020, 367, 179-182.
- 16 M.-F. Lin, N. Singh, S. Liang, M. Mo, J. P. F. Nunes, K. Ledbetter, J. Yang, M. Kozina, S. Weathersby, X. Shen, A. A. Cordones, T. J. A. Wolf, C. D. Pemmaraju, M. Ihme and X. J. Wang, Science, 2021, 374, 92-95.
- 17 S. Pullanchery, S. Kulik, B. Rehl, A. Hassanali and S. Roke, Science, 2021, 374, 1366-1370.
- 18 S. Q. Lin, X. Y. Chen and Z. L. Wang, Chem. Rev., 2022, 122, 5209-5232.

19 L. Q. Qiu and R. G. Cooks, Angew. Chem., Int. Ed., 2022, 61, e202210765.

- 20 L. Qiu and R. G. Cooks, Angew. Chem., Int. Ed., 2024, 63, e202400118.
- 21 S. Gligorovski, R. Strekowski, S. Barbati and D. Vione, Chem. Rev., 2015, 115, 13051-13092.
- 22 G. R. Buettner, Free Radical Biol. Med., 1987, 3, 259-303.
- 23 L. Li, Q. Wu, S.-k. Xiang, S. Mu, R. Zhao, M. Xiao, C. Long, X. Zheng and C. Cui, J. Phys. Chem. Lett., 2023, 14, 9183-
- 24 F. N. Brünig, M. Rammler, E. M. Adams, M. Havenith and R. R. Netz, Nat. Commun., 2022, 13, 4210.
- 25 M. Thamer, L. De Marco, K. Ramasesha, A. Mandal and A. Tokmakoff, Science, 2015, 350, 78-82.
- 26 F. Xie, D. S. Tikhonov and M. Schnell, Science, 2024, 384, 1435-1440.
- 27 A. Misak, V. Brezova, M. Chovanec, K. Luspai, M. J. Nasim, M. Grman, L. Tomasova, C. Jacob and K. Ondrias, Antioxidants, 2021, 10, 1286.
- 28 L. Wang, Q. Li, Y. Fu, Z. Wang, H.-y. Zhu and M. Sillanpaa, ACS ES&T Water, 2023, 3, 532-541.
- 29 P. Li, Z. Shen, W. Wang, Z. Ma, S. Bi, H. Sun and Y. Bu, Phys. Chem. Chem. Phys., 2010, 12, 5256-5267.
- 30 D. A. Armstrong, R. E. Huie, W. H. Koppenol, S. V. Lymar, G. Merényi, P. Neta, B. Ruscic, D. M. Stanbury, S. Steenken and P. Wardman, Pure Appl. Chem., 2015, 87, 1139-1150.
- 31 H.-M. Hung, M.-N. Hsu and M. R. Hoffmann, Environ. Sci. Technol., 2018, 52, 9079-9086.
- 32 S. Mu, H. Lu, Q. Wu, L. Li, R. Zhao, C. Long and C. Cui, Nat. Commun., 2022, 13, 3694.
- 33 L. L. Perissinotti, M. A. Brusa and M. A. Grela, Langmuir, 2001, 17, 8422-8427.
- 34 W. Deng, H. Zhao, F. Pan, X. Feng, B. Jung, A. Abdel-Wahab, B. Batchelor and Y. Li, Environ. Sci. Technol., 2017, 51, 13372-13379.
- 35 D. Ma, B. Hu, W. Wu, X. Liu, J. Zai, C. Shu, T. Tadesse Tsega, L. Chen, X. Qian and T. L. Liu, Nat. Commun., 2019, 10, 3367.
- 36 X.-P. Zhang, Y.-N. Li, Y.-Y. Sun and T. Zhang, Angew. Chem., Int. Ed., 2019, 58, 18394-18398.
- 37 Y. Meng, R. N. Zare and E. Gnanamani, J. Am. Chem. Soc., 2023, 145, 19202-19206.
- 38 D. Xia, H. Zhang, Y. Ju, H.-b. Xie, L. Su, F. Ma, J. Jiang, J. Chen and J. S. Francisco, J. Am. Chem. Soc., 2024, 146, 11266-11271.
- 39 L. Zhao, X. Song, C. Gong, D. Zhang, R. Wang, R. N. Zare and X. Zhang, Proc. Natl. Acad. Sci. U.S.A., 2022, 119, e2200991119.
- 40 X. Zheng, Q. Wu, M. Xiao, L. Li, R. Zhao and C. Cui, Chem.-Eur. J., 2024, 30, e202303383.
- 41 R. Zhao, L. Li, Q. Wu, W. Luo, Q. Zhang and C. Cui, Nat. Commun., 2024, 15, 8367.
- 42 J. K. Lee, K. L. Walker, H. S. Han, J. Kang, F. B. Prinz, R. M. Waymouth, H. G. Nam and R. N. Zare, Proc. Natl. Acad. Sci. U.S.A., 2019, 116, 19294-19298.
- 43 B. Chen, Y. Xia, R. He, H. Sang, W. Zhang, J. Li, L. Chen, P. Wang, S. Guo, Y. Yin, L. Hu, M. Song, Y. Liang,

Y. Wang, G. Jiang and R. N. Zare, *Proc. Natl. Acad. Sci. U.S.A.*,

- 44 A. J. Colussi, J. Am. Chem. Soc., 2023, 145, 16315-16317.
- 45 M. Bühl and G. Wipff, J. Am. Chem. Soc., 2002, 124, 4473-4480.
- 46 A. J. Lee and S. W. Rick, J. Chem. Phys., 2011, 134.
- 47 D. Ben-Amotz, Science, 2022, 376, 800-801.

Chemical Science

2022, **119**, e2209056119.

- 48 J. Gu, S. Liu, W. Ni, W. Ren, S. Haussener and X. Hu, *Nat. Catal.*, 2022, 5, 268–276.
- 49 G. Cassone, J. Phys. Chem. Lett., 2020, 11, 8983-8988.
- 50 Z. Futera and N. J. English, J. Chem. Phys., 2017, 147, 031102.
- 51 V. Conti Nibali, S. Maiti, F. Saija, M. Heyden and G. Cassone, J. Chem. Phys., 2023, 158.
- 52 M. A. Mehrgardi, M. Mofidfar and R. N. Zare, *J. Am. Chem. Soc.*, 2022, **144**, 7606–7609.

- 53 K. Li, K. Gong, J. Liu, L. Ohnoutek, J. Ao, Y. Liu, X. Chen, G. Xu, X. Ruan, H. Cheng, J. Han, G. Sui, M. Ji, V. K. Valev and L. Zhang, *Cell Rep. Phys. Sci.*, 2022, 3, 100917.
- 54 H. Wei, E. P. Vejerano, W. Leng, Q. Huang, M. R. Willner, L. C. Marr and P. J. Vikesland, *Proc. Natl. Acad. Sci. U.S.A.*, 2018, 115, 7272–7277.
- 55 J. E. Huang, F. Li, A. Ozden, A. Sedighian Rasouli, F. P. García de Arquer, S. Liu, S. Zhang, M. Luo, X. Wang, Y. Lum, Y. Xu, K. Bertens, R. K. Miao, C.-T. Dinh, D. Sinton and E. H. Sargent, *Science*, 2021, 372, 1074–1078.
- 56 H. Xie, X. Xie, G. Hu, V. Prabhakaran, S. Saha, L. Gonzalez-Lopez, A. H. Phakatkar, M. Hong, M. Wu, R. Shahbazian-Yassar, V. Ramani, M. I. Al-Sheikhly, D.-e. Jiang, Y. Shao and L. Hu, *Nat. Energy*, 2022, 7, 281–289.
- 57 L. Gubler, S. M. Dockheer and W. H. Koppenol, *J. Electrochem. Soc.*, 2011, **158**, B755.