## ChemComm



**View Article Online** 

## CORRECTION

Check for updates

Cite this: Chem. Commun., 2019, 55, 3674

## Correction: ESIPT-based ratiometric fluorescence probe for the intracellular imaging of peroxynitrite

Luling Wu,<sup>a</sup> Yang Wang,<sup>b</sup> Maria Weber,<sup>a</sup> Liyuan Liu,<sup>a</sup> Adam C. Sedgwick,\*<sup>a</sup> Steven D. Bull,\*<sup>a</sup> Chusen Huang\*<sup>b</sup> and Tony D. James\*<sup>ac</sup>

DOI: 10.1039/c9cc90119a

rsc.li/chemcomm

Correction for 'ESIPT-based ratiometric fluorescence probe for the intracellular imaging of peroxynitrite' by Luling Wu *et al.*, *Chem. Commun.*, 2018, **54**, 9953–9956.

The authors regret that incorrect experimental details were given on page 9954 of the original article. Accordingly, the paragraph beginning "ABAH-LW was synthesized over four steps." on page 9954 is incorrect. The correct section is as follows: "**ABAH-LW** was synthesized over three steps. **ABAH** was first synthesized in excellent yield (73%) by heating 2-aminothiophenol and 5-aminosalicylic acid in polyphosphoric acid (PPA) at 180 °C. With **ABAH** in hand, chloroacetyl chloride was then added to a solution of **ABAH** in 1:1 CHCl<sub>3</sub>/CH<sub>3</sub>CN. This reaction proceeded quickly to afford chloroacetamide intermediate compound **2**. Compound **2** was then alkylated using 4-bromomethylphenylboronic acid pinacol ester and K<sub>2</sub>CO<sub>3</sub> in DMF to afford **ABAH-LW** in 25% yield (Scheme S1, ESI†)." The electronic supplementary information (ESI) has also been updated to reflect this change.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>&</sup>lt;sup>a</sup> Department of Chemistry, University of Bath, Bath, BA2 7AY, UK. E-mail: t.d.james@bath.ac.uk

<sup>&</sup>lt;sup>b</sup> The Education Ministry Key Laboratory of Resource Chemistry, Shanghai Key Laboratory of Rare Earth Functional Materials, and Shanghai Municipal Education Committee Key Laboratory of Molecular Imaging Probes and Sensors, Department of Chemistry, Shanghai Normal University, 100 Guilin Road, Shanghai 200234, China. E-mail: huangcs@shnu.edu.cn

<sup>&</sup>lt;sup>c</sup> Department of Materials and Life Sciences, Faculty of Science and Technology, Sophia University, 7-1 Kioi-cho, Chiyoda-ku, Tokyo 102-8554, Japan