

CORRECTION

View Article Online
View Journal | View Issue



Cite this: *Org. Biomol. Chem.*, 2021, **19**, 1155

Correction: Rhodium(III)-catalyzed oxidative alkylation of *N*-aryl-7-azaindoles with cyclopropanols

Jidan Liu,^{*a} Jinyuan Jiang,^a Zhenke Yang,^a Qiaohai Zeng,^a Jieying Zheng,^a Siying Zhang,^a Liyao Zheng,^a Shang-Shi Zhang^b and Zhao-Qing Liu^{*a}

DOI: 10.1039/d1ob90008k

rsc.li/obc

Correction for 'Rhodium(III)-catalyzed oxidative alkylation of *N*-aryl-7-azaindoles with cyclopropanols' by Jidan Liu *et al.*, *Org. Biomol. Chem.*, 2021, DOI: 10.1039/d0ob02323j.

The authors regret that in Table 1 the additives for entries 7–11 are incorrect. The correct table is shown below.

Table 1 Optimization of reaction conditions^a

Entry	Rh catalyst	Additive	Oxidant	Yield ^b (%)
1	[Cp*RhCl ₂] ₂	CsOAc	Cu(OAc) ₂	82
2	[Cp*RhCl ₂] ₂	CsOAc	PhI(OAc) ₂	9
3	[Cp*RhCl ₂] ₂	CsOAc	O ₂	Trace
4	[Cp*RhCl ₂] ₂	CsOAc	Ag ₂ CO ₃	54
5	[Cp*RhCl ₂] ₂	CsOAc	AgOAc	62
6	[Cp*RhCl ₂] ₂	CsOAc	Ag ₂ O	48
7	[Cp*RhCl ₂] ₂	CsOAc	Cu(OAc) ₂ ·H ₂ O	86
8	[Cp*RhCl ₂] ₂	KOAc	Cu(OAc) ₂ ·H ₂ O	83
9	[Cp*RhCl ₂] ₂	NaOAc	Cu(OAc) ₂ ·H ₂ O	75
10	[Cp*RhCl ₂] ₂	AgSbF ₆	Cu(OAc) ₂ ·H ₂ O	43
11	[Cp*RhCl ₂] ₂	AgOAc	Cu(OAc) ₂ ·H ₂ O	36
12	Cp*Rh(OAc) ₂	CsOAc	Cu(OAc) ₂ ·H ₂ O	80
13	Rh(Ph ₃ P) ₃ Cl	CsOAc	Cu(OAc) ₂ ·H ₂ O	14
14	Cp*Rh(CH ₃ CN) ₃ (SbF ₆) ₂		Cu(OAc) ₂ ·H ₂ O	22
15	[Cp*RhCl ₂] ₂	CsOAc	Cu(OAc) ₂ ·H ₂ O	65 ^c
16	[Cp*RhCl ₂] ₂	CsOAc	Cu(OAc) ₂ ·H ₂ O	83 ^d
17	[Cp*RhCl ₂] ₂	CsOAc	Cu(OAc) ₂ ·H ₂ O	77 ^e
18	[Cp*RhCl ₂] ₂	CsOAc	Cu(OAc) ₂ ·H ₂ O	85 ^f
19	[Cp*RhCl ₂] ₂	CsOAc	Cu(OAc) ₂ ·H ₂ O/O ₂	18 ^g
20		CsOAc	Cu(OAc) ₂ ·H ₂ O	nr
21	[Cp*RhCl ₂] ₂	CsOAc		nr

^a Reaction conditions: **1a** (0.2 mmol), **2a** (0.3 mmol), Rh catalyst (4 mol%), additive (20 mol%) and oxidant (2 equiv.) in MeOH (1 mL) in a sealed tube at 50 °C under N₂ for 4 h. ^b Isolated yield of **3a** based on **1a**. ^c At 30 °C. ^d At 70 °C. ^e Cu(OAc)₂·H₂O (1.8 equiv.) was used. ^f Cu(OAc)₂·H₂O (2.1 equiv.) was used. ^g Cu(OAc)₂·H₂O (0.2 equiv.) was used.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aSchool of Chemistry and Chemical Engineering/Institute of Clean Energy and Materials/Guangzhou Key Laboratory for Clean Energy and Materials, Guangzhou University, Guangzhou, P. R. China. E-mail: jdlu@gzhu.edu.cn, lizqz@gzhu.edu.cn

^bCenter for Drug Research and Development, Guangdong Pharmaceutical University, Guangzhou, P. R. China

