RSC Advances



PAPER

View Article Online
View Journal | View Issue



Cite this: RSC Adv., 2021, 11, 13848

Poly(ethylene glycol) dimethyl ether mediated oxidative scission of aromatic olefins to carbonyl compounds by molecular oxygen†

Tao Yu,‡ Mingqing Guo,‡ Simiaomiao Wen, Rongrong Zhao, Jinlong Wang,
Yanli Sun, Qixing Liu* and Haifeng Zhou
*D**

A simple, and practical oxidative scission of aromatic olefins to carbonyl compounds using O_2 as the sole oxidant with poly(ethylene glycol) dimethyl ether as a benign solvent has been developed. A wide range of monosubstituted, gem-disubstituted, 1,2-disubstituted, trisubstituted and tetrasubstituted aromatic olefins was successfully converted into the corresponding aldehydes and ketones in excellent yields even with gram-scale reaction. Some control experiments were also conducted to support a possible reaction pathway.

Received 13th March 2021 Accepted 5th April 2021

DOI: 10.1039/d1ra02007b

rsc.li/rsc-advances

Introduction


The selective oxidative scission of olefins is a practiced transformation in organic synthesis. The produced carbonyl compounds are valuable intermediates in pharmaceuticals, fragrances, agrochemicals and bulk chemical industries.¹ The two-step ozonolysis is the conventional method to convert olefins into carbonyl compounds (Scheme 1a).² In recent years, the ozone was replaced by other oxidants, such as H₂O₂,³ oxone,⁴ TBHP,⁵ *m*-CPBA,⁶ KMnO₄,⁻ PhIO/HBF₄ ⁸ (Scheme 1b). However, the super stoichiometric use of expensive and toxic oxidants leads to a large amount of resource waste and environmental pollution.

Molecular oxygen is regarded as an ideal oxidant due to its easy availability, cheapness, environmental benignity and good functional-group tolerance. Recently, a series oxidative scission of olefins to carbonyl compounds with O₂ as the sole oxidant, catalysed by organocatalysts NHPI, AIBN, AIBP, AIBN, AIBP, AIBN, AIBP, AIBP,

olefins are limited to *gem*-disubstituted aromatic alkenes.²⁰ Therefore, developing a wide applicable strategy for the oxidative scission of olefins to aldehydes and ketones is highly desirable but still remains a challenge.

Poly(ethylene glycol) dimethyl ether (PEGDME) has been attracting increasing interest due to its benign characteristics involving lower cost, non-volatilization, and non-toxicity, etc. ²¹ To continue our interest in developing environmental benign synthetic reactions. ²² Herein we report a simple and practical oxidative scission of a wide range of monosubstituted, gem- and 1,2-disubstituted, trisubstituted, and tetrasubstituted aromatic olefins to the corresponding aldehydes and ketones by O₂ with PEGDME as a benign solvent.

Research Center of Green Pharmaceutical Technology and Process, Hubei Key Laboratory of Natural Products Research and Development, College of Biological and Pharmaceutical Sciences, China Three Gorges University, Yichang 443002, China. E-mail: qixingliu86@163.com; zhouhf@ctgu.edu.cn



Scheme 1 Oxidative scission of olefins to carbonyl compounds.

[†] Electronic supplementary information (ESI) available. See DOI: 10.1039/d1ra02007b

 $[\]ddagger$ These authors contributed equally to this work.

Paper RSC Advances

Results and discussion

Our studies were started with *gem*-diphenylethylene (1a) as a model substrate (Table 1). When the oxidation scission of 1a was performed in *N*,*N*-dimethylformamide (DMF), methyl *tert*-butyl ether (MTBE), tetrahydrofuran (THF), 2-methyltetrahydrofuran (2-MeTHF) at 130 °C or under reflux condition with O₂ as the sole oxidant, only trace amount of diphenylmethanone (2a) was observed (entries 1–4). To our delight, the desired product 2a was detected by HPLC with 73% yield in 1,4-dioxane at 100 °C for 10 hours (entry 5). However, when 1,4-dioxane was replaced by morpholine, the yield decreased to 49% (entry 6). To improve the reaction efficiency, ethylene glycol (EG), triethylene glycol (TEG), and a series of ethers including ethylene glycol dimethyl ether (EGDME), ethylene glycol diethyl ether (EGDEE), diethylene glycol monomethyl ether (DEGMME), diethylene glycol dimethyl ether (DEGDME), dipropylene glycol

Table 1 Optimization of the reaction conditions a,b


Entry	Solvent	Temp. (°C)	t (h)	Yield ^c (%
1	DMF	130	10	<2%
2	MTBE	55	10	<2%
3	THF	66	10	<2%
4	2-MeTHF	78	10	<2%
5	1,4-Dioxane	100	10	73
6	Morpholine	130	10	49
7	EG	130	10	54
8	TEG	130	10	85
9	EGDME	86	10	61
10	EGDEE	130	10	90
11	DEGMME	130	10	91
12	DEGDME	130	10	93
13	DPGMME	130	10	94
14	DPGDME	130	10	94
15	PEG	130	10	96
16	PEGDME	130	10	99
17	PEGDME	110	10	99
18	PEGDME	100	10	78
19	PEGDME	110	8	99
20	PEGDME	110	6	83
21^d	PEGDME	110	8	35
22^e	PEGDME	110	8	64
23^f	PEGDME	110	8	52

^a Abbreviation: N,N-dimethylformamide (DMF), methyl tert-butyl ether (MTBE), tetrahydrofuran (THF), 2-methyltetrahydrofuran (2-MeTHF), ethylene glycol (EG), triethylene glycol (TEG), ethylene glycol dimethyl ether (EGDME), ethylene glycol diethyl ether (EGDEE), diethylene glycol monomethyl ether (DEGMME), diethylene glycol dimethyl ether (DEGDME), dipropylene glycol monomethyl ether (DPGMME), dipropylene glycol dimethyl ether (DPGDME), poly(ethylene glycol) (average M_n , 400) (PEG₄₀₀), poly(ethylene glycol) dimethyl ether (average M_n , 250) (PEGDME₂₅₀). ^b Reaction conditions: 1a (0.5 mmol), solvent (1 mL), O₂ balloon. ^c The yields were determined by HPLC. ^d Under air atmosphere. ^e 1 mmol of 1a. ^f 5 mmol of 1a.

monomethyl ether (DPGMME), and dipropylene glycol dimethyl ether (DPGDME) were screened as a solvent at 130 °C for 10 hours, providing 54-94% yields (entries 7-14). Moreover, it was found that the environmentally friendly poly(ethylene glycol) (PEG) and poly(ethylene glycol) dimethyl ether (PEGDME) gave 96% and 99% yield, respectively (entries 15-16). Therefore, PEGDME was demonstrated to be the best solvent. Next, the effect of the reaction temperature was examined. The yield of 2a remained at 99% when the reaction temperature dropped to 110 °C, but lower yield of 78% was observed at 100 °C (entries 17-18). Shorter reaction time was also attempted, the results revealed that the yield remained at 99% at 8 hours (entries 19-20). When the reaction was performed under air atmosphere, the yield decreased to 35% (entry 21). In addition, it was found that the higher concentration of 1a led to lower yield of 2a (entries 22-23). Finally, the entry 19 was regarded as the optimal reaction conditions: 1a (0.5 mmol), PEGDME (1 mL), under O2 atmosphere, 110 °C, and 8 hours.

With the optimized reaction conditions in hand, the scope of various olefins was investigated. As shown in Scheme 2, the oxidative scission of gem-diphenylethylenes bearing electrondonating group (Me, OMe) at the ortho-, meta- or para position, of the phenyl proceeded successfully to give the corresponding 2b-2g with >98% yield. In addition, the halogen element (F, Cl, Br) substituted gem-diphenylethylenes were also gave corresponding ketones 2h-2l in 90-99% yields. The halogen substituents are useful entities amenable to further transformation in organic synthesis. The gem-diphenylethylenes with meta-substituted electron-withdrawing group CF₃ gave higher yield than the ortho-substituted one (2m: 73%, 2n: 99%). The gem-diphenylethylenes with two or three substituents on the phenyls also gave the desired products 20-2u in 86–99% yields. When phenyl of gem-diphenylethylene was replaced by naphthyl, thienyl and pyridyl, the oxidative scission also proceeded smoothly, affording the corresponding products 2v-2x in 60-95% yields. To our delighted, the substrates containing fluorene or thioxanthene moiety also provided the desired ketones 2y and 2z in 87% and 85% yields. Furthermore, the aryl-alkyl disubstituted olefins like α -methylstyrene and α cyclopropylstyrene were also applicable to this oxidative scission. The corresponding ketones 2aa and 2ab were obtained in 99% and 93% yields.


Aldehydes are also important building blocks in fine chemicals. And then, we examined this oxidative scission of olefins to prepare aldehydes. As shown in Scheme 3, the monosubstituted, 1,2-disubstituted, trisubstituted and tetrasubstituted aromatic olefins were also subjected to this transformation. For example, the monosubstituted aromatic olefine 1ac was cleavaged to give 4-bromobenzaldehyde (2ac) in 92% yield under standard conditions. Benzaldehyde 2ad was obtained as the sole product in 95% yield by the oxidative scission of 1,2-disubstituted aromatic olefine 1ad. Interestingly, the 1,4-bis(2-methylstyryl)benzene (1ae) can be cleavaged to 1,4phthalaldehyde (2ae) and 2-methylbenzaldehyde (2ae') in 83% and 82% yield. When trisubstituted 1,1-diphenyl-2-(4bromophenyl)ethene (1af) and triphenylethylene (1ag) were used substrates, the corresponding products 4-



Scheme 2 Scope of gem-disubstituted aromatic olefins. Reaction conditions: 1 (0.5 mmol), PEGDME (1 mL), O_2 balloon, 110 °C, 8 hours, isolated yield.

bromobenzaldehyde (2ac), benzaldehyde (2ad) and diphenylmethanone (2a) were obtained in about 90% yields. Finally, the tetraphenylethylene (1ah) was also subjected to this oxidative scission, less than 5% yield was obtained even if elevating the temperature to 150 °C and extending the reaction time to 24 hours.

To understand the reaction pathway, control experiments were conducted. As shown in Scheme 4, when the oxidative scission of *gem*-diphenylethylene (1a) was carried out under N_2 atmosphere, no product 2a was observed. Only a trace amount of oxidation product 2a was detected in the presence of a radical scavenger 2,2,6,6-tetramethylpiperidine-*N*-oxyl (TEMPO) under



Scheme 3 Scope of mono, di-, tri-, and tetrasubstituted aromatic olefins.

optimal conditions. It means that a radical reaction pathway might be involved. When 2,2-diphenyloxirane (3a) was used as the starting material, the desired ketone 2a could be obtained in 99% yield, indicating that 3a might be a key intermediate of this oxidative scission reaction.

Based on the control experiments and reported work,²⁰ a plausible reaction pathway was proposed as shown in Scheme 5. Firstly, PEGDME was oxidized by O_2 to produce a peroxyl radical 3a'. Secondly, 3,3-diphenyl-1,2-dioxetane (1a') was formed by the oxidation of *gem*-diphenylethylene (1a) with 3a' as

Scheme 4 Control experiments.

Paper RSC Advances

Scheme 5 Plausible reaction pathway.

an oxidant, regenerating PEGDME concurrently. And then, 1a' is converted to the more stable key intermediate 2,2-diphenyloxirane (3a) with one equivalent of 1a. Finally, 3a was converted to give the product 2a with 3a' as an oxidant.

To further demonstrate the practicality of this oxidative scission reaction, as shown in Scheme 6, a gram–scale reaction of *gem*-diphenylethylene (**1a**; 1.80 g, 10 mmol) was conducted under O_2 atmosphere in PEGDME at 110 °C for 10 hours, the product diphenylmethanone (**2a**) was isolated in 96% yield (1.75 g).

Conclusions

In summary, we have developed an oxidative scission of aromatic olefins to carbonyl compounds using molecular oxygen as the sole oxidant with PEGDME as solvent. A wide range of monosubstituted, gem- and 1,2-disubstituted, trisubstituted, and tetrasubstituted aromatic olefins were oxidized to aldehydes and ketones in excellent yields. A reaction pathway was proposed based on some control experiments. A successful gram–scale reaction also demonstrated its practicability.

Experimental section

General information

Unless otherwise noted, all reagents, catalysts and solvents were purchased from commercial suppliers and used without further purification. Column chromatography was performed with silica gel (200–300 mesh). NMR spectra were recorded on Bruker AVANCE III (400 MHz) spectrometers. CDCl $_3$ was the solvent used for the NMR analysis, with tetramethyl silane as an internal standard. Chemical shifts were reported up field to TMS (0.00 ppm) for $^1\mathrm{H}$ NMR and relative to CDCl $_3$ (77.0 ppm) for $^{13}\mathrm{C}$ NMR. HPLC analysis was conducted on an Agilent 1200 Series instrument with 5C18-MS-II Packed Column (4.6 mm I.D. \times 250 mm).

Scheme 6 Gram-scale synthesis.

General procedure for oxidation scission of aromatic olefin

The corresponding aromatic olefin 1 (0.5 mmol), PEGDME (1 mL) were added to a 10 mL Schlenk tube. The tube was evacuated and filled with oxygen three times. The mixture was stirred at 110 °C for 8 hours under $\rm O_2$ atmosphere using a balloon. After cooling, the mixture was subjected to silica gel column chromatography (PE : EA = 15 : 1) to give the product 2.

Gram-scale oxidation scission of gem-diphenylethylene (1a)

The gem-diphenylethylene (1a, 1.80 g, 10 mmol), PEGDME (20 mL) were added to a 50 mL of round-bottomed flask equipped with a three-way jointer. The flask was then evacuated and filled with oxygen three times. The mixture was stirred at 110 °C for 10 hours under O_2 atmosphere using a balloon. After cooling, the mixture was subjected to silica gel column chromatography (PE: EA = 15:1) to give the product 2a (1.75 g, 96% yield).

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was supported by the 111 Project (D20015) and the Natural Science Foundation of Hubei Province of China (2018CFB241).

Notes and references

- 1 (a) M. B. Smith and J. March, Advanced Organic Chemistry, Wiley-VCH, New York, 2007; (b) J. E. Backvall, Modern Oxidation Methods, Wiley-VCH, New York, 2004; (c) R. C. Larock, Comprehensive Organic Transformations, 2nd edn, Wiley-VCH, New York, 1999; (d) F. Puls and H. J. Knolker, Angew. Chem., Int. Ed., 2018, 57, 1222; (e) N. E. Thornburg, A. B. Thompson and J. M. Notestein, ACS Catal., 2015, 5, 5077; (f) A. Kumar, A. K. Gupta, M. Devi, K. E. Gonsalves and C. P. Pradeep, Inorg. Chem., 2017, 56, 10325.
- 2 (a) R. Criegee, Angew. Chem., Int. Ed., 1975, 14, 745; (b)
 A. J. Kendall, J. T. Barry, D. T. Seidenkranz, A. Ryerson,
 C. Hiatt, C. A. Salazar, D. J. Bryant and D. R. Tyler,
 Tetrahedron Lett., 2016, 57, 1342; (c) T. J. Fisher and
 P. H. Dussault, Tetrahedron, 2017, 73, 4233; (d)
 S. G. V. Ornum, R. M. Champeau and R. Pariza, Chem.
 Rev., 2006, 106, 2990.
- 3 (a) W. Yu and Z. Zhao, Org. Lett., 2019, 21, 7726; (b) C. P. Yap,
 J. K. Ng, S. Madrahimov, A. A. Bengali, T. S. Chwee and
 W. Y. Fan, New J. Chem., 2018, 42, 11131; (c) T. Wang,
 X. Jing, C. Chen and L. Yu, J. Org. Chem., 2017, 82, 9342.
- 4 (a) J. N. Moorthy and K. N. Parida, *J. Org. Chem.*, 2015, **79**, 11431; (b) D. Yang and C. Zhang, *J. Org. Chem.*, 2001, **66**, 4814.
- 5 (a) D. J. Lippincott, P. J. Trejo-Soto, F. Gallou and B. H. Lipshutz, *Org. Lett.*, 2018, **20**, 5094; (b) M. M. Hossain, W. Huang, H. J. Chen, P. Wang and

- S. G. Shyu, *Green Chem.*, 2014, **16**, 3013; (c) D. Xing, B. Guan, G. Cai, Z. Fang, L. Yang and Z. Shi, *Org. Lett.*, 2006, **8**, 693.
- 6 F. V. Singh, H. M. S. Milagre, M. N. Eberlin and H. A. Stefani, *Tetrahedron Lett.*, 2009, **50**, 2312.
- 7 S. Lai and D. G. Lee, Synthesis, 2001, 11, 1645.
- 8 K. Miyamoto, N. Tada and M. Ochiai, *J. Am. Chem. Soc.*, 2007, **129**, 2772.
- 9 R. Lin, F. Chen and N. Jiao, Org. Lett., 2012, 14, 4158.
- 10 G. Wang, X. Li, J. Dai and H. Xu, J. Org. Chem., 2014, 79, 7220.
- 11 Z. Cheng, W. Jin and C. Liu, Org. Chem. Front., 2019, 6, 841.
- 12 T. Wang and N. Jiao, J. Am. Chem. Soc., 2013, 135, 11692.
- (a) C. A. Hone, A. O'Kearney-McMullan, R. Munday and C. O. Kappe, *ChemCatChem*, 2017, 9, 3298; (b) A. Wang and H. Jiang, *J. Org. Chem.*, 2010, 75, 2321; (c) B. Feng, Z. Hou, X. Wang, Y. Hu, H. Li and Y. Qiao, *Green Chem.*, 2009, 11, 1446.
- 14 (a) Y. Liu, D. Xue, C. Li, J. Xiao and C. Wang, Catal. Sci. Technol., 2017, 7, 5510; (b) M. M. Hossain and S. G. Shyu, Tetrahedron, 2014, 70, 251; (c) M. Tokunaga, Y. Shirogane, H. Aoyama, Y. Obora and Y. Tsuji, J. Organomet. Chem., 2005, 690, 5378.
- 15 (a) B. Xiong, X. Zeng, S. Geng, S. Chen, Y. He and Z. Feng, Green Chem., 2018, 20, 4521; (b) A. Toru and F. Hayato, Tetrahedron Lett., 2018, 59, 2657; (c) A. Gonzalez-De-Castro and J. Xiao, J. Am. Chem. Soc., 2015, 137, 8206.
- 16 G. Urgoitia, R. SanMartin, M. T. Herrero and E. Domínguez, *Adv. Synth. Catal.*, 2016, **358**, 1150.
- 17 L. Yu, Y. Huang, Z. Bai, B. Zhu, K. Ding, T. Chen, Y. Ding and Y. Wang, J. Chin. Chem. Soc., 2015, 62, 479.

- 18 (a) S. S. Han, J. Y. Park, H. S. Hwang, H. R. Choe, K. M. Nam and E. J. Cho, *ChemSusChem*, 2019, 12, 3018; (b) K. Ohkubo, T. Nanjo and S. Fukuzumi, *Org. Lett.*, 2005, 7, 4265; (c) Y. Ren, Y. Che, W. Ma, X. Zhang, T. Shen and J. Zhao, *New J. Chem.*, 2004, 28, 1464; (d) Y. Deng, X. Wei, H. Wang, Y. Sun, T. Noel and X. Wang, *Angew. Chem., Int. Ed.*, 2017, 56, 832.
- 19 Y. Imada, Y. Okada, K. Noguchi and K. Chiba, *Angew. Chem.*, Int. Ed., 2019, 58, 125.
- 20 K. Liu, J. Deng, T. Zeng, X. Chen, Y. Huang, Z. Cao, Y. Lin and W. He, *Chin. Chem. Lett.*, 2020, **31**, 1868.
- 21 (a) L. J. Xu, K. H. Lam, J. X. Ji, J. Wu, Q. H. Fan, W. H. Lo and A. S. C. Chan, Chem. Commun., 2005, 1390; (b) H. F. Zhou, Q. H. Fan, Y. M. He, L. Q. Qu and A. S. C. Chan, Prog. Chem., 2009, 17, 1517; (c) S. J. Ha, E.-Y. Jung, W. M. Kim and J. C. Lee, Bull. Korean Chem. Soc., 2014, 35, 629; (d) K. J. Liu, J. H. Deng, J. Yang, S. F. Gong, Y. W. Lin, J. Y. He, Z. Cao and W. M. He, Green Chem., 2020, 22, 433.
- 22 (a) H. F. Zhou, Q. H. Fan, W. J. Tang, L. J. Xu, Y. M. He, G. J. Deng, L. W. Zhao, L. Q. Gu and A. S. C. Chan, Adv. Synth. Catal., 2006, 348, 2172; (b) H. F. Zhou, Q. H. Fan, Y. Y. Huang, L. Wu, Y. M. He, W. J. Tang, L. Q. Gu and A. S. C. Chan, J. Mol. Catal. A: Chem., 2007, 275, 47; (c) H. Zhou, Z. Li, Z. Wang, T. Wang, L. Xu, Y. He, Q. H. Fan, J. Pan, L. Gu and A. S. C. Chan, Angew. Chem., Int. Ed., 2008, 47, 8464; (d) P. Cui, Q. Liu, J. Wang, H. Liu and H. Zhou, Green Chem., 2019, 21, 634; (e) B. Yang, P. Cui, Y. Chen, Q. Liu and H. Zhou, Tetrahedron Lett., 2020, 61, 152530.