# **RSC Advances**



# **PAPER**

View Article Online
View Journal | View Issue



Cite this: RSC Adv., 2021, 11, 15608

# TBAI-assisted direct C-H activation of indoles with $\beta$ -E-styrene sulfonyl hydrazides: a stereoselective access to 3-styryl thioindoles†

Saira Hafeez and Aamer Saeed \*\*

The current work describes the challenging introduction of a vinyl sulfide group by simple C-H activation on a variety of substrates. The direct C-H activation of indoles with  $\beta$ -(E)-styrene sulfonyl hydrazides under the sulfenylation conditions, assisted by the iodic catalyst tert-butyl ammonium iodide (TBAI), afforded a series of (E)-styrylthioindoles. Accordingly,  $\beta$ -(E)-styrene sulfonyl hydrazides undergo radical cross-coupling reactions with a variety of substituted indoles to afford structurally diverse indole vinyl thioethers in moderate to high yields with E-stereoselectivity. This method is metal-catalyst-free and is valuable not only because of its novelty, but also for providing a convenient synthetic pathway to a variety of (E)-styrylthioindoles with retention of the configuration. The current study paves the way for the use of  $\beta$ -(E)-styrene sulfonyl hydrazides as a unique styryl mercaptan source in chemical synthesis.

Received 28th March 2021 Accepted 13th April 2021

DOI: 10.1039/d1ra02444b

rsc.li/rsc-advances

#### 1. Introduction

One of the essential goals of modern organic synthesis is to develop efficient and environmentally friendly approaches towards the construction of valuable molecular frameworks. Vinyl sulfides constitute a ubiquitous molecular framework in natural products, pharmaceuticals, and important synthetic intermediates in chemical transformations. These compounds find extensive applications in chemical and materials science, and can be used as versatile building blocks for carbonyl compounds2 and as Michael acceptors.3 The most popular synthetic procedures to construct such molecules involve the addition of thiols to alkynes either using transition metal catalysts,4-12 free radicals,13-15 Wittig olefination16-18 or nucleophilic substitution of vinyl halides. 19,20 Nevertheless, harsh reaction conditions, expensive starting substrates and a lack of stereo-control are limitations of these methods. Consequently, a milder, more convenient, and more stereoselective protocol to obtain these significant scaffolds would be highly desirable.

The stereoselective synthesis of (E)-vinyl sulfides has been achieved by several methods. Banerjee and co-workers reported an indium-iodide-promoted one-pot synthesis of (E)-vinyl sulfides via the palladium-catalyzed condensation of vinyl bromides using disulfides as a sulfur source. One of the most significant catalytic processes for the synthesis of (E)-vinyl

sulfides was reported by the Venkataraman group, but employs a moisture-sensitive Cu(i) catalyst, and requires a high reaction temperature.<sup>22</sup> Later, Cook and co-workers reported a milder protocol for the synthesis of vinyl sulfides.<sup>23</sup> The iron-catalyzed cross-coupling reaction of alkyl vinyl halides with thiols has also been reported.<sup>24</sup> The triethyl-bromide-catalyzed radical addition of thiols to acetylenes results in alkenyl sulfides with good stereocontrol.<sup>25</sup> However, all these methods require the use of either metal catalysts, base, or additives to afford the corresponding vinyl sulfides. Furthermore, all these reports describe the nucleophilic addition of thiols to an unsaturated system, and none describes direct C–H activation *via* the addition of a vinyl sulfide moiety from a single source. Fig. 1 depicts a comparison of the various synthetic methods towards *E*-vinyl thioethers with the current work.

The indole ring is the key structural unit of many bioactive molecules<sup>26,27</sup> and the development of efficient synthetic methods to access differently substituted indoles is a topic of the utmost interest in organic synthesis.28,29 Substituted indoles, particularly thiolated indoles, constitute a significant class of heterocyclic compounds because of their wide range of applications in medicines and biologically active molecules. 30-32 Consequently, considerable effort has been made to develop new synthetic routes to indole-based heterocycles.33 3-Thiolated indoles represent one of the most important classes of bioactive molecules used in the treatment of cancer and allergies.34 The various synthetic strategies that have been reported for the 3arylthiolation of indoles include the use of sulfonyl chlorides, 35 sodium sulfinates,36 Bunte salts,37 sulfonyl hydrazides38 and Nhydroxy sulfonamides39 as thiolating agents. The only method to synthesize radio-protective vinyl thioindoles was reported by Skvortsova and co-workers and involves the nucleophilic

<sup>&</sup>lt;sup>e</sup>Department of Chemistry, University of Science and Technology of China, Hefei, Anhui 230026, China

<sup>&</sup>lt;sup>b</sup>Department of Chemistry, Quaid-I-Azam University, 45320, Islamabad, Pakistan. E-mail: aamersaeed@yahoo.com; asaeed@aiou.edu.pk

<sup>†</sup> Electronic supplementary information (ESI) available. See DOI: 10.1039/d1ra02444b

$$R = Ph \\ X = S \text{ or } Se$$

$$R = Ph \\ X = S \text{ or } Se$$

$$R = Ph \\ X = S \text{ or } Se$$

$$R = Ph \\ X = S \text{ or } Se$$

$$R = Ph \\ X = S \text{ or } Se$$

$$R = Alkyl, aryl \\ R = Alkyl, aryl \\ R = Alkyl, aryl$$

$$R = Alkyl, aryl \\ R = Alkyl, aryl$$

$$R = Alkyl, aryl \\ R = Alkyl, aryl$$

$$R = Alkyl, ary$$

Fig. 1 Comparison of synthetic studies of E-vinyl thioethers with the current work.

addition of thioindoles to acetylenes.<sup>40</sup> The present work describes the challenging introduction of a vinyl sulfide moiety by simple C–H activation on a variety of substituted indoles using  $\beta$ -(E)-styrene sulfonyl hydrazides (Fig. 2). Sulfonyl hydrazides are readily available, inexpensive, and stable solids that can act as sulfenylation agents.<sup>41–43</sup> Consequently, herein, we wish to report the use of  $\beta$ -(E)-styrene sulfonyl hydrazides as unique and direct sulfenylation agents for the synthesis of vinyl thioindoles with excellent stereocontrol under simple reaction conditions.

the product (entry 14), and was thus found to be optimum temperature for this conversion. In contrast, further increasing the temperature to 120 °C dropped the yield to 69% (entry 15). A decrease or increase in catalyst loading (5 mol% & 20 mol%) also resulted in a decrease in the yield of the product (entries 16 and 17).

temperature of 90 °C resulted in a slight decrease in the yield of

Attempts to decrease in reaction time from 8 to 10 h resulted in lower consumption of the starting materials and thus low yields of the product.

## 2. Results and discussion

#### 2.1 Optimization of the reaction conditions

Scheme 1 outlines the synthetic pathway and conditions adopted for the preparation of the target molecules. We started with the reaction of  $\beta$ -(E)-styrene sulfonyl hydrazide (1a) with indole (2a) in the presence of 10 mol% of iodine at 70 °C in a sealed tube for 12 hours, but the desired product was formed in only 25% yield (Table 1, entry 1). To our delight, the yield was increased to 46% by increasing the temperature to 100 °C (entry 2). Further screening of various solvents afforded the product in moderate yields (entries 3-5) and an improved yield of 65% was obtained using 1,4-dioxane (entry 6). Conducting the reaction under an inert atmosphere to avoid the formation of byproducts enhanced the yield to 71% (entry 7). Next, the catalytic effect of various iodic reagents in this transformation was studied (entries 8-13), and the best result was obtained by using TBAI in 1,4-dioxane at 100 °C for 12 hours under an N2 atmosphere (entry 10). Repeating the reaction with a decreased

#### 2.2 Scope and limitations of substrates

Scope with respect to substituted indoles. With the optimized conditions in hand, we next studied the scope of substituted indoles for this catalytic transformation. In the presence of 10 mol% of TBAI, a range of substituted indoles having both electron-donating and electron-withdrawing groups on the indole ring underwent sulfenylation with  $\beta$ -(E)-styrene sulfonyl hydrazides to give structurally diverse 3-styryl thioindoles in good to high yields (66–88%) with excellent stereoselectivity (Scheme 2).

Effect of the nature of the substituents (electron donating/withdrawing) on the indole ring. Under the optimized conditions, the reaction was repeated with an electron-donating (2h) or an electron-withdrawing group (2k) on the indole ring, and the results summarized in the scheme below clearly depict the enhanced yield due to the presence of the electron-donating group.

It might be possible to expand this protocol to other activated rings including heteroaromatics by adding some additives and varying the reaction conditions.

Scope with regard to  $\beta$ -(E)-styrene sulfonyl hydrazides. After investigating the scope of the indoles, we next studied the scope of substituted  $\beta$ -(E)-styrene sulfonyl hydrazides for this coupling reaction (Scheme 3). The reactions of 4-Me, 4-Br, and 4-Cl derivatives of  $\beta$ -(E)-styrene sulfonyl hydrazides with the indole gave the corresponding coupling products **4a**, **4b** and **4c** in 68%, 72% and 73% yield, respectively. (E)-3-((2-(Naphthalen-2-yl) vinyl)thio)-1H-indole **4d** was obtained in 63% *via* the reaction of

corresponding hydrazide with indole under the optimized conditions.

Examining the <sup>1</sup>H-NMR spectra, the broad signal at 8.40 ppm corresponds to the N–H of indole, whilst the sharp singlet at 7.20 ppm is assignable to the C–H of the indole ring; additionally, the two doublets at 6.75 and 6.25 ppm with large coupling constants of 16.0 Hz indicate the presence of mutually coupled protons of the *trans* double bond, thus confirming the connection of the two partner molecules. The <sup>13</sup>C-NMR showed the doubly bonded carbons of the vinyl moiety at 126 and 119 ppm and the C–H of indole at 130 ppm, respectively, whereas the =C–N peak at 138 ppm indicated

Fig. 2 Previous reported work on thioindole synthesis and the current strategy.

aper RSC Advance

Scheme 1 Synthetic pathway and optimization of the reaction conditions.

Table 1 Optimization study with respect to the catalyst, solvent, and temperature

Entry 1 <sup>a</sup>	(mol%)	(mL)	(°C)	(h)	(%)
1 <sup>a</sup>	$I_2$				(.0)
		EtOH	70	12	25
$2^a$	$I_2$	EtOH	100	12	46
$3^a$	$I_2$	DMSO	100	12	29
$4^a$	$I_2$	DCE	100	12	51
5 <sup>a</sup>	$I_2$	$CH_3CN$	100	12	11
6 <sup>a</sup>	$I_2$	1,4-Dioxane	100	12	65
$7^e$	$I_2$	1,4-Dioxane	100	12	71
$8^e$	CuI	1,4-Dioxane	100	12	41
$9^e$	KI	1,4-Dioxane	100	12	59
$10^e$	TBAI	1,4-Dioxane	100	12	84
$11^e$	NIS	1,4-Dioxane	100	12	72
$12^e$	$(CH_3)_3SOI$	1,4-Dioxane	100	12	68
13 <sup>e</sup>	NaI	1,4-Dioxane	100	12	57
$14^e$	TBAI	1,4-Dioxane	90	12	86
$15^e$	TBAI	1,4-Dioxane	120	12	68
16 <sup>c</sup>	TBAI	1,4-Dioxane	100	12	49
17 <sup>d</sup>	TBAI	1,4-Dioxane	100	12	63

 $<sup>^</sup>a$  Reaction conditions: **1a** (0.48 mmol), **2a** (0.4 mmol), catalyst (10 mol%), and solvent (1.5 mL) at the indicated temperature under  $N_2$  in a sealed tube.  $^b$  Isolated yields.  $^c$  5 mol% of TBAI was used.  $^d$  20 mol% of TBAI was used.  $^e$  Reaction conducted under an  $N_2$  atmosphere.

that the desired transformation had successfully been carried out.

#### 2.3 Proposed mechanistic pathway

To elucidate the mechanism of this reaction, we turned our attention to some control experiments. The reaction of indole with  $\beta$ -(E)-styrene sulfonyl hydrazide (1) under the optimal conditions in the presence of the radical inhibitor 2,2,6,6-tetramethyl-1-piperidinyloxy (TEMPO, 1.2 equiv.) completely inhibited the formation of the desired product, suggesting the involvement of a sulfonyl radical during the reaction (Scheme 4A). The reaction of (1) with indole in the absence of TBAI also results in product formation, but in a very low yield (Scheme 4B). In the absence of indole, a mixture of the products 3s (major) and 3t (minor) was obtained (detected via GC-MS and EI-MS), indicating that (1a) is converted into these species before reacting with indole to give the styryl thioether (Scheme 4C).

In addition, during the course of the reaction, we noticed a change in the color of the reaction mixtures from light brown to purple black, indicating the formation of iodine during this reaction. On the basis of experiment and observations, the following reaction mechanism can be suggested for this radical cross-coupling reaction. Initially, disulfide compound  $3\mathbf{s}$  is generated from  $\beta$ -E-styrene sulfonyl hydrazide 1 in the presence of TBAI, and then reacts with iodine to produce PhCH=CHSI (II). Nucleophilic attack of the indole on III produces radical intermediate IV and an iodine radical. Extrusion of HI leads to the formation of the final product, thioether 3. The produced HI reacts with TBAOH to remove a water molecule, and the regenerated TBAI can react with sulfonyl hydrazide to produce disulfide again (Scheme 5).

The proposed mechanism is based on reports in the literature; the free-radical pathway was confirmed by the control experiment (A) and the formation of the major intermediate 3s was confirmed by EI-MS analysis (ESI S-48†).

# 3. Experimental section

#### 3.1 Materials and instruments

Indole and its derivatives were purchased from Sinopharm Chemical Reagent Co., Meryer, Acros, Alfa Aesar, and TCI, and were used without further purification.  $\beta$ -(E)-Styrene sulfonyl chlorides and their derivatives were prepared according to literature procedures. Melting points were determined in open glass capillaries using a Stuart SMP3 (UK) melting point apparatus and are uncorrected.

 $^{1}$ H and  $^{13}$ C NMR spectra were recorded using a Bruker AC-400 FT spectrometer (400 MHz and 100 MHz, respectively) using TMS as an internal standard. NMR multiplicities are abbreviated as follows: s = singlet, d = doublet, dd = doublet doublet, t = triplet, m = multiplet, q = quartet, br = broad signal. Chemical shifts (δ) were recorded using an LC-TOF spectrometer (Micromass). Electron spray ionization (ESI) mass spectrometry data are expressed in ppm, while coupling constants (f) are expressed in Hz. High resolution mass spectra (HRMS) were obtained using a Thermo LTQ Orbitrap XL instrument equipped with an ESI source and controlled by the software Xcalibur. Elemental analyses were conducted using a LECO-183 CHNS analyzer.

# 3.2 General procedure for the preparation of $\beta$ -(*E*)-styrene sulfonyl hydrazides

Hydrazine monohydrate (50 mg, 1 mmol, 2.5 equiv.) was added dropwise to a solution of  $\beta$ -(*E*)-styrene sulfonyl chloride

Scheme 2 Substrate scope for indoles.  $^{a}$ 1a (0.48 mmol), 2a (0.4 mmol), TBAI (10 mol%), and 1,4-dioxane (1.5 mL) at 90  $^{\circ}$ C under an N<sub>2</sub> atmosphere for 10 h.

(0.4 mmol, 1 equiv.) in THF (2 mL) at 0  $^{\circ}$ C under an N<sub>2</sub> atmosphere. The mixture became brown due to the formation of a white precipitate of hydrazine hydrochloride during the

3m (74 %)

addition of hydrazine. The reaction mixture was stirred at 0  $^{\circ}$ C for 30 to 45 minutes, diluted with ethyl acetate (10 mL), washed with brine (2  $\times$  10 mL), dried over sodium sulfate, and filtered.

3n (81 %)

Scheme 3 Substrate scope for  $\beta$ -(E)-styrene sulfonyl hydrazides. <sup>a</sup>Reaction conditions: **1a** (0.48 mmol), **1b** (0.4 mmol), TBAI (10 mol%), and 1,4-dioxane (1.5 mL) at 90 °C under an N<sub>2</sub> atmosphere in a sealed tube for 12–14 h.

4d (63 %)

Scheme 4 Control experiments.

4c (76 %)

Scheme 5 Proposed mechanistic pathway.

The filtrate was slowly added to stirred hexane (10 mL) over 5 min. After being stirred for 10 min, the mixture was filtered and then dried under vacuum to obtain the  $\beta$ -(*E*)-styrene sulfonyl hydrazides as a brown solid.

# 3.3 General procedure for the TBAI-assisted direct C-H activation of indoles with $\beta$ -(E)-styrene sulfonyl hydrazides

To a mixture of  $\beta$ -(*E*)-styrene sulfonyl hydrazide **1a** (0.48 mmol, 1.2 equiv.), indole **2a** (0.4 mmol, 1 equiv.) and TBAI (18.5 mg, 0.05 mmol, 10 mol%) was added 1,4-dioxane (1.5 mL) under an  $N_2$  atmosphere in a sealed tube. The resulting mixture was stirred at 100 °C for 12 h and cooled to room temperature, and ethyl acetate (10 mL) was added. The mixture was washed with brine (2 × 10 mL), dried over  $Na_2SO_4$ , and purified using silica gel chromatography eluted with petroleum ether/ethyl acetate (10:1 to 1:1) to give the indole styryl thioether **3a**.

(*E*)-3-(Styrylthio)-1*H*-indole (3a). Brown solid, (84.5 mg, 84%), mp 128–129 °C; <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.38 (s, br, 1H, N–H), 7.72 (d, J=8 Hz, 1H), 7.45 (q, 2H, aromatic), 7.29 (dd, J=8 Hz, 1H), 7.25–7.21 (m, 2H, aromatic), 7.20 (s, 1H, C<sub>1</sub>–H), 7.20–7.16 (m, 2H, aromatic), 7.15–7.11 (m, 1H, aromatic), {6.77 (d, J=16 Hz, 1H), 6.29 (d, J=16 Hz, 1H) olefinic}. <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) δ (137, C<sub>8</sub>), 136.4, (129.5, C<sub>1</sub>), 128.9, 128.7, (128.6, aromatic), 128.4, 126.72, 126.71, (126.2, olefinic), (125.6, aromatic), 123.1, (120.9, olefinic), 119.6, 111.6, (102.8, C–S). HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>16</sub>H<sub>13</sub>NS (251.0769), found 251.0763.

(*E*)-2-Methyl-3-(styrylthio)-1*H*-indole (3b). Yellow solid, (66.3 mg, 66%), mp 133–135 °C; <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>)  $\delta$  8.38 (s, br, 1H, N–H), 7.72 (d, J = 8 Hz, 1H), 7.46–7.42 (m, 2H), 7.30–7.26 (m, 1H), 7.22–7.17 (m, 1H), 7.10–7.01 (m, 4H, aromatic), {6.70 (d, J = 16 Hz, 1H), 6.30 (d, J = 16 Hz, 1H), olefinic}, 2.28 (s, 3H, –Me). <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>)  $\delta$  (134.1, C<sub>8</sub>), (129.3, C<sub>1</sub>), (129.2, aromatic) 128.8, 127.6, 126.3, (125.5, aromatic), (125.3, olefinic), 124.1, 123, (120.8, olefinic), 119.6, 111.5, 102.11, (21.2, –Me). HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>17</sub>H<sub>16</sub>NS (266.1003), found 266.1001.

(*E*)-2-Phenyl-3-(styrylthio)-1*H*-indole (3c). Yellow solid, (77.4 mg, 77%), mp 138–139 °C; <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.55 (s, br, 1H, N–H), 7.81–7.78 (m, 2H, C<sub>2</sub>–Ph), 7.75 (d, J = 8 Hz, 1H), 7.50–7.44 (m, 4H), 7.43–7.40 (m, 1H, aromatic), 7.29

(dd, J=8 Hz, 1H) 7.22–7.16 (m, 5H), {6.80 (d, J=16 Hz, 1H), 6.23 (d, J=16 Hz, 1H) olefinic}.  $^{13}$ C NMR (100 MHz, CDCl<sub>3</sub>)  $\delta$  (141.2, C<sub>8</sub>), 137, 135.7, 131.3, 130.9, 128.8, 128.7, (128.5, aromatic), 128.3, (128.1, aromatic), (126.6, C<sub>1</sub>), 126.2, (125.7, olefinic), 125.5, 123.3, 121.1, (119.9, olefinic), 111.2, (98.9, C–S). HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>22</sub>H<sub>18</sub>NS (328.1082), found 328.1086.

(*E*)-3-Methyl-2-(styrylthio)-1*H*-indole (3d). Light yellow solid, (71.4 mg, 71%), mp 132–133 °C; ¹H NMR (400 MHz, CDCl<sub>3</sub>) δ 7.98 (s, br, 1H, N–H), 7.58 (d, J=8 Hz, 1H), 7.31–7.23 (m, 5H, aromatic), 7.21–7.12 (m, 3H, aromatic), {6.64 (d, J=16 Hz, 1H), 6.35 (d, J=16 Hz, 1H), olefinic}, 2.40 (s, 3H, –Me). ¹³C NMR (100 MHz, CDCl<sub>3</sub>) δ (136.8, C<sub>8</sub>), 136.4, (128.8, aromatic), 128.6, 128.5, 128.4, (127.4, olefinic), (125.9, aromatic), 123.9, 123.4, (121.2, C<sub>1</sub>), (119.7, olefinic), 119.4, 118.8, (110.9, C–Me), (9.5, –Me). HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>17</sub>H<sub>16</sub>NS (265.0925), found 266.1001.

(*E*)-5-Bromo-3-(styrylthio)-1*H*-indole (3e). White solid, mp (68.4 mg, 68%), 117–118 °C; <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.45 (s, br, 1H, N–H), 7.85 (s, 1H), 7.45 (d, J = 4 Hz, 1H), 7.38–7.30 (m, 3H, aromatic and C<sub>1</sub>–H), 7.23–7.15 (m, 4H, aromatic), {6.72 (d, J = 16 Hz, 1H), 6.27 (d, J = 16 Hz, 1H), olefinic}. <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) δ 138.5, 136.8, (133.9, C<sub>1</sub>), 130.5, (128.5, aromatic), 126.4, (126.6, olefinic), 126.2, (125.7, aromatic), 122.2, (118.8, olefinic), 113.3, 110.8, (100.9, C–S). HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>16</sub>H<sub>13</sub>NSBr (329.9952), found 329.9944.

(*E*)-2,5-Dimethyl-3-(styrylthio)-1*H*-indole (3f). Yellow solid, (82.4 mg, 82%), mp 131–133 °C; <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.15 (s, br, 1H, N–H), 7.40 (s, 1H), 7.24–7.16 (m, 5H, aromatic), 7.15–7.09 (m, 1H), 7.01 (dd, J=8 Hz, 1H), {6.70 (d, J=16 Hz, 1H), 6.15 (d, J=16 Hz, 1H), olefinic}, 2.51 (s, 3H, C<sub>5</sub>–Me), 2.43 (s, 3H, C<sub>1</sub>–Me). <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) δ 140.2, (137.1, C<sub>1</sub>), 133.6, 130.3, 130.1, (128.5, aromatic), 128.3, 126.8, (126.5, olefinic), (125.5, aromatic), 125.2, 123.6, (118.6, olefinic), 110.3, (98.3, C–S), (21.5, C<sub>5</sub>–Me), (12.2, C<sub>1</sub>–Me). HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>18</sub>H<sub>18</sub>NS (280.1160), found 280.1152.

(*E*)-5-Chloro-3-(styrylthio)-1*H*-indole (3g). Yellow solid, (78.4 mg, 78%), mp 121–122 °C; <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.43 (s, br, 1H, N–H), 7.37 (s, 1H), 7.26 (t, J=4 Hz, 2H, aromatic), 7.17 (s, 1H, C<sub>1</sub>–H), 7.16–7.13 (m, 3H, aromatic), 7.10–7.08 (m, 2H), {6.78 (d, J=16 Hz, 1H), 6.22 (d, J=16 Hz, 1H), olefinic}. <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) δ (136.8, C<sub>8</sub>), 136.1, (130.1, C<sub>1</sub>), 127.6, 127.5, 127.3, 127.2, 125.8, (125.7, olefinic), (125.4, C–Cl), 124.6, 124, 122.6, (121.2, olefinic), 109.4, (102.3, C–S). HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>16</sub>H<sub>13</sub>NClS (286.0457), found 286.0450.

(*E*)-6-Methyl-3-(styrylthio)-1*H*-indole (3h). Brown solid, mp (73.4 mg, 73%), 134–135 °C; <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.28 (s, br, 1H, N–H), 7.61 (d, J = 8 Hz, 1H), 7.38 (d, J = 4 Hz, 1H), 7.27–7.24 (m, 2H, aromatic), 7.23 (s, 1H, C<sub>1</sub>–H), 7.21–7.13 (m, 3H, aromatic), 7.05 (d, J = 8 Hz, 1H), {6.79 (d, J = 16 Hz, 1H), 6.31 (d, J = 16 Hz, 1H), olefinic}, 2.5 (s, 3H, –Me). <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) δ (137, C<sub>8</sub>), 136.8, (133.3, C<sub>1</sub>), (133, C–Cl), 128.8, (128.5, aromatic), 126.8, 126.6, (126, olefinic), (125.6, aromatic), 122.7, (119.2, olefinic), 111.5, (102.7, C–S), (21.7, Me). HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>17</sub>H<sub>16</sub>NS (266.0998), found 266.0997.

Paper

(*E*)-5-Fluoro-2-methyl-3-(styrylthio)-1*H*-indole (3i). Light brown solid, (88.5 mg, 88%), mp 132–133 °C; <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.23 (s, br, 1H, N–H), 7.27 (d, J=4 Hz, 1H), 7.25–7.19 (m, 3H, aromatic), 7.19–7.10 (m, 3H, aromatic), 6.95–6.90 (m, 1H), {6.67 (d, J=16 Hz, 1H), 6.14 (d, J=16 Hz, 1H) olefinic}, 2.52 (s, 3H, Me). <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) δ (156.4, C–F), 141, 135.8, (130.6, C<sub>1</sub>), 127.6, (125.6, olefinic), 124.9, (124.6, olefinic), 124.5, 110.3, 110.2, 109.4, 109.2, 103.2, 103, 98.27, (11.3, –Me). HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>17</sub>H<sub>15</sub>NFS (284.0903), found 284.0902.

(*E*)-5,6-Difluoro-3-(styrylthio)-1*H*-indole (3j). Light yellow solid, (79.4 mg, 79%), mp 138–139 °C; <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.40 (s, br, 1H, N–H), 7.47–7.41 (m, 2H, aromatic), 7.25–7.21 (m, 3H, aromatic), 7.20–7.13 (m, 3H, aromatic, C<sub>1</sub>–H), {6.70 (d, J = 16 Hz, 1H), 6.25 (d, J = 16 Hz, 1H) olefinic}. <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) δ (137, C<sub>4</sub>–F), (136.7, C<sub>5</sub>–F), 130.8, (130.7, C<sub>1</sub>), 129.6, (128.6, aromatic), 126.9, 126.7, (126.1, olefinic), 125.7, 125.6, (120.9, olefinic), 106.5, 106.3, 99.8, 99.6. HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>16</sub>H<sub>12</sub>NF<sub>2</sub>S (288.0653), found 288.0651.

(*E*)-6-Chloro-3-(styrylthio)-1*H*-indole (3k). Yellow solid, (75.4 mg, 75%), mp 120–121 °C; <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.38 (s, br, 1H, N–H), 7.62 (d, J=4 Hz, 1H), 7.38 (d, J=4 Hz, 1H), 7.28 (d, J=8 Hz, 1H), 7.17–7.14 (m, 3H), 7.13–7.10 (m, 2H), 7.10–7.05 (m, 1H), {6.65 (d, J=16 Hz, 1H), 6.20 (d, J=16 Hz, 1H) olefinic}. <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) δ 135.7, (133.6, C<sub>1</sub>), 129.8, 129.1, (127.5, aromatic), 125.8, 125.5, (125.1, olefinic), 124.6, (122.5, C–Cl), (118.1, olefinic), 111.6, (101.7, C–S). HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>16</sub>H<sub>13</sub>NClS (285.0379), found 285.0371.

(*E*)-1-Methyl-3-(styrylthio)-1*H*-indole (3l). Light yellow solid, (70.4 mg, 70%), mp 124–125 °C; <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>)  $\delta$  7.70 (d, J = 8 Hz, 1H), 7.40–7.37 (m, 1H, aromatic), 7.31 (dd, J = 8 Hz, 1H, aromatic), 7.29 (s, 1H, C<sub>1</sub>–H), 7.23–7.16 (m, 5H, aromatic), 7.15–7.10 (m, 1H, aromatic), {6.76 (d, J = 16 Hz, 1H), 6.28 (d, J = 16 Hz, 1H) olefinic}, 3.85 (s, 3H, N–Me). <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>)  $\delta$  137.3, 137, (133.9, C<sub>1</sub>), 129.5, 128.7, 128.5, 127.1, (126.6, olefinic), 125.9, 125.5, 122.5, 120.4, (119.7, olefinic), 109.7, 100.5, (33.1, N–Me). HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>17</sub>H<sub>16</sub>NS (266.1003), found 266.0994.

(*E*)-5-(Benzyloxy)-3-(styrylthio)-1*H*-indole (3m). Light yellow solid, (74.4 mg, 74%), mp 161–162 °C; <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.33 (s, br, 1H, N–H), 7.47–7.41 (m, 4H, aromatic), 7.35–7.30 (m, 4H, aromatic), 7.24–7.16 (m, 5H, aromatic, C<sub>1</sub>–H), 7.0 (dd, J = 8 Hz, 1H, aromatic), {6.75 (d, J = 16 Hz, 1H), 6.26 (d, J = 16 Hz, 1H) olefinic}, 5.10 (s, 2H, –OCH<sub>2</sub>). <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) δ (154.2, C–OCH<sub>2</sub>Ph), (137.3, C<sub>1</sub>), 136.9, 131.4, 130.2, 129.6, 128.7, 128.5, 128.47, 128.3, 127.8, 127.7, 126.7, 126.6, (126, olefinic), 125.6, (114.2, olefinic), 112.4, 102.2, 70.7. HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>23</sub>H<sub>20</sub>NOS (358.1260), found 358.1259.

(*E*)-5-Methoxy-3-(styrylthio)-1*H*-indole (3n). Yellow solid, (81.4 mg, 81%), mp 138–139°C; <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>)  $\delta$  8.35 (s, br, N–H), 7.44–7.35 (m, 2H, aromatic), 7.31 (d, J = 8 Hz, 1H, aromatic), 7.22 (s, 1H, aromatic), 7.20 (s, 1H, indole C–H), 7.19–7.12 (m, 3H, aromatic), 6.92 (dd, J = 8 Hz, 1H, aromatic),

{6.75 (d, J = 16 Hz, 1H), 6.26 (d, J = 16 Hz, 1H), olefinic}, 3.83 (s, 3H, -Me). <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>)  $\delta$  (155.1, C-OMe), (137, C<sub>1</sub>), 131.2, 130.3, 129.6, 128.7, 128.6, 128.4, 126.7, (125.9, olefinic) 125.6, (113.6, olefinic), 112.5, 102.9, (100.6, C-S), (55.9, OCH<sub>3</sub>). HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>17</sub>H<sub>16</sub>NOS (281.0874), found 281.0870.

(*E*)-3-((4-Methylstyryl)thio)-1*H*-indole (4a). Brown solid (72.2 mg, 68%),  $^{1}$ H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.39 (s, br, 1H, N-H), 7.72 (d, J = 4 Hz, 1H), 7.47–7.42 (m, 2H, aromatic), 7.28 (d, J = 8 Hz, 1H), 7.23–7.17 (m, 2H, aromatic including C<sub>1</sub>–H), 7.11–7.07 (m, 2H, aromatic), 7.05–7.02 (m, 2H, aromatic), {6.70 (d, J = 16 Hz, 1H), 6.29 (d, J = 16 Hz, 1H), olefinic}, 2.28 (s, 3H, –Me).  $^{13}$ C NMR (100 MHz, CDCl<sub>3</sub>) δ (136.5, C<sub>8</sub>), (134.2, C–Me), (129.3, C<sub>1</sub>), (129.2, aromatic), (126.3, olefinic), (125.5, aromatic), 125.3, 120.8, (119.6, olefinic), 116.8, 116.6, 111.5, (98.6, C–S), (21.1, –Me). HRMS (ESI) m/z [M + H] $^+$  calculated for C<sub>16</sub>H<sub>16</sub>NS (265.0925), found 265.0928.

(*E*)-3-((4-Bromostyryl)thio)-1*H*-indole (4b). Brown solid (95.1 mg, 72%),  $^1$ H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.39 (s, br, 1H, N-H), 7.62 (d, J = 8 Hz, 1H), 7.38–7.35 (m, 2H, aromatic), 7.25 (d, J = 4 Hz, 2H, aromatic including  $C_1$ ), 7.13 (t, J = 8 Hz, 2H, aromatic), 6.94 (d, J = 8 Hz, 2H, aromatic), {6.69 (d, J = 16 Hz, 1H), 6.09 (d, J = 16 Hz, 1H), olefinic}.  $^{13}$ C NMR (100 MHz, CDCl<sub>3</sub>) δ 135.3, 134.8, (130.5, aromatic), 128.6, (127.7,  $C_1$ ), (126.8, olefinic), (126, aromatic), 123.5, 122.1, (119.9, olefinic), 119.1, 118.4, 110.6, (101.2, C–S). HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for  $C_{16}H_{13}$ NSBr (329.9874), found 329.9877.

(*E*)-3-((4-Chlorostyryl)thio)-1*H*-indole (4c). Brown solid (86.9 mg, 76%),  $^1$ H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.45 (s, br, 1H, N-H), 7.72 (d, J = 8 Hz, 1H), 7.45–7.42 (m, 2H, aromatic), 7.28 (dd, J = 8 Hz, 1H), 7.22–7.20 (m, 2H, including C<sub>1</sub>–H), 7.19–7.16 (m, 2H, aromatic), 7.15–7.11 (m, 1H), {6.77 (d, J = 16 Hz, 1H), 6.29 (d, J = 16 Hz, 1H), olefinic}.  $^{13}$ C NMR (100 MHz, CDCl<sub>3</sub>) δ (135.2, C<sub>8</sub>), 134.8, 130.5, 128.6, (127.7, C<sub>1</sub>), (126.8, olefinic), 126, 123.6, 122.1, 121.5, (119.9, olefinic), 119.2, 118.8, 118.5, 110.6, (101.2, C–S). HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>16</sub>H<sub>13</sub>NSCl (286.0379), found 286.0371.

(*E*)-3-((2-(Naphthalen-2-yl)vinyl)thio)-1*H*-indole (4d). Brown sticky solid (75.8 mg, 63%),  $^1$ H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.41 (s, br, 1H, N–H), 7.70 (d, J=8 Hz, 1H), 7.45–7.42 (m, 2H), 7.28 (t, J=8 Hz, 2H), 7.23–7.16 (m, 5H, aromatic including C<sub>1</sub>–H), 7.09–7.06 (m, 2H), {6.75 (d, J=16 Hz, 1H), 6.19 (d, J=16 Hz, 1H), olefinic}. Proposed  $^{13}$ C NMR (100 MHz, CDCl<sub>3</sub>) δ 136.9, 134.5, 130.8, 128.7, 127.4, 127.3, 127.2, 127.1, 127.08, 127, 126.9, 126.6, 126.5, 119.7, 114.8, 113.2, 102.5. HRMS (ESI) m/z [M + H]<sup>+</sup> calculated for C<sub>20</sub>H<sub>16</sub>NS (302.0925), found 302.0922.

## 4. Conclusion

In conclusion, we have demonstrated an easy and efficient method for the synthesis of various substituted (E)-styryl thio-indoles by a TBAI-catalyzed sulfenylation reaction with  $\beta$ -(E)-styrene sulfonyl hydrazides via a radical cross-coupling reaction in moderate to high yields with excellent stereoselectivity. The substituted  $\beta$ -(E)-styrene sulfonyl hydrazide precursors are easily accessible from simple and inexpensive starting materials. The current study paves the way for the use of  $\beta$ -(E)-styrene

sulfonyl hydrazides as a unique styryl mercaptan source in chemical synthesis.

### Conflicts of interest

There are no conflicts to declare.

# Acknowledgements

SH gratefully acknowledges Chinese academy of Sciences and the word Academy of Science CAS-TWAS scholarship for financial support.

#### References

- 1 R. J. Cremlyn, *An Introduction to Organosulfur Chemistry*, John Wiley & Sons, Chichester, 1996.
- 2 R. D. Miller and R. Hassig, Tetrahedron Lett., 1985, 26, 2395.
- 3 H. Yamaguchi and Y. Minoura, *J. Appl. Polym. Sci.*, 2003, **15**, 1869.
- 4 F. Yamashita, H. Kuniyasu, J. Terao and N. Kambe, *Org. Lett.*, 2008, **10**, 101.
- 5 A. Sabarre and J. Love, Org. Lett., 2008, 10, 3941.
- 6 C. Cao, L. R. Fraser and J. A. Love, J. Am. Chem. Soc., 2005, 127, 17614.
- 7 A. Kondoh, H. Yorimitsu and K. Oshima, *Org. Lett.*, 2007, 9, 1383.
- 8 M. Cai, Y. Wang and W. Hao, Green Chem., 2007, 9, 1180.
- 9 M. Beller, J. Seayad, A. Tillack and H. Jiao, *Angew. Chem., Int. Ed.*, 2004, **43**, 3368.
- 10 C. J. Weiss and T. J. Marks, J. Am. Chem. Soc., 2010, 132, 10533.
- 11 J. Santandrea, C. Minozzi, C. Cruché and S. K. Collins, Angew. Chem., Int. Ed., 2017, 56, 12255–12259; Angew. Chem., Int. Ed., 2017, 129, 12423–12427.
- 12 J. Doroszuk, M. Musiejuk, S. Demkowicz, J. Rachon and D. Witt, RSC Adv., 2016, 6, 105449–105453.
- 13 G. Zeni, M. P. Stracke, C. W. Nogueira, A. L. Braga, P. H. Menezes and H. A. Stefani, *Org. Lett.*, 2004, **6**, 1135.
- 14 L. Benati, L. Capella, P. C. Montevecchi and P. Spagnolo, *J. Org. Chem.*, 1994, **59**, 2818.
- 15 Z. Duan, S. Ranjit, P. Zhang and X. Liu, *Org. Lett.*, 2010, 12, 2430.
- 16 V. Aucagne, A. Tatibouet and P. Rollin, *Tetrahedron*, 2004, **60**, 1817.
- 17 E. Stephan, A. Olaru and G. Jaouen, *Tetrahedron Lett.*, 1999, 40, 8571.
- 18 M. Mikolajczyk, S. Grzejszczak, W. Midura and A. Zatorski, *Synthesis*, 1975, 278.

- 19 H. J. Cristau, B. Chabaud, R. Labaudiniere and H. Christol, *J. Org. Chem.*, 1986, **51**, 875.
- 20 T. Ogawa, K. Hayami and H. Suzuki, Chem. Lett., 1989, 769.
- 21 B. C. Ranu, K. Chattopadhyay and S. Banerjee, *J. Org. Chem.*, 2006, **71**, 423.
- 22 C. G. Bates, P. Saejueng, M. Q. Doherty and D. Venkataraman, *Org. Lett.*, 2004, **6**, 5005.
- 23 M. S. Kabir, M. L. V. Linn, A. Monte and J. M. Cook, *Org. Lett.*, 2008, **10**, 3363.
- 24 Y.-Y. Lin, Y.-J. Wang, C.-H. Lin, J.-H. Cheng and C.-F. Lee, *J. Org. Chem.*, 2012, 77, 6100–6106.
- 25 Y. Ichinose, K. Wakamatsu, K. Nozaki, J.-L. Birbaum, K. Oshima and K. Utimoto, *Chem. Lett.*, 1987, 1647.
- 26 A. Saeed, P. A. Channar, Q. Iqbal and J. Mahar, *Chin. Chem. Lett.*, 2016, 27, 37–40.
- 27 W. Shi, S. L. Marcus and T. L. Lowary, *Bioorg. Med. Chem.*, 2011, 19, 603.
- 28 S. Cacchi, G. Fabrizi and A. Goggiamani, Org. Biomol. Chem., 2011, 9, 641.
- 29 A. R. Katritzky, C. A. Ramsden, J. A. Joule and V. V. Zhdankin, Handbook of Heterocyclic Chemistry, Elsevier, Oxford, 3rd edn, 2010.
- 30 B. Bao, Q. Sun, X. Yao, et al., J. Nat. Prod., 2005, 68, 711-715.
- 31 G. De Martino, G. La Regina, A. Coluccia, et al., J. Med. Chem., 2004, 47, 6120–6123.
- 32 G. La Regina, M. C. Edler, A. Brancale, et al., J Med Chem, 2007, 50, 2865–2874.
- 33 Y. Xi, B. Dong, E. J. McClain, et al., Angew. Chem., Int. Ed., 2014, 53, 4657-4661.
- 34 P. C. Unangst, D. T. Connor, S. R. Stabler, *et al.*, *J Med Chem*, 1989, **32**, 1360–1366.
- 35 Q. Wu, D. Zhao, X. Qin, J. Lan and J. You, *Chem. Commun.*, 2011, 47, 9188–9190.
- 36 F. Xiao, H. Xie, S. Liu and G.-J. Denga, *Adv. Synth. Catal.*, 2014, **356**, 364–368.
- 37 H. Qi, T. Zhang, K. Wan and M. Luo, *J. Org. Chem.*, 2016, **81**, 4262–4268.
- 38 F.-L. Yang and S.-K. Tian, *Angew. Chem., Int. Ed.*, 2013, 52, 4929–4932.
- 39 F.-X. Wang, S.-D. Zhou, C. Wang and S.-K. Tian, *Org. Biomol. Chem.*, 2017, **15**, 5284–5288.
- 40 G. G. Skvortsova, B. V. Trzhtsinskaya, L. F. Teterina, et al., Khim.-Farm. Zh., 1986, 20, 51.
- 41 R. Rahaman, N. Devi, K. Sarma and P. Barman, RSC Adv., 2016, 6, 10873.
- 42 Y. Yang, S. Zhang, L. Tang, Y. Hu, Z. Zha and Z. Wang, *Green Chem.*, 2016, **18**, 2609–2613.
- 43 D. S. Raghuyanshi and N. Verma, RSC Adv., 2017, 7, 22860.