



Cite this: *Green Chem.*, 2022, **24**, 6224

Light-promoted oxidation of aldehydes to carboxylic acids under aerobic and photocatalyst-free conditions†‡

Charikleia S. Batsika,^{a,b} Charalampos Koutsilieris,^{§a,b} Giorgos S. Koutoulogenis,^{§a,b} Maroula G. Kokotou,^{¶a,b} Christoforos G. Kokotos^{¶a,b} and George Kokotos^{¶a,b}

The development of green and sustainable methods for the conversion of aldehydes to carboxylic acids is of high academic and industrial interest. We demonstrate herein a practical and efficient light-promoted oxidation of aldehydes, utilising atmospheric oxygen as the sole oxidant. The transformation is promoted by either sunlight or LED 370 nm irradiation, without the use of a catalyst. A solvent mixture of acetone and water proved to be the most effective solvent medium. A wide range of aliphatic or aromatic aldehydes were successfully employed, providing the corresponding carboxylic acids in high to excellent yields. A mechanism was proposed based on direct infusion-high resolution mass spectrometry (DI-HRMS) studies, suggesting a solvent-assisted oxidative transformation. The method is green, sustainable and operationally simple under very mild conditions.

Received 1st June 2022,
Accepted 25th July 2022

DOI: 10.1039/d2gc02074b

rsc.li/greenchem

Introduction

The oxidation of aldehydes to the corresponding carboxylic acids is a fundamental, textbook and popular oxidative organic transformation.¹ It has attracted high industrial interest, since several industrially important aldehydes are obtained *via* the hydroformylation reaction of alkenes,² and then serve as starting materials for high-added value chemicals. Most of the general synthetic processes for the oxidation of aldehydes rely upon stoichiometric amounts of highly hazardous oxidants.^{1,3} A mild oxidant, widely employed in oxidation protocols, is oxygen, since it is an ambient, abundant and harmless gas, which can be considered the “greenest” approach towards oxidation reactions.^{3c,4} The “green” character of molecular oxygen as the oxidant, either deriving from ambient air or being supplied as a gas to the reaction mixture, was very early realized.^{4a} Thus, in the past decade, aerobic oxidations have been recognized as highly attractive oxidative processes for various applications in organic chemistry, due to their low cost and environ-

mental friendliness,^{3c,4} especially for the conversion of aldehydes to carboxylic acids.^{3c,4} Furthermore, the aerobic oxidation of aldehydes into the corresponding carboxylic acid is an industrial process and up to millions of tons per year of aliphatic carboxylic acids, among them, 2-ethylhexanoic acid, are produced by this method.^{3b} These acids have various industrial uses, such as paint driers, vinyl stabilizers and cosmetic products.

Although it is known that aldehydes are prone to oxidation, synthetic methods for their oxidation to carboxylic acids under green and mild conditions are still scarce. Except from stoichiometric methods employing a variety of oxidants, there is a number of catalytic approaches that demonstrate the aerobic oxidation of aldehydes (Scheme 1A and B).^{5–13} In 2016 and 2017, two methods using atmospheric oxygen as the sole oxidant were demonstrated, employing either a copper or an iron(III) catalyst, respectively,^{5,6} while an interesting contribution, employing Mn was reported in 1990.⁷ In 2018, a method based on nickel catalysis was reported, however a limited number of examples was demonstrated,⁸ while a metal-free-catalysed oxidation of aldehydes has been also reported using an N-heterocyclic carbene (NHC) (Scheme 1A).⁹ In 2019, *N*-hydroxyphthalimide was used as the catalyst (5 mol%) for the aerobic oxidation of aldehydes either in acetonitrile or water,^{10a} and the mechanism of this reaction was thoroughly investigated (Scheme 1A).^{10b} Photochemistry has also provided some elegant catalytic procedures (Scheme 1B).^{11–13} In 2010, Safari and coworkers employed visible light with a porphyrin catalyst for the oxidation of alde-

^aLaboratory of Organic Chemistry, Department of Chemistry, National and Kapodistrian University of Athens, Panepistimiopolis, Athens 15771, Greece. E-mail: ckokotos@chem.uoa.gr, gkokotos@chem.uoa.gr

^bCenter of Excellence for Drug Design and Discovery, National and Kapodistrian University of Athens, Panepistimiopolis, Athens 15771, Greece

† First manuscript submission date: August 24th, 2021.


‡ Electronic supplementary information (ESI) available: Experimental data, optimisation studies, mechanistic and HRMS studies. See DOI: <https://doi.org/10.1039/d2gc02074b>

§ Denotes equal contribution.




Previous methods


A Catalytic aerobic processes



B Photocatalytic aerobic processes




C Aerobic catalyst-free processes



This work

D Solar light or 370 nm light-promoted aerobic oxidation



Scheme 1 Aerobic oxidation of aldehydes to acids: previous methods and this work.

hydes,¹¹ in 2013, Cho *et al.* reported the oxidation of aldehydes using oxygen bubbling and oxygen balloon in the presence of Ru or Ir photocatalyst under blue LED irradiation,¹² while Favre-Reguillon and coworkers presented a continuous flow photochemical oxidation with camphorquinone (Scheme 1B).¹³ However, it has been demonstrated that the conversion of aldehydes to carboxylic acids can be also performed without a catalyst (Scheme 1C).^{14,15,17–21} In 2000, Lehtinen and coworkers described the aerobic (experimental and computational study) oxidation of 9 aliphatic aldehydes in chlorinated solvents.¹⁴ In 2008, Vigalok and Shapiro reported the oxidation of aldehydes “on water” and in “water”, however in a limited number of substrates.¹⁵ In that work, benzoic acid was obtained in 83% yield from benzaldehyde after a reaction time of 12 h, while the aerobic oxidation results served as the platform for the authors to introduce other aerobic oxidations “on water”.¹⁶ Caddick *et al.* studied the aerobic autooxidation of aldehydes under neat reaction conditions, as a part of a study directed to the metal-free hydroacylation of C=C and N=N bonds.¹⁷ The reaction time was only 2 h, but low conversions were observed (0–60%).¹⁷ Favre-Reguillon and Bellefont *et al.* studied the autooxidation of a limited number of aldehydes in comparison to a Mn(II)-catalysed reaction¹⁸ and proposed a continuous flow process for the aerobic oxidation of aldehydes, however with a limited substrate scope, while

oxygen under pressure was required.¹⁹ In 2018, the aerobic oxidation of aldehydes in water was reported, but the study was limited only in aromatic aldehydes, while a reaction time of 24 h was usually employed.²⁰ The authors also demonstrated that they could reduce the reaction time down to 8 h (from 24 h, yield for benzoic acid 99%), when 0.5 mol% of a Fe catalyst was added.²⁰ Also, in 2018, an aerobic oxidation of aldehydes in the eco-friendly solvent dipropylene glycol dimethyl ether (DPDME) was reported, but an elevated temperature of 80 °C and a reaction time of 10 h were necessary for the completion of the reaction.²¹

The direct use of atmospheric oxygen as the oxidant is the ideal methodology for the development of green and sustainable oxidative organic transformations, since molecular oxygen offers high atom economy and production of water as the only by-product. From another point of view, visible-light photocatalysis is an emerging energy-saving platform providing attractive green chemical transformation under mild reaction conditions.^{22,23} In this work, we merge aerobic oxidation with light irradiation and we demonstrate an efficient sunlight or UVA-light promoted oxidation of aldehydes to carboxylic acids under aerobic conditions, without the use of any photocatalyst (Scheme 1D). A mixture of acetone and water was proven to be the most effective solvent system. This environmentally benign oxidation protocol is characterised by operational simplicity and it has been successfully applied in a variety of aliphatic and aromatic aldehydes. The mechanism for this oxidative transformation was studied by Direct Infusion-High Resolution Mass Spectrometry (DI-HRMS), revealing a solvent-assisted phenomenon.

Results and discussion

Among the methods reported for the aerobic oxidation of aldehydes, only three employ light for the activation of the catalyst.^{11–13} However, no catalyst-free method combined with light irradiation has been investigated so far for the practical synthesis of carboxylic acids from aldehydes, although the photochemical oxidation of heptanal has been known since 1954.²⁴ The aim of our study was the development of a mild, green oxidative transformation of aldehydes, taking advantage of the use of atmospheric oxygen and sunlight or UVA-light as the source of energy. Dodecanal (**1a**) was employed as a model substrate and the reaction conditions for its oxidation were first investigated by evaluating the light source, the solvent, and the time. The results of this optimization study are summarized in Table 1.²⁵ Ethyl acetate was employed as the solvent, in order to study different irradiation sources (Table 1, entries 1–6). Dodecanal was converted into acid **2a** in a 22% yield under daylight after 5 hours (Table 1, entry 2), while the background reaction in dark produced acid only in 7% yield (Table 1, entry 1). However, the effect of irradiation was profound and the acid was produced in traces and 82% (77% yield of isolated product) yield, after 5 hours of irradiation with Kessil LED 456 nm and 370 nm, respectively (Table 1,



Table 1 Optimization of the photochemical aerobic oxidation of dodecanal (**1a**)

Entry	Solvent	Light	Time (h)	Yield ^a (%)
1	EtOAc	Dark	5	7
2	EtOAc	Daylight	5	22
3	EtOAc	456 nm	5	Traces
4	EtOAc	370 nm	5	82 (77)
5	EtOAc	370 nm 4-AcNH-TEMPO	5	0
6	EtOAc	370 nm under Argon	5	Traces
7	Acetone	370 nm	3	94
8	H ₂ O	370 nm	3	82
9	Acetone + 10% v/v H₂O	370 nm	3	96 (94)
10	Acetone + 3% v/v H ₂ O	370 nm	3	94
11	THF ^b + 10% v/v H ₂ O	370 nm	3	49
12	2-Me-THF ^b + 10% v/v H ₂ O	370 nm	3	Traces
13	γ-Valerolactone + 10% v/v H ₂ O	370 nm	3	31
14	EtOAc + 10% v/v H ₂ O	370 nm	3	64
15	Acetone + 10% v/v H ₂ O	390 nm	3	80
16	Acetone + 10% v/v H ₂ O	427 nm	3	Traces
17	Acetone + 10% v/v H ₂ O	440 nm	3	14
18	Acetone + 10% v/v H ₂ O	456 nm	3	Traces
19	Acetone + 10% v/v H ₂ O	467 nm	3	0
20	Acetone + 10% v/v H ₂ O	525 nm	3	0
21	Acetone + 10% v/v H₂O	Sunlight	3	87 (82)

^a Conversion determined by NMR. Yield of isolated product after base–acid wash in parenthesis. ^b Caution: ethereal solvents, such as THF and 2-Me-THF, can undergo autoxidation under normal storage conditions to form unstable and potentially dangerous peroxide by-products.

entries 3 and 4 vs. entries 1 and 2). No product was observed in the presence of 4-AcNH-TEMPO, verifying the radical character of the reaction (Table 1, entry 5). When the reaction was left under an argon atmosphere, the reaction practically did not take place (traces, Table 1, entry 6), highlighting the importance of atmospheric oxygen as the oxidant. Switching solvent from ethyl acetate to acetone, under irradiation at 370 nm, led to a faster reaction, since following the reaction by ¹H-NMR revealed the formation of acid **2a** in 94% yield after only 3 hours (Table 1, entry 7). When the reaction was performed on water, dodecanoic acid was obtained in 82% conversion after 3 hours (Table 1, entry 8). Furthermore, the presence of water (10% v/v) afforded slightly better yield, leading to product **2a** in 96% conversion (94% yield of isolated product) after 3 hours (Table 1, entries 9 vs. 7, 8 and 10). Keeping constant the presence of water (10%), we evaluated tetrahydrofuran, the green solvents 2-methyl-tetrahydrofuran and γ-valerolactone, as well as EtOAc as the potential solvent, however, none of them led to better results than acetone in 3 hours (Table 1, entries 11–14). Thus, an obvious acceleration of the reaction takes place in the presence of acetone, water or their mixture *versus* the other solvents tested (Table 1, entries 7–10 vs. 4, 11–14). Having defined a mixture of acetone–water as the optimum medium, we next evaluated LEDs of different wavelengths: 390 nm, 427 nm, 440 nm, 456 nm, 467 nm and 525 nm. Only in the case of 390 nm, a similar yield was obtained (Table 1, entries 15–20), suggesting that 370 nm was the optimum wavelength. Interestingly, when the reaction was left for 3 h under sunlight, the product was obtained in 87%

(82% yield of isolated product, Table 1, entry 21). Collectively, acetone–water (10%) was proven to be the optimum reaction medium, while either sunlight or UVA-light at 370 nm were found to be the optimum light sources.

Then, we moved our interest in the oxidation of aromatic aldehydes, such as benzaldehyde (**11**). The results of this optimization study are summarized in Table 2, where the con-

Table 2 Optimization of the photochemical aerobic oxidation of benzaldehyde (**11**)

Entry	Solvent	Light	Time (h)	Yield ^a (%)
1	EtOAc	370 nm	9	83
2	Acetone	370 nm	9	85
3	H ₂ O	370 nm	9	(38)
4	Acetone + 10% v/v H₂O	370 nm	7	87 (87)
5	Acetone + 10% v/v H ₂ O	390 nm	9	86
6	Acetone + 10% v/v H ₂ O	427 nm	9	25
7	Acetone + 10% v/v H ₂ O	456 nm	9	28
8	Acetone + 10% v/v H ₂ O	525 nm	9	14
9	Acetone + 10% v/v H ₂ O	Sunlight	8	82 (1 : 1) ^b
10	Acetone + 10% v/v H ₂ O	Dark	9	<5%


^a Conversion determined by NMR or HPLC, while the reaction was monitored by HPLC. Yield of isolated product after base–acid wash in parenthesis. ^b A mixture of acid:peracid in a ratio of 1:1 was obtained.



version of the light-promoted aerobic oxidation was determined by HPLC.²⁵ When the reaction was performed at 370 nm and ethyl acetate was employed as the solvent, a longer reaction time was necessary (Table 2, entry 1). When acetone was employed as the solvent, this time, 85% yield was obtained after 9 hours (Table 2, entry 2). Switching solvent to water, under irradiation at 370 nm, led to a lower yield of isolated product (Table 2, entry 3). However, when the mixed solvent mixture of acetone : water (10% v/v) was employed, an excellent conversion was observed, leading to a 87% yield of isolated **2l**, after base–acid extractions in a slightly decreased reaction time (7 h) at 370 nm (Table 2, entry 4). Extending the reaction time to 9 h did not lead to higher yields.²⁵ We also tested the influence of the ratio of acetone : water to the reaction outcome, but none of them led to better results.²⁵ Keeping constant the mixture of acetone–water as the optimum medium, we next evaluated LEDs of different wavelengths: 390 nm, 427 nm, 456 nm or 525 nm (Table 2, entries 5–8). In all cases, keeping the reaction time at 9 hours, except for the case of 390 nm, lower yields were observed (Table 2, entries 5–8), suggesting that 370 nm was the optimum wavelength. Interestingly, when the reaction was left for 8 h under sunlight, the product was obtained in 82% yield (Table 2, entry 9). However, we observed the formation of a mixture of acid : peracid (1 : 1). In order to fully convert the peracid to acid, we employed a simple post-reaction work-up that led to the isolation of pure acid **2l**.²⁵ We also observed a difference between performing the reaction in summer (approx. temp. 35 °C) vs. winter (approx. temp. 5 °C). In sharp contrast, when the reaction was performed at 370 nm, mainly acid **2l** was observed. Monitoring the reaction by ¹³C-NMR, a very low amount of peracid was detected.²⁵

Light acceleration is evident (as in the case of dodecanal), since when the reaction was performed under identical conditions under dark, traces of acid were detected (<5% yield) (Table 2, entry 10). From the UV-Vis spectra of dodecanal or benzaldehyde at concentrations similar to those used for the synthetic experiments²⁵ one can identify the absorbance of the reactants at UVA wavelengths (350–400 nm).

The substrate scope of the methodology is presented in Scheme 2. Saturated aliphatic aldehydes **1a** and **1b**, as well as those containing either an alicyclic (**1c**) or an aryl moiety on the aliphatic chain (**1d**), were converted into carboxylic acids in high yields ranging from 85% to 94%, when the reactions were irradiated with LED 370 nm. Similar yields were observed using sunlight as the source of irradiation. The oxidation proved to be selective, since aldehydes bearing a terminal triple bond (**1e**) or a terminal double bond (like **1f**) afforded the desired carboxylic acids **2e** and **2f**, with no oxidation occurring on the triple or double bond. Lower yields were obtained for **2e** and **2f**, when the reaction was performed under sunlight. However, in the case of oleyl aldehyde (**1g**), both under 370 nm-mediated reaction and under sunlight, the desired oleic acid (**2g**) was obtained in yield around 30%. Also, an amount of the corresponding epoxide of the oleic acid was isolated, proving that more reactive towards oxidation internal



Scheme 2 Substrate scope for aliphatic and aromatic aldehydes.

double bonds are susceptible to oxidation. Moreover, 10-hydroxydodecanal (**1h**) was converted into acid **2h** in high yields (81% and 74%). Thus, aldehydes are oxidised selectively in the presence of primary aliphatic alcohols. In all these cases, no peracid formation was detected. When α,α -disubstituted aldehydes are employed under photochemical conditions or radical chemistry conditions, in general, the produced acyl radical can be fragmented to the corresponding secondary aliphatic radical with CO extrusion, which usually leads to lower yields.^{7,26} Herein, when the aldehyde group was at a secondary carbon atom, products **2i–k** were produced in slightly lower yields (53–75%) under either LED 370 nm or sunlight. It is interesting to note that 2-ethylhexanoic acid (**2j**), which is industrially synthesised employing an aerobic oxidation pro-



cess,^{3b} can be produced in good yield (66%) at 370 nm. When the same reaction was performed under sunlight, the desired product was obtained in 53% yield. In both cases (370 nm or sunlight), the corresponding percarboxylic acid, [as well as 3-hydroxyheptane (from 3-heptyl radical and oxygen)], were produced. Again, using a simple work-up procedure, the peracid could be transformed into the desired acid.²⁵ Thus, we can generalise, that in the cases of **2i–k**, the slightly lower yields can be due to the above-mentioned fragmentation,²⁶ while a mixture of acid:peracid was observed and it can be transformed to the desired acid, upon the appropriate treatment. Aromatic aldehydes were found to require longer reaction times, usually 5–8 hours. Benzaldehyde was converted to benzoic acid (**2l**) under LED 370 nm and sunlight in 87% and 74% yield, respectively. The presence of an electron donor or an electron acceptor group at the *para* position led to the production of acids in high yields. Compounds **2m–r** were obtained in 62–95% yields, under LED 370 nm or sunlight. However, *para*-nitrobenzaldehyde (**1s**) proved to be problematic, under these conditions. Fortunately, extending the reaction time up to 96 h at 370 nm, the desired acid **2s** could be obtained in 87% yield. Unfortunately, *para*-hydroxybenzaldehyde resulted in **2t** in low yields (44% and 26%, respectively). 2-Naphthaldehyde required a long reaction time (26 h) to afford the acid in 77% yield under LED 370 nm. Under sunlight, acid **2u** was obtained in 38% yield after 8 hours. Finally, heterocyclic aldehydes **1v** and **1w** were tested and afforded the desired acids in good to high yields, proving that no nitrogen or sulfur oxidation is occurring. Unfortunately, the easily oxidized furylaldehyde could not be employed. As in the cases of α,α -disubstituted aldehydes, some aromatic aldehydes in the sunlight-promoted reactions led to a mixture of peracid:acid, which could be transformed to the desired acid by work-up. Monitoring the 370 nm- or the sunlight-mediated processes of different aldehydes (primary aliphatic, α,α -disubstituted aliphatic or aromatic) by NMR,²⁵ in some cases a mixture of acid:peracid was observed, while in other cases the amount of peracid was minimal.²⁵ Thus, the amount of peracid generated is substrate dependent. It seems that in the cases of α,α -disubstituted aliphatic aldehydes, a mixture of acid:peracid is observed in both reaction conditions (370 nm or sunlight), while for primary aliphatic aldehydes, the amount of generated peracid is low in both cases. In aromatic aldehydes, the amount of peracid depends on the aldehyde structure and the conditions. It is of importance to notice that column chromatography is generally not necessary for the purification of the synthesized carboxylic acids. Simple extractions combined with base/acid wash may lead to the desired products in high purity.

A proposed reaction mechanism for this aerobic and light-promoted transformation is shown in Scheme 3. Based on previous reports on the catalyst-free aerobic oxidation of aldehydes to carboxylic acids,^{15–21} as well as our previous work on oxidative processes,²⁷ the starting aldehyde is transformed to the corresponding acyl radical **I** in the presence of air. This process is spontaneous in the presence of air,^{16,17,27} while lit-

erature suggests an acceleration of the process in the presence of water.^{15–17,20,27} We have a long interest in photochemistry and we have been involved in the use of aldehydes as potential photoinitiators.^{23f,26b,28} Under irradiation and after aldehyde excitation, aldehydes can lead to radicals **I** and **II**, which are known to take part in various processes, usually involving Hydrogen Atom Transfer (HAT) events, either with different reagents or with oxygen.^{23f,26b,28} Thus, irradiating aldehydes with either UVA or solar irradiation, promotes the initial generation of radicals **I** and **II**, which now exist in higher concentration in the reaction mixture, compared to non-irradiated conditions. In order to strengthen and support these hypotheses by experimental data, the course of the oxidation of benzaldehyde was monitored by DI-HRMS.^{27,29} Selected HRMS spectra are shown in Scheme 3 (see ESI† for full HRMS data).²⁵ Furthermore, we studied the trapping of acyl radical **I** with Tempo, using LC-HRMS²⁵ and we quantified the significant differences in concentration of the adduct under light vs. dark reaction conditions.²⁵ Once radical **I** is formed, it reacts with oxygen from air and forms peroxy radical **III** (Scheme 3). Hydrogen atom transfer (HAT) either from another molecule of aldehyde, generating **I**, or from the solvent leads to peracid **IV**, which was verified by HRMS and observed under sunlight conditions (Scheme 3). Then, **IV** reacts with another molecule of aldehyde, leading to Criegee intermediate **V**,^{17–19,30} which may collapse and afford two molecules of acid (Scheme 3). The presence of Criegee intermediate **V** was verified by HRMS (Scheme 3). Herein, we also observed that the use of a solvent mixture of acetone:water further accelerates this process (vs. other organic solvents or non-irradiated conditions). These claims are supported by the results of Table 1, entries 7–10 vs. 11–15 and entries 3 and 4 vs. entries 1 and 2, respectively. Furthermore, monitoring the full scan spectrum of the reaction mixture, we observed after 1 hour the generation of a peak at *m/z* 219.0625, whose intensity became much stronger after 3 or 4 hours of reaction (Fig. 1).²⁵ This unexpected observation prompted us to explore an additional parallel mechanistic pathway. Using Smart Formula application of Data Analysis from Bruker Daltonics (version 4.1), this measured exact mass was found to correspond to C₁₀H₁₂NaO₄ (excellent mass error and isotopic fit) (Fig. 1). Thus, it seems that when acetone is employed as the solvent, then a second possible pathway is in place. Peracid **IV** can react with acetone, instead of a molecule of the starting aldehyde, forming the mixed Criegee intermediate **VI** (Scheme 3). The generation and the presence of **VI** were verified by HRMS (Scheme 3 and Fig. 1).²⁵ Intermediate **VI** can collapse affording a molecule of the product acid, but at the same time a molecule of dimethyl dioxirane **VII** is also generated (Scheme 3). The presence of dioxirane was also verified by HRMS (Scheme 3).²⁵ However, dioxiranes are known to promote the oxidation of aldehydes to carboxylic acids.³¹ To confirm these results, the oxidation of benzaldehyde was studied by DI-HRMS in a mixture of deuterated acetone-d₆:water (10% v/v). Ions corresponding to mixed Criegee intermediate with deuterated acetone-d₆ and deuterated-d₆ dioxirane were again observed, in addition to peracid and Criegee



tions for future investigations. Furthermore, radical intermediate **II** can also react with oxygen, leading to radical **VIII**, which similarly can react with either the aldehyde, leading to **IX** (a HAT event is also taking place with an aldehyde, affording acyl radical **I**) or acetone, leading to **XI** (a HAT event is also taking place with an aldehyde, affording acyl radical **I**). In both cases, **IX** and **XI** are collapsing finally to the desired product and **X** or **VII**. Intermediates **IX**, **X** and **XI** were also detected by HRMS.

Conclusions

In conclusion, atmospheric oxygen, a clean and sustainable oxidant, was proven to be an efficient oxidative agent merged with solar or UVA-light irradiation. Both the irradiation sources LED 370 nm and sunlight, were found efficient to promote the oxidative transformation of aldehydes to carboxylic acids in short reaction time (3 to 8 hours), affording the products in high to excellent yields. Someone may use sunlight (depending on the availability of sun) or a cheap LED lamp for this very mild and operational simple transformation. Thus, a convenient, green and sustainable method for the oxidation of aldehydes to carboxylic acids has been developed.

Experimental section

General

Kessil lamps PR160L were used as the irradiation source (<https://kessil.com/science/PR160L.php>). For all experiments, the intensity of Kessil lamps was controlled in the maximum level with power consumption: 370 nm (max 43 W), 390 nm (max 52 W), 427 nm & 440 nm (max 45 W), 456 nm (max 50 W), 467 nm (max 40 W), 525 nm (max 44 W).

General procedure for the photochemical aerobic catalyst-free oxidation of aldehydes to carboxylic acids

In a test tube containing acetone (3 mL) and H₂O (0.3 mL, HPLC grade), aldehyde (1.00 mmol) was added and the reaction mixture was left stirring under irradiation (370 nm or sunlight) for 3–96 h. The reaction mixture was evaporated to give a crude mixture, which was diluted in EtOAc (10 mL). Then, the crude reaction mixture was treated with an aqueous solution of NaOH 1 N (10 mL) and the aqueous layer was extracted with EtOAc (2 × 10 mL). The aqueous basic phase was then acidified with an aqueous solution of HCl 1 N (until pH = 1) and extracted with EtOAc (3 × 10 mL). The combined organic layers were washed with H₂O (20 mL) and dried over Na₂SO₄. The solvent was removed *in vacuo* to afford the desired carboxylic acid without the need for further purification. Carboxylic acids **2m**, **2p** and **2r** were isolated by trituration with petroleum ether (4–6 mL) (cooled with external ice bath). Compounds **2q** and **2g** were purified by flash chromatography on silica gel eluting with petroleum ether (bp 40–60 °C)/ethyl acetate 7/3.

General procedure for the conversion of peracid-containing mixture to the corresponding carboxylic acid

For the reactions where a mixture of peracid:acid was detected, after irradiation, the reaction mixture was diluted with acetone:H₂O (3 mL:9 mL) and stirred at 40 °C (water bath) for 3 h. The solvent was evaporated to give a crude mixture, which was diluted in EtOAc (10 mL). Then, the crude reaction mixture was treated with an aqueous solution of NaOH 1 N (10 mL) and the aqueous layer was extracted with EtOAc (2 × 10 mL). The aqueous basic phase was then acidified with an aqueous solution of HCl 1 N (until pH = 1) and extracted with EtOAc (3 × 10 mL). The combined organic layers were washed with H₂O (20 mL) and dried over Na₂SO₄. The solvent was removed *in vacuo* to afford the desired carboxylic acid without the need for further purification.

Author contributions

G. K. and C. G. K. conceived the study, designed the experiments and analysed the data. C. S. B., C. K. and G. S. K. performed the synthesis, optimization experiments and substrate scope and M. G. K. the HRMS studies. M. G. K., G. K. and C. G. K. wrote the first draft and G. K. and C. G. K. edited the final version of the manuscript. The manuscript was written through contributions of all authors.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

The research presented was carried out within the framework of a Stavros Niarchos Foundation grant to the National and Kapodistrian University of Athens (G. K.). C. G. K. gratefully acknowledge the Hellenic Foundation for Research and Innovation (HFRI) for financial support through a grant, which is financed by 1st Call for H.F.R.I. Research Projects to Support Faculty Members & Researchers and the procurement of high-cost research equipment grant (grant number 655). M. G. K. would like to thank State Scholarships Foundation (IKY) for financial support through a post-doctoral research scholarship funded by the “Supporting Post-Doctoral Researchers-Call B” (MIS 5033021), action of the Operational Programme “Human Resources Development, Education and Lifelong Learning” and co-funded by the European Social Fund (ESF) and Greek National Resources.

Notes and references

- 1 For selected textbooks, see: (a) M. B. Smith and J. March, *March's Advanced Organic Chemistry: Reactions, Mechanisms, and Structure*, Wiley, Hoboken, 6th edn, 2007;



- (b) J. Clayden, N. Greeves and S. Warren, *Organic Chemistry*, Oxford University Press, Oxford, 2nd edn, 2012; (c) D. Klein, *Organic Chemistry*, Wiley, Hoboken, 4th edn, 2020.
- 2 R. Franke, D. Selent and A. Börner, *Chem. Rev.*, 2012, **112**, 5675.
 - 3 (a) S. Caron, R. W. Dugger, S. G. Ruggeri, J. A. Ragan and D. H. B. Ripin, *Chem. Rev.*, 2006, **106**, 2943; (b) J. Kubitschke, H. Lange and H. Strutz, Carboxylic Acids, Aliphatic, in *Ullmann's Encyclopedia of Industrial Chemistry*, 2014, pp. 1–18. For a recent chapter of a book highlighting green methods, see: (c) M. Liu and C.-J. Li, *Green Oxidative Synthesis of Carboxylic Acids*, Wiley, 2019, pp. 159–180.
 - 4 For selected reviews, see: (a) J. R. McNesby and C. A. Heller Jr., *Chem. Rev.*, 1954, **54**, 325; (b) N. Gunasekaran, *Adv. Synth. Catal.*, 2015, **357**, 1990; (c) X. Zhang, K. P. Rakesh, L. Ravindar and H.-L. Qin, *Green Chem.*, 2018, **20**, 4790; (d) C. A. Hone and O. C. Kappe, *Top. Curr. Chem.*, 2019, **377**, 2.
 - 5 M. Liu and C.-J. Li, *Angew. Chem., Int. Ed.*, 2016, **55**, 10806.
 - 6 H. Yu, S. Ru, G. Dai, Y. Zhai, H. Lin, S. Han and Y. Wei, *Angew. Chem., Int. Ed.*, 2017, **56**, 3867.
 - 7 D. R. Larkin, *J. Org. Chem.*, 1990, **55**, 1563.
 - 8 X. Yan, Y.-H. Lai and R. N. Zare, *Chem. Sci.*, 2018, **9**, 5207.
 - 9 A. K. Khatana, V. Singh, M. K. Gupta and B. Tiwari, *Synthesis*, 2018, **50**, 4290.
 - 10 (a) P.-F. Dai, J.-P. Qu and Y.-B. Kang, *Org. Lett.*, 2019, **21**, 1393; (b) L. Vanoye, M. Abdelaal, K. Grundhauser, B. Guicheret, P. Fongarland, C. De Bellefon and A. Favre-Réguillon, *Org. Lett.*, 2019, **21**, 10134.
 - 11 (a) M. Hajimohammadi, N. Safari, H. Mofakham and A. Shaabani, *Tetrahedron Lett.*, 2010, **51**, 4061; (b) M. Hajimohammadi, H. Mofakham, N. Safari and A. Mortazavi Manesh, *J. Porphyrins Phthalocyanines*, 2012, **16**, 93.
 - 12 N. Iqbal, S. Choi, Y. You and E. J. Cho, *Tetrahedron Lett.*, 2013, **54**, 6222.
 - 13 Z. E. Hamami, L. Vanoye, P. Fongarland, C. de Bellefon and A. Favre-Réguillon, *J. Flow Chem.*, 2016, **6**, 206.
 - 14 C. Lehtinen, V. Nevalainen and G. Brunow, *Tetrahedron*, 2000, **56**, 9375.
 - 15 N. Shapiro and A. Vigalok, *Angew. Chem., Int. Ed.*, 2008, **47**, 2849.
 - 16 N. Shapiro, M. Kramer, I. Goldberg and A. Vigalok, *Green Chem.*, 2010, **12**, 582.
 - 17 V. Chudasama, A. R. Akhbar, K. A. Bahou, R. J. Fitzmaurice and S. Caddick, *Org. Biomol. Chem.*, 2013, **11**, 7301.
 - 18 L. Vanoye, A. Favre-Réguillon, A. Aloui, R. Philippe and C. Bellefon, *RSC Adv.*, 2013, **3**, 18931.
 - 19 L. Vanoye, A. Aloui, M. Pablos, R. Philippe, A. Percheron, A. Favre-Réguillon and C. Bellefon, *Org. Lett.*, 2013, **15**, 5978–5981.
 - 20 Y. Zhang, Y. Cheng, H. Cai, S. He, Q. Shan, H. Zhao, Y. Chen and B. Wang, *Green Chem.*, 2017, **19**, 5708.
 - 21 K.-J. Liu, Y.-L. Fu, L.-Y. Xie, C. Wu, W.-B. He, S. Peng, Z. Wang, W.-H. Bao, Z. Cao, X. Xu and W.-M. He, *ACS Sustainable Chem. Eng.*, 2018, **6**, 4916.
 - 22 For selected reviews, see: (a) C. K. Prier, D. A. Rankic and D. W. C. MacMillan, *Chem. Rev.*, 2013, **113**, 5322; (b) M. D. Kärkäs, J. A. Porco Jr. and C. R. J. Stephenson, *Chem. Rev.*, 2016, **116**, 9683; (c) K. L. Scubi, T. R. Blum and T. P. Yoon, *Chem. Rev.*, 2016, **116**, 10035; (d) D. Cambié, C. Bottecchia, N. J. W. Straathof, V. Hessel and T. Noël, *Chem. Rev.*, 2016, **116**, 10276; (e) S. Reischauer and B. Pieber, *iScience*, 2021, **24**, 102209.
 - 23 For selected reviews, see: (a) M. Fagnoni, D. Dondi, D. Ravelli and A. Albini, *Chem. Rev.*, 2007, **107**, 2725; (b) D. Ravelli, M. Fagnoni and A. Albini, *Chem. Soc. Rev.*, 2013, **42**, 97; (c) D. Ravelli, S. Protti and M. Fagnoni, *Chem. Rev.*, 2016, **116**, 9850; (d) N. A. Romero and D. A. Nicewicz, *Chem. Rev.*, 2016, **116**, 10075; (e) I. K. Sideri, E. Voutyritsa and C. G. Kokotos, *Org. Biomol. Chem.*, 2018, **16**, 4596; (f) M. A. Theodoropoulou, N. F. Nikitas and C. G. Kokotos, *Beilstein J. Org. Chem.*, 2020, **16**, 833; (g) N. F. Nikitas, P. L. Gkizis and C. G. Kokotos, *Org. Biomol. Chem.*, 2021, **19**, 5237.
 - 24 J. R. McNesby and T. W. Davis, *J. Am. Chem. Soc.*, 1954, **76**, 2148.
 - 25 For detailed mechanistic studies and results, see ESI.†
 - 26 (a) G. N. Papadopoulos, E. Voutyritsa, N. Kaplaneris and C. G. Kokotos, *Chem. – Eur. J.*, 2018, **24**, 1726; (b) I. K. Sideri, E. Voutyritsa and C. G. Kokotos, *ChemSusChem*, 2019, **12**, 4194; (c) E. Voutyritsa and C. G. Kokotos, *Angew. Chem., Int. Ed.*, 2020, **59**, 1735; (d) N. Spiliopoulou, P. L. Gkizis, I. Triandafillidi, N. F. Nikitas, C. S. Batsika, A. Bisticha and C. G. Kokotos, *Chem. – Eur. J.*, 2022, **28**, e202200023.
 - 27 I. Triandafillidi, M. G. Kokotou, D. Lotter, C. Sparr and C. G. Kokotos, *Chem. Sci.*, 2021, **12**, 10191.
 - 28 N. F. Nikitas, M. A. Theodoropoulou and C. G. Kokotos, *Eur. J. Org. Chem.*, 2021, 1168–1173.
 - 29 (a) I. Triandafillidi, M. G. Kokotou and C. G. Kokotos, *Org. Lett.*, 2018, **20**, 36; (b) E. Voutyritsa, A. Theodorou, M. G. Kokotou and C. G. Kokotos, *Green Chem.*, 2017, **19**, 1291.
 - 30 (a) Z. Hassan, M. Stahlberger, N. Rosenbaum and S. Bräse, *Angew. Chem., Int. Ed.*, 2021, **60**, 15138 This Criegee intermediate is not to be confused with the Criegee zwitterion formed in alkene ozonolysis: (b) J. Criegee, *Justus Liebigs Ann. Chem.*, 1948, **560**, 127.
 - 31 (a) A. L. Baumstark, M. Beeson and P. C. Vasquez, *Tetrahedron Lett.*, 1989, **30**, 5567; (b) R. Curci, A. Dinoi and M. F. Rubino, *Pure Appl. Chem.*, 1995, **67**, 811.
 - 32 B. S. Nagy, O. C. Kappe and S. B. Ötvös, *Adv. Synth. Catal.*, 2022, **364**, 1998.
 - 33 L. Vanoye and A. Favre-Réguillon, *Org. Process Res. Dev.*, 2022, **26**, 335.

