Dalton Transactions



COMMUNICATION

View Article Online



Cite this: *Dalton Trans.*, 2024, **53**, 1434

Received 29th November 2023, Accepted 27th December 2023 DOI: 10.1039/d3dt03992q

rsc.li/dalton



Manuel Luca Besmer, **D** Flurina Schwitter, Federica Battistin, **D*;
Henrik Braband, **D** Thomas Fox, Bernhard Spingler **D** and Roger Alberto **D**

The fac-mer rearrangements in $[MX_3(CO)_3]^{2-}$ (M = Re, $^{99}Tc)$ induced by a pincer-type ligand (PNP) and a "halide scavenger" are reported. The reactions of $fac-l^{99m}Tc(CO)_3(OH_2)_3l^+$ or $l^{99m}TcO_4l^-$ in saline both yield $mer-l^{99m}Tc(PNP)(CO)_3l^+$, the first example of a $mer-l^{99m}Tc(CO)_3l^+$ type complex. In contrast, reactions with terpyridine (terpy) only gave the facial κ^2 -terpy complexes with Re and ^{99}Tc .

Transition metal carbonyl complexes form a large class of compounds with multiple applications. The CO ligand is electronically flexible and tolerates a range of metal oxidation states. Its π -accepting ability stabilises metals in low oxidation states in particular. In the manganese triad, Re and Tc, form highly stable $fac-\{M(CO)_3\}^+$ -based complexes. First examples for the study of such tricarbonyl complexes were reported nearly sixty years ago.² A convenient synthesis (NEt₄)₂[ReBr₃(CO)₃] was published in 1994,³ the synthesis of its homologue ⁹⁹Tc (half-life $\sim 2 \times 10^5$ years, β^- decay $E_{\rm max}$ = 293 keV) was reported shortly thereafter starting from (NBu₄) [TcO₄].⁴ Commercial interest induced an elegant pathway to [99mTc(CO)₃(OH₂)₃]⁺ in aqueous media, available as a kit (Isolink® Kit).^{5,6} Access to [^{99m}Tc(CO)₃(OH₂)₃]⁺ triggered a plethora of compounds with mono-, bi- or tridentate ligands towards the goal of new radiopharmaceuticals.^{7,8}

The remarkable stability of the $fac\{^{99\text{m}}\text{Tc}(\text{CO})_3\}^+$ motif and its capability to coordinate readily a wide range of ligands led to many compounds with Re and ^{99}Tc . In turn, the meridional isomer $(mer-\{M(\text{CO})_3\}^+)$ has not been in the focus of $^{99\text{m}}\text{Tc}$ research since it is not accessible along a facile pathway. For Re(1), a few examples of $mer-\{\text{Re}(\text{CO})_3\}^+$ -type complexes have been reported, 9,10 amongst which Langer $et\ al.$ presented the

obtained from [TcOCl₄]⁻ with PPh₃ under a CO atmosphere.¹² Intramolecular isomerisation has in fact been observed recently upon coordination of sterically highly demanding isonitrile ligands¹³ and a variety of *mer*-{Tc(CO)₃}⁺-type complexes have been reported based on the *mer*-[Tc(CO)₃(OH₂)(PPh₃)₂]⁺ starting material.^{14,15}

In an attempt to explore scarce *fac-mer* isomerisations for Re and Tc tricarbonyl complexes, we chose pincer-type ligands.¹⁶ The desired *mer* arrangement in the complexes

light induced *fac-mer* rearrangement of a carbodiphosphorane complex.¹¹ One of the first $mer{-}\{Tc(CO)_3\}^+$ complexes was

In an attempt to explore scarce *fac-mer* isomerisations for Re and Tc tricarbonyl complexes, we chose pincer-type ligands. The desired *mer* arrangement in the complexes refers solely to three carbonyl ligands, rather than three monodentate ligands of which some are carbonyl ligands or the meridional coordination of the pincer ligand. These tridentate PNP-based pincer systems are preorganised for meridional coordination with various d-elements, also with ⁹⁹Tc, as recently reported by us. ^{17,18} The distinct preference of pincer ligands such as 2,6-bis((di-tertbutylphosphino) methyl)pyridine (^{Pyr}PNP^{tBu}) for coordinating the metal centre in a meridional fashion prompted us to explore their interactions with Re and ^{99(m)}Tc tricarbonyl cores. Of special interest was the question if the *mer*-{^{99m}Tc(CO)₃}+ motif was accessible for radio-pharmaceuticals as well.

The reaction of ^{Pyr}PNP^{tBu} (2) with *e.g.* [ReCl(CO)₅] in refluxing THF yields *cis*-[Re(^{Pyr}PNP^{tBu})(CO)₂Cl] after loss of three CO's (Scheme 1a).¹⁹ When starting from *fac*-[ReBr₃(CO)₃]²⁻ (*fac*-[1]²⁻) for inducing a *fac-mer* rearrangement, heating of *fac*-[1]²⁻ with 2 in THF gave the expected yellowish product *cis*-[Re(^{Pyr}PNP^{tBu})(CO)₂Br] after loss of two Br⁻ and one CO ligand. Obviously, cleavage of a 3rd halide from *fac*-[1]²⁻ and CO rearrangement is disfavoured over dissociation of one CO. Conceptually, we hypothesised that a "halide scavenger" would change this preference, facilitate halide removal and lead to the desired rearrangement. Indeed, performing the reaction of *fac*-[1]²⁻ with 2 in THF (80 °C, 81 h) and with 3 equiv. of TlPF₆ gave the rearrangement to *mer*-[Re(^{Pyr}PNP^{tBu})(CO)₃](PF₆) (*mer*-[3](PF₆)) in 34% yield (Scheme 1b). The spectroscopic analysis of *mer*-[3](PF₆) displayed the expected symmetric signals in the

Department of Chemistry, University of Zurich, Winterthurerstrasse 190, CH-8057 Zurich, Switzerland. E-mail: manuel.besmer@chem.uzh.ch

[†] Electronic supplementary information (ESI) available. CCDC 2307669-2307674. For ESI and crystallographic data in CIF or other electronic format see DOI: https://doi.org/10.1039/d3dt03992g

 $[\]ddagger$ Current address: Univ Brest, UMR CNRS 6521 CEMCA, Brest 29200, France.

Dalton Transactions Communication

Scheme 1 a) Synthesis of fac-[Re(PyrPNPtBu)(CO)₂Cl] from [ReCl(CO)₅]; (b) syntheses of mer-[M(PyrPNPtBu)(CO)₅] (mer-[3](BF₄ or PF₆) and mer-[5] (PF₆) by reaction of fac-[1]²⁻ or fac-[4]²⁻ with PyrPNP^{tBu} (2) in presence of TIPF₆ (3 equiv.) and/or AgBF₄ (3 equiv.); (c) synthetic pathways towards mer-[99mTc(PyrPNPtBu)(CO)3]+ (mer-[7]+) in one step (top) or two steps via fac-[6]+ (bottom). MW refers to "microwave reactor".

 ^{1}H -, $^{13}C\{^{1}H\}$ - and $^{31}P\{^{1}H\}$ NMR spectra (ESI Fig. S2–S4†). The carbon signals of the mer-{Re(CO)₃}+ moiety appear as two triplets at δ 197.3 (${}^2J_{\rm P-C}$ = 7.8 Hz) and 196.5 ppm (${}^2J_{\rm P-C}$ = 3.6 Hz). For the PF₆⁻ anion a doublet at δ –72.9 ppm (${}^{1}J_{\text{F-P}}$ = 710.8 Hz) was found in the 19 F NMR spectrum and a septet at δ $-144.4 \text{ ppm} (^{1}J_{P-F} = 710.8 \text{ Hz}) \text{ in the } ^{31}P\{^{1}H\} \text{ NMR spectrum.}$ The IR spectrum (KBr pellet) of mer-[3](PF6) displayed a set of three bands $v_{\rm CO}$ at 2047, 1946 and 1913 cm⁻¹ in a ratio of 1:2:2. The observed pattern coincides with a mer- $\{Re(CO)_3\}^+$ moiety and differs distinctly from the characteristic facial starting material ((NEt₄)₂[1]: 2000 and 1867 cm⁻¹). A single crystal analysis confirmed mer-[Re(PyrPNPtBu)(CO)3](PF6) (Fig. 1, top). The analogous reaction with AgBF4 (instead of TlPF6) yielded mer-[3](BF₄). Mechanistically, we hypothesise that the pincer ligand initially coordinates in a bidentate fashion forming the intermediate fac-[ReBr(PyrPNP^{tBu})(CO)₃], which has been observed in UHPLC-ESI-MS. Upon abstraction/dissociation of the third halide ligand, the isomerisation takes place with concomitant tridentate pincer coordination. Following these results of an intramolecular fac-mer rearrangement, the homologous 99Tc reaction was performed. The technetium complex fac- $[4]^{2-}$ reacted with 2 in THF (80 °C, 5 h) in the presence of 3 equiv. of TlPF₆ straight to mer-[Tc(PyrPNP^{tBu})(CO)₃](PF₆) (mer-[5](PF₆)) in 27% yield as an off-white crystalline solid. The spectroscopic analysis revealed analogous features as compared to mer-[3](PF₆) with a broad 99 Tc NMR signal at δ -1574 ppm ($\Delta_{\frac{1}{2}} = 2.2$ kHz). As in mer-[3]⁺, the IR spectrum evidences a mer- $\{Tc(CO)_3\}^+$ -moiety with three bands v_{CO} at 2053, 1960 and 1923 cm⁻¹, only shifted slightly as compared to its rhenium congener. The solid-state structure of (mer-[5](PF₆)) (Fig. 1, bottom) finally confirms structurally the rearrangement from $fac-[Tc(CO)_3]^+$ in $fac-[4]^{2-}$ to $mer-[Tc(CO)_3]^+$ in $mer-[5]^+$. The products of these isomerisations with the PyrPNP^{tBu} ligand add to the limited number of examples for meridional tricarbonyl complexes. We hypothesise that the strong preference for planar binding and the rather bulky phosphine substituents of the pincer, similar to the reported isonitrile study, 13 induce an intramolecular rearrangement.




Fig. 1 Ellipsoid displacement plots²⁰ of mer-[Re(PyrPNPtBu)(CO)₃](PF₆) $([3](PF_6), \text{ top}) \text{ and } mer-[Tc(^{Pyr}PNP^{tBu})(CO)_3](PF_6) ([5](PF_6), \text{ bottom}).$ Ellipsoids represent a 35% probability. Hydrogen atoms and counterions have been omitted for clarity.

Having established the macroscopic reactions in organic solvents with Re and 99Tc, the question arose if a similar pathway was accessible for 99mTc in aqueous saline (0.9% NaCl) media. In an ideal case, the labelling of the pincer ligand requires a short reaction time and forms the product in high yield and radiochemical purity (RCP). In a first approach, fac- $[^{99}$ mTc(CO)₃(OH₂)₃]⁺ (fac-[6]⁺) was prepared with the Isolink® Kit in the microwave reactor within 30 min at 100 °C. The aqueous solution containing $fac-[6]^+$ was degassed

Communication **Dalton Transactions**

(to remove CO), a solution of PyrPNPtBu in EtOH (degassed) was added and the mixture heated in a microwave reactor for 30 min at 100 °C (1:1 H₂O/EtOH). The radio-HPLC analysis of the product solution showed one main product peak at 25.5 min (92% RCP). Coinjection of a purified sample with the previously obtained mer-[5](PF₆) confirmed the identity of the only product as mer-[99mTc(PyrPNPtBu)(CO)3]+ (Fig. 2, the separation of about 1.5 min corresponds to the separation of the UV/vis- and γ -detector). To the best of our knowledge, this is the first example of a mer-{99mTc(CO)₃}+-type complex. For practical purposes, a one-step preparation is preferable over the two-step synthesis described above. For this purpose, the saline [99mTcO4] eluate was degassed and mixed with the boranocarbonate (Na₂H₃BCO₂), tartrate (Na₂C₄H₄O₆) and tetraborate (Na₂B₄O₇).²¹ A degassed EtOH solution with the pincer ligand was added. After heating in the microwave reactor for 30 min at 100 °C, the solution was analysed by HPLC, showing the equivalent product peak at 25.5 min. A true one-pot preparation is therefore possible. In contrast to the macroscopic scale with Re and 99Tc, where the challenge was the removal of three halide ligands from the starting material, the three agua ligands are readily replaced by the tridentate pincer, which induced a fac-mer rearrangement. Mechanistically, we cannot exclude in the one-step procedure an initial PNP coordination in one of the oxidation states between ^{99m}Tc(vII) and ^{99m}Tc(I), followed by the coordination of the CO ligands. For the twostep approach however (vide supra), the reaction starts from a fac-{99mTc(CO)₃}⁺ unit in the presence of a large excess of Cl⁻. The final meridional product must thus be the result of an intramolecular rearrangement induced by the PNP ligand.

To assess if the $mer-\{M(CO)_3\}^+$ structure can be generalised to other ligands with meridional preference, terpyridine (terpy) as a more flexible tridentate ligand is an obvious choice. Terpy commonly binds in a meridional fashion as is known from many complexes.22 Following the pathway described above, fac-[1]2- was reacted with terpy in the presence of TlPF₆. After work-up, the analysis of the pale yellowish, crystalline material by NMR and IR indicated a κ^2 -terpy complex (Scheme 2). Three bands in the CO region $v_{\rm CO}$ at 2021, 1916 and 1895 cm⁻¹ were observed, out of which the two lower energy vibrations are poorly resolved. In contrast to mer-




Fig. 2 HPLC traces for the coinjection of mer-[5]⁺ (top, UV-trace) and mer-[7]⁺ (bottom, γ -trace).

Scheme 2 Syntheses of fac-[Re(κ^2 -terpy)(CO)₃L] ([9](L = O-POF₂), [10] (L = Br)) and fac-[Tc(κ^2 -terpy)(CO)₃Cl] ([11]). Conditions: (i) $(NEt_4)_2[ReBr_3(CO)_3]$, 3 $TlPF_6$, terpy, THF, 80 °C, 39 $(NEt_4)_2[ReBr_3(CO)_3]$, 3 AgBF₄, terpy, THF, 80 °C, (NEt₄)₂[TcCl₃(CO)₃], terpy, MeOH, 50 °C, 4 h.

[3] and mer-[5] these spectral signatures are indicative for fac-{M(CO)₃}⁺ moieties. The ³¹P{¹H} NMR spectrum revealed a triplet at δ –16.2 ppm (${}^{1}J_{P-F}$ = 961.7 Hz) and in the ${}^{19}F$ NMR spectrum a doublet at δ -83.0 ppm (${}^{1}J_{\text{F-P}}$ = 964.6 Hz) was found. The latter signature is not compatible with the one expected for PF₆⁻, indicating a phosphorous nuclei coupling only to two neighbouring fluorine nuclei. An X-ray diffraction analysis of single crystals allowed the identification of the product as fac-[Re(κ^2 -terpy)(CO)₃(PO₂F₂)] (fac-[9]) (Fig. 3, top). The fac-mer isomerisation was not induced by terpy, but an uncommon difluorophosphate (PO₂F₂⁻) anion occupied the sixth coordination site. The comparison of the recorded IR spectrum with reported values for PO2F2- led to the identifi-




Fig. 3 Ellipsoid displacement plots²⁰ of fac-[Re(κ^2 -terpy)(CO) τ (PO $_2$ F $_2$)] ([9], top) and fac-[Tc(κ^2 -terpy)(CO)₃Cl] ([11], bottom). Ellipsoids represent a 35% probability. Hydrogen atoms are omitted for clarity.

Dalton Transactions Communication

cation of characteristic bands (1313, 1158, 842 and 498 cm⁻¹).²³ The PF₆⁻ anion hydrolysed, probably as a result of either residual traces of water in the glassware²⁴ or a transition metal assisted pathway as observed similarly for other metals.^{25,26} The decomposition reaction was not further explored in detail and the analogous reaction with 99Tc indicated the formation of a similar product. The flexibility and reduced steric demand of the terpyridine ligand, compared to PNP, is evidenced in the lack of isomerisation and the isolation of facial tricarbonyl complexes. It cannot be excluded that a thermodynamic driving force for halide substitution, while forming a M-P bond in comparison to a M-N, contributes to the different reactivities. Similar complexes with terpy have been reported starting from [ReBr(CO)5] via reaction in toluene at 100 °C. 27,28 The reaction of fac- $[1]^{2-}$ with terpyridine in the presence of AgBF4 represents thus an alternative pathway towards fac-[Re(κ^2 -terpy)Br(CO)₃] (fac-[10], (Scheme 2)) (71%). Analogously for ⁹⁹Tc, the reaction of fac-[4]²⁻ with terpy in MeOH (no halide scavenger present) gave greenish fac- $[Tc(\kappa^2\text{-terpy})Cl(CO)_3]$ (fac-[11]) (Fig. 3, bottom) in quantitative yield. In contrast to fac-[9], the IR spectrum shows two bands for the CO ligands $v_{\rm CO}$ at 2022 and 1926 cm⁻¹ with the latter broader and not fully resolved. The fac-{M(CO)₃}⁺ arrangement thus follows the rhenium model and is expected in the absence of halide scavengers. The 99Tc NMR spectrum of complex fac-[11] shows a comparable sharp signal at δ -1020 ppm ($\Delta_{\frac{1}{2}} = 420$ Hz). The ¹H NMR spectrum at 298 K revealed mostly broad signals except for one sharp triplet. Performing the measurements at 235 K allowed the observation of distinct signals and multiplicities. The broadening of the signals at ambient temperature stems from fluxional behaviour of the κ^2 -terpy ligand, as has been observed with the rhenium congener (Scheme S1, ESI†).27 Interestingly, the rhenium complex [9] with the uncommon (PO₂F₂⁻) anion does not show any fluxional behaviour at 298 K.

We report herein one of the rare examples of an intramolecular $fac-\{M(CO)_3\}^+$ to $mer-\{M(CO)_3\}^+$ rearrangement with rhenium and technetium, induced by the bulky PyrPNPtBu pincer ligand. To enable these rearrangements with Re and ⁹⁹Tc (fac-[1]²⁻ and fac-[4]²⁻), concomitant halide precipitation with Ag(I) or Tl(I) is mandatory. The adaption of this chemistry from THF to saline and 99mTc chemistry gave a mer-{99mTc $(CO)_3$ ⁺ structure for the first time. The product mer- $[^{99m}$ Tc (PyrPNP^{tBu})(CO)₃] is water stable and can be made along a one- or a two-step synthesis. Large excesses of chloride do not interfere with the mer-product formation, implying the opportunity of making further mer-{99mTc(CO)3}+ complexes, in extension to the usual $fac-{99m \text{Tc}(\text{CO})_3}^+$ compounds. The observed reactivities with 99mTc thus enclose a potential to broaden the scope for tricarbonyl complexes. Potential decarbonylation in meridional tricarbonyl complexes could be exploited as a synthetic strategy for new dicarbonyl-based radiopharmaceuticals. We are currently investigating if reactivities of sterically less demanding ligands such as terpy and 99mTc lead to the same structures, contrasting macroscopic results described above.

Author contributions

MLB edited and wrote the manuscript, conceptualised the project and performed experiments, FS performed experiments (Re and ⁹⁹Tc), FB performed ^{99m}Tc labelling experiments, HB advised ^{99m}Tc experiments, TF performed low temperature NMR studies, BS advised and supervised all crystallographic data collections and refinements, RA revised the manuscript, performed ⁹⁹Tc experiments and initiated the project.

Conflicts of interest

There are no conflicts to declare.

References

- 1 V. Bhatt, in Essentials Coord. Chem, Ed. V. Bhatt, Elsevier Inc., London, 2016, pp. 191-236.
- 2 E. W. Abel, I. S. Butler, M. C. Ganorkar, C. R. Jenkins and M. H. B. Stiddard, Inorg. Chem., 1966, 5, 25-27.
- 3 R. Alberto, A. Egli, U. Abram, K. Hegetschweiler, V. Gramlich and A. P. Schubiger, J. Chem. Soc., Dalton Trans., 1994, 2815-2820.
- 4 R. Alberto, R. Schibli, A. Egli, W. A. Herrmann, G. Artus, U. Abram and T. A. Kaden, J. Organomet. Chem., 1995, 492, 217-224.
- 5 R. Alberto, R. Schibli, A. Egli, A. P. Schubiger, U. Abram and T. A. Kaden, J. Am. Chem. Soc., 1998, 120, 7987-7988.
- 6 R. Alberto, ChemBioChem, 2020, 21, 2743-2749.
- 7 R. Schibli, R. La Bella, R. Alberto, E. Garcia-Garayoa, K. Ortner, U. Abram and P. A. Schubiger, Bioconjugate Chem., 2000, 11, 345-351.
- 8 R. Alberto, J. K. Pak, D. Van Staveren, S. Mundwiler and P. Benny, Biopolymers, 2004, 76, 324-333.
- 9 D. Wei, O. Sadek, V. Dorcet, T. Roisnel, C. Darcel, E. Gras, E. Clot and J. B. Sortais, J. Catal., 2018, 366, 300-309.
- 10 F. Salsi, M. Neville, M. Drance, A. Hagenbach, C. Chan, J. S. Figueroa and U. Abram, Chem. Commun., 2020, 56, 7009-7012.
- 11 L. Maser, M. Vogt and R. Langer, Z. Anorg. Allg. Chem., 2021, 647, 1518-1523.
- 12 R. Alberto, W. A. Herrmann, P. Kiprof and F. Baumgärtner, Inorg. Chem., 1992, 1, 895-899.
- 13 G. Claude, F. Salsi, A. Hagenbach, M. Gembicky, M. Neville, C. Chan, J. S. Figueroa and U. Abram, Organometallics, 2020, 39, 2287-2294.
- 14 M. R. Jungfer, L. Elsholz and U. Abram, Organometallics, 2021, 40, 3095-3112.
- 15 M. R. Jungfer, L. Elsholz and U. Abram, Inorg. Chem., 2022, 61, 2980-2997.
- 16 E. Peris and R. H. Crabtree, Chem. Soc. Rev., 2018, 47, 1959-1968.
- 17 M. L. Besmer, H. Braband, S. Schneider, B. Spingler and R. Alberto, *Inorg. Chem.*, 2021, **60**, 6696–6701.

18 M. L. Besmer, H. Braband, T. Fox, B. Spingler,

- A. P. Sattelberger and R. Alberto, Inorg. Chem., 2023, 62, 10727-10735.
- 19 M. Vogt, A. Nerush, M. A. Iron, G. Leitus, Y. Diskin-Posner, L. J. W. Shimon, Y. Ben-David and D. Milstein, J. Am. Chem. Soc., 2013, 135, 17004-17018.
- 20 L. J. Farrugia, J. Appl. Crystallogr., 1997, 30, 565-565.

Communication

- 21 R. Alberto, K. Ortner, N. Wheatley, R. Schibli and A. P. Schubiger, J. Am. Chem. Soc., 2001, 3, 3135-3136.
- 22 C. Wei, Y. He, X. Shi and Z. Song, Coord. Chem. Rev., 2019, 385, 1-19.
- 23 R. C. Thompson and W. Reed, Inorg. Nucl. Chem. Lett., 1969, 5, 581-585.

- 24 S. Naveri, S. Jamali, A. Jamjah, J. R. Shakirova, S. P. Tunik, V. Gurzhiy, H. Samouei and H. R. Shahsavari, Inorg. Chem., 2020, 59, 5702-5712.
- 25 D. Dermitzaki, C. P. Raptopoulou, V. Psycharis, A. Escuer, S. P. Perlepes and T. C. Stamatatos, Dalton Trans., 2014, 43, 14520-14524.
- 26 S. J. Thompson, P. M. Bailey, C. White and P. M. Maitlis, Angew. Chem., Int. Ed. Engl., 1976, 15, 490-491.
- 27 E. W. Abel, V. S. Dimitrov, N. J. Long, K. G. Orrell, A. G. Osborne, H. M. Pain, V. Sik, M. B. Hursthouse and M. A. Mazide, J. Chem. Soc., Dalton Trans., 1993, 597-603.
- 28 P. Bulsink, A. Al-Ghamdi, P. Joshi, I. Korobkov, T. Woo and D. Richeson, Dalton Trans., 2016, 45, 8885-8896.