

PAPER

[View Article Online](#)
[View Journal](#) | [View Issue](#)

Concluding remarks for *Faraday Discussion* on Water at Interfaces

Mischa Bonn  *

Received 14th November 2023, Accepted 14th November 2023

DOI: 10.1039/d3fd000153a

Water at interfaces is a fascinating and multifaceted topic that has garnered significant attention in various scientific fields due to its relevance and implications. This *Faraday Discussion* explored the complexity of water at different interfaces. Many of the reports highlight the need for a molecular-level understanding. The *Discussion* was lively and constructive. In these summarizing remarks, I do not aim to be complete, but will rather try to sketch the status of the field, highlight the progress that we as a community have made, and present eclectic examples of where more work needs to be done.

The “Water at Interfaces” *Faraday Discussion* brought some of the leading experts in the field together, both virtually and in-person in London. Interestingly, there was a previous *Faraday Discussion* (No. 141) in 2008, entitled: “Water – From Interfaces to the Bulk”, giving us a unique opportunity to explore the progress made in the past 15 years. This comparison, I submit, shows the amazing progress in some areas and the sobering realization that crucial open questions remain in some others.

For the good news:

First of all, we are no longer arguing about the quality of different water models (we were in 2008): theory has come so far! To highlight some achievements in recent years: firstly, the TIP4P/2005 and TIP4P/ice models seem to provide excellent descriptions of water and ice consistently. The limitation of these models is that the water model is rigid and not polarizable. Successful models that include polarization effects are *poli2vs*,¹ specifically aimed at reproducing the vibrational spectroscopy of water, and *MB-pol*,² which provides good agreement with thermodynamic observables across a wide temperature range. An orthogonal approach, namely to simplify, rather than expand, the water model, was taken by Molinero and Moore.³ In their *mW* model, water is portrayed as an atom with tetrahedrality that is intermediate between carbon and silicon. Despite relying solely on short-range interactions, *mW* accurately replicates the energetics, density, and structure of liquid water. The accelerated computational efficiency offered by *mW* allows for investigating slow processes in, for instance, deeply

Max Planck Institute for Polymer Research, Ackermannweg 10, 55128 Mainz, Germany. E-mail: bonn@mpip-mainz.mpg.de



supercooled water, including in ice nucleation. Finally, density functional theory molecular dynamics (DFT-MD), with the support of machine learning, is the most recent advance,⁴ and has enabled, for instance, the predicting of the phase diagram of monolayer nanoconfined water.⁵

These advances in modeling, along with those in experiments, now allow for a direct, quantitative comparison of complex aqueous systems (*e.g.*, density functional theory and atomic force microscopy on well-defined surfaces in ultrahigh vacuum): theory and experiment have really come together, as evident from several papers in this present issue of *Faraday Discussions*† that have theory directly connecting to experiments, or *vice versa*.

A second – heated – debate that has been ongoing revolves around the distribution of ions near or at interfaces in ionic solutions, which is crucial, especially in the context of ocean acidification. The dissolution of excess carbon dioxide from the atmosphere into the oceans can alter the pH and affect the stability of biominerals. The distribution of ions near the interface plays a significant role in these processes and can impact marine life, including organisms that rely on calcium carbonate to build their shells and skeletons. Likewise, the ion distribution at the water surface is important for (photo-) chemistry occurring on the surface in the atmosphere.

In the 2008 *Faraday Discussion*, a major discussion emerged about the surface activity of hydrated protons or hydroxyl ions. From the 2008 Spiers Memorial Lecture: ‘Therefore, in the topmost layer of water there shall be an excess of hydronium over hydroxide. We denote this situation as an “acidic” surface of water’.⁶ Yet, the title of the subsequent paper from the same *Faraday Discussion* reads: “The surface of neat water is basic”.⁷ Meanwhile, this controversy has been resolved by quantitative measurements of proton and hydroxyl propensity at the water–air interface. There is indeed an excess of hydronium at the surface, while hydroxide ions are depleted from the surface. There is an adsorption well for hydronium at the water–air interface, which has been quantified independently by two groups^{8,9} as being characterized by an adsorption free energy, $\Delta G \approx -4.5 \text{ kJ mol}^{-1}$, corresponding to a partitioning coefficient of the surface with respect to bulk water of a factor of ~ 5 . Such a surface propensity is absent for hydroxyl ions.¹⁰ As highlighted in this year’s Spiers Memorial Lecture, we now also have a much better understanding of how other ions behave at the water–air interface,¹¹ and how we can use ion exchange to enable micro swimmers in water (<https://doi.org/10.1039/D3FD00098B>), for instance.

Nanoconfined water was already a hot topic (featuring in 5 out of ~ 20 papers) in 2008.^{12–16} But in 2023, we have much better control over confinement¹⁷ using advanced nanofabrication techniques and much more advanced measurement methods¹⁸ for understanding nanoconfined water, and we can even study non-equilibrium effects in nanoconfined water (*e.g.*, ‘quantum friction’) (<https://doi.org/10.1039/D3FD00115F>).¹⁹

† <https://doi.org/10.1039/D3FD00097D>,
<https://doi.org/10.1039/D3FD00093A>,
<https://doi.org/10.1039/D3FD00099K>,
<https://doi.org/10.1039/D3FD00113J>,
<https://doi.org/10.1039/D3FD00110E> and <https://doi.org/10.1039/D3FD00102D>.

<https://doi.org/10.1039/D3FD00095H>,
<https://doi.org/10.1039/D3FD00140G>,
<https://doi.org/10.1039/D3FD00111C>,
<https://doi.org/10.1039/D3FD00100H>,



We know much more about (the subtleties of) biomolecular hydration. Hydration of biomolecules appears to be at least as complex as water itself.²⁰ Subtle and individual effects occur in the hydration of generally non-polar solutes in water (<https://doi.org/10.1039/D3FD00104K> and <https://doi.org/10.1039/D3FD00109A>),²¹ and specifically hydrated DNA (<https://doi.org/10.1039/D3FD00109A>),²¹ proteins,²² and phospholipids (<https://doi.org/10.1039/D3FD00117B>, <https://doi.org/10.1039/D3FD00094J> and <https://doi.org/10.1039/D3FD00118K>). While not everybody will agree with this statement, it seems increasingly apparent that biomolecular hydration is a highly local effect, and water structuring is limited to the first 1–2 layers of water molecules around the biomolecules. Yet the precise nature of this structuring depends critically on the biomolecule's characteristics.

And now, the sobering awareness that essential unanswered questions persist:

Despite the enormous progress that the community has clearly made, one can also identify remaining open questions in areas where more research is needed. Somewhat ironically, an important interface that still raises controversial and open questions is the water–air interface. Despite arguably being the simplest aqueous surface conceivable, there is considerable debate about whether this nominally neutral interface is, in fact, neutral. One intriguing phenomenon is the enhanced chemistry occurring on the water surface, compared to reaction rates in the bulk. Somewhat controversial²³ in this context are the claims of spontaneous dissociation of water molecules at the surface of pure water microdroplets.²⁴ This dissociation is thought to be induced by a large interfacial electric field leading to the formation of OH radicals. These radicals can subsequently combine to form hydrogen peroxide (H₂O₂) through an associative reaction. Strong electric fields have been reported by indirect measurements,²⁵ and one of the challenges is clearly to measure these field strengths more directly, for instance, using nonlinear optical approaches.²⁶

In various environmental, biological, and technological contexts, water interfaces with charged surfaces. Fundamental questions remain about water and aqueous electrolyte solutions at charged interfaces. These questions pertain to concepts like the Debye length, the magnitude of the interfacial electric field and associated surface potentials, and related to this, fundamental questions about ion–water, ion–ion, and ion–surface interactions. Indeed, much like the situation in 2008,²⁷ several papers in the 2023 edition of this *Faraday Discussion* address the behavior of water at charged interfaces.‡

Conclusions

Finally, there was a recurrent discussion during the meeting about the definition of *the* water interface. That debate reminded me of a quote from Robert M. Pirsig²⁸ about quality: “Quality. You know what it is, yet you don’t know what it is. ... But for all practical purposes it really does exist.”. Along the same lines, I would argue that the interface most certainly exists, even if we cannot define it unequivocally. What is more, it has wonderful people of outstanding quality studying it.

‡ <https://doi.org/10.1039/D3FD00114H>,
<https://doi.org/10.1039/D3FD00107E>,
<https://doi.org/10.1039/D3FD00124E>.

<https://doi.org/10.1039/D3FD00103B>,
<https://doi.org/10.1039/D3FD00133D> and



Author contributions

M. B. wrote and modified the manuscript.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

I gratefully acknowledge financial support from the MaxWater initiative from the Max Planck Society. Open Access funding provided by the Max Planck Society. Funded by the European Union (ERC, n-AQUA, 101071937). Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union or the European Research Council Executive Agency. Neither the European Union nor the granting authority can be held responsible for them.

Notes and references

- 1 T. Hasegawa and Y. Tanimura, *J. Phys. Chem. B*, 2011, **115**, 5545–5553.
- 2 S. K. Reddy, S. C. Straight, P. Bajaj, C. Huy Pham, M. Riera, D. R. Moberg, M. A. Morales, C. Knight, A. W. Gotz and F. Paesani, *J. Chem. Phys.*, 2016, **145**, 194504.
- 3 V. Molinero and E. B. Moore, *J. Phys. Chem. B*, 2009, **113**, 4008–4016.
- 4 O. T. Unke, S. Chmiela, H. E. Sauceda, M. Gastegger, I. Poltavsky, K. T. Schutt, A. Tkatchenko and K. R. Muller, *Chem. Rev.*, 2021, **121**, 10142–10186.
- 5 V. Kapil, C. Schran, A. Zen, J. Chen, C. J. Pickard and A. Michaelides, *Nature*, 2022, **609**, 512–516.
- 6 P. Jungwirth, *Faraday Discuss.*, 2009, **141**, 9–30.
- 7 J. K. Beattie, A. M. Djerdjev and G. G. Warr, *Faraday Discuss.*, 2009, **141**, 31–39.
- 8 K. Y. Chiang, L. Dalstein and Y. C. Wen, *J. Phys. Chem. Lett.*, 2020, **11**, 696–701.
- 9 S. Das, S. Imoto, S. Sun, Y. Nagata, E. H. G. Backus and M. Bonn, *J. Am. Chem. Soc.*, 2020, **142**, 945–952.
- 10 S. Das, M. Bonn and E. H. G. Backus, *Angew. Chem., Int. Ed.*, 2019, **58**, 15636–15639.
- 11 L. Yair, K.-Y. Chiang, T. Seki, Y. Nagata and M. Bonn, *arXiv*, 2022, preprint, arXiv:2210.01527, DOI: [10.48550/arXiv.2210.01527](https://doi.org/10.48550/arXiv.2210.01527).
- 12 M. A. Ricci, F. Bruni and A. Giuliani, *Faraday Discuss.*, 2009, **141**, 347–358.
- 13 T. G. Lombardo, N. Giovambattista and P. G. Debenedetti, *Faraday Discuss.*, 2009, **141**, 359–376.
- 14 F. X. Coudert, F. Cailliez, R. Vuilleumier, A. H. Fuchs and A. Boutin, *Faraday Discuss.*, 2009, **141**, 377–398.
- 15 S. Perkin, R. Goldberg, L. Chai, N. Kampf and J. Klein, *Faraday Discuss.*, 2009, **141**, 399–413.
- 16 M. Lee, B. Sung, N. Hashemi and W. Jhe, *Faraday Discuss.*, 2009, **141**, 415–421.
- 17 N. Kavokine, R. R. Netz and L. Bocquet, *Annu. Rev. Fluid. Mech.*, 2021, **53**, 377–410.



- 18 Y. Wang, F. Tang, X. Yu, K.-Y. Chiang, C.-C. Yu, T. Ohto, Y. Chen, Y. Nagata and M. Bonn, *arXiv*, 2023, preprint, arXiv:2310.10354, DOI: [10.48550/arXiv.2310.10354](https://doi.org/10.48550/arXiv.2310.10354).
- 19 X. Yu, A. Principi, K. J. Tielrooij, M. Bonn and N. Kavokine, *Nat. Nanotechnol.*, 2023, **18**, 898–904.
- 20 D. Laage, T. Elsaesser and J. T. Hynes, *Chem. Rev.*, 2017, **117**, 10694–10725.
- 21 B. R. Wood, *Chem. Soc. Rev.*, 2016, **45**, 1980–1998.
- 22 D. Konstantinovsky, E. A. Perets, T. Santiago, L. Velarde, S. Hammes-Schiffer and E. C. Y. Yan, *ACS Cent. Sci.*, 2022, **8**, 1404–1414.
- 23 A. Gallo Jr, N. H. Musskopf, X. Liu, Z. Yang, J. Petry, P. Zhang, S. Thoroddsen, H. Im and H. Mishra, *Chem. Sci.*, 2022, **13**, 2574–2583.
- 24 J. K. Lee, K. L. Walker, H. S. Han, J. Kang, F. B. Prinz, R. M. Waymouth, H. G. Nam and R. N. Zare, *Proc. Natl. Acad. Sci. U.S.A.*, 2019, **116**, 19294–19298.
- 25 H. Xiong, J. K. Lee, R. N. Zare and W. Min, *J. Phys. Chem. Lett.*, 2020, **11**, 7423–7428.
- 26 F. M. Geiger and G. V. Hartland, *J. Phys. Chem. B*, 2022, **126**, 6367–6371.
- 27 A. P. Willard, S. K. Reed, P. A. Madden and D. Chandler, *Faraday Discuss.*, 2009, **141**, 423–441.
- 28 R. M. Pirsig, *Zen and the art of motorcycle maintenance: an inquiry into values*, Random House, 1999.

