

## PAPER

[View Article Online](#)  
[View Journal](#) | [View Issue](#)Cite this: *RSC Mechanochem.*, 2024, 1, 244Received 11th February 2024  
Accepted 24th March 2024

DOI: 10.1039/d4mr00009a

[rsc.li/RSCMechanochem](https://rsc.li/RSCMechanochem)Synthesis of short DNA and RNA fragments by resonant acoustic mixing (RAM)<sup>†</sup>James D. Thorpe,<sup>a</sup> Julian Marlyn,<sup>a</sup> Stefan G. Koenig<sup>id</sup><sup>b</sup> and Masad J. Damha<sup>id</sup><sup>\*a</sup>

We demonstrate the first use of Resonant Acoustic Mixing (RAM) without bulk solvent for the synthesis of short oligonucleotide fragments. Using the modified H-phosphonate approach, DNA, RNA, and 2'-modified nucleotides were successfully coupled to 3'-protected nucleosides in high yields (63–92%) while reducing solvent volume by 90%. In addition to synthesizing protected phosphodiester (PO) dimers and trimers, we also synthesized protected phosphorothioate (PS) dimers in good yields (63–65%). Using phosphoramidite chemistry, we were similarly able to reduce the solvent volume by 90% while coupling DNA phosphoramidites (58–92%) and RNA phosphoramidites (55–95%) with 3'-protected nucleosides in high yields followed by traditional oxidation with iodine in solution. Both strategies were successfully scaled up to multi-gram quantities which was facilitated by the use of RAM, offering the potential for larger scale-up, up to hundreds of kilograms continuously.

## Introduction

Oligonucleotide (ON) therapeutics are being approved at an unprecedented rate, with more than a dozen reaching the market in the last seven years alone.<sup>1</sup> Given the high degree of chemical modifications<sup>2,3</sup> in approved ON therapeutics, the current gold-standard for RNA and DNA synthesis remains solid-phase oligonucleotide synthesis (SPOS) using well-established phosphoramidite chemistry.<sup>4</sup> However, the environmental impact of SPOS is well documented, with applications of excess amounts of reagents and solvents and inefficient use of starting materials.<sup>5,6</sup> While some enzymatic methods for ON synthesis have recently emerged,<sup>5,6</sup> they generally suffer from poor recognition of chemically modified nucleoside triphosphates (NTPs) by polymerases and difficulty in synthesizing the required NTPs. Furthermore, while they offer the ability to carry out the reactions in aqueous media and can often forego the more common protecting group strategies of SPOS, these methods have not yet reached the same scale as chemical methods for oligonucleotide synthesis. In 2016, the American Chemical Society (ACS) Green Chemistry Institute Pharmaceutical Roundtable (GCIPR) identified the development of greener processes for promising active pharmaceutical ingredients (APIs, *e.g.*, oligonucleotides) as a critical unmet need, and as a result, a GCIPR focus team was created to address this important area.<sup>5,6</sup>

A recently introduced and scalable mechanochemical methodology that uniquely eliminates the need for bulk solvent, as well as milling media, is resonant acoustic mixing (RAM) (Table 1).<sup>7–11</sup> RAM shakes materials at a low acoustic frequency (58–62 Hz), with energy input modulated through changes in the vertical acceleration of the reaction vessel usually measured in units of g (acceleration on Earth due to gravity), up to 100 g. This allows the system to maximize the amplitude while simultaneously minimizing the power consumption. Compared to other mixing technologies such as ultrasonic, paint shaker, or vibration ball mills (VBM) (Table 1), RAM operates at an intermediate frequency, but with relatively large displacements and low power usage.<sup>8</sup> The unique conditions occurring at the resonant frequency of the system allow for highly efficient mixing by generating intense mixing zones with diameters of approximately 50  $\mu\text{m}$ .<sup>12</sup> In principle, this allows for simpler scale up of RAM processes and lower maintenance costs due to less wear-and-tear on the instruments.

Our group previously demonstrated the use of VBM for the synthesis of short DNA fragments while significantly reducing solvent consumption during reactions.<sup>13</sup> Inspired by recent publications using RAM for carrying out a range of chemical reactions,<sup>7–11</sup> we describe herein the first use of RAM for the synthesis of di- and trinucleotides with a range of different chemistries (*i.e.*, DNA, RNA and 2'-modified RNA). This method

Table 1 Parameters of different mixing instruments

Instrument	RAM	Ultrasonic	Paint mixer	VBM
Displacement (cm)	1–4	<<1	5–10 or more	1–2
Frequency (Hz)	58–62	25 000	10–15	15–30

<sup>a</sup>Department of Chemistry, McGill University, Montreal, QC, H3A0B8, Canada. E-mail: [masad.damha@mcgill.ca](mailto:masad.damha@mcgill.ca)<sup>b</sup>Synthetic Molecule Process Chemistry, Genentech Inc., South San Francisco, CA, USA<sup>†</sup> Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d4mr00009a>





Fig. 1 RAM instrumentation. Left: Resodyn's LabRAM I instrument. Right: Our custom-built sample holder compatible with the LabRAM I.



Scheme 1 Optimization of H-phosphonate coupling and sulfur-transfer by RAM.

reduces the solvent consumption by up to 90% during monomer coupling and oxidation/sulfurization of internucleotide linkages while being readily scaled up to multi-gram quantities.

## Results and discussion

We carried out the reactions in a commercially available LabRAM I instrument from Resodyn corporation (Fig. 1). This instrument is typically used with a mixing vessel as shown with a capacity of up to 500 grams. For our purposes this was much too large of a scale initially, and we had a custom-designed sample holder built that could hold up to 33 plastic or glass vials (Fig. 1). This allowed us to conduct smaller scale reactions and screen a range of conditions simultaneously.

First, we set out to synthesize short DNA fragments *via* the modified H-phosphonate approach.<sup>13</sup> The initial reaction involved coupling of H-phosphonate **1a** with **2a** in the presence of an acid chloride activator, followed by reaction with *N*-phenylthiophthalimide (PTP, a sulfur-transfer reagent) to yield the desired fully-protected phosphorothioate triester **3a** (Scheme 1) which could later be deprotected to yield the desired phosphodiester (PO) internucleotide linkage.<sup>14</sup> The sulfur transfer

step was necessary to protect the internucleotide linkage as previous studies have shown the instability of H-phosphonate diesters;<sup>15</sup> we also encountered difficulties in isolating H-phosphonate diesters.

Variables to optimize included the nature of the activator, amounts of reagents (activator, pyridine, PTP), times, and acceleration (Table 2). We were able to conveniently monitor the reactions by analyzing the <sup>31</sup>P NMR spectra of crude products before any further isolation steps (Fig. 2). A selection of the optimization reactions is discussed below.

Beginning with similar conditions optimized for VBM but attempting the sulfur-transfer step simultaneously to the coupling, we started with 5 eq. of adamantyl chloride (AdaCl), 1.1 eq. of PTP, and 10 eq. of pyridine at 60 g for 60 minutes (entry 1). The crude <sup>31</sup>P NMR displayed formation of the product (Fig. 2A) around 24 ppm, but also formation of numerous side products. Surprisingly, reducing the equivalents of AdaCl from five to three, reduced the formation of side products and produced a cleaner spectrum (entry 2, Fig. 2B), however, this resulted in incomplete conversion of the H-phosphonate diester (minor peaks at 7–9 ppm) to the




Fig. 2 Crude <sup>31</sup>P NMR spectra of experiments from Table 2. (A) Entry 1. (B) Entry 2. (C) Entry 3. (D) Entry 4. (E) Entry 5, before sulfur transfer. (F) Entry 5, after sulfur transfer.

Table 2 Select optimization of H-phosphonate coupling (**1a** and **2a**) and sulfur-transfer by RAM<sup>a</sup>

Entry	Eq. AdaCl	Eq. PTP	Eq. pyr	Time (min)	$\eta$ ( $\mu\text{L mg}^{-1}$ )	Conversion (%)
1	5	1.1	10	60	0.33	29
2	3	1.1	10	60	0.40	44
3	3	1.1	15	60	0.60	47
4	3	1.1	15	15/15	0.60	90
5 <sup>b</sup>	3	1.1	15	15/5	1.12	88

<sup>a</sup> All reactions carried out with 0.2 mmol of **2a** at 60 g and the stoichiometry of all reagents are in relation to this. Conversion determined by integration of peaks in <sup>31</sup>P NMR spectra. <sup>b</sup> Reaction carried out with PvCl as the activator.




phosphorothioate triester. Increasing the equivalents of pyridine from 10 to 15 (entry 3, Fig. 2C) also resulted in a cleaner spectrum, albeit with one major unidentified product around 15 ppm. Satisfied with the equivalents of all reagents, we set out to determine if the formation of side-products could be controlled by reaction time.

Reducing the reaction times to 15 minutes for coupling followed by 15 minutes for sulfur transfer completely suppressed the formation of the side-product at 15 ppm, with only minor unidentified impurities around  $-2$  ppm (entry 4, Fig. 2D). Finally, we also attempted the reaction with pivaloyl chloride (PvCl) as the coupling reagent (15 min, entry 5) and analyzed the reaction mixture by  $^{31}\text{P}$  NMR (Fig. 2E) which showed two minor peaks around  $-2.5$  ppm and H-phosphonate diester at 7–9 ppm. We then performed the sulfur-transfer step with PTP for 5 minutes and analyzed the  $^{31}\text{P}$  NMR again (Fig. 2F). The H-phosphonate diester peaks disappeared completely and the peaks for phosphorothioate triester **3a** were the major product at 24 ppm. However, the peaks at  $-2$  ppm remained and some new minor peaks emerged at  $-7$  ppm. Nonetheless, the crude reaction product was relatively clean, and we were satisfied with the optimized conditions. The parameter  $\eta$  now reported in several mechanochemistry publications illustrates the liquid/weight (solvent to reagent) ratio of a chemical reaction. The optimized conditions were achieved with  $\eta = 1.02\text{--}1.12\ \mu\text{L}\ \text{mg}^{-1}$  (depending on the MW of **1**) falling within the range of liquid-assisted RAM (LA-RAM) reactions.<sup>10,11</sup> This value is significantly lower than typical solution-phase reactions which are characterized by  $\eta > 10\ \mu\text{L}\ \text{mg}^{-1}$ .<sup>16</sup> Our optimized conditions were conducted with  $\sim 90\%$  less solvent than a comparable solution-phase reaction. It should be noted that the use of the liquid PvCl for optimized reactions increased the value of  $\eta$  as compared to reactions using AdaCl which achieved  $\eta = 0.56\text{--}0.6\ \mu\text{L}\ \text{mg}^{-1}$  (entry 4, Table 2). Although not shown here, increasing the acceleration from 60 g to 90 g had no effect on the reaction.

Having established optimal conditions for coupling and sulfur-transfer of H-phosphonates by RAM, we set out to expand the strategy to other nucleobases and purify the products to assess the yield. Thus, we repeated the reaction with H-phosphonates **1a–d** and 0.2 mmol of **2a** to yield dimers **3a–d** in excellent yield (81–90%, Scheme 2). These yields corresponded to an average yield of  $>90\%$  per step which represents an improvement over VBM<sup>17</sup> while reducing the equivalents of activator. Although AdaCl was effective as an activator as well, PvCl seemed to be more efficient, likely due to improved mixing when using a liquid under these conditions. The products were analyzed by  $^{31}\text{P}$  NMR (Fig. 3) and HRMS and confirmed the identity of the products.

Although the reactions carried out above were limited by the size of the vials used in the same holder, we wanted to see if scaling up the reaction from 0.2 mmol to 1 mmol was possible. The mixing vessel provided with the LabRAM I was still too large for our purposes and its composition also incompatible with some of the reagents used in our reactions (pyridine). We settled on using polytetrafluoroethylene (PTFE) jars that were chemically compatible with all our reagents and could be used for multigram reactions. The larger scale reactions were found



Scheme 2 Optimized RAM conditions for H-phosphonate coupling and sulfur-transfer.




Fig. 3  $^{31}\text{P}$  NMR ( $\text{CDCl}_3$ ) spectra of dimers **3a–d** synthesized by RAM. (A) **3a**. (B) **3b**. (C) **3c**. (D) **3d**.

to be similarly efficient under the exact same conditions and dimer **3a** was isolated in 74% yield. We were able to further scale up the reaction and doubled the scale from 1 mmol to 2 mmol to synthesize dimer **3d** in 77% unoptimized yield from **1d** and **2a**. While the isolated yield was still slightly lower than the 0.2 mmol scale reactions which may be due to a lower filling degree, the first-pass crude  $^{31}\text{P}$  NMR spectra of the scaled-up reactions of **3a** and **3d** were quite clean (Fig. 4).





Fig. 4 Crude  $^{31}\text{P}$  NMR spectra of scaled up RAM reactions. (A) **3a** (1 mmol). (B) **3d** (2 mmol).






Scheme 3 Synthesis of a nucleotide trimer by RAM.


Having scaled up the reaction successfully, we also set out to synthesize a longer sequence. Rather than using RAM, dimer **3d** was detritylated under traditional conditions in a solution of trifluoroacetic acid (TFA) in dichloromethane to yield **4** in 87% yield (Scheme 3). Preliminary results have indicated that detritylation is also possible by RAM within 45 minutes and is just as efficient as the same solution-phase reaction. Subsequent coupling of **4** with **1b** by RAM under the same conditions previously optimized yielded mixed-base trimer **5** in good yield (79%). Analysis of the  $^{31}\text{P}$  NMR spectrum of **5** is consistent with the diastereomeric mixture expected for this compound ( $\text{ESI}^+$ ). HRMS analysis confirmed the identity of **5**. Having a satisfactory strategy for the synthesis of DNA dimers and trimers, we turned our attention to expanding the substrate scope to include other nucleosides commonly used in ON therapeutics: 2'-OH nucleosides (RNA), 2'-F nucleosides (2'-F-RNA), 2'-OMe nucleosides (2'-OMe-RNA), and phosphorothioate (PS) internucleotide linkages.

Beginning with 2'-*tert*-butyl(dimethyl)silyl (TBDMS) protected nucleoside, we attempted to couple **1e** with **2a** under the same conditions previously optimized for DNA couplings (Scheme 4). Analysis of the crude  $^{31}\text{P}$  NMR of the reaction mixture showed a similar spectrum as observed previously with almost exclusive formation of the desired dimer **6a**. Purification of the reaction mixture yielded **6a** in a 70% yield (Scheme 4). We then set out to couple **1e** with **2b**, which was protected at the 2'-position with a triisopropylsilyl (TIPS)<sup>18</sup> group, to yield fully protected RNA dimer **6b** in a 64% yield after purification. Although the yields were slightly lower than the DNA couplings, this was expected with nucleosides bearing bulky protecting groups at the C2' position.


We next moved on to nucleosides modified at the C2'-position (Schemes 5 and 6). Coupling of 2'-F **1f** and 2'-OMe **1g** to **2a** required further optimization from the conditions used for the DNA and RNA couplings as evidenced by the crude  $^{31}\text{P}$  NMR spectra ( $\text{ESI}^+$ ). Increasing the equivalents of the activator from three to five equivalents, as well as increasing the reaction time



Scheme 4 RNA coupling by RAM.



Scheme 5 2'-F nucleoside coupling by RAM.



Scheme 6 2'-OMe nucleoside coupling by RAM.

during coupling to 30 minutes, effectively formed the H-phosphonate diester. Prolonged reaction time with PTP during the sulfur transfer step led to a complicated  $^{31}\text{P}$  NMR spectrum of the crude mixture but reducing the sulfurization time from 5 minutes to 2.5 minutes ( $\text{ESI}^+$ ) improved the formation of the desired product **6c** (84% yield). Using these conditions, **1f** was also effectively coupled with 2'-OMe nucleoside **2c** to yield **6d** in 73% yield (Scheme 5).



Separate optimization of coupling of 2'-OMe nucleoside **1g** was also required. As with **1f**, increasing the equivalents of the activator from three to five and coupling time from 15 to 30 minutes was needed to ensure efficient formation of the H-phosphonate diester. In contrast to the sulfur transfer step of **1f**, **1g** required increasing equivalents of PTP to 1.5 as well as increasing reaction time to 15 minutes. Encouragingly, under these conditions we were able to isolate **6e** in 92% yield (Scheme 6).

Having established conditions for coupling the four most common nucleosides employed in ON therapeutics (DNA, RNA, 2'-F, and 2'-OMe) we set about to develop conditions for the synthesis of compounds containing PS linkages. Reese had previously used a reagent similar to PTP,<sup>19</sup> but bearing a cyanoethyl group, rather than phenyl, appended to the sulfur atom which could then be deprotected under basic conditions to yield the desired PS linkage. We had difficulty in synthesizing this reagent and turned our attention to synthesizing an alternative sulfur transfer reagent that could provide transfer of the desired *S*-cyanoethyl moiety to the internucleotide linkage. Instead, we chose an electrophilic sulfurization reagent (**7**),<sup>20–22</sup> synthesized from *p*-toluene thiosulfonate and 3-bromopropionitrile in 81% yield (Scheme 7).

Coupling of **1a** with **2a** followed by sulfur transfer with a mixture of **7** and pyridine (1 : 5 ratio) provided **8a** in 65% yield after purification (Scheme 8). To demonstrate the feasibility of the synthesis of PS backbones in conjunction with modified nucleosides, we coupled **1f** with **2a** followed by sulfur transfer with **7** and obtained **8b** in 63% yield after purification. However, under these conditions, we still required the increased coupling






Scheme 7 Synthesis of alternative sulfur transfer reagent **7**.

Scheme 8 Synthesis of PS backbone protected dimers by RAM.


time and equivalents of activator for the coupling step, although performing the sulfur transfer reaction for five minutes did not lead to any noticeable degradation. Analysis of the  $^{31}\text{P}$  NMR spectra of these compounds bearing *S*-cyanoethyl linkages showed a 2–3 ppm downfield shift as compared to the dimers with SPh backbones (ESI $^+$ ).

In addition to H-phosphonate couplings, we also investigated the use of RAM for a phosphoramidite coupling strategy. Initially, couplings were attempted neat as a mixture of **2a**, 2 eq. of 3'-phosphoramidite **9a–d**, and 3.0 eq. of 5-(ethylthio)-1H-tetrazole (ETT), shaken at 60 g for 45 minutes in a flame dried glass vial (Scheme 9). Analysis of the resulting mixtures by  $^{31}\text{P}$  NMR showed that without solvent, reactions did not proceed cleanly and resulted in an indistinguishable mixture of products after oxidation with 1.0 M iodine in 9 : 1 2,6-lutidine/ $\text{H}_2\text{O}$ .

To remedy this, we sought to determine the minimum solvent requirement for successful couplings *via* RAM. Starting with a standard solution phase concentration of 0.22 M in dry acetonitrile (ACN), the quantity of solvent was reduced by 50% until TLC analysis of the crude showed incomplete couplings (presence of limiting **2a**). Coupling reactions were able to tolerate concentrations up to 1.32 M, representing a sixfold decrease in solvent. The reported reactions were achieved with  $\eta = \sim 0.3 \text{ } \mu\text{L mg}^{-1}$ , falling between a neat ( $\eta = 0 \text{ } \mu\text{L mg}^{-1}$ ) and slurry ( $\eta = 2\text{--}12 \text{ } \mu\text{L mg}^{-1}$ ) type regime. The quantity of ETT was further optimized, with  $^{31}\text{P}$  NMR showing 5.0 eq. of activator giving the best results. 4,5-Dicyanoimidazole (DCI) was also



Scheme 9 Optimized conditions for phosphoramidite coupling and oxidation by RAM.



Scheme 10 Optimized conditions for RNA phosphoramidite coupling and oxidation by RAM.

tested, giving similar results (data not shown). The subsequent oxidation was accomplished *via* RAM or manual mixing with a slight excess of 1.0 M  $\text{I}_2$  in 2,6-lutidine/water (9 : 1 ratio). With adequate conditions determined for pursuing phosphoramidite couplings, the dTpT dimer **10a** was synthesized in scales ranging from 0.2 to 3 mmol in 60–92% yield (Scheme 9).

Couplings with the other three bases produced dimers **10b–d** in 58–63% yields (Scheme 9). Additionally, couplings with 2'-TBDMS protected ribonucleotides **11a–d** (Scheme 10) under the same conditions previously optimized yielded the desired products **12a–d** in good yield (55–95%).

## Conclusions

In summary, we have demonstrated the use of resonant acoustic mixing (RAM) for the synthesis of short oligonucleotide fragments with a range of different ON chemistries. In comparison with traditional SPOS or in liquid-phase oligonucleotide synthesis,<sup>23</sup> our approach reduces the solvent consumption by up to 90% during coupling and oxidation/sulfurization reactions while being readily scaled up to multi-gram quantities. Although current purification by column chromatography is solvent-intensive, the combination of RAM with ionic tags<sup>24</sup> or other soluble supports<sup>25</sup> that allow precipitation of products might eliminate chromatography completely and further improve the process mass intensity (PMI) of oligonucleotide synthesis at general scales. The instrument used in this work operates at a scale of up to 500 grams, but commercially available RAM instruments can operate up to hundreds of kilograms continuously. This work represents the first application of RAM for nucleic acid chemistry and broadens the applicability of RAM for organic transformations.<sup>7–11</sup>

## Author contributions

James D. Thorpe: synthesis, analysis, investigation, writing of original draft, editing; Julian Marlyn: synthesis, analysis, investigation, writing, editing; Stefan G. Koenig: conceptualization, guidance, administration, review, editing; Masad J. Damha: conceptualization and chemistry, resources, supervision, writing, review, editing.

## Conflicts of interest

There are no conflicts of interest to declare.



## Acknowledgements

This investigation was supported by research grants to M. J. D. from the American Chemical Society (ACS) Green Chemistry Institute Pharmaceutical Roundtable (GCIPR); (<https://www.acsgcipr.org/>) and a Discovery Grant from the National Science and Engineering Council of Canada. The activities of the GCIPR reflect its members' shared belief that the pursuit of green chemistry and engineering is imperative for business and environmental sustainability. We thank Tomislav Friščić and Cameron Lennox for assistance and providing their RAM facilities at the early stage of this project. We also wish to thank Jale Muslehiddinoglu for the careful and insightful review of our manuscript and Sam Minter for design and construction of the customized sample holder.

## Notes and references

- 1 M. Egli and M. Manoharan, *Nucleic Acids Res.*, 2023, gkad067.
- 2 A. Khvorova and J. K. Watts, *Nat. Biotechnol.*, 2017, **35**, 238–248.
- 3 L. K. McKenzie, R. El-Khoury, J. D. Thorpe, M. J. Damha and M. Hollenstein, *Chem. Soc. Rev.*, 2021, **50**, 5126–5164.
- 4 S. Beaucage and M. Caruthers, *Tetrahedron Lett.*, 1981, **22**, 1859–1862.
- 5 E. Moody, R. Obexer, F. Nickl, R. Spiess and S. Lovelock, *Science*, 2023, **380**, 1150–1154.
- 6 D. J. Wiegand, J. Rittichier, E. Meyer, H. Lee, N. J. Conway, D. Ahlstedt, Z. Yurtsever, D. Rainone, E. Kuru and G. Church, *bioRxiv*, 2023, preprint, 2023.2006.2029.547106, DOI: [10.1101/2023.06.29.547106](https://doi.org/10.1101/2023.06.29.547106).
- 7 C. Lennox, T. Borchers, L. Gonnet, C. Barrett, S. Koenig, K. Nagapudi and T. Friščić, *Chem. Sci.*, 2023, **14**, 7475–7481.
- 8 L. Gonnet, C. B. Lennox, J. L. Do, I. Malvestiti, S. G. Koenig, K. Nagapudi and T. Friščić, *Angew. Chem.*, 2022, **134**, e202115030.
- 9 F. Effaty, L. Gonnet, S. G. Koenig, K. Nagapudi, X. Ottenwaelder and T. Friščić, *Chem. Commun.*, 2023, **59**, 1010–1013.
- 10 H. M. Titi, J.-L. Do, A. J. Howarth, K. Nagapudi and T. Friščić, *Chem. Sci.*, 2020, **11**, 7578–7584.
- 11 L. Gonnet, T. H. Borchers, C. B. Lennox, J. Vainauskas, Y. Teoh, H. M. Titi, C. J. Barrett, S. G. Koenig, K. Nagapudi and T. Friščić, *Faraday Discuss.*, 2023, **241**, 128–149.
- 12 K. S. Hope, H. J. Lloyd, D. Ward, A. A. Michalchuk and C. R. Pulham, *New Trends in Research of Energetic Materials*, 2015, pp. 134–143.
- 13 C. B. Reese and H. Yan, *J. Chem. Soc., Perkin Trans. 1*, 2002, 2619–2633.
- 14 C. B. Reese and L. Zard, *Nucleic Acids Res.*, 1981, **9**, 4611–4626.
- 15 F. Westheimer, S. Huang and F. Covitz, *J. Am. Chem. Soc.*, 1988, **110**, 181–185.
- 16 J.-L. Do and T. Friščić, *ACS Cent. Sci.*, 2017, **3**, 13–19.
- 17 J. D. Thorpe, D. O'Reilly, T. Friščić and M. J. Damha, *Chem. – Eur. J.*, 2020, **26**, 8857–8861.
- 18 M. Hassler, Y. Q. Wu, N. M. Reddy, T. H. Chan and M. J. Damha, *Tetrahedron Lett.*, 2011, **52**, 2575–2578.
- 19 C. Reese, *J. Chem. Soc., Perkin Trans. 1*, 1999, 1477–1486.
- 20 N. Iwamoto, D. C. Butler, N. Svrzikapa, S. Mohapatra, I. Zlatev, D. W. Sah, S. M. Standley, G. Lu, L. H. Apponi and M. Frank-Kamenetsky, *Nat. Biotechnol.*, 2017, **35**, 845–851.
- 21 J. Michalski, T. Modro and J. Wiczorkowski, *J. Chem. Soc.*, 1960, 1665–1670.
- 22 W. K.-D. Brill, *Tetrahedron Lett.*, 1995, **36**, 703–706.
- 23 S. Katayama and K. Hirai, *Synthesis of Therapeutic Oligonucleotides*, 2018, pp. 83–95.
- 24 R. A. Donga, S. M. Khaliq-Uz-Zaman, T.-H. Chan and M. J. Damha, *J. Org. Chem.*, 2006, **71**, 7907–7910.
- 25 H. Lönnberg, *Beilstein J. Org. Chem.*, 2017, **13**, 1368–1387.

