Chem Soc Rev



REVIEW ARTICLE

View Article Online



Cite this: Chem. Soc. Rev., 2025, **54**. 1986

Received 18th October 2024 DOI: 10.1039/d4cs01043d

rsc.li/chem-soc-rev

Chiral-at-metal catalysts: history, terminology, design, synthesis, and applications

Lilu Zhang and Eric Meggers *

For decades, advances in chiral transition metal catalysis have been closely tied to the development of customized chiral ligands. Recently, however, an alternative approach to this traditional metal-pluschiral-ligand method has emerged. In this new strategy, chiral transition metal catalysts are composed entirely of achiral ligands, with the overall chirality originating exclusively from a stereogenic metal center. This "chiral-at-metal" approach offers the benefit of structural simplicity. More importantly, by removing the need for chiral elements within the ligand framework, it opens up new possibilities for designing innovative catalyst architectures with unique properties. As a result, chiral-at-metal catalysis is becoming an increasingly important area of research. This review offers a comprehensive overview and detailed insights into asymmetric chiral-at-metal catalysis, encouraging scientists to explore new avenues in asymmetric transition metal catalysis and driving innovation in both fundamental and applied research.


1. Introduction

1.1. Asymmetric catalysis

Asymmetric catalysis holds great promise as a highly costeffective approach for producing enantiomerically pure chiral

Fachbereich Chemie, Philipps-Universität Marburg, Hans-Meerwein-Strasse 4, 35043 Marburg, Germany. E-mail: meggers@chemie.uni-marburg.de

compounds, as a single chiral catalyst can amplify chiral information to produce many optically active chiral molecules. 1,2 Chiral catalysts generally fall into three categories: biocatalysts (enzymes), chiral organic compounds (organocatalysts), and chiral metal complexes. It is unsurprising that chemists initially focused on developing synthetic chiral catalysts using transition metal complexes. The wide range of metals with varying oxidation states, diverse coordination geometries, and



Lilu Zhang

Lilu Zhang received a Bachelor degree in Polymer Science from Nanjing University of Technology, P. R. China and a PhD degree in Inorganic Chemistry from Hong Kong Baptist University, Hong Kong. After postdoctoral research at the University of Texas at Austin and the University of Pennsylvania, USA, she started as an Assistant Professor in the Department of Chemistry and Biological Chemistry at Nanyang Technological University, Singapore.

2007, Lilu Zhang has been in the Department of Chemistry of the University of Marburg, Germany and currently holds the position of a staff scientist (Akademische Rätin).



Eric Meggers

Eric Meggers received a Diploma in Chemistry from the University of Bonn, Germany and a PhD degree in Organic Chemistry from the University of Basel, Switzerland. After postdoctoral research at the Scripps Research Institute, CA, USA, he started his independent career as Assistant Professor at the University of Pennsylvania, PA, USA. Since 2007, Eric Meggers has been Full Professor in the Department of Chemistry at the University of

Marburg, Germany. He held a secondary appointment as Professor at the College of Chemistry and Chemical Engineering of Xiamen University, P. R. China from 2012 to 2016. His research program focuses on exploiting metal-centered stereochemistry for applications in medicine, chemical biology, and asymmetric catalysis.




Fig. 1 Chiral transition metal catalysis: chiral ligands versus achiral ligands for the design of chiral transition metal catalysts.

numerous ligand types allow transition metal catalysis to offer an extensive array of modes of activation and catalytic mechanisms.

1.2. Chiral ligands for chiral transition metal catalysts

Asymmetric induction can be achieved when the metal complex itself is chiral. Traditionally, this chirality has been generated by combining metal salts or metal precursor complexes with one or more chiral ligands. This area of research, pioneered by Knowles, Noyori, Asharpless, Kagan, and others, has led to the development of numerous carefully tailored chiral ligands, including DuPhos, BINAP, PHOX, TADDOL, Salen, BOX, PyBOX, and Josiphos, among many others. These ligands, often referred to as "privileged chiral ligands," have demonstrated exceptional versatility. As a result, chiral ligand design has been highly successful and central to asymmetric transition metal catalysis for over half a century (Fig. 1, left).

1.3. Achiral ligands for chiral transition metal catalysts

However, since Alfred Werner's seminal work over a century ago,8 which first characterized chiral metal complexes and introduced the concept of metal-centered chirality, it has been well-established that chiral metal complexes can be formed entirely from achiral ligands. Despite this knowledge, chiral-atmetal complexes were largely overlooked in asymmetric transition metal catalysis until our group revealed their broad utility (Fig. 1, right).

1.4. Terminology: "chirality-at-metal"

It is important to recognize that chiral metal complexes with chiral ligands often also feature a stereogenic metal center.9 To differentiate between chiral metal complexes that contain only achiral ligands and those that involve chiral ligands, we prefer the term "chiral-at-metal" (or more specifically, "chiralat-iron", "chiral-at-rhodium", etc.). This terminology emphasizes that the overall chirality of the metal complex formally arises solely from the stereogenic metal center. Although the term "stereogenic-at-metal" has been used, we find it less precise, as a stereogenic metal center alone does not fully define the overall chirality.

2. Early work

2.1. Seminal work of Alfred Werner (1911)

More than 100 years ago, Werner demonstrated that the octahedral coordination complex cis-[Co(en)₂(NH₃)Cl]Cl₂

(en = 1,2-ethylenediamine) (M1) is chiral despite containing solely achiral ligands (Fig. 2a). 10 Various terms have been used to describe this source of chirality, including "metal-centered chirality," "metal centrochirality," "chiral metal," "chiral-atmetal," and "stereogenic-at-metal". However, it is important to note that chirality formally refers to the geometrical properties of an entire compound rather than a specific structural element. In Werner's complexes, chirality is a result of the helical arrangement of the two 1,2-ethylenediamine ligands, which form either a left-handed (Λ-configuration at the metal) or right-handed (Δ -configuration at the metal) helix.

2.2. Chiral-at-metal complexes as chiral auxiliaries (1980s)

In 1969, Brunner reported the first optically active half-sandwich complex, featuring a central Mn ion asymmetrically coordinated to four distinct substituents in a pseudotetrahedral arrangement with sufficient configurational stability. 11 In the 1980s, Davies, Gladysz, Brookhart, and Liebeskind initiated the first studies on related chiral-at-metal piano-stool half-sandwich complexes as tools for asymmetric organic synthesis, specifically using such chiral-at-metal complexes as chiral auxiliaries. 12-17 For example, Davies demonstrated that the chiral-at-metal α,βunsaturated acyl iron complex (S)-M2 can serve as a dienophile in the diastereoselective Diels-Alder reaction with cyclopentadiene, yielding the cycloaddition product (S)-M3.¹² Following oxidative cleavage of the Fe-C bond using (NH₄)₂Ce(NO₃)₆ (CAN), endo-5-norbornene-2-carboxylic acid (1) was obtained with >95% enantiomeric excess (ee) (Fig. 2b). In this case, the enantiopure chiral-at-iron half-sandwich unit functioned as a chiral auxiliary for a diastereoselective cycloaddition.

2.3. Chiral-at-metal complexes as inducer for asymmetric autocatalysis (2001)

Soai and coworkers reported that chiral-at-cobalt complexes, such as the EDTA complex (-)-M4, in which the chirality arises solely from the octahedral metal stereocenter, can act as chiral inducer in the enantioselective addition of diisopropylzinc to pyrimidine-5-carbaldehyde 2, producing the chiral alcohol (R)-3 with up to 94% ee (Fig. 2c). 18 This reaction follows an autocatalytic mechanism, with the chiral cobalt complex functioning as an inducer rather than as a catalyst.

2.4. First example of chiral-at-metal complex for asymmetric transition metal catalysis (2003)

In 2003, Fontecave proposed utilizing a reactive chiral-at-metal complex for asymmetric catalysis, with the metal acting simultaneously as the sole stereogenic center and the reactive site. Fontecave reported that cis-[Ru(2,9-Me₂phen)₂(MeCN)₂] (PF₆)₂ (M5) catalyzes the oxidation of organic sulfides to sulfoxides (Fig. 2d).19 Although the ligands themselves are achiral, the cis-coordinated phenanthroline ligands induce helical chirality at the ruthenium center, resulting in either a Λ - or Δ -configured metal (left- or right-handed helix). However, the degree of asymmetric induction was very low, with the best result, the conversion $4 \rightarrow 5$, yielding only 18% ee, possibly due to a degradation of the ruthenium complex under the reaction




Fig. 2 Early work on chiral-at-metal complexes and their applications.

Chiral-at-metal complex for asymmetric metathesis catalysis

conditions. As a result, while Fontecave introduced the concept of chiral-at-metal catalysis, the experiments did not serve as definitive proof-of-concept.

2.5. Chiral-at-metal complexes as inert templates for asymmetric catalysis (since 2008)

In 2008, Gladysz reported that the Δ -enantiomer of the simple cobalt(III) complex [Co(en)₃](BArF)₃ (M6) with the large counterion tetrakis[3,5-bis(trifluoromethyl)phenyl]borate (BArF) catalyzes the

Michael reaction of 2-cyclopenten-1-one (6) with dimethyl malonate (7) to provide the Michael adduct 8, although the enantioselectivity was low (33% ee) (Fig. 2e). Because of the inertness of the cobalt complex, catalysis must occur through interactions with the ligand sphere. In 2013, Gong and Meggers demonstrated the merit of this approach by introducing the chiral-at-metal complex Λ -M7 as a highly efficient catalyst for the enantioselective hydrogenation of nitro alkenes using Hantzsch ester (Fig. 2f). For instance, the β , β -disubstituted nitroalkene 9 was reduced to

Chiral-at-metal complex for asymmetric Lewis acid catalysis

the corresponding nitroalkane 10 with 94% ee and 89% yield, using just 0.1 mol% of the chiral-at-iridium catalyst Λ -M7. Mechanistically, since the iridium complex is completely substitutionally inert, the metal center functions solely as a structural center, with catalysis occurring through the ligand sphere via hydrogen bonds and van der Waals interactions with the nitroalkene and Hantzsch ester. Subsequent publications further showcased the potential of octahedral chiral-at-metal complexes as inert templates for asymmetric catalysis. 22 However, this approach does not represent asymmetric transition metal catalysis in the real sense and can be rather classified as asymmetric organocatalysis with an inert metal template. In this context, it is also worth mentioning the pioneering work by Fu and coworkers who used planar-chiral sandwich complexes for asymmetric nuclephilic catalysis.²³ Although the metal does formally not serve as a stereogenic center, the metal is instrumental for generating planar chirality.

2.6. First examples of efficient asymmetric catalysis with chiral-at-metal complexes (2013-2014)

The development of chiral-at-metal catalysts capable of achieving high enantioselectivities represents a relatively recent advancement. In 2013, Hartung and Grubbs unveiled the chiral-at-ruthenium catalyst M8, designed for diastereo- and enantioselective ringopening/cross-metathesis reactions (Fig. 2g).²⁴ For instance, 1 mol% of Δ -M8 catalyzed the reaction of a norbornene derivative (12) with an excess of allyl acetate (11), providing diene 13 in 64% yield, with 95% Z-selectivity and 93% ee. It is worth noting that, in addition to the ruthenium center of complex M8, the ruthenium-bound carbon atom of the adamantyl group also acts as a stereogenic center. However, this stereogenicity is intrinsically tied to the metal-carbon bond, and the ligand becomes achiral when this bond is broken. In 2014, Meggers and coworkers introduced the first chiral-atmetal complex for enantioselective Lewis acid catalysis (Fig. 2h).²⁵ For instance, the conjugate addition of indole to α,β-unsaturated acyl imidazole 14 afforded the addition product 15 with 97% yield and 96% ee using 1.0 mol% of Λ-IrO. This work introduced a general design strategy which ultimately highlighted the broad applicability and effectiveness of chiral-at-metal catalysts within asymmetric catalysis.

3. General design strategy for chiral-at-metal catalysts

3.1. Challenge in designing chiral-at-metal catalysts

The primary challenge in developing chiral-at-metal catalysts lies in ensuring that the metal center functions both as a configurationally stable stereocenter and as a reactive metal site. Unlike chiral metal complexes where chiral ligands often thermodynamically favor a single metal-centered configuration, chiral-at-metal complexes are prone to losing stereochemical information at the metal center due to ligand dissociation or isomerization.9

3.2. General design strategy

We developed a widely applicable structural framework for chiral-at-metal catalysts, centered around octahedral complexes with two cis-coordinated bidentate ligands and two monodentate ligands (Fig. 3). 26-28 All ligands are achiral, and the overall chirality arises from the helical arrangement of the bidentate ligands, which formally creates a stereogenic metal center with either a Λ -configuration (left-handed helix) or Δ -configuration (right-handed helix). While these complexes are typically C_2 symmetric, lower symmetry is also possible.

The foundation of the chiral-at-metal catalyst design involves incorporating inert bidentate ligands to establish and preserve the absolute stereochemistry at the metal center, alongside labile monodentate ligands that facilitate access to the metal center for substrates or reagents. This is achieved by leveraging three key effects: (1) the chelate effect, (2) high ligand field stabilization energy (LFSE),29 and (3) the transeffect.30 While the chelate effect provides some extra stabilization for the bidentate ligands over the monodentate ones, this alone does not ensure inertness. In our experience, it is essential to combine the chelate effect with a strong ligand field, as the kinetic and thermodynamic properties of transition metal complexes are closely tied to the LFSE. This effect is particularly pronounced in octahedral low-spin 18-electron complexes. Additionally, tailored chelate ligands with strong σ -donating (raising the e_g^* orbital) and π -accepting (lowering




Fig. 3 General design strategy for chiral-at-metal catalysts with an octahedral coordination geometry


the t_{2g} orbitals) properties are employed to maximize ligand field splitting. The strong σ-donating coordination sites also play a critical role by being positioned trans to the monodentate ligands, thereby destabilizing them via the trans-effect. Thus, the σ -donating sites serve a dual function: enhancing the inertness of the bidentate ligand framework while simultaneously labilizing the monodentate ligands. This design offers a blueprint for combining configurational stability of the metal stereocenter with a high lability of the monodentate ligands.

The most popular implementation of this design strategy is illustrated in Fig. 3a. In this C_2 -symmetric standard design, the two bidentate ligands are identical and their strongly σ-donating groups are positioned trans to the monodentate ligands (typically MeCN), which results in the strong labilization of these monodentate ligands. A modified version of this design (variation #1) involves a non-C2-symmetric diastereomer in which only one monodentate ligand is labile (Fig. 3b). Another variation (variation #2) introduces different bidentate ligands. Lastly, in variation #3, only one of the bidentate ligands includes a strongly σ -donating coordination site. As shown in Fig. 3, these different ligand arrangements directly influence the lability of the monodentate ligands, with only those positioned trans to a strongly σ-donating group being labile.

4. Asymmetric catalysis with chiral-at-metal complexes

4.1. Chiral-at-iridium catalysts

4.1.1. Design of chiral-at-iridium catalysts. Octahedral iridium(III) complexes (18 valence electrons) are among the most inert transition metal complexes. Given that the preservation of the metal-centered configuration is crucial to the chiralat-metal design, it is not surprising that some of the earliest chiral-at-metal catalysts were based on iridium in the +III oxidation state. The standard design, which is illustrated in Fig. 4 (framed complexes), consists of a central iridium atom which is cyclometalated by two phenyl-substituted aromatic heterocycles, with the octahedral coordination geometry completed by two labile acetonitrile ligands, resulting in an overall C_2 -symmetry. ^{26,31,32} These cationic iridium complexes are typically used as hexafluorophosphate salts. The two inert ciscoordinated cyclometalating ligands create a stereogenic iridium center, which can adopt either a left-handed (Λ -configuration) or right-handed (Δ-configuration) helical topology. The strongly σ-donating phenyl ligands exert a significant trans-effect, which labilizes the two acetonitrile ligands. This is crucial for catalysis, where one or both monodentate ligands are substituted by a substrate or reagent, while the helically arranged inert cyclometalated ligands promote asymmetric induction. The catalysts IrO, 25 IrS, 33 IrBim, 34 and IrInd 34 all follow this standard design and feature cyclometalated ligands with N-coordinated bicyclic aromatic heterocycles, such as benzoxazole (IrO), benzothiazole (IrS), benzimidazole (IrBim), and benzindazole (IrInd). These heterocycles extend into the catalyst's active site, where their steric bulk is further enhanced by tert-butyl substituents on the phenyl



Overview of developed chiral-at-iridium catalysts

groups, ensuring optimal asymmetric induction. The core scaffold has been further functionalized by adjusting steric demand and solubility (IrO_{Ar}), ³⁵ incorporating an H-bond acceptor (IrO_{UMe}), ³⁶ or attaching a chiral-at-iridium catalyst to a solid support (IrO_{PS}).³⁷

Deviations from the standard design have also been reported. For instance, IrC138 and IrC239 differ from the other chiral-at-iridium catalysts as they contain cyclometalated N-heterocyclic carbene (NHC) ligands. More recently, a bis-cyclometalated iridium catalyst featuring an anchillary phosphine oxide ligand (IrP1) was introduced. 40

4.1.2. Synthesis of chiral-at-iridium catalysts. Enantiomerically pure chiral-at-iridium catalysts are typically synthesized using a chiral-auxiliary strategy.41 In this approach, a racemic mixture of chiral-at-metal complexes is reacted with a chiral auxiliary ligand, transforming the racemate into a mixture of diastereomers. This allows for separation based on solubility or chromatographic differences. Finally, the chiral auxiliary ligand is removed to produce enantiomerically pure chiral-at-metal catalysts. A crucial feature of the chiral auxiliary ligands is their tunable binding strength, which can be increased by deprotonation or decreased by reprotonation, enabling reversible coordination of the chiral auxiliary ligands. 42,43

The synthesis of Λ - and Δ -IrS is shown as an example in Fig. 5.44 Accordingly, starting from IrCl₃, the reaction with 2-phenylbenzothiazole (16) followed by the reaction with AgPF₆ in MeCN provides rac-IrS (78%) in a diastereoselective manner

Fig. 5 Chiral auxiliary-mediated synthesis of enantiomerically pure catalysts Λ -IrS and Λ -IrS

as a racemate. The subsequent reaction of rac-IrS with the chiral thiazoline (S)-17 then produces the two diastereomeric complexes Λ -(S)-IrAux (45%) and Λ -(S)-IrAux (46%), which are separated using standard silica gel chromatography. These are then converted to virtually enantiopure Λ -IrS and Δ -IrS (92%, each > 99% ee) by replacing the chiral auxiliary thiozoline ligand with two acetonitrile ligands through treatment with TFA in MeCN followed by NH₄PF₆ to obtain the hexafluorophosphate salts.

4.1.3. Chiral-at-iridium catalysis applications

4.1.3.1. Lewis acid catalysis. In many of the reported cases, the chiral-at-iridium complexes function as chiral Lewis acids.26,31,32 What sets them apart from the wide variety of available chiral Lewis acid catalysts is their exceptional rigidity, which typically results in very high enantiomeric excess values. For instance, IrO, IrS, IrBim, and IrInd have been shown to act as chiral Lewis acid catalysts for the enantioselective conjugate addition of indoles to α,β -unsaturated 2-acyl imidazoles. ^{25,34,45} In a specific example, the reaction of unsaturated 2-acyl imidazole 14 with indole, catalyzed by 1 or 2 mol% of chiral-atiridium catalysts, yielded the Michael adduct 15 in 81-97% yield with 96-99% ee (Fig. 6a). Mechanistically, the bidentate N,O-coordination of the 2-acyl imidazole to the iridium center activates it toward attack by the nucleophilic indole (I). The chiral bis-cyclometalated iridium fragment effectively blocks the Re-face of the prochiral alkene (in the case of metalcentered Λ -configuration), directing the indole to the Si-face and providing strong asymmetric induction. In this and many other reported Michael reactions, using a variety of different Michael acceptors and nucleophiles, the benzothiazole-based catalysts Λ - and Δ -IrS consistently offer the best enantioselectivities. This can be attributed to the long C-S bond lengths in




Fig. 6 Chiral Lewis acid catalysis with chiral-at-iridium catalysts. This typically involves substrate activation through two-point binding by the iridium catalyst.

the benzothiazole, which position the tert-butyl groups somewhat closer to the catalytic site, enhancing steric hindrance. This often results in near-perfect asymmetric induction, with many examples achieving enantioselectivities of 99% ee.

There are instances where IrO outperforms IrS, such as in the hetero-Diels-Alder reaction between enone 18 and 1,2-dihydrofuran (19), producing the bicyclic product 20 with an 81% yield, excellent diastereoselectivity (endo:exo > 50:1), and 99% ee (Fig. 6b). 45 A crystal structure of the product coordinated to the catalyst could represent an intermediate in the catalytic cycle (II).

Chiral-at-iridium complexes have also been employed in enolate chemistry. Xu reported remarkably high enantioselectivities in an enantioselective α -fluorination of 2-acyl imidazole 21 using Selectfluor, yielding the fluorinated product 22 with 97% yield and 99% ee. 46 This reaction likely proceeds via an iridium enolate intermediate (III) (Fig. 6c).

Other reactions reported to be catalyzed by chiral-at-iridium complexes include asymmetric Nazarov cyclizations⁴⁷ and the kinetic resolution of epoxides³⁵ using CO₂ to produce cyclic carbonates.

4.1.3.2. Asymmetric transfer hydrogenation. In addition to conventional chiral Lewis acid catalysis, bis-cyclometalated chiral-at-iridium complexes have been demonstrated to catalyze asymmetric hydrogenations ⁴⁸ and transfer hydrogenations. ^{38,40,49,50} Mechanistically, these examples share the feature of an ancillary monodentate ligand coordinating to the iridium catalyst, facilitating hydrogen bonding with the substrate (see intermediates IV-VI in Fig. 7). For example, 2-acetyl benzothiophene (23) was reduced to




Fig. 7 Asymmetric transfer hydrogenation with chiral-at-iridium complexes

its alcohol 24 with 93% yield and 99% ee, using ammonium formate as the reducing agent and only 0.2 mol% of the catalyst Λ-IrS (Fig. 7a). 49 Remarkably, quantitative conversion with 98% ee was achieved even at a catalyst loading as low as 0.005 mol%. It is important to note that the presence of a pyrazole co-ligand (e.g. 25) is essential for this catalysis, as it binds to the iridium catalyst, while reaction with ammonium formate generates an iridium hydride intermediate. This allows a Noyori-Ikariya-type transition state⁵¹ (IV), resulting in the concerted transfer of a hydride to the carbonyl carbon and a proton to the carbonyl oxygen.

In a related example, IrC1, bearing cyclometalated NHC ligands, was shown to catalyze the enantioselective reduction of sulfonylimines (Fig. 7b).³⁸ For instance, using just 0.05 mol% of Δ -IrC1 with ammonium formate as the reducing agent, sulfonylimine 26 was converted to sultam 27 with 99% yield and 98% ee. Mechanistic studies indicated that in this system, NH_3 acts as the ancillary ligand (V).

In contrast to these cases, where the ancillary ligand coordinates in situ, Pazos and Freixa reported that the complex IrP1, with a secondary phosphine oxide coordinated in its tautomeric hydroxy form, catalyzes the asymmetric transfer hydrogenation of acetophenone (28) to produce alcohol 29 with complete conversion and 87% ee (Fig. 7c). 40 Here, the hydroxy group of the coordinated phosphine is proposed to form a hydrogen bond with the ketone in the transition state (VI).

4.1.3.3. Asymmetric photoredox catalysis. What truly distinguishes this class of chiral-at-iridium catalysts, however, is their capability to catalyze asymmetric photoreactions.²⁶ Biscyclometalated iridium complexes are widely employed as photoredox catalysts or photosensitizers in contemporary organic photochemistry.⁵² In the realm of asymmetric photochemistry, these complexes are often paired with a chiral

catalyst to achieve dual catalysis. 53 Notably, we have documented several instances where IrO or IrS act as the sole catalyst for asymmetric photoredox catalysis. 33,54-57 For example, visible light-induced radical α-alkylation of 2-acyl imidazole 30 with the electron-deficient benzyl bromide 31 afforded 32 quantitatively with 99% ee (via reaction of enolate intermediate VII with an electrophilic radical) (Fig. 8a), 33 while the aminoalkylation of 2-acvl imidazole 33 with α-silvlamine 34 under air afforded 35 with 92% yield and 97% ee (via the reaction of enolate intermediated VIII with an iminium ion) (Fig. 8b).54 In another case, IrS facilitated the reaction of trifluoromethylketones (e.g. 36) with tertiary amines (e.g. 37) to produce chiral 1,2aminoalcohols (e.g. 38) with 82% yield and 99% ee, through a photoredox-catalyzed radical-radical cross-coupling (intermediate IX) (Fig. 8c).⁵⁷ In these asymmetric photoredox reactions, the chiral iridium catalyst functions both as a chiral Lewis acid and as a photocatalyst, following substrate binding.

In all reported asymmetric photoreactions catalyzed by chiral-at-iridium complexes, it is noteworthy that the photoactive iridium species are generated in situ through substrate coordination, occasionally followed by deprotonation. The photochemical properties of these intermediates then govern the reaction pathways. The neutral iridium enolate intermediate (X) (Fig. 8a) functions as a strong photoactivated reductant. In contrast, the cationic iridium complex (XI), formed upon binding to a 2-acyl imidazole, acts as a weak photoactive oxidant (Fig. 8b). Meanwhile, coordination with more electron-deficient 2-trifluoroacetyl imidazoles (complex XII) generates a significantly stronger light-activated oxidant (Fig. 8c).

In conclusion, it is striking that the structurally simple chiral-at-metal iridium complexes, IrO and IrS, are capable of catalyzing such intricate visible-light-driven transformations, where asymmetric catalysis closely cooperates with photoredox chemistry. Furthermore, it is important to highlight that, in these reactions, the metal center assumes multiple roles: it serves as the sole source of chirality, acts as the Lewis acid center, and is a crucial component of the photoactive species generated in situ.

4.2. Chiral-at-rhodium catalysts

4.2.1. Overview of developed chiral-at-rhodium catalysts. Fig. 9 provides an overview of the chiral-at-rhodium catalysts developed to date, which have been utilized in a wide range of applications in asymmetric catalysis. 58-129 In 2015, our group reported the first rhodium catalyst featuring exclusively metalcentered chirality.⁵⁸ In this catalyst, RhO, which is the lighter congener of IrO, the rhodium is cyclometalated in a propellerlike, C_2 -symmetrical arrangement by two 5-tert-butyl-2phenylbenzoxazole ligands, creating a stereogenic rhodium center with either a left-handed (Λ) or right-handed (Δ) metal-centered configuration, resulting in a helical overall topology. The cyclometalated ligands are configurationally inert, maintaining the stereochemistry of the rhodium center. The octahedral coordination sphere is completed by two labile acetonitrile ligands, which are necessary for catalytic activity by allowing substrate or reagent binding upon the dissociation of

This journal is © The Royal Society of Chemistry 2025

Asymmetric photoredox catalysis with chiral-at-iridium complexes

one or both acetonitrile ligands. A hexafluorophosphate anion balances the charge of the monocationic rhodium complex.

Since the cyclometalating ligands and their substitution patterns significantly influence catalytic performance and enantioselectivity, several other rhodium catalysts have been developed. Kang reported RhO derivatives with 3,5-Me₂Ph or 3,5-(CF₃)₂Ph moieties on the phenyl groups of the phenylbenzoxazole ligands (RhO_{Ar}). 99,100 In another modification, Kang and Du replaced the cyclometalated phenyl moiety with a naphthyl (RhO_{Naphth}). 110


We further developed the chiral-at-Rh catalyst RhS, the lighter analogue of IrS, which features cyclometalated phenylbenzothiazole ligands instead of phenylbenzoxazoles.⁶¹

Importantly, the benzothiazole catalyst RhS often offers better enantioselectivities than its benzoxazole counterpart **RhO**. This can be attributed to the longer C-S bonds in the benzothiazole of RhS compared to the C-O bonds in the benzoxazole of RhO, bringing the tert-butyl groups of RhS closer to the active site (near the two labile acetonitrile ligands) and enhancing asymmetric induction (see Fig. 10 for superimposed RhS and RhO). The steric crowding at the active site can be further enhanced by substituting the tert-butyl groups with more bulky adamantyl (RhSAd)77 or trimethylsilyl (RhSTMS)85 groups. Another variant we developed is RhInd, 87,93 the lighter congener of IrInd, where rhodium is cyclometalated by two phenylindazole ligands. We also introduced chiral-at-rhodium catalysts with two different cyclometalating ligands, such as RhMix, which incorporates both phenylbenzimidazole and phenylpyrazole

ligands. 86 Finally, the pre-catalyst RhO-βPhe disintegrates in situ to form a chiral-at-rhodium Lewis acid and β-phenylalanine to perform chiral Lewis acid/enamine co-catalysis. 65

All these chiral-at-rhodium complexes are air- and moisturestable, tolerate silica gel chromatography, and remain fully configurationally stable in solution at room temperature.

4.2.2. Synthesis of chiral-at-rhodium catalysts. The initial synthesis of enantiomerically pure RhO used proline as a chiral auxiliary from the chiral pool (Fig. 11a).58 Accordingly, the reaction of RhCl₃ hydrate with 5-tert-butyl-2-phenylbenzoxazole (39) in a 3:1 mixture of 2-ethoxyethanol and water under reflux afforded the rhodium dimer complex rac-RhOdim (62%). A subsequent reaction of rac-**RhOdim** with D-proline provided a mixture of diastereomers, Λ -(R)-**RhProl** and Δ -(R)-**RhProl**, which could not be separated by chromatography due to the limited stability of the complexes. However, we discovered that Δ -(R)-RhProl could be easily isolated in high purity with a 40% yield by washing the diastereomeric mixture with a CH₂Cl₂/diethyl ether solution, effectively exploiting the solubility difference between the two diastereomers. In an analogous fashion, the mirror-imaged complex Λ -(S)-RhProl can be synthesized using L-proline as the chiral auxiliary (36% yield). Exposure of the individual diastereomers to the weak acid NH₄PF₆ in MeCN at 50 °C, to labilize the prolinato ligand by protonation, resulted in a replacement of proline with two acetonitriles, thus affording Λ -RhO and Δ -RhO as single enantiomers (>99% ee). Thus, the abundant amino acid proline served as a convenient chiral auxiliary to generate enantiomerically pure chiral-at-rhodium catalysts Λ - and Δ -**RhO**.



Overview of developed chiral-at-rhodium catalysts




Fig. 10 Superimposed crystal structure of RhS (grey, CCDC 1455731) and RhO (green, CCDC 1027145). Reproduced from ref. 61 with permission from The Royal Society of Chemistry, copyright 2016

Finding a chiral-auxiliary-mediated method to generate enantiomerically pure RhS proved more challenging, as all initially tested chiral auxiliaries failed to afford intermediate rhodium auxiliary complexes with distinct solubility differences and lacked the stability required for separation by silica gel chromatography. Finally, a fluorinated salicyloxazoline turned


out to be suitable (Fig. 11b).61 The auxiliary-mediated synthesis starts with rhodium trichloride hydrate which is first reacted with 5-tert-butyl-2-phenylbenzothiazole (16) followed by treatment with AgPF₆ in MeCN to provide racemic RhS (73%). The complex rac-RhS is then reacted with the monofluorinated salicyloxazoline (S)-40 to provide a diastereomeric mixture of Λ -(S)-RhAux and Δ -(S)-RhAux. In contrast to RhProl, both diastereomers are sufficiently stable to be resolved into the single diastereomers (46% each) by silica gel chromatography. Alternatively, they can also be resolved based on their different solubilities in EtOH, or a combination of chromatography and exploiting solubility differences. Finally, starting with Λ -(S)-RhAux or Δ -(S)-RhAux, a TFA induced replacement of the coordinated auxiliary ligand with two acetonitriles under retention of configuration followed by treatment with NH₄PF₆ affords the individual enantiomers Λ-RhS (90%) and Δ -RhS (90%). A very detailed synthetic protocol is available.44

A crucial element of this auxiliary-mediated synthesis is the fluorinated salicyloxazoline ligand (S)-40 which was originally introduced by Ceroni and co-workers. 130 The fluorine renders the coordinated phenolate less basic and thus stabilizes towards Lewis acid activation (such as silica gel) while the phenyl substituent of the oxazoline moiety undergoes π-stacking with the adjacent benzothiazole ligand (Fig. 12). These two aspects lead to an important improvement of the stability of the auxiliary complex so it can be handled and chromatographed without decomposition.

4.2.3. Chiral-at-rhodium catalysis applications. Bis-cyclometalated chiral-at-rhodium complexes are excellent chiral Lewis acids. The large body of published work on chiral-atrhodium catalysis demonstrates that, for most applications, chiral-at-rhodium complexes are superior chiral Lewis acid catalysts compared to their isostructural chiral-at-iridium counterparts. This can be pinpointed to kinetic effects, specifically a much faster rate of ligand exchange, which is at least three orders of magnitude higher.64 Since ligand exchange is a critical step in any catalytic cycle (e.g. substrate coordination and product dissociation), this becomes especially significant in radical reactions, where the typically short lifetime of an intermediate radical demands a high turnover frequency in the catalytic cycle. Bis-cyclometalated chiral-at-rhodium complexes have also been extensively applied to asymmetric photocatalysis²⁷ and used for catalytic asymmetric electrochemistry^{85,94} and even photoelectrochemistry.95

The first examples of chiral-at-rhodium catalysis were reported by our group in 2015 (Fig. 13a). For instance, Λ -RhO, at a catalyst loading of just 0.2 mol%, was shown to catalyze the enantioselective \alpha-amination of 2-acyl imidazole 30 with dibenzyl azodicarboxylate (41), affording product 42 in 88% yield and 96% ee. In comparison, the heavier congener Λ -**IrO** required ten times the catalyst loading to achieve 86% yield and 92% ee. Mechanistically, the reaction is believed to proceed through a rhodium enolate intermediate (XIII), where the Si-face of the enolate's α -carbon is shielded by one of the tert-butyl groups, leading to an efficient asymmetric induction during the reaction of the rhodium enolate with the azodicarboxylate electrophile. Building on this initial

Fig. 11 Chiral auxiliary-mediated synthesis of enantiomerically pure chiral-at-rhodium catalysts. (a) Λ - and Λ -RhO using L- and p-proline as chiral auxiliary ligands from the chiral pool. (b) Λ - and Δ -RhS using a fluorinated salicyloxazoline ligand.



a.) Initial Synthesis of Λ- and Δ-RhO

Fig. 12 Crystal structure of the chiral auxiliary chiral-at-rhodium complex Λ -(S)-RhAux (CCDC 1455732). Reproduced from ref. 61 with permission from The Royal Society of Chemistry, copyright 2016

work, chiral-at-rhodium complexes such as RhO, RhS, and their derivatives have been established by our group, 58-95 as well as by Kang, Du, Su, Gong, Li and Xu, 96-116,118-129 and others 89,92,117 as highly versatile chiral Lewis acid catalysts for a broad range of reactions. In most catalytic processes, the substrate is activated through bidentate binding to the electrophilic rhodium center (e.g. see proposed catalytic intermediates XIII-XVII). Common substrates include 2-acyl imidazoles, N-acyl pyrazoles, 2-acyl pyridines, 1,3-dicarbonyl compounds, among others.

Additionally, bis-cyclometalated rhodium complexes have proven to be excellent catalysts for asymmetric photochemistry by Meggers, 27 Kang, 102 and Alemán, 117 whether employed in dual catalysis or as single catalysts. For example, we demonstrated highly enantioselective RhS-catalyzed [2+2] photocycloadditions under direct visible-light excitation (43 + 44 → 45) (Fig. 13b), 73 while Kang reported a visible-light-induced asymmetric conjugate radical addition using RhO_{Ar} (Ar = 3,5-(CF₃)₂Ph) $(46 + 47 \rightarrow 48)$ (Fig. 13c).¹⁰² Recently, a bis-cyclometalated

rhodium indazole complex (RhInd) was shown to catalyze the efficient α-photoderacemization of pyridylketone 49 (Fig. 13d).⁹³ The manifold applications of bis-cyclometalated chiral-atrhodium complexes for asymmetric photocatalysis was reviewed recently.27

Additionally, bis-cyclometalated rhodium complexes have proven to be effective catalysts for integrating electrochemistry with asymmetric catalysis. 85,94 For instance, Meggers recently reported that RhS_{TMS} catalyzes the oxidative cross-coupling of racemic 2-acyl imidazole rac-50 with silyl enol ether 51, providing a route to non-racemic 1,4-dicarbonyl compound 52 in 83% yield and 96% ee (Fig. 13e).85

In summary, since the first report in 2015,⁵⁸ numerous studies have demonstrated the versatility of bis-cyclometalated chiral-atrhodium complexes in asymmetric catalysis, particularly in reactions where the substrate binds via a two-point interaction. This versatility stems from their strong Lewis acid activity, in conjunction with photoactivity (triggered in situ upon substrate binding) and high chemical stability, making them suitable for a wide range of reaction types, including photoreactions, radical reactions, and redox processes.

4.3. Chiral-at-ruthenium and chiral-at-osmium catalysts

4.3.1. Overview of developed chiral-at-ruthenium catalysts.

A widely successful chiral-at-ruthenium catalyst design is illustrated in Fig. 14. 28,131-144 The structure features ruthenium(II) coordinated in a cis-arrangement by two chelating N-(2-pyridyl)substituted N-heterocyclic carbene (PyNHC) ligands, along with two acetonitrile ligands. The C_2 -symmetric dicationic complex is commonly paired with two hexafluorophosphate anions, which ensures its solubility in standard organic solvents. The complex is chiral, despite its achiral ligands, due to the Chem Soc Rev

83% yield, 96% ee

electrolysis

Catalytic applications of chiral-at-rhodium catalysts

stereogenicity of the metal center. The absolute configuration of the metal center is determined by the helical twist of the two PyNHC ligands, resulting in either a Λ (left-handed) or Δ (righthanded) configuration. The complex [Ru(PyNHC)₂(MeCN)₂] exhibits high constitutional and configurational stability for the PyNHC ligands, while the acetonitriles are highly labile. The high inertness of the Ru(PyNHC)₂ core can be attributed to the electronic properties of the PyNHC ligands, which combine a strong σ-donating NHC group with a σ-donating and π-accepting pyridyl group, maximizing ligand field stabilization energy and thus enhancing both the kinetic and thermodynamic properties of the octahedral complex. Additionally, the strong σ-donating NHC groups weaken the coordinated acetonitrile ligands through the trans-effect. Inter-ligand stacking interactions between the mesityl groups of the NHC and pyridyl moieties further contribute to the robustness of the catalyst (see X-ray structure of RuDMP in Fig. 14). This design enables

the catalyst to perform well in asymmetric catalysis, even at temperatures exceeding 100 °C. Moreover, the electronic and steric properties of the scaffold can be tuned by adding substituents to the pyridyl (see RuCF₃, RuTMS, RuTES, RuDMP, Ru(CF₃)₂Ph, Ru(CF₃)Ph) or NHC components (see RuBIM), creating catalysts optimized for various asymmetric reactions. The scaffold's robustness and ability to catalyze stereocontrolled nitrene-mediated C(sp³)-H aminations makes it particularly valuable. Recently, a new derivative featuring 1,2,3triazol-5-ylidene mesoionic carbenes in place of imidazol-2ylidenes has been introduced (RuMIC), significantly enhancing the reactivity of ruthenium complexes in enantioselective intramolecular C(sp3)-H aminations of aliphatic azides to produce chiral pyrrolidines.145

In a different design, our group in collaboration with Houk developed a chiral-at-ruthenium catalyst where ruthenium is cyclometalated by two 7-methyl-1,7-phenanthrolinium heterocycles




Fig. 14 Overview of developed chiral-at-ruthenium catalyts. The shown crystal structure of **RuDMP** is reproduced from ref. 131 with permission from the American Chemical Society, copyright 2017.

in a non- C_2 -symmetric manner, forming chelating pyridylidene remote N-heterocyclic carbene ligands (rNHCs) (rNHCRu). 146 Due to the lack of C_2 -symmetry, the two coordinated nitrile ligands are not equivalent. The strong σ -donating pyridylidene ligand renders the *trans*-positioned acetonitrile more labile, as evidenced by an elongated coordination bond. This catalyst demonstrated remarkable activity in the intramolecular $C(sp^3)$ -H amidation of 1,4,2-dioxazol-5-ones, leading to the formation of chiral γ -lactams. However, the C_2 -symmetric diastereomer promotes the undesired Curtius rearrangement. This example highlights the significance of both the relative stereochemistry (C_2 -symmetric vs. non-vs2 symmetric diastereomer) and the absolute metal-centered stereochemistry (vs3 vs4 vs5 vs6 vs8 vs9 vs

In addition to NHC, MIC, or rNHC groups as strongly σ -donating chelate ligands, incorporating even stronger σ -donating ligands, such as cyclometalating ligands that form metal-carbon σ -bonds, can increase the electron density at the ruthenium center, potentially yielding chiral-at-ruthenium catalysts with unique catalytic properties. For instance, the catalyst **RuCM1**, which features a cyclometalating phenylpyrazole ligand and coordinated 1,10-phenanthroline, is highly effective in converting diazoketones to chiral flavanones. Meanwhile,

RuCM2, ¹⁴⁸ which features a cyclometalated N-(3-nitrophenyl)-imidazo[1,5-*a*]pyridinylidene ligand along with a bidentate 4-mesityl-2-(pyridin-2-yl)thiazole, catalyzes the enantioselective intramolecular cyclopropanation of *trans*-cinnamyl diazoacetate and an alkenyl diazoketone, leading to the formation of bicyclic cyclopropanes.

4.3.2. Synthesis of chiral-at-Ru catalysts. The synthetic route for producing enantiomerically pure C_2 -symmetric chiral-at-ruthenium complexes is outlined in Fig. 15a, using the preparation of Λ - and Δ -**RuDMP** as an example. Accordingly, heating a mixture of ruthenium trichloride hydrate and pyridyl imidazolium salt 53 in ethylene glycol at 200 °C, followed by treatment with AgPF6 in MeCN at 60 °C, yields the racemic complex rac-RuDMP. Reacting rac-RuDMP with the chiral salicyloxazoline auxiliary ligand (S)-54 in the presence of triethylamine affords the single diastereomer Λ -(S)-RuAux. Interestingly, the Δ -(S)-RuAux diastereomer does not form, likely due to steric clashes between the S-configured auxiliary ligand and the right-handed helical structure of the ruthenium Δ -enantiomer. In the next step, Λ -(S)-**RuAux** undergoes stereospecific exchange of the auxiliary ligand with two acetonitriles to afford enantiopure Λ -RuDMP. This transformation is achieved by treating the complex with trifluoroacetic acid (TFA) and ammonium hexafluorophosphate in acetonitrile, followed by purification through silica gel chromatography. By using (R)-54 as the chiral auxiliary ligand, enantiopure Δ -RuDMP can be synthesized through the same process. These chiral-atruthenium complexes are obtained in enantiomerically pure form and exhibit high constitutional and configurational stability, showing no signs of decomposition or racemization even after heating at 60 °C in THF for 72 hours.

The synthesis of enantiomerically pure Λ - and Δ -rNHCRu follows a similar overall strategy, but involves a different type of chiral auxiliaries and includes an unexpected isomerization. 146 As depicted in Fig. 15b, reacting RuCl₃ hydrate with 1,7phenanthrolinium salt 55 in a 4:1 mixture of 2-ethoxyethanol and water at 125 °C results in the racemic chloro-bridged dimer complex rac-rNHCRu. Both ruthenium atoms are cyclometalated in a C_2 -symmetric manner by two 1,7-phenanthroline ligands, which can be described as chelating pyridyl pyridylidene ligands. In the subsequent step, the racemic mixture is reacted with either (R)- or (S)-N-benzoyl-tert-butanesulfinamide (56) in the presence of K_2CO_3 , resulting in the formation of the single diastereomers, Λ -(S)-rNHCRuAux or Δ -(R)-rNHCRuAux, respectively. Remarkably, during the formation of these Nsulfinylcarboximidate complexes, an unexpected yet critical isomerization of the chelating pyridylidene ligands takes place. Finally, treatment with the weak acid NH₄BF₄, followed by reaction with pivalonitrile, yields the Λ -rNHCRu and Δ -rNHCRu catalysts.

All the methods discussed so far for generating chiral-atmetal catalysts have relied on chiral-auxiliary-ligand-mediated resolutions of racemic mixtures of the catalysts or its precursors. However, when the metal center exhibits lower configurational stability, such as at elevated temperature, alternative strategies become viable, allowing for the conversion of a Chem Soc Rev

∆-RuDMF

a.) Chiral auxiliary-mediated synthesis of Λ - and Δ -RuDMF b.) Chiral auxiliary-mediated synthesis of Λ- and Δ-rNHCRu c.) Chiral auxiliary-mediated deracemization of rNHCRuco EtOCoH4OH:HoO (4:1) 1.) Ethylene glycol, 200 °C 2.) MeCN, AgPF₆, 60 °C rac-rNHCRuco EtOH, 80 °C rac-rNHCRu >99% rac-RuDMP Diasterenselective K₂CO₃ Dynamic Resolution ¬(PF₆)₂ 32% (R)-**54** Λ -(R)-RuOz Δ -(S)-RuOz 1.) CF₃SO₃H, MeCN 0 °C, 10 h Λ-(S)-rNHCRuAux ∆-(R)-rNHCRuAux >00% 1.) NH₄BF₄ Δ -(R)-RuAux 2.) NH₄PF₆, MeCN CH₃CN/H₂O, 75 1.) TFA, MeCN Λ-rNHCRu_{CO} ∆-rNHCRu_{CO} 95% 2.) tBuCN, 60 °C

7(PF₆)₂

Fig. 15 Chiral auxiliary-mediated synthesis of chiral-at-ruthenium catalysts. (a) Chiral auxiliary-mediated synthesis of Λ - and Δ -RuDMP. (b) Chiral auxiliary-mediated synthesis of Λ - and Δ -rNHCRu. (c) Synthesis of a non-racemic chiral-at-ruthenium catalyst Λ - and Δ -rNHCRuco by chiral-auxiliarymediated deracemization

∆-rNHCRu

racemic mixture into a single enantiomer of the catalyst. In line with this, we recently developed an auxiliary-mediated deracemization protocol for the synthesis of a non- C_2 -symmetric chiral-at-ruthenium catalyst (Fig. 15c). 149 This catalyst features two cyclometalated 7-methyl-1,7-phenanthrolinium heterocycles, a CO ligand, and a labile MeCN ligand (rNHCRu_{CO}, Fig. 14). When the monodentate chiral oxazoline ligand (R)-57 is coordinated in ethanol at 80 °C, the racemic mixture of the complex is converted into a single diastereomer, Λ -(R)-RuOz, with a quantitative yield through selective precipitation from the solution. At this elevated temperature, the two enantiomers of rNHCRu_{CO} are in equilibrium, and coordination with (R)-57 induces selective precipitation of one diastereomer. After the oxazoline ligand is removed under acidic conditions, enantiomerically pure Λ -rNHCRu_{CO} (>20:1 er) is obtained. The opposite enantiomer, Δ -rNHCRu_{CO}, can be isolated using the chiral auxiliary ligand (S)-57 in an analogous fashion. While rNHCRuco is not an especially versatile catalyst, it was shown to catalyze the enantioselective conversion of 1,2,4-dioxazol-5ones to their chiral γ-lactams. 149

∆-RuDMP

4.3.3. Chiral-at-Ru catalysis applications

4.3.3.1. Initial catalysis reports. The propeller-shaped Ru(PyNHC)₂ catalysts were first employed in enantioselective alkynylation reactions involving trifluoromethyl ketones. For instance, at a catalyst loading of just 0.2 mol%, A-RuDMP efficiently catalyzes the alkynylation of 2,2,2-trifluoroacetophenone (58) with phenylacetylene (59), using catalytic amounts of the base Et₃N, providing propargylic alcohol 60 with 98% yield and 99% ee (Fig. 16a). 131 This approach was later utilized in the synthesis of key chiral intermediates for the AIDS drug Efavirenz. 132 Mechanistically, experiments and DFT calculations by Chen and Houk are consistent with a mechanism in which the catalytic cycle proceeds via a ruthenium acetylide intermediate (XVIII), where the acetylide adds through an inner-sphere transfer to the ruthenium-bound trifluoromethyl ketone. 133 The high rigidity of the propeller-shaped geometry contributes to the high enantioselectivity.

4.3.3.2. Nitrene-mediated C-H aminations. Subsequently, it was discovered that the Ru(PyNHC)2 complexes exhibit remarkable catalytic efficiency and stereocontrol in a large variety of nitrene-mediated asymmetric C(sp³)-H amination reactions.²⁸ For example, Λ-RuTMS (1 mol%) catalyzes the ring-closing C-H amination of N-benzoyloxyurea 61, affording 2-imidazolidinone 62 in 99% yield and 95% ee, likely through a triplet ruthenium nitrene intermediate (XIX), followed by a 1,5hydrogen atom transfer (HAT) and subsequent C-N bond formation (Fig. 16b). 138 In contrast, the rNHC complex rNHCRu displays less versatility compared to the Ru(PyNHC)2 complexes. However, it shows exceptional catalytic performance in the ring-closing C-H amidation of dioxazolones. 146 For instance, dioxazolone 63 was converted to chiral γ-lactam 64 in 56% yield and >98% ee using merely 0.005 mol% of Λ-rNHCRu. DFT calculations suggest a mechanism involving intramolecular C-H nitrene insertion via a ruthenium N-acylnitrene intermediate (XX). Regarding mesoionic chiralat-ruthenium catalysts, the complex Δ -RuMIC (1 mol%) has been shown to catalyze the challenging ring-closing C-H

Catalytic applications of chiral-at-ruthenium catalysts.

amination of aliphatic azide 65, forming pyrrolidine 66 in 56% yield and 94% ee, likely through a ruthenium nitrene C-H insertion (XXI). 145 Maybe most interesting is the discovery that the chiral-at-ruthenium Ru(PyNHC)₂ complexes catalyze a novel 1,3-migratory nitrene C(sp³)-H insertion, which constitutes a highly straightforward and economic α-amino acid synthesis. 143 For example, Λ -RuDMP (1 mol%) catalyzes the conversion of azanyl ester 67 to amino acid 68 in 91% yield and 95% ee (likely *via* **XXII**) (Fig. 16c).

99% yield, 94% ee

XXIV

4.3.3.3. Nitrene-mediated C-H oxygenations. In addition to C-H aminations and amidations, chiral-at-ruthenium complexes have been reported to mediate uncommon nitrenedriven intramolecular C(sp³)-H oxygenations. ^{137,142} For instance, Λ-Ru(CF₃)₂Ph (2 mol%) catalyzes the conversion of azanyl carbonate 69 to cyclic carbonate 70 with an 85% yield and 95% ee (likely via XXIII) (Fig. 16d). 142

4.3.3.4. Carbene C-H insertions. Finally, cyclometalated chiralat-ruthenium catalysts have been reported to catalyze carbene chemistry such as enantioselective ring-closing C(sp3)-H carbene insertions. 147,148 For example, Λ-RuCM1 (2 mol%) catalyzes the conversion of diazoketone 71 to flavanone 72 with a 99% yield and 94% ee (likely *via* **XXIV**) (Fig. 16e). 147

To summarize this section on chiral-at-ruthenium complexes, the *cis*-coordination of bidentate ligands to ruthenium results in a helical arrangement of the chelate ligands, creating a stereogenic metal center. Given the extensive development of ruthenium coordination chemistry and the numerous methods available for the stepwise or simultaneous introduction of ligands, a wide range of chiral-at-ruthenium catalysts have been created. Crucially, at least one of the bidentate ligands contains a strongly σ -donating group, such as a conventional NHC, a remote NHC, a mesoionic carbene, or a cyclometalating ligand. Among the various chiral-at-ruthenium catalysts, the C_2 -symmetric complexes $[Ru(PyNHC)_2(MeCN)_2]_2$ $(PF_6)_2$ stand out due to their chemical robustness, high asymmetric induction, and strong catalytic performance, particularly in nitrenemediated asymmetric reactions. This catalyst framework has been recently reviewed.²⁸

4.3.4. Chiral-at-osmium catalysis. The chiral-at-osmium catalyst rNHCOs_{CO}, which is isostructural to rNHCRu_{CO}, was recently reported by us (Fig. 17). 150 However, because coordinative bonds to osmium are significantly less labile than those to ruthenium, single enantiomers of this complex were obtained using conventional chiral-auxiliary-mediated resolution in contrast to the auxiliary-mediated reracemization applied to the isostructural ruthenium catalyst rNHCRu_{CO}. The chiral-atosmium catalyst rNHCOs_{CO} was shown to promote the ringclosing C(sp3)-H amidation of azidoformates. For instance, using 2.0 mol% of Δ -rNHCOs_{CO} at 75 °C, azidoformate 73 was converted into 2-oxazolidinone 74 with an isolated yield of 86% and 78% ee.

Chiral-at-iron catalysts

The development of reactive chiral-at-metal catalysts using earth-abundant metals is highly challenging due to the high lability of coordination bonds with 3d metals and the crucial need for a metal stereocenter that is configurationally stable. In 2019, our group reported the first chiral-at-iron catalyst, showcasing how ligand design can significantly influence both configurational stability and ligand lability. 151 The catalyst

Fig. 17 First example of a chiral-at-osmium catalysis.

employs the same ligand framework as related Ru(PyNHC)2 complexes.²⁸ Specifically, iron is coordinated by two chelating N-(2-pyridyl)-substituted N-heterocyclic carbenes (PyNHC) in a C_2 -symmetrical arrangement, forming a helical structure with the iron center adopting either the Λ (left-handed) or Δ (right-handed) stereogenic configuration (Fig. 18). The coordination is completed by two acetonitrile molecules, resulting in an overall octahedral geometry. The dicationic iron complexes are typically used as hexafluorophosphate salts.

Similar to the related chiral-at-ruthenium catalysts, 28 the strongly σ -donating NHC moieties, combined with the σ -donating and π -accepting pyridyl ligands, provide a strong ligand field. This increases the stability of the helical arrangement of the two bidentate ligands, while the trans-effect of the σ-donating NHC ligands ensures high lability of the two acetonitrile ligands. Interestingly, it was shown that the CF₃ groups have a positive effect on the stability of the iron complexes. Furthermore, the configurational stability depends on the nature of the σ -donating NHC ligands. For instance, replacing the imidazol-2-ylidene carbene groups of FeNHC_{Mes} with slightly more π -accepting benzimidazol-2-ylidenes (FeBIM)¹⁵² increases configurational robustness. Conversely, replacing them with more strongly σ-donating 1,2,3-triazol-5-ylidene mesoionic carbenes (FeMIC)¹⁵³ completely eliminates configurational stability. Therefore, precise ligand design is essential for creating configurationally robust chiral-at-iron catalysts.

These chiral-at-iron complexes have proven to be suitable chiral Lewis acid catalysts for asymmetric hetero-Diels-Alder reactions. Notably, asymmetric induction in these reactions can be enhanced by replacing the 2,4,6-trimethylphenyl (Mes) groups at the NHC ligands (FeNHC_{Mes}) with bulkier 2,6-diisopropylphenyl (Dipp) groups (FeNHC_{Dipp}). These larger moieties interact directly with the catalytic site, influencing the asymmetric induction in inverse electron demand hetero-Diels-Alder reactions (see Fig. 18). For example, Λ -FeNHC_{Dipp} (3 mol%) catalyzes the reaction between the α,β -unsaturated α-ketoester 75 and 2,3-dihydrofuran (19) to afford 3,4-dihydro-2H-pyran 76 in 98% yield with 99:1 dr and 97% ee.

4.5. Other chiral-at-metal catalyst designs

A few chiral-at-metal catalysts have been reported that differ from the general design discussed in the previous section. Notably, Rodríguez, Passarelli and Carmona introduced an intriguing chiral-at-metal catalyst design through the use of a tripodal, tetradentate ligand featuring three distinct arms branching from a central coordinating amine moiety (Fig. 19a). 155-162 Enantiomerically pure chiral-at-rhodium complexes (C)-RhTrip1 (clockwise absolute metal-centered configuration) and (A)-RhTrip1 (anticlockwise absolute metal-centered configuration) were synthesized using the amino acids (S)- or (R)-phenylglycine, respectively. 157 The authors demonstrated that (A)-RhTrip1 functions as a chiral Lewis acid, efficiently catalyzing the Diels-Alder reaction between methacrolein (77) and cyclopentadiene (78) to provide the norbornene derivative 79 with high enantioselectivity (>99:1 er). DFT calculations support a mechanism in which the chiral Lewis acid (A)-RhTrip1 forms




Fig. 18 Chiral-at-iron catalysis

a well-defined chiral pocket. Methacrolein is then activated by coordinating to the aldehyde oxygen, while the diphenylphosphino arm of the tripodal ligand shields the Si-face, leaving the Re-face open for interaction with cyclopentadiene. Such tripodal chiral-at-rhodium complexes can also catalyze the enantioselective alkylation of indoles with nitrostyrenes, 159 and 1,3-dipolar cycloadditions. 160

98% yield, 99:1 dr, 97% ee

Recently, the same group introduced a modified tripodal chiral-at-rhodium catalyst, RhTrip2, where the pyridyl moiety is substituted by a phenoxy group (Fig. 19b). 162 Notably, RhTrip2 undergoes dynamic interconversion to its diastereomer, RhTrip2', without racemization. Additionally, RhTrip2 was shown to catalyze the conjugate addition of indole (14 \rightarrow 15) with high enantiomeric excess.

Shionoya's group reported the only known example of a tetrahedral, chiral-at-metal, asymmetric catalyst to date. 163 They successfully synthesized a remarkably stable tetrahedral chiral-at-zinc complex, which was shown to catalyze an asymmetric oxa-Diels-Alder reaction by serving as a chiral Lewis acid. This was achieved through the use of the tailored tridentate ligand 80 (Fig. 20a). Upon reaction of ligand 80 with ZnEt₂, the dimeric zinc complex rac-ZnInt1 was formed as a racemic mixture. The racemic complex was then treated with the chiral pyrrolidine (S)-dpp (81), serving as a monodentate ligand and




Fig. 19 Chiral-at-rhodium catalyts based on a tripodal ligand design.

leading to the formation of the complex (S_{Zn},S) -ZnInt2 with a high diastereomeric ratio of 51:1 dr. NMR analysis revealed that, following coordination of (S)-dpp, the racemic zinc complex initially generated a nearly equal mixture of diastereomers, (S_{Zn},S) - and (R_{Zn},S) -ZnInt2. Over time, the mixture converted to the more thermodynamically stable (S_{Zn},S) diastereomer, suggesting a stereoinversion at the zinc center. The chiral auxiliary (S)-dpp was removed by treatment with tBuCN at room temperature for 7 days, resulting in the crystallization of (S_{Zn}) -**ZnTet** as a single enantiomer (>99% ee), with a 72% yield starting from ligand 80. The final complex, (S_{Zn}) -**ZnTet**, contains a stereogenic zinc center with four distinct coordinating groups. The configurational stability of (S_{Zn}) -**ZnTet** is likely influenced by the axial chirality of the biphenyl group in the backbone of the tridentate ligand, which becomes locked into a single conformation upon coordination with zinc. Interestingly, Shionoya recently also demonstrated that a related non-racemic nickel(II) complex could be obtained by spontaneous resolution to form conglomerate crystals, without the need for any chiral sources. 164

 $(S_{\rm Zn})$ -**ZnTet** (2 mol%) was shown to catalyze the oxa-Diels-Alder reaction between 1-naphthaldehyde (82) and the Danishefsky diene (83), affording dihydropyranone 84 in 98% yield with 87% ee (Fig. 20b). The authors obtained a crystal structure in which

a.) Auxiliary-mediated synthesis of chiral-at-zinc complex ZnEt/ C₆H₆, 70 °C 80 C₆H₆, 70 °C, 48 h then r.t., 24 h C₆H₆/HMDSO (1:14) rt. 7 days (S_{7n}) -ZnTet (crystallization) 72% yield from 80 > 99% ee 51:1 dr

b.) Chiral-at-zinc catalyst for hetereo-Diels-Alder reaction

Fig. 20 Chiral-at-zinc catalyt with tetrahedral coordination sphere.

1-naphthaldehyde is coordinated to the (racemic) zinc catalyst by replacing the labile tBuCN ligand. This structure suggests the mechanism of asymmetric induction, where the bulky mesityl group stacks with 1-naphthaldehyde, blocking the Si-face and forcing the diene to approach the carbonyl group from the Re-face in the transition state (XXV).

5. Summary and outlook

Alfred Werner first demonstrated metal-centered chirality over a century ago. However, until recently, asymmetric catalysis using chiral transition metal complexes has primarily depended on chiral ligands. Our group introduced a simple and general strategy that combines inert and labile ligands, enabling the metal center to function both as a stable metal stereocenter and as a reactive site for catalysis. Strong σ-donating ligands are central to this approach, which has been successfully applied to developing octahedral chiral-at-metal catalysts from metals like iridium, rhodium, ruthenium, osmium, and even iron. Recently, Shionoya extended this concept by designing a tetrahedral chiral-at-zinc catalyst.

By eliminating the need for chiral motifs in the ligand sphere, untapped possibilities arise for designing chiral metal catalysts with unconventional ligand environments, opening the door to catalysts with novel properties. This has been

demonstrated by us and others through a multitude of applications. In our opinion this is particularly well illustrated by biscyclometalated iridium(III) and rhodium(III) catalysts, which uniquely combine photochemical activation with asymmetric Lewis acid catalysis. The helical chirality of these catalysts, along with the configurational inertness of the iridium and rhodium centers, makes the use of chiral ligands unnecessary and even counterproductive.

A critical factor in designing such chiral-at-metal catalysts is the configurational stability of the metal stereocenter. This explains why most up to date reported chiral-at-metal catalysts are octahedral 18-electron complexes from noble metals with a low-spin d⁶ electron configuration, offering optimal ligand field stabilization and high configurational stability. The main challenge for these d⁶-metal complexes is balancing inert ligands, which stabilize the metal configuration, with labile ligands, which provide reactivity for substrate or reagent coordination. In many systems, this balance can be achieved by including very strong σ -donor ligands. These σ -donor ligands are typically part of a multidentate structure and labilize monodentate ligands in the trans-position via the trans-effect, while simultaneously increasing the ligand field, thereby enhancing the inertness of the multidentate ligands. This straightforward and general approach can even be extended to more labile 3d-metal complexes, such as chiral-at-iron catalysts.

Future research on chiral-at-metal catalysis will likely see more economic methods for synthesizing chiral-at-metal complexes, 165 an extension to other metals including earth abundant and non-precious metals, 166 the introdution of new ligand frameworks, the discovery of new catalytic transformations, and the application to the synthesis of pharmaceuticals.

We hope this review inspires new approaches for designing chiral-at-metal catalysts by exploring various other metals, ligand classes, and alternative coordination topologies.

Data availability

No primary research results, software or code have been included and no new data were generated or analyzed as part of this review.

Conflicts of interest

The authors declare no conflict of interest.

Acknowledgements

The authors are grateful to both current and former laboratory members, as well as collaborators, for their invaluable contributions to this project. This project has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme (grant agreement No. 883212).

Notes and references

- 1 B. M. Trost, Proc. Natl. Acad. Sci. U. S. A., 2004, 101, 5348-5355.
- 2 P. J. Walsh and M. C. Kozlowski, Fundamentals of asymmetric catalysis, University Science Books, Sausalito, California, 2009.
- 3 W. S. Knowles, Angew. Chem., Int. Ed., 2002, 41, 1998-2007.
- 4 R. Noyori, Angew. Chem., Int. Ed., 2002, 41, 2008-2022.
- 5 K. B. Sharpless, Angew. Chem., Int. Ed., 2002, 41, 2024–2032.
- 6 D. Chusov, G. A. Molander, V. Ratovelomanana-Vidal, O. Riant and E. Schulz, ACS Catal., 2023, 13, 11494–11508.
- 7 T. P. Yoon and E. N. Jacobsen, Science, 2003, 299, 1691-1693.
- 8 For a review on the scientific legacy of Alfred Werner, see: E. C. Constable and C. E. Housecroft, Chem. Soc. Rev., 2013, 42, 1429-1439.
- 9 For reviews on different aspects of metal-centered chirality, see: (a) H. Brunner, Angew. Chem., Int. Ed., 1999, 38, 1194-1208; (b) U. Knof and A. von Zelewsky, Angew. Chem., Int. Ed., 1999, 38, 302-322; (c) P. D. Knight and P. Scott, Coord. Chem. Rev., 2003, 242, 125-143; (d) E. Meggers, Eur. J. Inorg. Chem., 2011, 2911-2926; (e) E. B. Bauer, Chem. Soc. Rev., 2012, 41, 3153-3167; (f) E. C. Constable, Chem. Soc. Rev., 2013, 42, 1637-1651; (g) A. Ehnbom, S. K. Ghosh, K. G. Lewis and J. A. Gladysz, Chem. Soc. Rev., 2016, 45, 6799-6811; (h) L. Zhang and E. Meggers, Chem. - Asian J., 2017, 12, 2335-2342; (i) T. Cruchter and V. A. Larionov, Coord. Chem. Rev., 2018, 376, 95-113; (j) P. S. Steinlandt, L. Zhang and E. Meggers, Chem. Rev., 2023, 123, 4764-4794.
- 10 A. Werner, Ber. Dtsch. Chem. Ges., 1911, 44, 1887-1898.
- 11 H. Brunner, Angew. Chem., Int. Ed. Engl., 1969, 8, 382-383.
- 12 S. G. Davies and J. C. Walker, J. Chem. Soc., Chem. Commun., 1986, 609-610.
- 13 L. S. Liebeskind, M. E. Welker and R. W. Fengl, J. Am. Chem. Soc., 1986, 108, 6328-6343.
- 14 E. J. O'Connor, M. Kobayashi, H. G. Floss and J. A. Gladysz, J. Am. Chem. Soc., 1987, 109, 4837-4844.
- 15 M. Brookhart, Y. Liu and R. C. Buck, J. Am. Chem. Soc., 1988, 110, 2337-2339.
- 16 M. Brookhart and Y. Liu, Organometallics, 1989, 8, 1572-1573.
- 17 S. G. Davies, Aldrichimica Acta, 1990, 23, 31-41.
- 18 I. Sato, K. Kadowaki, Y. Ohgo, K. Soai and H. Ogino, Chem. Commun., 2001, 1022-1023.
- 19 M. Chavarot, S. Ménage, O. Hamelin, F. Charnay, J. Pécaut and M. Fontecave, Inorg. Chem., 2003, 42, 4810-4816.
- 20 C. Ganzmann and J. A. Gladysz, Chem. Eur. J., 2008, 14, 5397-5400.
- 21 L.-A. Chen, W. Xu, B. Huang, J. Ma, L. Wang, J. Xi, K. Harms, L. Gong and E. Meggers, J. Am. Chem. Soc., 2013, 135, 10598-10601.
- 22 For the merit of this chiral-at-metal catalysis with inert metal complexes, see also: (a) L.-A. Chen, X. Tang, J. Xi, W. Xu, L. Gong and E. Meggers, Angew. Chem., Int. Ed., 2013, **52**, 14021–14025; (b) J. Ma, X. Ding, Y. Hu, Y. Huang, L. Gong and E. Meggers, Nat. Commun., 2014, 5, 4531;

(c) L. Gong, L.-A. Chen and E. Meggers, Angew. Chem., Int. Ed., 2014, 53, 10868-10874; (d) W. Xu, M. Arieno, H. Löw, K. Huang, X. Xie, T. Cruchter, Q. Ma, J. Xi, B. Huang, O. Wiest, L. Gong and E. Meggers, J. Am. Chem. Soc., 2016, 138, 8774-8780; (e) V. A. Larionov, B. L. Feringa and

23 G. C. Fu, Acc. Chem. Res., 2000, 33, 412-420.

Review Article

24 (a) J. Hartung and R. H. Grubbs, J. Am. Chem. Soc., 2013, 135, 10183-10185; (b) J. Hartung, P. K. Dornan and R. H. Grubbs, J. Am. Chem. Soc., 2014, 136, 13029-13037; (c) J. Hartung and R. H. Grubbs, Angew. Chem., Int. Ed., 2014, 53, 3885-3888.

Y. N. Belokon, Chem. Soc. Rev., 2021, 50, 9715-9740.

- 25 H. Huo, C. Fu, K. Harms and E. Meggers, J. Am. Chem. Soc., 2014, 136, 2990-2993.
- 26 L. Zhang and E. Meggers, Acc. Chem. Res., 2017, 50, 320-330.
- 27 X. Huang and E. Meggers, Acc. Chem. Res., 2019, 52, 833-847.
- 28 C.-X. Ye and E. Meggers, Acc. Chem. Res., 2023, 56, 1128-1141.
- 29 R. H. Crabtree, The Organometallic Chemistry of Transition Metals, John Wiley & Sons Inc., Hoboken, New Jersey, 2014.
- 30 B. J. Coe and S. J. Glenwright, Coord. Chem. Rev., 2000, 203, 5-80.
- 31 Z.-Y. Cao, W. D. G. Brittain, J. S. Fossey and F. Zhou, Catal. Sci. Technol., 2015, 5, 3441-3451.
- 32 P. Dey, P. Rai and B. Maji, ACS Org. Inorg. Au, 2022, 2, 99-125.
- 33 H. Huo, X. Shen, C. Wang, L. Zhang, P. Röse, L.-A. Chen, K. Harms, M. Marsch, G. Hilt and E. Meggers, Nature, 2014, 515, 100-103.
- 34 S. Brunen, Y. Grell, P. S. Steinlandt, K. Harms and E. Meggers, Molecules, 2021, 26, 1822.
- 35 J. Qin, V. A. Larionov, K. Harms and E. Meggers, Chem-SusChem, 2019, 12, 320-325.
- 36 Z. Zhou, Y. Li, L. Gong and E. Meggers, Org. Lett., 2017, 19, 222-225.
- 37 V. A. Larionov, T. Cruchter, T. Mietke and E. Meggers, Organometallics, 2017, 36, 1457-1460.
- 38 Y. Li, M. Lei, W. Yuan, E. Meggers and L. Gong, Chem. Commun., 2017, 53, 8089-8092.
- 39 Y. Tan, K. Harms and E. Meggers, Eur. J. Inorg. Chem., 2018, 2500-2504.
- 40 A. Pazos and Z. Freixa, ChemCatChem, 2024, 16, e202400585.
- 41 E. Meggers, Chem. Eur. J., 2010, 16, 752-758.
- 42 L. Gong, S. P. Mulcahy, K. Harms and E. Meggers, J. Am. Chem. Soc., 2009, 131, 9602-9603.
- 43 L. Gong, M. Wenzel and E. Meggers, Acc. Chem. Res., 2013, 46, 2635-2644.
- 44 J. Ma, X. Zhang, X. Huang, S. Luo and E. Meggers, Nat. Protoc., 2018, 13, 605-632.
- 45 X. Shen, H. Huo, C. Wang, B. Zhang, K. Harms and E. Meggers, Chem. - Eur. J., 2015, 21, 9720-9726.
- 46 G.-Q. Xu, H. Liang, J. Fang, Z.-L. Jia, J.-Q. Chen and P.-F. Xu, Chem. - Asian J., 2016, 11, 3355-3358.
- 47 T. Mietke, T. Cruchter, V. A. Larionov, T. Faber, K. Harms and E. Meggers, Adv. Synth. Catal., 2018, 360, 2093-2100.
- 48 X. Zhang, J. Qin, X. Huang and E. Meggers, Eur. J. Org. Chem., 2018, 571-577.

- 49 C. Tian, L. Gong and E. Meggers, Chem. Commun., 2016, **52**, 4207-4210.
- 50 X. Zhang, J. Qin, X. Huang and E. Meggers, Org. Chem. Front., 2018, 5, 166-170.
- 51 T. Ikariya and A. J. Blacker, Acc. Chem. Res., 2007, 40, 1300-1308.
- 52 (a) C. K. Prier, D. A. Rankic and D. W. C. MacMillan, Chem. Rev., 2013, 113, 5322-5363; (b) R. C. McAtee, E. J. McClain and C. R. J. Stephenson, Trends Chem., 2019, 1, 111-125.
- 53 K. L. Skubi, T. R. Blum and T. P. Yoon, Chem. Rev., 2016, **116**, 10035-10074.
- 54 C. Wang, Y. Zheng, H. Huo, P. Röse, L. Zhang, K. Harms, G. Hilt and E. Meggers, Chem. - Eur. J., 2015, 21, 7355-7359.
- 55 H. Huo, C. Wang, K. Harms and E. Meggers, J. Am. Chem. Soc., 2015, 137, 9551-9554.
- 56 H. Huo, X. Huang, X. Shen, K. Harms and E. Meggers, Synlett, 2016, 749-753.
- 57 C. Wang, J. Qin, X. Shen, R. Riedel, K. Harms and E. Meggers, Angew. Chem., Int. Ed., 2016, 55, 685-688.
- 58 C. Wang, L.-A. Chen, H. Huo, X. Shen, K. Harms, L. Gong and E. Meggers, Chem. Sci., 2015, 6, 1094-1100.
- 59 Y. Huang, L. Song, L. Gong and E. Meggers, Chem. Asian J., 2015, 10, 2737-2742.
- 60 Y. Tan, W. Yuan, L. Gong and E. Meggers, Angew. Chem., Int. Ed., 2015, 54, 13045-13048.
- 61 J. Ma, X. Shen, K. Harms and E. Meggers, Dalton Trans., 2016, 45, 8320-8323.
- 62 H. Huo, K. Harms and E. Meggers, J. Am. Chem. Soc., 2016, 138, 6936-6939.
- 63 X. Huang, R. D. Webster, K. Harms and E. Meggers, J. Am. Chem. Soc., 2016, 138, 12636-12642.
- 64 X. Shen, K. Harms, M. Marsch and E. Meggers, Chem. -Eur. J., 2016, 22, 9102-9105.
- 65 L. Song, L. Gong and E. Meggers, Chem. Commun., 2016, **52**, 7699-7702.
- 66 J. Ma, K. Harms and E. Meggers, Chem. Commun., 2016, 52, 10183-10186.
- 67 Y. Zheng, K. Harms, L. Zhang and E. Meggers, Chem. Eur. J., 2016, 22, 11977-11981.
- 68 C. Wang, K. Harms and E. Meggers, Angew. Chem., Int. Ed., 2016, 55, 13495-13498.
- 69 L. Feng, X. Dai, E. Meggers and L. Gong, Chem. Asian J., 2017, **12**, 963–967.
- 70 X. Huang, X. Li, X. Xie, K. Harms, R. Riedel and E. Meggers, Nat. Commun., 2017, 8, 2245.
- 71 X. Huang, S. Luo, O. Burghaus, R. D. Webster, K. Harms and E. Meggers, Chem. Sci., 2017, 8, 7126-7131.
- 72 B. Tutkowski, E. Meggers and O. Wiest, J. Am. Chem. Soc., 2017, 139, 8062-8065.
- 73 X. Huang, T. R. Quinn, K. Harms, R. D. Webster, L. Zhang, O. Wiest and E. Meggers, J. Am. Chem. Soc., 2017, 139, 9120-9123.
- 74 J. Ma, A. R. Rosales, X. Huang, K. Harms, R. Riedel, O. Wiest and E. Meggers, J. Am. Chem. Soc., 2017, 139, 17245-17248.

75 S. Chen, X. Huang, E. Meggers and K. N. Houk, *J. Am. Chem. Soc.*, 2017, **139**, 17902–17907.

Chem Soc Rev

- 76 H. Lin, Z. Zhou, J. Cai, B. Han, L. Gong and E. Meggers, J. Org. Chem., 2017, 82, 6457-6467.
- 77 S. Luo, X. Zhang, Y. Zheng, K. Harms, L. Zhang and E. Meggers, *J. Org. Chem.*, 2017, **82**, 8995–9005.
- 78 W. Yuan, Z. Zhou, L. Gong and E. Meggers, *Chem. Commun.*, 2017, 53, 8964–8967.
- 79 Z. Zhou, Y. Li, B.-W. Han, L. Gong and E. Meggers, *Chem. Sci.*, 2017, **8**, 5757–5763.
- 80 J. Ma, X. Xie and E. Meggers, *Chem. Eur. J.*, 2018, 24, 259–265.
- 81 X. Huang, J. Lin, T. Shen, K. Harms, M. Marchini, P. Ceroni and E. Meggers, *Angew. Chem., Int. Ed.*, 2018, **57**, 5454–5458.
- 82 N. Hu, H. Jung, Y. Zheng, J. Lee, L. Zhang, Z. Ullah, X. Xie, K. Harms, M.-H. Baik and E. Meggers, *Angew. Chem., Int. Ed.*, 2018, 57, 6242–6246.
- 83 J. Ma, J. Lin, L. Zhao, K. Harms, M. Marsch, X. Xie and E. Meggers, *Angew. Chem., Int. Ed.*, 2018, 57, 11193–11197.
- 84 F. F. de Assis, X. Huang, M. Akiyama, R. A. Pilli and E. Meggers, J. Org. Chem., 2018, 83, 10922–10932.
- 85 X. Huang, Q. Zhang, J. Lin, K. Harms and E. Meggers, *Nat. Catal.*, 2019, 2, 34–40.
- 86 Y. Grell, Y. Hong, X. Huang, T. Mochizuki, X. Xie, K. Harms and E. Meggers, *Organometallics*, 2019, **38**, 3948–3954.
- 87 P. S. Steinlandt, W. Zuo, K. Harms and E. Meggers, *Chem. Eur. J.*, 2019, 25, 15333–15340.
- 88 C. Zhang, S. Chen, C.-X. Ye, K. Harms, L. Zhang, K. N. Houk and E. Meggers, *Angew. Chem., Int. Ed.*, 2019, **58**, 14462–14466.
- 89 Y. Kuang, K. Wang, X. Shi, X. Huang, E. Meggers and J. Wu, *Angew. Chem., Int. Ed.*, 2019, **58**, 16859–16863.
- 90 C.-X. Ye, S. Chen, F. Han, X. Xie, S. Ivlev, K. N. Houk and E. Meggers, *Angew. Chem., Int. Ed.*, 2020, 59, 13552–13556.
- 91 Y. Grell, X. Xie, S. I. Ivlev and E. Meggers, *ACS Catal.*, 2021, **11**, 11396–11406.
- 92 H. Jung, M. Hong, M. Marchini, M. Villa, P. S. Steinlandt, X. Huang, M. Hemming, E. Meggers, P. Ceroni, J. Park and M.-H. Baik, *Chem. Sci.*, 2021, **12**, 9673–9681.
- 93 C. Zhang, A. Z. Gao, X. Nie, C.-X. Ye, S. I. Ivlev, S. Chen and E. Meggers, *J. Am. Chem. Soc.*, 2021, **143**, 13393–13400.
- 94 P. Xiong, M. Hemming, S. I. Ivlev and E. Meggers, *J. Am. Chem. Soc.*, 2022, **144**, 6964–6971.
- 95 P. Xiong, S. I. Ivlev and E. Meggers, *Nat. Catal.*, 2023, 6, 1186–1193.
- 96 J. Gong, K. Li, S. Qurban and Q. Kang, *Chin. J. Chem.*, 2016, 34, 1225–1235.
- 97 G.-J. Sun, J. Gong and Q. Kang, J. Org. Chem., 2017, 82, 796–803.
- 98 T. Deng, G. K. Thota, Y. Li and Q. Kang, *Org. Chem. Front.*, 2017, 4, 573–577.
- 99 S.-W. Li, J. Gong and Q. Kang, *Org. Lett.*, 2017, **19**, 1350–1353.
- 100 K. Li, Q. Wan and Q. Kang, Org. Lett., 2017, 19, 3299-3302.
- 101 J. Gong, S.-W. Li, S. Qurban and Q. Kang, *Eur. J. Org. Chem.*, 2017, 3584–3593.

- 102 S.-X. Lin, G.-J. Sun and Q. Kang, Chem. Commun., 2017, 53, 7665–7668.
- 103 P. P. Bora, G.-J. Sun, W.-F. Zheng and Q. Kang, Chin. J. Chem., 2018, 36, 20–24.
- 104 G. K. Thota, G. J. Sun, T. Deng, Y. Li and Q. Kang, Adv. Synth. Catal., 2018, 360, 1094–1098.
- 105 S.-W. Li, Q. Wan and Q. Kang, Org. Lett., 2018, 20, 1312-1315.
- 106 J. Gong, Q. Wan and Q. Kang, Org. Lett., 2018, 20, 3354-3357.
- 107 J. Gong, Q. Wan and Q. Kang, Adv. Synth. Catal., 2018, 360, 4031–4036.
- 108 S.-W. Li and Q. Kang, Chem. Commun., 2018, 54, 10479–10482.
- 109 S. Qurban, J. Gong, Y. Du and Q. Kang, Org. Chem. Front., 2018, 5, 2870–2874.
- 110 L. Hu, S. Lin, S. Li, Q. Kang and Y. Du, *ChemCatChem*, 2019, **12**, 118–121.
- 111 H. Liang, G.-Q. Xu, Z.-T. Feng, Z.-Y. Wang and P.-F. Xu, *J. Org. Chem.*, 2019, **84**, 60–72.
- 112 S. Qurban, Y. Du, J. Gong, S.-X. Lin and Q. Kang, *Chem. Commun.*, 2019, 55, 249–252.
- 113 S. W. Li, Y. Du and Q. Kang, *Org. Chem. Front.*, 2019, **6**, 2775–2779.
- 114 H. Zhang, S. Li, Q. Kang and Y. Du, *Org. Chem. Front.*, 2019,6, 3683–3687.
- 115 Q. Wan, S. Li, Q. Kang, Y. Yuan and Y. Du, *J. Org. Chem.*, 2019, **84**, 15201–15211.
- 116 Q. Wan, L. Chen, S. Li, Q. Kang, Y. Yuan and Y. Du, *Org. Lett.*, 2020, **22**, 9539–9544.
- 117 R. I. Rodríguez, L. Mollari and J. Alemán, *Angew. Chem., Int. Ed.*, 2021, **60**, 4555–4560.
- 118 S. Ming, S. Qurban, Y. Du and W. Su, *Chem. Eur. J.*, 2021, 27, 12742–12746.
- 119 Y. Ren, S. Lu, L. He, Z. Zhao and S.-W. Li, *Org. Lett.*, 2022, 24, 2585–2589.
- 120 J. Pian, Q. Chen, Y. Luo, Z. Zhao, J. Liu, L. He and S.-W. Li, *Org. Lett.*, 2022, **24**, 5641–5645.
- 121 J. Yang, S. Ming, G. Yao, H. Yu, Y. Du and J. Gong, *Org. Chem. Front.*, 2022, **9**, 2759–2765.
- 122 S. Lu, Z. Zhao, Y. Ren, G. Du, J. Zhao and S.-W. Li, Org. Chem. Front., 2022, 9, 3446–3451.
- 123 S. Ming, J. Yang, S. Wu, G. Yao, H. Xiong, Y. Du and J. Gong, *Org. Chem. Front.*, 2022, **9**, 5147–5153.
- 124 X. Chen, Y. An, G. Du, Y. Zhao, L. He, J. Zhao and S.-W. Li, *J. Org. Chem.*, 2022, **87**, 5497–5509.
- 125 X. Chen, Y. Zhao, C. Huang, Z. Zhao, W. Zhao and S.-W. Li, *Chem. Commun.*, 2024, **60**, 236–239.
- 126 J. Pian, Z. Zhao, Y. Zhao, L. He, X.-L. Liu, Y. Li and S.-W. Li, J. Org. Chem., 2024, 89, 918–927.
- 127 Y. Zhao, X. Ji, X. Tian, Z. Zhao, J. Pian and S.-W. Li, *Adv. Synth. Catal.*, 2024, **366**, 1590–1594.
- 128 X. Ji, S. Zhu, Y. Li, Z. Zhao and S.-W. Li, *Org. Chem. Front.*, 2024, **11**, 5385–5389.
- 129 X. Xie, Z. Zhao, J. Wang and S.-W. Li, *Org. Lett.*, 2024, 26, 8144–8148.
- 130 E. Marchi, R. Sinisi, G. Bergamini, M. Tragni, M. Monari, M. Bandini and P. Ceroni, Chem. – Eur. J., 2012, 18, 8765–8773.

131 Y. Zheng, Y. Q. Tan, K. Harms, M. Marsch, R. Riedel,

Review Article

- L. Zhang and E. Meggers, J. Am. Chem. Soc., 2017, 139, 4322-4325.
- 132 Y. Zheng, L. Zhang and E. Meggers, Org. Process Res. Dev., 2018, 22, 103-107.
- 133 S. Chen, Y. Zheng, T. Cui, E. Meggers and K. N. Houk, J. Am. Chem. Soc., 2018, 140, 5146-5152.
- 134 T. Cui, J. Qin, K. Harms and E. Meggers, Eur. J. Inorg. Chem., 2019, 195-198.
- 135 J. Qin, Z. Zhou, T. Cui, M. Hemming and E. Meggers, Chem. Sci., 2019, 10, 3202-3207.
- 136 Z. Zhou, S. Chen, J. Qin, X. Nie, X. Zheng, K. Harms, R. Riedel, K. N. Houk and E. Meggers, Angew. Chem., Int. Ed., 2019, 58, 1088-1093.
- 137 Y. Tan, S. Chen, Z. Zhou, Y. Hong, S. Ivlev, K. N. Houk and E. Meggers, Angew. Chem., Int. Ed., 2020, 59, 21706-21710.
- 138 Z. Zhou, Y. Tan, T. Yamahira, S. Ivlev, X. Xie, R. Riedel, M. Hemming, M. Kimura and E. Meggers, Chem, 2020, 6, 2024-2034.
- 139 Y. Tan, F. Han, M. Hemming, J. Wang, K. Harms, X. Xie and E. Meggers, Org. Lett., 2020, 22, 6653-6656.
- 140 Z. Zhou, Y. Tan, X. Shen, S. Ivlev and E. Meggers, Sci. China Chem., 2021, 64, 452-458.
- 141 E. Winterling, S. Ivlev and E. Meggers, Organometallics, 2021, 40, 1148-1155.
- 142 X. Nie, C.-X. Ye, S. I. Ivlev and E. Meggers, Angew. Chem., Int. Ed., 2022, 61, e202211971.
- 143 C.-X. Ye, X. Shen, S. Chen and E. Meggers, Nat. Chem., 2022, 14, 566-573.
- 144 X. Nie, C. W. Ritter, M. Hemming, S. I. Ivlev, X. Xie, S. Chen and E. Meggers, Angew. Chem., Int. Ed., 2023, 62, e202314398.
- 145 N. Demirel, P. Moths, S. I. Ivlev and E. Meggers, under revision.
- 146 Z. Zhou, S. Chen, Y. Hong, E. Winterling, Y. Tan, M. Hemming, K. Harms, K. N. Houk and E. Meggers, J. Am. Chem. Soc., 2019, 141, 19048-19057.
- 147 F. Han, P. H. Choi, C.-X. Ye, Y. Grell, X. Xie, S. I. Ivley, S. Chen and E. Meggers, ACS Catal., 2022, 12, 10304-10312.
- 148 E. Meggers, F. Han, Y. Xie, X. Xie and S. I. Ivlev, Synlett, 2022, 1403-1408.
- 149 D. Baran, S. I. Ivlev and E. Meggers, Organometallics, 2022, 41, 52-59.

- 150 G. Wang, Z. Zhou, X. Shen, S. Ivlev and E. Meggers, Chem. Commun., 2020, 56, 7714-7717.
- 151 Y. Hong, L. Jarrige, K. Harms and E. Meggers, J. Am. Chem. Soc., 2019, 141, 4569-4572.
- 152 N. Demirel, J. Haber, S. I. Ivlev and E. Meggers, Organometallics, 2022, 41, 3852-3860.
- 153 N. Demirel, M. Dawor, G. Nadler, S. I. Ivlev and E. Meggers, Chem. Sci., 2024, 15, 15625-15631.
- 154 Y. Hong, T. Cui, S. Ivlev, X. Xie and E. Meggers, Chem. -Eur. J., 2021, 27, 8557-8563.
- 155 M. Carmona, R. Rodríguez, I. Méndez, V. Passarelli, F. J. Lahoz, P. García-Orduña and D. Carmona, Dalton Trans., 2017, 46, 7332-7350.
- 156 M. Carmona, L. Tejedor, R. Rodríguez, V. Passarelli, F. J. Lahoz, P. García-Orduña and D. Carmona, Chem. -Eur. J., 2017, 23, 14532-14546.
- 157 M. Carmona, R. Rodríguez, V. Passarelli, F. J. Lahoz, P. García-Orduña and D. Carmona, J. Am. Chem. Soc., 2018, 140, 912-915.
- 158 J. Tellez, I. Mendez, F. Viguri, R. Rodriguez, F. J. Lahoz, P. Garcia-Orduna and D. Carmona, Organometallics, 2018, 37, 3450-3464.
- 159 M. Carmona, R. Rodríguez, V. Passarelli and D. Carmona, Organometallics, 2019, 38, 988-995.
- 160 A. G. Tejero, M. Carmona, R. Rodríguez, F. Viguri, F. J. Lahoz, P. García-Orduña and D. Carmona, RSC Adv., 2022, 12, 34704-34714.
- 161 I. Barriendos, Í. Almárcegui, M. Carmona, A. G. Tejero, A. Soriano-Jarabo, C. Blas, Z. Aguado, D. Carmona, F. J. Lahoz, P. García-Orduña, F. Viguri and R. Rodríguez, ChemPlusChem, 2024, 89, e202400410.
- 162 A. G. Tejero, J. Castillo, F. Viguri, D. Carmona, V. Passarelli, F. J. Lahoz, P. García-Orduña and R. Rodríguez, Chem. - Eur. J., 2024, 30, e202303935.
- 163 K. Endo, Y. Liu, H. Ube, K. Nagata and M. Shionoya, Nat. Commun., 2020, 11, 6263.
- 164 Y. Liu, H. Ube, K. Endo and M. Shionoya, ACS Org. Inorg. Au, 2023, 3, 371-376.
- 165 Y.-P. Chu, X.-L. Yue, D.-H. Liu and J. Ma, *ChemRxiv*, 2024, preprint, DOI: 10.26434/chemrxiv-2024-krgpl-v2.
- 166 K. Nagata, A. Hino, H. Ube, H. Sato and M. Shionoya, Dalton Trans., 2023, 52, 3295-3299.