


 Cite this: *RSC Adv.*, 2025, **15**, 7480

## Effects of nitrate and nitrite on the UV/PDS process: performance and byproduct formation from the perspective of substituents†

 Yawei Xie, Chenda Wu, Yue Wang, Shijie Wu, Yaozu Jin, Mingdi Yang and Hongyuan Liu \*

Nitrate and nitrite are ubiquitous ions in wastewater that affect the performance of advanced oxidation processes such as UV-activated persulfate (UV/PDS) and lead to the formation of by-products. Three structurally similar compounds with different substituent compounds, namely phenol (Ph), benzoic acid (BA) and salicylic acid (SA), were selected as target pollutants in this study, to explore these issues from a new perspective: the effect of substituents on contaminants. The results showed that both  $\text{NO}_3^-$  and  $\text{NO}_2^-$  inhibited the removal of the three pollutants in the UV/PDS system. However, the varying substituents on the compounds influenced the electron density of their molecular structures, causing different responses to  $\text{NO}_3^-$  and  $\text{NO}_2^-$  during treatment. Reactive nitrogen species (RNS) played a more significant role in the oxidation of these compounds in the UV/PDS/ $\text{NO}_2^-$  system than in UV/PDS/ $\text{NO}_3^-$ . Additionally,  $\text{NO}_3^-$  and  $\text{NO}_2^-$  seemed to affect the types of RNS that are most active in the process. The different substituents also influenced which positions on the molecule were attacked by reactive species, ultimately impacting the formation of N-containing byproducts. Although oxidation products were theoretically predicted and identified, many potential products remained undetected according to results from Fourier transform ion cyclotron resonance mass spectrometry. This study offers a new perspective by focusing on the characteristics of pollutants to evaluate the impact of  $\text{NO}_3^-$  and  $\text{NO}_2^-$  when UV/PDS is applied as an advanced wastewater treatment method.

 Received 24th December 2024  
 Accepted 28th February 2025

 DOI: 10.1039/d4ra08989h  
[rsc.li/rsc-advances](http://rsc.li/rsc-advances)

### 1 Introduction

Sulfate radical ( $\text{SO}_4^{\cdot-}$ )-based advanced oxidation processes (AOPs) are extensively investigated for the treatment of organic pollutants in wastewater due to the strong oxidizing ability of the sulfate radical ( $E^\circ = 1.8\text{--}2.7\text{ V}$ ). Various activation techniques have been employed to generate sulfate radicals from precursors, including chemical activation (homogeneous<sup>1</sup> and/or heterogeneous<sup>2-4</sup>), thermal activation under moderate temperatures (typically 60–80 °C) and UV irradiation, which is widely adopted due to its operational simplicity and reliability. These methods collectively contribute to advanced oxidation processes and environmental remediation applications.<sup>5-7</sup> In UV-based AOPs, the performance is influenced not only by operational conditions,<sup>8</sup> but also by the composition of the wastewater matrix. Nitrate ( $\text{NO}_3^-$ ) and nitrite ( $\text{NO}_2^-$ ) are commonly found in wastewater, particularly in the effluent from wastewater treatment plants, which often serves as the influent for AOPs used in tertiary treatment.<sup>9</sup> The impact of these ions on the performance of UV/PDS has garnered

substantial research interest and engineering application over the past several decades. These ions can generate *in situ* photochemically produced reactive species and/or screen the light,<sup>10</sup> thereby exerting complex, positive or negative, effects on the degradation of organic pollutants. The effects of  $\text{NO}_3^-$  on the oxidation process remain ambiguous. For instance, Zhao *et al.*<sup>11</sup> investigated the removal of florfenicol and ciprofloxacin by UV/PDS, and they found that  $\text{NO}_3^-$  significantly enhanced the removal of ciprofloxacin, while markedly inhibited the removal of florfenicol. Antoine Ghauch *et al.*<sup>12</sup> also found that a specific nitrate concentration interval promotes chloramphenicol degradation. Conversely, Yang *et al.*<sup>13</sup> observed that  $\text{NO}_3^-$  inhibits the removal of 2,4-dinitroanisole in a UV/PDS system, while Sbardella *et al.*<sup>14</sup> found that  $\text{NO}_3^-$  concentration did not influence the degradation rate of nine pharmaceutically active compounds by UV/PDS. For  $\text{NO}_2^-$ , it has generally been found to inhibit the oxidation of organic pollutants, such as aniline,<sup>10</sup> dexamethasone<sup>15</sup> and 2,4-dichlorophenol.<sup>16</sup>

In addition to the effect on removal efficiency, the presence of  $\text{NO}_3^-$  and  $\text{NO}_2^-$  in  $\text{SO}_4^{\cdot-}$ -based AOPs can lead to the formation of toxic nitro-byproducts. Chen *et al.*<sup>17</sup> reported that the input of  $\text{NO}_2^-$  resulted in the production of toxic nitrification byproducts, such as 2-nitrophenol and 4-nitrophenol. Similarly,  $\text{NO}_3^-$  can absorb sunlight or artificial ultraviolet rays and decompose into  $\cdot\text{OH}$  and  $\text{NO}_2^{\cdot}$ .<sup>9</sup> The  $\text{NO}_2^{\cdot}$  can then react

College of Civil Engineering, Zhejiang University of Technology, Hangzhou, 310023, China. E-mail: [lhzyy@zjut.edu.cn](mailto:lhzyy@zjut.edu.cn)

† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d4ra08989h>



with organic compounds, particularly aromatic ones, to produce nitro-byproducts.<sup>18</sup> This phenomenon is not limited to specific individual pollutants. Toxic nitro-byproducts such as 4-nitrophenol, 4-hydroxy-3-nitrobenzoic acid and 2,4-dinitrophenol, have been detected even in the treatment of natural organic matter by UV/PDS in the presence of  $\text{NO}_3^-$ .<sup>19</sup>

Although the  $\text{SO}_4^{2-}$  is generally considered a less selective oxidizing species, varying reaction rates have been observed when UV/PDS was applied to pollutants with different structural characteristics.<sup>5,20</sup> Furthermore, as mentioned earlier,  $\text{NO}_3^-$  and  $\text{NO}_2^-$  exhibit differing effects on the performance of UV/PDS depending on the specific pollutants being treated. The inconsistent results across various studies highlight the significance of the molecular structure of target pollutants in UV/PDS processes. The properties of substituent groups in organic compounds play a crucial role in these outcomes, with electron-withdrawing groups (EWGs) and electron-donating groups (EDGs) being especially common in organic molecules.<sup>21</sup> These substituent properties also influence the formation of toxic byproducts during UV/PDS treatment. For instance, aromatic carboxyl groups in natural organic matter (NOM) can undergo decarboxylation upon reaction with  $\text{SO}_4^{2-}$ , leading to the formation of phenolic intermediates, which contribute to the generation of nitro-containing by-products.<sup>19</sup> However, there has been limited discussion on how the structural features of different pollutants affect their response to UV/PDS treatment, particularly in relation to the varying impacts of nitrate and nitrite based on the nature of the substituents present in the target pollutants.

In this study, phenol (Ph), benzoic acid (BA), and salicylic acid (SA) were selected as target pollutants, representing compounds with an electron-donating group (EDG,  $-\text{OH}$ ), an electron-withdrawing group (EWG,  $-\text{COOH}$ ), and both groups, respectively. The aim is to clarify the effects of  $\text{NO}_3^-$  and  $\text{NO}_2^-$  on the performance of UV/PDS when treating pollutants with different substituents and to examine the characteristics of by-products formed during the process.

## 2 Materials and methods

### 2.1 Chemicals

All chemicals were utilized as received, without additional purification. Detailed information is provided in Text S1.†

### 2.2 Experiment steps

The photochemical reaction is carried out in a borosilicate glass made cylindrical reactor as we described in previous report,<sup>22</sup> with a 10 W low-pressure mercury lamp emitting at 254 nm, 1.85 cm from the water. The UV intensity was 1.16 mW  $\text{cm}^{-2}$  which was measured by a UV radiometer (LS125, Linshang, China). Solution containing certain concentration of  $\text{NaNO}_3/\text{NaNO}_2$  and target pollutants solved in the deionized water, the pH was adjusted to designed value with  $\text{H}_2\text{SO}_4$  (1 mol  $\text{L}^{-1}$ ) and  $\text{NaOH}$  (1 mol  $\text{L}^{-1}$ ). Then predetermined amount of PDS was added to the reactor. The reaction was carried out under magnetic stirring and water cooling (25 °C). Samples were collected at predetermined time intervals, and were quenched with sodium thiosulfate (10 mmol  $\text{L}^{-1}$ ).

The reaction stoichiometric efficiency (RSE) is defined as the number of moles of the organic contaminants degraded *versus* the number of mole of PDS consumed. Detailed calculate information is provided in Text S2.†

In the experiment investigating the contribution of various radicals, *tert*-butyl alcohol and nitrobenzene are used to as quencher of different radicals,<sup>23</sup> detailed information are shown in Text S3.†

All tests were repeated at least twice and the averaged results were used.

### 2.3 Analytical methods

The concentrations of Ph, BA and SA were determined by HPLC (Shimadzu DGU-20A, Japan). The oxidation byproducts during the reaction were identified by LC-TOF-MS (Agilent 6210, USA) in ESI<sup>-</sup> mode. Detailed information of the methods is described in Text S4.†

The FTIR test was conducted using an FTIR spectrometer (NICOLET Avatar 370, Thermo fisher, America) with a scanning range of 4000 to 500  $\text{cm}^{-1}$ . The water samples were freeze-dried using a freeze dryer prior to measurement.

Characteristic of oxidation byproducts were analyzed by a 7.0 T Fourier transform ion cyclotron resonance mass spectrometer (FT-ICR-MS)(SolariX, Bruker). Molecular formulas of products were calculated using Data Analysis software. Elemental combinations were limited to molecular formulas containing  $^{12}\text{C}_{0-100}$ ,  $^1\text{H}_{0-200}$ ,  $^{14}\text{N}_{0-4}$ ,  $^{16}\text{O}_{0-30}$ , and mass peaks with Signal-to-Noise Ratio greater than 6 were considered during molecule assignment. The errors between measured MW and the theoretical one was set to <1. More detailed information and sample pretreatment methods is described in Text S5.†

The concentrations of total organic carbon (TOC) were determined using a TOC analyzer (Shimadzu TOC-L<sub>CPH/CPN</sub>, Japan). The TOC measurements were triplicated, consuming 5 ml of sample each time.

### 2.4 Theoretical calculation

The density functional theory (DFT) was used to predict the degradation mechanism conversion of compounds. The Gaussian 09W programs<sup>24</sup> were used to conduct all the calculations at the B3LYP/6-31+G (d) level,<sup>25</sup> and the Solvation Model Based on Density (SMD) model was employed to account for the solvent effects.<sup>26</sup> All the complexes and molecules were optimized to a stationary point and frequency calculation was carried out. Molecular visualization was performed on Gaussian View 5.0. The reactive sites of nucleophilic ( $f^+$ ), electrophilic ( $f^-$ ) and free radical ( $f^0$ ) attacks were predicted by calculating the Condensed Fukui Functions (CFF). The enthalpy change  $\Delta H$  (kcal  $\text{mol}^{-1}$ ) and the Gibbs free energy change  $\Delta G$  (kcal  $\text{mol}^{-1}$ ) of the reaction paths were calculated.

## 3 Results and discussion

### 3.1 Effect of $\text{NO}_3^-/\text{NO}_2^-$ on pollutants removal in UV/PDS

The removal of Ph, BA and SA in UV irradiation process in 60 min are not effective, and the reaction rates are low (Fig. 1






Fig. 1 Removal rate of the 3 compounds in various processes (conditions:  $[\text{Ph}] = [\text{BA}] = [\text{SA}] = 0.1 \text{ mM}$ ,  $[\text{PDS}] = 0.5 \text{ mM}$ ,  $[\text{NO}_3^-] = 2 \text{ mM}$ ,  $[\text{NO}_2^-] = 2 \text{ mM}$ ,  $\text{pH} = 3$ ,  $T = 60 \text{ min}$ ).



and S1†). UV/PDS significantly accelerates their removal by 41, 13 and 20 times for Ph, BA and SA, respectively, which are understandable and ascribed to the radicals generated in the system.

$\text{NO}_3^-$  accelerated the photolysis of Ph from  $0.0056 \text{ min}^{-1}$  to  $0.044 \text{ min}^{-1}$  (data not shown here). The acceleration of  $\text{NO}_3^-$  on UV photolysis of Ph may result from the high absorbance between 200-400 nm of  $\text{NO}_3^-$ , as well as its high photosensitivity, which facilitates the generation of oxidative radicals.


However, the  $\text{NO}_3^-$  was found to inhibit the removal of Ph in UV/PDS under pre optimized conditions of  $\text{NO}_3^-$  as shown in Fig. 1 and S2.† Even though  $\text{NO}_3^-$  suppressed the Ph removal from  $0.231 \text{ min}^{-1}$  to  $0.141 \text{ min}^{-1}$  in UV/PDS process as shown in Fig. 1, the removal rate is still significantly faster than that under UV irradiation alone. It suggests that the acceleration from  $\text{NO}_3^-$  photolysis is not important for Ph removal when  $\text{NO}_3^-$  is present in the UV/PDS system. The inhibitory effect of  $\text{NO}_3^-$  on Ph removal in UV/PDS can be attributed to its UV filtering effect.  $\text{NO}_3^-$  competes with PDS for photons, which reduces the generation of reactive radicals in the UV/PDS process.<sup>13</sup> In previous study, nitrate demonstrated a significant increase in  $K_{obs}$  of 37% at the optimal concentration of  $10 \text{ mg L}^{-1}$ . However, at concentrations of  $2.5 \text{ mg L}^{-1}$  and  $50 \text{ mg L}^{-1}$ ,  $K_{obs}$  decreased by approximately 9% and 37%, respectively. This decrease was attributed to the production of highly oxidizing species  $\text{NO}_3^\cdot$ , which can lead to the formation of nitrite and oxygen radicals.<sup>12</sup> However, in this study, the concentration of  $\text{NO}_3^-$  which may be the reason for the different observation.

$\text{NO}_3^-$  does not significantly affect the removal of BA and SA (Fig. S2†). This observation probably relates to the formation of reactive nitrogenous species (RNSs).  $\text{NO}_3^-$  can significantly influence the absorption characteristics of three compounds (Fig. S3†), and it can be photolyzed with lights  $<280 \text{ nm}$  and can slowly react with  $\cdot\text{OH}$  and  $\text{SO}_4^{\cdot-}$ .<sup>27,28</sup> These processes lead to the

formation of RNSs such as  $\text{ONOO}^\cdot$ ,  $\text{NO}^\cdot$  and small amount of  $\text{NO}_2^\cdot$  (reactions (1)–(3)).<sup>29</sup> The reaction of  $\text{ONOO}^\cdot$  with  $\cdot\text{OH}$  is favored under acidic condition (reactions (3)), and  $\text{ONOO}^\cdot$  is likely the main RNSs in the system. These RNSs have weaker redox potentials ( $E^0$ ) compared with that of  $\cdot\text{OH}$  and  $\text{SO}_4^{\cdot-}$  (e.g.  $E^0(\text{ONOO}^\cdot, 2\text{H}^+/\text{NO}_2^-) = 1.2 \text{ V}$ ).<sup>30,31</sup> However, they tend to react more readily with EWG-containing compounds,<sup>32,33</sup> such as BA and SA in this study, rather than Ph which contains an EDG. The contribution of these RNSs helps counterbalance the light screening effect of  $\text{NO}_3^-$  in the UV/PDS process, which explains why the impact of  $\text{NO}_3^-$  on the removal of benzoic acid (BA) and salicylic acid (SA) was not significant. Our findings are consistent with previous studies on the removal of 2,4-dinitroanisole by UV/PDS, where high concentrations of  $\text{NO}_3^-$  alleviated the inhibitory effects.<sup>13</sup>



All three compounds were inhibited by  $\text{NO}_2^-$  in UV/PDS process (Fig. 1). In addition to the strong screening effect on the lights (Fig. S3†),  $\text{NO}_2^-$  reacts rapidly with  $\text{SO}_4^{\cdot-}$  and  $\cdot\text{OH}$  (reactions (4) and (5)) forming RNSs (mainly  $\text{NO}_2^\cdot$ ). Consequently, in systems containing  $\text{NO}_2^-$ , pollutants and  $\text{NO}_2^-$  compete for radicals,<sup>18</sup> resulting in a reduction in the removal rate of pollutants. The  $\text{NO}_2^\cdot$  is an electrophilic oxidizer that tends to react with organic molecules containing rich-electron molecular groups.<sup>9,34</sup> Ren *et al.*<sup>35</sup> also concluded that the stronger the EDG on the molecular, the faster it reacts with  $\text{NO}_2^\cdot$ . Therefore, Ph, which contains an EDG, is removed more quickly, even in the presence of  $\text{NO}_2^-$ .



In addition, we determined the RSE of the process for removing all three compounds across different systems and compared it with other systems (Table S1†). It is evident that the substituent properties of the compounds, as well as the addition of  $\text{NO}_3^-/\text{NO}_2^-$ , significantly influence the RSE. Ph, which contains only EDG, results in a significantly high number of RSE, nearly matching the RSE observed with heat/PDS, unlike other compounds. The reduction in RSE was more pronounced for  $\text{NO}_2^-$  than for  $\text{NO}_3^-$ , and the effect varied among different compounds.

### 3.2 Effect of $\text{NO}_3^-/\text{NO}_2^-$ under various pH conditions

pH of a solution affects the form of organic compounds and the concentration of radicals in AOPs.<sup>21</sup> As shown in Fig. 2, the removal rate of Ph in UV/PDS system decreased from  $0.231 \text{ min}^{-1}$  to  $0.056 \text{ min}^{-1}$ , as the initial pH increased from 3 to 11. The better performances of UV/PDS under acidic condition can be ascribed to the  $\text{SO}_4^{\cdot-}$  generation. Under the basic






Fig. 2 Effect of pH on reaction rate of the 3 compounds (conditions: [pollutant] = 0.1 mM, [PDS] = 0.5 mM,  $[\text{NO}_3^-]$  = 2 mM,  $[\text{NO}_2^-]$  = 2 mM,  $T = 60 \text{ min}$ ).

condition, however, the principal radical in the system shifts from  $\text{SO}_4^{\cdot-}$  to  $\cdot\text{OH}$ <sup>36</sup> and Ph mainly exists as phenate.<sup>37</sup> The phenate reacts with  $\cdot\text{OH}$  at a much slower rate ( $1.2 \times 10^6 \text{ M}^{-1} \text{ s}^{-1}$ ) than the rate of reaction between Ph and  $\text{SO}_4^{\cdot-}$  ( $6.6 \times 10^9 \text{ M}^{-1} \text{ s}^{-1}$ ).<sup>17,38</sup> This disparity in reaction rates explains the inhibition on Ph removal in UV/PDS under basic conditions.

When  $\text{NO}_3^-$  was introduced into the UV/PDS system, the Ph removal rate was significantly decreased in acidic condition, while was almost unaffected under basic condition. Very similar tendency was observed when  $\text{NO}_2^-$  was added in to the system. The inhibition on radical formation is one of the key reactions in all systems. The reason for the inhibition in acidic condition has been discussed above. Under basic condition,  $\text{NO}_2^{\cdot}$  becomes important in both UV/PDS/ $\text{NO}_3^-$  and UV/PDS/ $\text{NO}_2^-$ . In UV/PDS/ $\text{NO}_3^-$ ,  $\text{NO}_2^-$  is likely formed because  $\text{HOONO}$  is involved in the reaction mechanism, it reacts more readily to form  $\text{NO}_2^-$  when it deprotonated at high pH.<sup>39,40</sup> These  $\text{NO}_2^-$  are converted to  $\text{NO}_2^{\cdot}$  which then undergoes single electron transfer reactions with phenate at a relatively high rate.<sup>41</sup> In UV/PDS/ $\text{NO}_2^-$ , the large amount of  $\text{NO}_2^-$  react with  $\text{SO}_4^{\cdot-}$  and/or  $\cdot\text{OH}$  in the system forming  $\text{NO}_2^{\cdot}$  directly.  $\text{NO}_2^{\cdot}$  prefer to react with Ph as discussed before. In addition, the basic condition ( $0.0086 \text{ min}^{-1}$ ) slightly favors the photolysis of Ph compared to acidic condition ( $0.0056 \text{ min}^{-1}$ ). Therefore, the removal of Ph was not influenced by  $\text{NO}_3^-$  and  $\text{NO}_2^-$  in basic condition. The performance is even slightly promoted at higher pH level.

BA reacts very quickly with both  $\cdot\text{OH}$  and  $\text{SO}_4^{\cdot-}$  ( $5.9 \times 10^9 \text{ M}^{-1} \text{ s}^{-1}$  and  $1.2 \times 10^9 \text{ M}^{-1} \text{ s}^{-1}$ , respectively).<sup>42</sup> Consequently, it demonstrates similar removal performance under different pH conditions, with only a 7% difference between the highest and the slowest rates in UV/PDS (Fig. 2). When compared to UV/PDS alone, the addition of  $\text{NO}_3^-$  does not significantly affect the removal of BA, whereas  $\text{NO}_2^-$  dramatically inhibits its removal under various pH conditions. As previously mentioned, the primary conversion product of  $\text{NO}_2^-$  in UV/PDS is  $\text{NO}_2^{\cdot}$ , which tends to react with more readily with Ph rather than BA. Therefore, the observed difference in the effect of  $\text{NO}_2^-$  and



$\text{NO}_3^-$  on the BA removal indicates that  $\text{NO}_2^{\cdot}$  may not be the main RNSs types in UV/PDS/ $\text{NO}_3^-$ . Although previous reports have suggested that  $\text{NO}_2^{\cdot}$  is also the dominant RNSs in UV-based processes influenced by  $\text{NO}_3^-$ ,<sup>19,43</sup> these conclusions do not align with our observations.

In addition to above reasons, pH also leads to the conversion of the substituents. Under basic condition,  $-\text{OH}$  can readily be converted to  $-\text{O}^-$ , leading to a decrease in its electron-donating ability. The  $-\text{COOH}$  group can be converted to  $-\text{COO}^-$ , which exhibits a relatively higher electron-withdrawing ability.<sup>44</sup> These conversion in substituents result in the complex response of SA to pH.

### 3.3 Contribution of reactive species

As shown in Table 1, in the absence of  $\text{NO}_3^-$  and  $\text{NO}_2^-$ ,  $\cdot\text{OH}$  and  $\text{SO}_4^{\cdot-}$  play comparable roles in the removal of Ph, while  $\cdot\text{OH}$  primarily contributes to the removal of SA and BA. Upon the addition of  $\text{NO}_3^-$ , the role of  $\cdot\text{OH}$  is significantly suppressed, indicating strong inhibition of the generation and action of  $\cdot\text{OH}$ , which is consistent with the findings of Wang *et al.*<sup>45</sup> Because of this inhibition on  $\cdot\text{OH}$ , the contribution of  $\text{SO}_4^{\cdot-}$  becomes more important. Additionally, the formation of RNSs leads to the degradation of pollutants, but the contribution of RNSs is relatively low compared with the other radicals. This is likely because the reaction rates of  $\text{NO}_3^-$  with  $\cdot\text{OH}$  and  $\text{SO}_4^{\cdot-}$  are relatively slow. Moreover, the  $\text{NO}_3^-$  can also be photolyzed to  $\text{ONOO}^-$  through the excited  $[\text{NO}_3^-]^*$ , which can further convert to  $\text{O}_2^{\cdot-}$ ,  $\text{NO}^{\cdot}$ . These species are then consumed by interactions in the system.<sup>46</sup>

With the addition of  $\text{NO}_2^-$ , the removal of all compounds was inhibited, but RNSs played a similar and very important role (over 60%) in the removal of the three compounds. The  $\text{NO}_2^-$  can easily be converted to  $\text{NO}_2^{\cdot}$ , leading to a higher contribution of RNSs to Ph. For BA and SA, RNSs do not have priority in reacting with them because of  $-\text{COOH}$ , the EWG, on their structure. However, RNSs still contribute similarly to the removal of these compounds. These observations can likely be explained by two factors. First, there is competition between  $\text{NO}_2^-$  and pollutants for  $\cdot\text{OH}$ , as the reaction rate of  $\cdot\text{OH}$  and  $\text{NO}_2^-$  ( $12 \times 10^9 \text{ M}^{-1} \text{ s}^{-1}$ ) is comparable to that with Ph ( $6.1 \times 10^9 \text{ M}^{-1} \text{ s}^{-1}$ ), BA ( $5.9 \times 10^9 \text{ M}^{-1} \text{ s}^{-1}$ ) and SA ( $1.2 \times 10^{10} \text{ M}^{-1} \text{ s}^{-1}$ ).<sup>10,47</sup> Second, the  $\text{NO}_2^-$  can be converted to  $[\text{NO}_2^-]^*$  under UV irradiation, which forms  $\text{O}^{\cdot-}$  in acidic condition (reactions (6) and (7)), and protonation of  $\text{O}^{\cdot-}$  produces the  $\cdot\text{OH}$  radical (reaction (8)). This formed  $\cdot\text{OH}$  can further react with pollutants. The contribution of this generated  $\cdot\text{OH}$  is likely misattributed to RNSs, making it difficult to distinguish between them using the current experimental methods. These factors likely explain the similar observed contributions of RNSs to the removal of different pollutants.



**Table 1** Contribution of reactive species during oxidation of pollutants in different systems (conditions:  $[Ph] = [BA] = [SA] = 0.1 \text{ mM}$ ,  $[PDS] = 0.5 \text{ mM}$ ,  $[NO_3^-] = 2 \text{ mM}$ ,  $[NO_2^-] = 2 \text{ mM}$ ,  $\text{pH} = 3$ ,  $T = 60 \text{ min}$ )<sup>a</sup>

	Ph				BA				SA			
	$\cdot\text{OH}$ (%)	$\text{SO}_4^{\cdot-}$ (%)	RNSs (%)	UV (%)	$\cdot\text{OH}$ (%)	$\text{SO}_4^{\cdot-}$ (%)	RNSs (%)	UV (%)	$\cdot\text{OH}$ (%)	$\text{SO}_4^{\cdot-}$ (%)	RNSs (%)	UV (%)
UV/PDS	42.90	53.99	—	3.11	>92	—	—	7.69	95.05	—	—	4.95
UV/PDS- $NO_3^-$	3.73	66.37	28.20	1.70	18.97	63.02	10.08	7.94	35.23	31.84	23.66	9.28
UV/PDS- $NO_2^-$	2.01	19.31	69.61	9.06	4.32	7.75	70.07	17.86	4.02	1.96	83.56	10.46

<sup>a</sup> “—” means no this species. “—” means almost no contribution according to the calculation.

### 3.4 TOC removal

The TOC removal efficiencies of the three compounds by UV alone in different situations are generally low (5% to 15%). The results of this study are consistent with those of other studies (approximately 10% to 15%).<sup>48,49</sup> The mineralization of the three compounds by UV/PDS are not effective as well, indicating the formation of oxidation byproducts. Performance on TOC removal is better for Ph compared to BA and SA. This can be attributed to the fact that compounds containing the -COOH group have to undergo the process of electrophilic substitution by  $\cdot\text{OH}$  to form phenolic intermediates, which are then mineralized.

The presence of  $NO_3^-$  has little effect on TOC removal efficiency compared with the case without  $NO_3^-$ , while the  $NO_2^-$  remarkably inhibits the TOC removal (Fig. 3). Nitro-byproducts are expected to form under the influence of RNSs (mainly  $NO_2^-$ ). Additionally, nitro- is an EWG which decrease the electron density of benzene ring, making the nitro-byproducts more resistant to further mineralization.<sup>44</sup>


### 3.5 Theoretical prediction for the products

Different substituents significantly affect the electron distribution of these molecules (Fig. S5†). In Ph and SA, the electrons in the HOMO orbitals are mainly distributed on the aromatic ring and the -OH, while in BA, the electrons are mainly distributed on the aromatic ring and carbonyl group. This electron

enrichment at these sites leads to dipole effects and proximity effects,<sup>50</sup> making these sites more susceptible to electrophilic radical attack.

The  $\cdot\text{OH}$  increases the electron density on *para*-C of Ph. The  $p-\pi$  conjugation of the lone electron pairs between hydroxyl oxygen and carbonyl  $\pi$  bonds leads to the stabilization of C=O bond.<sup>51</sup> Similarly, the electrostatic potential of Ph and SA shows that the hydrogen on their hydroxyl group is more reactive and more susceptible to attack by electrophiles.<sup>52</sup>

According to Fukui function theory, higher values of  $f^-$ ,  $f^t$  and  $f^0$  indicate that the site is more susceptible to electrophilic, nucleophilic and free radical attack, respectively.<sup>53</sup> Radical attack may occur at the neighboring and *para*-position of the -OH on Ph such as C4, C2 and C6 (Table S1†). The hydroxyl substituent leads to a high electron density center, which will be highly susceptible to  $\cdot\text{OH}$  attack, forming phenolic compounds or poly-hydroxyl substitution structures. In addition, phenoxy structure could be formed through single electron transfer of  $\text{SO}_4^{\cdot-}$  at C6, O12 and C3. Similarly, C3 and C6 on BA are vulnerable to electrophilic and radical attack (Table S2†). These sites and the formed phenoxy structure are probably attacked by RNSs, forming nitro-byproducts.<sup>19</sup> However, the situation of SA is more complex. Similar to Ph, the *para*-C in SA molecular (C5) is susceptible to radical attack under the influence of  $\cdot\text{OH}$ . It seems that the influence of  $\cdot\text{OH}$  obscures the influence of -COOH. Because the *para*-C of -COOH hydroxyl group (C6) is vulnerable to electrophilic attack under the influence of -COOH



**Fig. 3** Effect of  $NO_3^-/NO_2^-$  on TOC removal in UV/PDS with Ph (a), BA (b) and SA (c) as the target pollutant (condition: [pollutant] = 0.1 mM,  $[PDS] = 0.5 \text{ mM}$ ,  $[NO_3^-] = 2 \text{ mM}$ ,  $[NO_2^-] = 2 \text{ mM}$ ,  $\text{pH} = 3$ ).



just like in BA structure, but C6 is prevented from the electrophilic attack (Table S3†).

### 3.6 Products identification

We identified the products in UV/PDS/ $\text{NO}_3^-$  and UV/PDS/ $\text{NO}_2^-$ , and the results are shown in Table 2. Some unique N-containing products were found in the UV/PDS/ $\text{NO}_3^-$  and UV/PDS/ $\text{NO}_2^-$  systems, respectively. For example, product ( $m/z = 123$ ) was only formed in UV/PDS/ $\text{NO}_2^-$  treating Ph, product ( $m/z = 139$ ) was only formed in UV/PDS/ $\text{NO}_3^-$ . These unique compounds further prove the different RNSs in UV/PDS/ $\text{NO}_3^-$  and UV/PDS/ $\text{NO}_2^-$ .

The detected products match the predicted results well. The unpaired electrons on the phenoxy intermediate product were relocated to its *ortho*-position and *para*-position of -OH on Ph (mainly C4), which react with RNSs forming nitrophenol ( $\text{P}_{\text{p}1}$ ), then poly-substituted nitrophenol ( $\text{P}_{\text{p}3}$ ) was formed. Under the influence of the withdrawing property of nitro group and the donating property of -OH, the substitution sites are mainly located in the *para*-position of -OH and the nitro *meta*-position.

Benzoic acid radicals and benzene radical are formed *via* decarboxylation (C6) and attack *para*-position (C3) of carboxyl group of BA. Then they combine with radicals forming phenol, hydroxy benzoic acid and nitrobenzoic acid ( $\text{P}_{\text{B}1}$ ). The phenol then be converted to nitrophenol through the above-mentioned pathway.

Nitrosalicylic acids ( $\text{P}_{\text{s}1}$ ) was found as the products of SA oxidation which imply that -OH and -COOH almost

independently affect the pathway of oxidation under the influence of RNSs. SA is electrophilic attacked by  $\text{SO}_4^-$  forming phenoxy-like radicals, then transfer the unpaired electron to C1 and/or C5, finally form the nitrosalicylic acids.

The FT-IR results also demonstrated the role of RNS (Fig. S6†). For hydroxyl-containing compounds such as Ph and SA, the hydroxyl peaks after UV/PDS- $\text{NO}_2^-$  were significantly lower than those observed after UV/PDS- $\text{NO}_3^-$ . In contrast, BA exhibited hydroxyl peaks that were more similar after both treatments, indicating the selectivity of RNS for EDGs. The carboxyl group absorptions of BA and SA in the range of 2700–2500  $\text{cm}^{-1}$  showed a decrease in intensity, confirming the removal of the carboxyl group. The range of 1800  $\text{cm}^{-1}$  also supports this finding.

In addition, we selected 3 pathways to analyze the energy profiles during the reaction. It shows that  $\text{SO}_4^-$  and RNSs played important roles in different stages (Fig. 4). Ph is more likely to overcome the energy barrier and form nitrogen-containing byproducts than SA, because  $\Delta G$  of forming transition state (TS) is smaller for Ph compared with SA. The high  $\Delta G$  may relate to the withdrawing property of -COOH in SA. For BA, the situation is different. The -COOH decrease the electron

Table 2 The N-containing products identified in UV/PDS under the influence of  $\text{NO}_2^-$  and  $\text{NO}_3^-$ . (Conditions:  $[\text{Ph}] = [\text{BA}] = [\text{SA}] = 0.1 \text{ mM}$ ,  $[\text{PDS}] = 0.5 \text{ mM}$ ,  $[\text{NO}_3^-] = 2 \text{ mM}$ ,  $[\text{NO}_2^-] = 2 \text{ mM}$ ,  $\text{pH} = 3$ ,  $T = 60 \text{ min}$ )

	UV/PDS/ $\text{NO}_2^-$	UV/PDS/ $\text{NO}_3^-$
Ph	$\text{P}_{\text{p}1} (m/z 139)$ 	$\text{P}_{\text{p}1} (m/z 139)$ 
	$\text{P}_{\text{p}2} (m/z 123)$ 	$\text{P}_{\text{p}3} (m/z 184)$ 
BA	$\text{P}_{\text{B}1} (m/z 169)$ 	$\text{P}_{\text{B}1} (m/z 169)$ 
	$\text{P}_{\text{B}2} (m/z 139)$ 	
SA	$\text{P}_{\text{s}1} (m/z 139)$ 	$\text{P}_{\text{s}1} (m/z 139)$ 
	$\text{P}_{\text{s}2} (m/z 183)$ 	$\text{P}_{\text{s}2} (m/z 183)$ 




Fig. 4 Energy change in the reaction of the target pollutants and radicals at B3LYP/6-31+G(d) level under SMD model (IM for intermediate, TS for transition state, and PC for principal component).



density on the BA molecule, it is relatively hard to form its intermediate ( $\Delta G > 0$ ). However, we speculate that the nitration process is easier for BA than for Ph and SA because the  $\Delta G$  of nitration process is smaller than that of BA.

### 3.7 Characteristics of the oxidation byproducts

Carbon (C), hydrogen (H), oxygen (O), and nitrogen (N) are essential elements of the formed organic products; hence, these byproducts can generally be categorized into CHO and CHON groups based on the absence/presence of N in their structure. The Van Krevelen diagram is used to evaluate the alkylation, hydrogenation, hydration, and oxidation of mixed compounds in the samples.<sup>54</sup> Fig. S7† shows that in the presence of  $\text{NO}_3^-$  or  $\text{NO}_2^-$ , more N-containing products could potentially be formed in the UV/PDS process compared with the formation of CHO-byproducts. For all three compounds,  $\text{NO}_3^-$  leads to more byproducts than  $\text{NO}_2^-$ , but  $\text{NO}_2^-$  result in more N-containing byproducts (Fig. S8† and 5).

The Van Krevelen diagram can be segmented into distinct regions corresponding to various compound classes based on

their O/C and H/C values. These classes include aliphatic, protein-like, carbohydrates, unsaturated hydrocarbons, lignin, tannin, and condensed hydrocarbons<sup>55,56</sup> corresponding to a-g regions in Fig. 5, respectively. As shown in Fig. 5, under the influence of  $\text{NO}_3^-$ , the UV/PDS oxidation products of Ph and SA predominantly consist of N-containing products, specifically lignin and tannins, with a minor presence of condensed hydrocarbons. For BA, the N-containing products are generally tannins. In contrast, under the influence of  $\text{NO}_2^-$ , the product distribution is similar for all three compounds, with the primary products being N-containing tannins and lignin. These results further suggest that different RNSs are involved in the UV/PDS processes with  $\text{NO}_3^-$  and  $\text{NO}_2^-$ , leading to distinct product profiles. Double bond equivalents (DBE) and aromaticity index (AI) indicate the degree of unsaturation, but AI focus on the aromatic.<sup>57</sup> Two threshold values, AI > 0.5 and AI > 0.67, are used as unequivocal criteria for the existence of either aromatic or condensed aromatic structures, respectively.<sup>58</sup> What interesting is that although the three compounds all consist of carbon of less than 7, the results show many products with




Fig. 5 Van Krevelen diagrams of byproducts from oxidation of Ph, BA and SA under the influence of  $\text{NO}_3^-$  (left) and  $\text{NO}_2^-$  (right).




Fig. 6 DBE and AI distribution of oxidation byproducts of Ph, BA and SA.



a carbon number of  $>15$  were formed. This probably related to the oxidative coupling and polymerization pathways of pollutants during the advanced oxidation processes.<sup>59,60</sup> The oxidation products of Ph and SA that with high carbon content ( $C > 15$ ) are primarily non-aromatic ( $AI < 0.57$ ). This observation differs from the conclusion of Min *et al.*, who speculated that phenols with polybenzene rings are predominant in these regions.<sup>61</sup> Moreover, the  $\text{NO}_3^-$ -affected products are more aromatic than those affected by  $\text{NO}_2^-$  (Fig. 6). However, the situation is a little different for BA. Almost no compounds with  $\text{DBE} > 12$  are formed in the oxidation products of BA in the presence of  $\text{NO}_3^-$  or  $\text{NO}_2^-$ . The majority of oxidation products are non-aromatic, and the few aromatic products are mainly derived from the influence of  $\text{NO}_2^-$ , as indicated by the AI distribution. This observation is corroborated by the region with low O/C and high H/C ratios in Fig. 5.

## 4 Conclusions

In this study, three structurally similar compounds were selected, differing only in their substituents. We demonstrated that the nature of the substituent groups significantly impacts not only the efficiency of UV/PDS in the presence of  $\text{NO}_2^-$  and  $\text{NO}_3^-$ , but also the formation of toxic nitrogen-containing products.  $\text{NO}_2^-$  and  $\text{NO}_3^-$  negatively affect the UV/PDS process by competing with pollutants for radicals and generating various RNSs.

The substituent groups influence the electron density distribution; for instance, EDGs increase electron density on aromatic rings, while EWGs reduce it. The substituent properties of the probe, along with the presence or absence of  $\text{NO}_3^-$  /  $\text{NO}_2^-$ , influence the RSE of UV/PDS. Additionally, in compounds containing both EDGs and EWGs (*e.g.*, SA in this study), these groups independently influence nitro-product formation.

Further studies with a broader range of model compounds featuring different substituents are needed to deepen our understanding of the effects of substituents on UV/PDS performance under the influence of  $\text{NO}_3^-$  and  $\text{NO}_2^-$ . While some products were identified in this study, many remained undetected according to FT-ICR-MS results, highlighting the need for additional characterization and evaluation.

## Data availability

Most data are provided in support materials and others can be made available on request.

## Conflicts of interest

There are no conflicts to declare.

## Acknowledgements

This work was supported by the “Pioneer” and “Leading Goose” R&D Program of Zhejiang (2025C02217), by National Natural Science Foundation of China (No. 52170093, 52070111), and by

the Zhejiang Provincial Natural Science Foundation (No. LY22E080010).

## References

- 1 M. Amasha, A. Baalbaki and A. Ghauch, *Chem. Eng. J.*, 2018, **350**, 395–410.
- 2 S. Naim and A. Ghauch, *Chem. Eng. J.*, 2016, **288**, 276–288.
- 3 Z. Abou Khalil, A. Baalbaki, A. Bejjani and A. Ghauch, *Environ. Sci.: Adv.*, 2022, **1**, 797–813.
- 4 R. El Asmar, A. Baalbaki, Z. Abou Khalil, S. Naim, A. Bejjani and A. Ghauch, *Chem. Eng. J.*, 2021, **405**, 126701.
- 5 A. Ghauch, A. Baalbaki, M. Amasha, R. El Asmar and O. Tantawi, *Chem. Eng. J.*, 2017, **317**, 1012–1025.
- 6 M. Amasha, A. Baalbaki, S. Al Hakim, R. El Asmar and A. Ghauch, *J. Adv. Oxid. Technol.*, 2018, **21**, 261–273.
- 7 W. B. Karroum, A. Baalbaki, A. Nasreddine, N. Oueidat and A. Ghauch, *Environ. Sci.: Adv.*, 2024, **3**, 1244–1258.
- 8 R. Yuan, S. N. Ramjaun, Z. Wang and J. Liu, *Chem. Eng. J.*, 2012, **192**, 171–178.
- 9 R. C. Scholes, C. Prasse and D. L. Sedlak, *Environ. Sci. Technol.*, 2019, **53**, 6483–6491.
- 10 C. Chen, Y. Lu, J. Liang, L. Wang and J. Fang, *Chem. Eng. J.*, 2023, **451**, 138755.
- 11 M. Zhao, Y. Liu, M. Feng, X. Yu and L. Wang, *Chem. Eng. J.*, 2024, **489**, 151371.
- 12 A. Ghauch, A. Baalbaki, M. Amasha, R. El Asmar and O. Tantawi, *Chem. Eng. J.*, 2017, **317**, 1012–1025.
- 13 Y. Yang, Y. Ji, P. Yang, L. Wang, J. Lu, C. Ferronato and J.-M. Chovelon, *J. Photochem. Photobiol. A*, 2018, **360**, 188–195.
- 14 L. Sbardella, I. Velo-Gala, J. Comas, I. Rodriguez-Roda Layret, A. Fenu and W. Gernjak, *J. Hazard. Mater.*, 2019, **380**, 120869.
- 15 K. Arman, M. Baghdadi and A. Pardakhti, *Int. J. Environ. Anal. Chem.*, 2022, 1–19, DOI: [10.1080/03067319.2022.2059360](https://doi.org/10.1080/03067319.2022.2059360).
- 16 X. Zhao, J. Gui, P. Yang, D. Kong, J. Lu, J.-M. Chovelon and Y. Ji, *ACS ES&T Eng.*, 2023, **3**, 2008–2015.
- 17 C. Chen, Z. Wu, S. Zheng, L. Wang, X. Niu and J. Fang, *Environ. Sci. Technol.*, 2020, **54**, 8455–8463.
- 18 J. Dzengel, J. Theurich and D. W. Bahnemann, *Environ. Sci. Technol.*, 1998, **33**, 294–300.
- 19 X. Gao, Q. Zhang, Z. Yang, Y. Ji, J. Chen and J. Lu, *ACS ES&T Eng.*, 2022, **2**, 222–231.
- 20 M. Mahdi-Ahmed and S. Chiron, *J. Hazard. Mater.*, 2014, **265**, 41–46.
- 21 Y. Xue, Z. Wang, R. Naidu, R. Bush, F. Yang, J. Liu and M. Huang, *Chem. Eng. J.*, 2022, **433**, 134546.
- 22 Y. Xie, R. Xu, R. Liu, H. Liu, J. Tian and L. Chen, *Chem. Eng. J.*, 2020, **389**, 124457.
- 23 W. Liu, Y. Lu, Y. Dong, Q. Jin and H. Lin, *Chem. Eng. J.*, 2023, **466**, 143161.
- 24 M. J. Frisch, G. W. Trucks, H. B. Schlegel, G. E. Scuseria, M. A. Robb, J. R. Cheeseman, G. Scalmani, V. Barone, G. A. Petersson, H. Nakatsuji, X. Li, M. Caricato, A. V. Marenich, J. Bloino, B. G. Janesko, R. Gomperts,



B. Mennucci, H. P. Hratchian, J. V. Ortiz, A. F. Izmaylov, J. L. Sonnenberg, D. Williams-Young, F. Ding, F. Lippalini, F. Egidi, J. Goings, B. Peng, A. Petrone, T. Henderson, D. Ranasinghe, V. G. Zakrzewski, J. Gao, N. Rega, G. Zheng, W. Liang, M. Hada, M. Ehara, K. Toyota, R. Fukuda, J. Hasegawa, M. Ishida, T. Nakajima, Y. Honda, O. Kitao, H. Nakai, T. Vreven, K. Throssell, J. A. Montgomery Jr, J. E. Peralta, F. Ogliaro, M. J. Bearpark, J. J. Heyd, E. N. Brothers, K. N. Kudin, V. N. Staroverov, T. A. Keith, R. Kobayashi, J. Normand, K. Raghavachari, A. P. Rendell, J. C. Burant, S. S. Iyengar, J. Tomasi, M. Cossi, J. M. Millam, M. Klene, C. Adamo, R. Cammi, J. W. Ochterski, R. L. Martin, K. Morokuma, O. Farkas, J. B. Foresman and D. J. Fox, *Gaussian 09, Revision A.02*, Gaussian, Inc., Wallingford CT, 2016.

25 T. Yanai, D. P. Tew and N. C. Handy, *Chem. Phys. Lett.*, 2004, **393**, 51–57.

26 A. V. Marenich, C. J. Cramer and D. G. Truhlar, *J. Phys. Chem. B*, 2009, **113**, 6378–6396.

27 X. Ao, X. Zhang, W. Sun, K. G. Linden, E. M. Payne, T. Mao and Z. Li, *Water Res.*, 2024, **253**, 121259.

28 J. Wang and S. Wang, *Chem. Eng. J.*, 2021, **411**, 128392.

29 J. Mack and J. R. Bolton, *J. Photochem. Photobiol. A*, 1999, **128**, 1–13.

30 D. M. Stanbury, in *Advances in Inorganic Chemistry*, ed. A. G. Sykes, Academic Press, 1989, vol. 33, pp. 69–138.

31 G. Merényi and J. Lind, *Chem. Res. Toxicol.*, 1997, **10**, 1216–1220.

32 R. C. Scholes, *Environ. Sci.: Processes Impacts*, 2022, **24**, 851–869.

33 Y. Li, H. Qin, Y. Li, J. Lu, L. Zhou, J.-M. Chovelon and Y. Ji, *Water Res.*, 2021, **200**, 117275.

34 C. Wang, N. Moore, K. Bircher, S. Andrews and R. Hofmann, *Water Res.*, 2019, **161**, 448–458.

35 M. Ren, S. Sun, Y. Wu, Y. Shi, Z.-j. Wang, H. Cao and Y. Xie, *Chemosphere*, 2022, **296**, 134071.

36 T. Olmez-Hanci and I. Arslan-Alaton, *Chem. Eng. J.*, 2013, **224**, 10–16.

37 R. M. Uppu, J.-N. Lemercier, G. L. Squadrito, H. Zhang, R. M. Bolzan and W. A. Pryor, *Arch. Biochem. Biophys.*, 1998, **358**, 1–16.

38 S. Canonica, T. Kohn, M. Mac, F. J. Real, J. Wirz and U. von Gunten, *Environ. Sci. Technol.*, 2005, **39**, 9182–9188.

39 G. Mark, H.-G. Korth, H.-P. Schuchmann and C. von Sonntag, *J. Photochem. Photobiol. A*, 1996, **101**, 89–103.

40 Y. Cao, Q. Ma, B. Chu and H. He, *Front. Environ. Sci. Eng.*, 2022, **17**, 48.

41 Y. Ji, L. Wang, M. Jiang, J. Lu, C. Ferronato and J.-M. Chovelon, *Water Res.*, 2017, **123**, 249–257.

42 Y. Yang, J. J. Pignatello, J. Ma and W. A. Mitch, *Environ. Sci. Technol.*, 2014, **48**, 2344–2351.

43 Y. Wu, L. Bu, X. Duan, S. Zhu, M. Kong, N. Zhu and S. Zhou, *J. Cleaner Prod.*, 2020, **273**, 123065.

44 M. Ren, S. Sun, Y. Wu, Y. Shi, Z.-j. Wang, H. Cao and Y. Xie, *Chemosphere*, 2022, 296.

45 P. Wang, L. Bu, Y. Wu, W. Ma, S. Zhu and S. Zhou, *Chemosphere*, 2021, 267.

46 J. Mack and J. R. Bolton, *J. Photochem. Photobiol. A*, 1999, **128**, 1–13.

47 A. Wang, Z. Hua, C. Chen, W. Wei, B. Huang, S. Hou, X. Li and J. Fang, *Chem. Eng. J.*, 2021, **426**, 131276.

48 A. Balaska, M. E. Samar and A. Grid, *Desalin. Water Treat.*, 2015, **54**, 382–392.

49 V. E. Sugihartono, N. N. N. Mahasti, Y. J. Shih and Y. H. Huang, *Chemosphere*, 2022, **296**, 133663.

50 J. B. Wang, D. Zhi, H. Zhou, X. W. He and D. Y. Zhang, *Water Res.*, 2018, **137**, 324–334.

51 Z.-B. Sun, S.-Y. Li, Z.-Q. Liu and C.-H. Zhao, *Chin. Chem. Lett.*, 2016, **27**, 1131–1138.

52 S. Liu and L. G. Pedersen, *J. Phys. Chem. A*, 2009, **113**, 3648–3655.

53 J. Guo, H. Sun, X. Yuan, L. Jiang, Z. Wu, H. Yu, N. Tang, M. Yu, M. Yan and J. Liang, *Water Res.*, 2022, **219**, 118558.

54 R. L. Sleighter and P. G. Hatcher, *J. Mass Spectrom.*, 2007, **42**, 559–574.

55 E. C. Minor, C. J. Steinbring, K. Longnecker and E. B. Kujawinski, *Org. Geochem.*, 2012, **43**, 1–11.

56 A. C. Maizel and C. K. Remucal, *Water Res.*, 2017, **122**, 42–52.

57 A. C. Stenson, A. G. Marshall and W. T. Cooper, *Anal. Chem.*, 2003, **75**, 1275–1284.

58 B. P. Koch and T. Dittmar, *Rapid Commun. Mass Spectrom.*, 2006, **20**, 926–932.

59 Y. Chen, W. Ren, T. Ma, N. Ren, S. Wang and X. Duan, *Environ. Sci. Technol.*, 2024, **58**, 4844–4851.

60 Y.-J. Zhang and H.-Q. Yu, *Environ. Sci. Technol.*, 2024, **58**, 11205–11208.

61 C. Min, Y. Han, C. Yan, Z. Fan, L. Jun and Y. Chen, *Atmos. Environ.*, 2024, **319**, 120319.

