RSC Advances



PAPER

View Article Online
View Journal | View Issue



Cite this: RSC Adv., 2025, 15, 30768

DABCO-catalysed highly diastereoselective synthesis of 1,3-indandione containing fully saturated spirocyclopentanes involving 2-(2'-ketoalkyl)-1,3-indandiones and nitrostyrenes

Gitanjali Mishra, Missa Saril Bobonga, Khadimul Islam, Arundhuti Chakraborty and Barla Thirupathi **

Received 14th June 2025 Accepted 19th August 2025

DOI: 10.1039/d5ra04224k

rsc.li/rsc-advances

Highly functionalized 1,3-indandione containing spirocyclopentanes has been synthesized by reacting nitrostyrenes with 2-(2'-ketoalkyl)-1,3-indandiones using a catalytic amount of DABCO. The resultant products possess three consecutive chiral centres in addition to a spirocyclic centre and are obtained in a highly diastereoselective manner using a catalytic amount of the organic base, DABCO.

2-(2'-Ketoalkyl)-1,3-indandiones (1) were easily accessed from the commercially available 1,3-indandione, and this substrate has more electrophilic and nucleophilic sites compared to the parent compound 1,3-indanedione. Accordingly, these compounds have been used for the synthesis of various carbo-, heterocycles in our laboratory (Scheme 1). In particular, the reaction of 2-(2'-ketoalkyl)-1,3-indandiones provided bicyclo

TMS

OFF

MacN, 80 °C, 1 h
Up to 70% yield

DABCO

CHyCN, 80 °C, 2 h
Up to 90% yield

2-(2'-ketoalkyl)1,3-indandiones

G = alkyl, aryl, heteroaryl

Ar = aryl

DABCO

TA, CH, Cl,

TA, CH, Cl,

TFA, CH, Cl,

Tr-reflux, 12 h
Up to 98% yield

Sulfone containing
spiro[4.4]nonanes

TFA, CH, Cl,

Tr-reflux, 12 h
Up to 98%, yield

Sulfone containing
spiro[4.4]nonanes

OH

So,Ph

TFA, CH, Cl,

Tr-reflux, 12 h
Up to 98%, yield

Sulfone containing
spiro[4.4]nonanes

OA

No.2 CO

Toluene, 190 °C
12-24 h
Up to 92% yield

OA

Azabicyclo(3.1.0)hexanes

Scheme 1 Previous and current approaches by utilizing 2-(2'-ketoalkyl)-1,3-indandiones.

Department of Chemical Sciences, Indian Institute of Science Education & Research Berhampur, Transit Campus, Govt. ITI Building, NH 59, Engineering School Road, Ganjam District, Berhampur 760010, Odisha, India. E-mail: thirupathibarla@iiserbpr.ac.in; bthirupathi56@gmail.com

[3.2.1]octadienones (Scheme 1A), spiro[4.4]nonanes, pentafulvene dyes (Scheme 1B and C),2,3 and azabicyclo[3.1.0]hexanes $1D)^{4}$ by reacting it with arvnes, methylacetylenedicarboxylate (DMAD) or its derivatives and vinyl azides, respectively. As part of our ongoing research interest in exploring the reactivity of 2-(2'-ketoalkyl)-1,3indandiones, we became interested in utilising the nitrostyrenes as an alternative reacting partner, because they serve as effective dipolarophiles, and have been extensively utilized in reactions with a 1,3-dipole to produce five-membered cyclic compounds that contain nitro groups.5 Therefore, the reaction of nitrostyrenes with 2-(2'-ketoalkyl)-1,3-indandiones would provide fully saturated cyclopentanes embedded within the 1,3indandione skeleton. However, there were similar systems that were synthesized by cycloaddition of vinyl cyclopropane derived from 1,3-indanedione with nitroalkenes in the presence of Pd⁰ catalyst, in an asymmetric manner.6 Therefore, we focused on developing transition metal-free conditions to access fully saturated spirocyclopentyl indane-1,3-dione compounds in our study. It is noteworthy to mention that 1,3-indandiones and their derivatives containing spirocyclopentane have garnered considerable interest due to their potential for creating architectural themes. 1,3-indandione structural motifs have been found in diverse fields, ranging from bioactive compounds7-11 to functionalized materials.12 For instance, fredericamycin A, which was isolated from a soil bacterium of Streptomyces griseus (FCRC-48), and found to be antibacterial, antifungal and cytotoxic.13 Therefore, developing a novel method to construct 1,3indandione containing spirocyclopentanes would be vital, specifically under transition metal-free conditions.

Accordingly, we started our investigation using 2-(2'-ketoalkyl)-1,3-indandiones $\mathbf{1a}$ and (E)-(2-nitrovinyl)benzene $\mathbf{2a}$ as a model substrate to check our initial hypothesis. Consequently, we have treated $\mathbf{1a}$ and $\mathbf{2a}$ with $\mathrm{Et_3N}$ as a base in MeCN

at room temperature. To our delight, we found the expected 1,3indandione containing spirocyclopentane 3a in 46% vield (Table 1, entry 1). Subsequently, the product 3a was isolated and confirmed by the meticulous NMR experiments. However, the formation of a compound 3a motivated us to screen the reaction conditions further to get better results. Accordingly, several bases were tested, and the results are described in Table 1. Potassium fluoride (KF) provided the required product, 3a, in only 40% yield (Table 1, entry 2), while prolonged conditions up to 24 h by increasing the equivalents up to 3 decreased the yield to 29% (Table 1, entry 3). On the other hand, caesium fluoride failed to give the expected product (Table 1, entry 4). Next, the Carbonate bases such as K₂CO₃ and Cs₂CO₃ were also tested; surprisingly, they failed to give the desired product (Table 1, entries 5 & 6). Thereafter, we have tried the reaction with Na₂CO₃, but it resulted in only 50% yield of the product (Table 1, entry 7). These results forced us to switch back to the usage of organic bases for fruitful results. Consequently, a stoichiometric amount of DABCO was tested, which furnished the expected product in 40% yield (Table 1, entry 8), and further increasing the equivalents of base provided the required product 3a in 55% yield (Table 1, entry 9). This persuaded us to employ a catalytic amount, allowing the reaction to proceed for


Table 1 Optimization of reaction conditions^a

S. No.	Base (equiv.)	Time (h)	Temperature (°C)	Yield ^b (%)
1	Et ₃ N (1.1)	1	25	46
2	KF (1.5)	3	25	40
3	KF (3.0)	24	25	29
4	CsF (3)	1	25	ND
5	K_2CO_3 (1.5)	22	25	ND
6	Cs_2CO_3 (1.5)	22	25	ND
7	Na_2CO_3 (1.5)	5	25	50
8	DABCO (1.1)	3	25	40
9	DABCO (3)	3	25	55
10	DABCO (0.2)	8	25	50
11	DABCO (0.2)	6	60	61
12	DABCO (0.2)	2	80	70
13	DABCO (0.1)	2	80	53
14^c	DABCO (0.2)	2	100	32
15^d	DABCO (0.2)	2	65	28
16	DBU (1.1)	12	25	6
17	Pyridine (1.1)	12	25	ND
18	DMAP (1.1)	12	25	5
19	DMAP (1.1)	3	80	ND
20	DMAP (3)	3	Rt	Traces

^a Reactions were performed on a 0.1 mmol scale of 2-(2'-ketoalkyl)-1,3-indandiones (1a) and 1.5 equiv. of nitrostyrenes (2a) in acetonitrile (0.1 M) solvent unless otherwise stated. ^b Isolated yields after silica gel column chromatography. ND: Not Detected. ^c DMF (0.1 M) was used as a solvent. ^d THF (0.1 M) was used as a solvent.

longer hours by varying the temperature. To our astonishment, the required product 3a was obtained in 50%, 61% & 70% yield (Table 1, entries 10, 11 & 12) in the presence of 20 mol%. The reaction did not benefit from reducing the catalyst loading to 10 mol%, which only produced a 53% yield (Table 1, entry 13). Next, DABCO was used in two different solvents, DMF and THF, at higher temperatures, which did not help us in providing better results in terms of yield (Table 1, entries 14 & 15). Furthermore, DBU and pyridine were also tested, which did not provide satisfactory results (Table 1, entries 16 & 17). Subsequently, DMAP was used at ambient and elevated temperatures, but the results were not satisfactory (Table 1, entries 18 & 19), even with the higher equivalents of base (Table 1, entry 20). Therefore, the optimised conditions for the synthesis of compound 3a are 20 mol% DABCO, at 80 °C for 2 h in acetonitrile solvent (Table 1, entry 12). Afterwards, we explored the generality of the transformation with a series of 2-(2'-ketoalkyl)-1,3-indandiones and nitrostyrenes. The substituent on the aryl moiety of 2-(2'-ketoalkyl)-1,3-indandiones was summarised in Scheme 2.

Accordingly, various halogen-containing compounds were tested for this method under standard reaction conditions and provided the required compounds **3b**, **3c** and **3d** in 45%, 54% and 55%, respectively. The lower yields might be due to the electron-withdrawing character of halogens. However, the methyl group at the para position exhibited smooth reactivity, yielding 65% of product **3e**. Next, the ortho substituent of the aryl group of 2-(2'-ketoalkyl)-1,3-indandiones was altered with the halogens to produce **3f** and **3g** in 50% and 40%, respectively. Compound **3g** was further characterised by its single-crystal X-ray diffraction analysis, confirming the relative configuration of substituents (CCDC 2456358). Further, an electron-withdrawing group at the meta position was well tolerated in the developed method and furnished 58% of the product **3h** in 58% yield. To our delight, dichlorinated 2-(2'-ketoalkyl)-1,3-



Scheme 2 Substrate scope of 2-(2'-ketoalkyl)-1.3-indandiones.

indandiones also yielded product 3i in good yield of 58%. The diastereomeric ratio was determined by NMR analysis of the crude reaction mixture.

Next, we moved our attention towards the installation of the diverse substituents on nitrostyrenes (Scheme 3). Several groups at para-position were varied, furnishing respective products in moderate to good yields. Accordingly, the methoxy, benzyloxy, and hydroxyl groups were well tolerated in the developed method and provided the required products, 3j, 3k, and 31, in yields of 60%, 67%, and 63%, respectively. Next, fluoro- and chloro-containing nitrostyrenes were tested under standard conditions and provided the corresponding products, 3m and 3n, in 71% and 57% yield, respectively. Thereafter, a strong electron-withdrawing group, such as a cyano group, was endured, affording the product 30 in 69% yield. Furthermore, the feasibility of the reaction was checked for orthosubstituted nitrostyrenes. Methyl-substituted nitrostyrene delivered corresponding spirocycle 3p in 63% yield. Bromide or chloride substitution at the ortho position of the phenyl ring of the nitrostyrene gave 3q-3s in moderate to good yields. Additionally, ortho-nitro nitrostyrene was further tested with

Scheme 3 Substrate scope of nitrostyrenes.

a variety of 2-(2'-ketoalkyl)-1,3-indandiones, which yielded 3t-3w in good yields. Interestingly, tri-nitro spirocyclopentane 3v was synthesized in 66% yield. Meta-fluoro substituted nitrostyrene was also analysed in the developed method, and the corresponding spirocyclopentane 3x was isolated with 60% yield. Notably, a variety of di- and tri-functionalized nitrostyrenes at various positions on the benzene moiety were well accommodated in this method. Moreover, the dimethoxy group located at two distinct positions was evaluated, yielding the respective spirocyclopentane compounds 3y and 3z in moderate yields. Dichloro-substituted spirocyclopentane 3za was also synthesized in 61% yield. To our delight, nitrostyrene containing hydroxyl and ethoxy groups at the 1,2-position on the benzene moiety provided compound product, 3zb, in 65% yield. Finally, trifunctionalized spirocyclopentanes 3zc and 3zd were also synthesised from corresponding nitrostyrenes under standard conditions (Scheme 3).

A plausible reaction mechanism for the formation of 1,3indandione-containing spirocyclopentane is depicted in Scheme 4. The reaction pathway starts with the formation of enolate I from 1a in the presence of DABCO, which undergoes Michael addition with nitrostyrene 2a, leading to intermediates II. The intermediate II undergoes intramolecular annulation via Henry reaction. To our surprise, the intramolecular Henry reaction proceeds in a highly diastereoselective manner via Reface attack of the carbonyl functionality provided the intermediate III, which upon protonation furnishes the 1,3-indandione containing spirocyclopentane 3a. It was possible to isolate and thoroughly characterized IIa, the protonated form of II. The formation of side product IIa is inevitable in some cases, where the reaction is slow. This might be the reason for the lower yields for some substrates. However, our attempts were unsuccessful in converting IIa to the required product 3a under

Scheme 4 Plausible reaction mechanism for the formation of 1,3-indandione containing spirocyclopentanes.

different conditions (see the SI for details). The syn relationship between the two phenyl groups was confirmed by single-crystal X-ray diffraction analysis of one of the examples, **3g** (CCDC 2456358).

Conclusions

In conclusion, we have divulged a facile method for the synthesis of highly functionalized 1,3-indandione containing spirocyclopentane under mild, organocatalytic conditions. The resultant products possess three consecutive chiral centres in addition to a spirocyclic centre. They are obtained in a highly diastereoselective manner using a catalytic amount of the organic base DABCO. The high degree of functional group tolerance was observed in both reacting partners.

General information

All reagents were used as supplied commercially without further purification unless otherwise stated. All the solvents are distilled before use and stored over molecular sieves. Airsensitive reactions were carried out with the oven-dried glass apparatus with the flow of N2 gas. All the column purifications were done with either silica gel 60-120 mesh or 230-400 mesh, in most cases eluent were a mixture of ethyl acetate and hexane unless mentioned. Analytical thin-layer chromatography (TLC) was performed on TLC Silica gel 60 F254 plates purchased from Merck, Germany. Visualisation was accomplished with UV light (254 nm) and exposure to either ethanolic phosphomolybdic acid (PMA), anisaldehyde or KMnO4 solution, CeSO4 + ammonium phosphomolybdate + 10% H₂SO₄, followed by heating. Melting points are uncorrected. 1H NMR spectra were acquired on a Bruker AVANCE NEO Ascend 400 (at 400 MHz), and chemical shifts are reported relative to the residual solvent peak (acetone-d6, $\delta = 2.05$ ppm, CDCl3, $\delta = 7.26$ ppm, methanol-d4, $\delta = 3.31$ ppm). 13C NMR spectra were acquired on Bruker AVANCE (at 100 MHz), and chemical shifts are reported in ppm relative to the residual solvent peak. Unless noted, NMR spectra were acquired in CDCl3, acetone-d6 and methanol-d4; individual peaks are reported as multiplicity (s = singlet, d = doublet, t = triplet, q = quartet, m = multiplet, dd = doublet of doublet); coupling constants were in Hz. All IR spectra were obtained on Bruker Platinum ATR, and selected absorbance is reported in cm⁻¹. Melting points were determined with a digital melting point apparatus EI-India while keeping the sample on a melting point capillary and are uncorrected. High-resolution mass data were acquired using a Mass Spectrometer (HRMS) Xevo G2-XS QTOF Quadrupole Time of Flight Mass Spectrometer Waters, where MeOH or MeCN was used as a solvent. Chiral HPLC was performed using an Agilent 1260 Infinity II by using chiral phase columns and hexane, isopropanol are eluents. Xray diffraction measurements were performed to determine the crystal structure of compounds at 273 K using APEX3 (Bruker, 2016; Bruker D8 Venture photon 100 CMOS detector)

diffractometer having graphite-monochromatized (MoK α = 0.71073 Å).

General Procedure for the synthesis of spirocyclic compounds (3)

To a solution of compound 1 (0.2 mmol, 1 equiv.) and 1,4-diazabicyclo[2.2.2]octane (DABCO) in acetonitrile (1 mL), a solution of 2 (1.1 equiv.) in acetonitrile (1 mL) was added at room temperature. The reaction mixture was then refluxed for 2 h at 80 °C in an oil bath. After completion of the reaction (monitored by TLC), the solvent was removed under reduced pressure. The resultant crude compound was diluted with CH_2Cl_2 (15 mL) and water (5 mL). The organic layer was separated, and the aqueous layer was extracted with CH_2Cl_2 (3 × 10 mL). The combined organic layer was washed with brine (2 × 10 mL), dried over anhydrous Na_2SO_4 , filtered, and concentrated under reduced pressure. The resultant crude product was purified over silica gel column chromatography using ethyl acetate/hexane mixture as eluent afforded spirocyclic compounds 3.

Characterization of spirocyclic compounds (3a-3zd)

(\pm) (2S,3R,4R)-4-Hydroxy-3-nitro-2,4-diphenylspiro [cyclopentane-1,2'-indene]-1',3'-dione (3a)

The title compound 3a was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (70% yield; 96:4 dr). The spectral data are for the major diastereomer.

 $R_{\mathrm{f}}=0.3$, eluent = 20% EtOAc/Hexane.

Melting point = 198-200 °C.

¹H NMR (400 MHz, CDCl₃) δ 8.00 (d, J = 7.6 Hz, 1H), 7.80 (dd, J = 12.6, 7.5 Hz, 3H), 7.72 (t, J = 7.4 Hz, 1H), 7.65 (d, J = 7.5 Hz, 1H), 7.48 (t, J = 7.6 Hz, 2H), 7.38 (t, J = 7.3 Hz, 1H), 7.11–7.03 (m, 5H), 6.14 (d, J = 12.4 Hz, 1H), 4.95 (d, J = 12.4 Hz, 1H), 2.85 (d, J = 14.9 Hz, 1H), 2.58 (d, J = 15.0 Hz, 1H).

 $^{13}\text{C}\{1\text{H}\}$ NMR (100 MHz, CDCl₃) δ 201.8, 201.2, 142.2, 141.6, 139.7, 136.6, 136.2, 131.9, 128.7, 128.5, 128.4, 128.1, 125.3, 123.6, 123.4, 93.4, 81.5, 60.4, 54.4, 46.5.

IR (ATR) \tilde{v} (cm⁻¹): 3430, 3062, 3011, 2920, 2851, 1741, 1694, 1594, 1520, 1498, 1448.

HRMS (SI, m/z): calculated for $C_{25}H_{19}NO_5Na$ ([M + Na]⁺): 436.1161; found: 436.1157.

(±) (2S,3R,4R)-4-(4-Fluorophenyl)-4-hydroxy-3-nitro-2-phenylspiro[cyclopentane-1,2'-indene]-1',3'-dione (3b)

The title compound **3b** was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (45% yield; 98:2 dr) The spectral data are for the major diastereomer.

 $R_{\rm f} = 0.3$, eluent = 20% EtOAc/Hexane.

Melting point = 195-197 °C.

¹H NMR (400 MHz, CDCl₃) δ 8.00 (d, J = 7.7 Hz, 1H), 7.85–7.76 (m, 3H), 7.73 (t, J = 7.3 Hz, 1H), 7.65 (d, J = 7.6 Hz, 1H), 7.16 (t, J = 8.3 Hz, 2H), 7.09 (s, 3H), 7.05 (s, 2H), 6.07 (d, J = 12.4 Hz, 1H), 4.90 (d, J = 12.4 Hz, 1H), 4.02 (s, 1H), 2.83 (d, J = 15.0 Hz, 1H), 2.56 (d, J = 15.0 Hz, 1H).

¹³C{1H} NMR (100 MHz, CDCl₃) δ 201.8, 201.3, 163.9, 161.4, 142.2, 141.6, 136.5, 136.2, 136.3, 132.0, 128.7, 128.5, 128.1, 127.4, 127.3, 123.5 (d, J = 26.3 Hz), 115.6 (d, J = 21.6 Hz), 93.5, 81.2, 60.4, 54.3, 46.4.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3405, 3064, 3012, 2801, 1741, 1694, 1593, 1541, 1511, 1448, 1269.

HRMS (SI, m/z): calculated for $C_{25}H_{18}NO_5FNa$ ([M + Na]⁺): 454.1067; found: 454.1063.

(\pm) (2S,3R,4R)-4-(4-Bromophenyl)-4-hydroxy-3-nitro-2-phenylspiro[cyclopentane-1,2'-indene]-1',3'-dione (3c)

The title compound **3c** was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (54% yield; 94:6 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\mathrm{f}}=0.3$, eluent = 20% EtOAc/Hexane.

Melting point = 205-207 °C.

¹H NMR (400 MHz, CDCl₃) δ 8.00 (d, J = 7.5 Hz, 1H), 7.80 (t, J = 7.3 Hz, 1H), 7.75–7.63 (m, 4H), 7.60 (d, J = 8.2 Hz, 2H), 7.09 (s, 3H), 7.04 (d, J = 2.7 Hz, 2H), 6.05 (d, J = 12.4 Hz, 1H), 4.89 (d, J = 12.4 Hz, 1H), 4.06 (s, 1H), 2.81 (d, J = 15.0 Hz, 1H), 2.55 (d, J = 14.9 Hz, 1H).

 $^{13}\text{C}\{1\text{H}\}$ NMR (100 MHz, CDCl₃) δ 201.8, 201.2, 142.2, 141.6, 139.7, 136.6, 136.3, 131.9, 128.7, 128.5, 128.1, 127.3, 123.7, 123.4, 122.6, 93.4, 81.2, 60.4, 54.3, 46.3.

IR (ATR) \tilde{v} (cm⁻¹): 3367, 3044, 2953, 2920, 2849, 1745, 1695, 1589, 1550, 1487, 1461, 698.

HRMS (SI, m/z): calculated for $C_{25}H_{18}NO_5NaBr$ ([M + Na]⁺): 514.0266; found: 514.0266.

(\pm) (2S,3R,4R)-4-(4-chlorophenyl)-4-hydroxy-3-nitro-2-phenylspiro[cyclopentane-1,2'-indene]-1',3'-dione (3d)

The title compound **3d** was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (55% yield, 95:5 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 20% EtOAc/Hexane.

Melting point = 190–192 °C.

¹H NMR (400 MHz, CDCl₃) δ 8.00 (d, J = 7.5 Hz, 1H), 7.82–7.71 (m, 4H), 7.65 (d, J = 7.5 Hz, 1H), 7.44 (d, J = 7.6 Hz, 2H), 7.08 (s, 3H), 7.03 (s, 2H), 6.06 (d, J = 12.4 Hz, 1H), 4.90 (d, J = 12.4 Hz, 1H), 4.07 (s, 1H), 2.82 (d, J = 15.0 Hz, 1H), 2.56 (d, J = 15.0 Hz, 1H).

 13 C{1H} NMR (100 MHz, CDCl₃) δ 201.8, 201.3, 142.2, 141.6, 139.1, 136.6, 136.2, 134.4, 131.8, 128.9, 128.7, 128.5, 128.1, 126.9, 123.7, 123.4, 93.4, 81.2, 60.4, 54.3, 46.4.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3282, 2979, 2947, 2881, 2855, 1750, 1695, 1591, 1552, 1491, 1474, 768.

HRMS (SI, m/z): calculated for $C_{25}H_{18}NO_5NaCl$ ([M + Na]⁺): 470.0771; found: 470.0780.

(\pm) (2S,3R,4R)-4-Hydroxy-3-nitro-2-phenyl-4-(p-tolyl)spiro [cyclopentane-1,2 $^{\prime}$ -indene]-1 $^{\prime}$,3 $^{\prime}$ -dione (3e)

The title compound **3e** was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (65% yield; 98:2 dr). The spectral data are for the major diastereomer.

 $R_{\rm f} = 0.3$, eluent = 20% EtOAc/Hexane.

Melting point = 175-177 °C.

¹H NMR (400 MHz, CDCl₃) δ 8.00 (d, J = 7.4 Hz, 1H), 7.79 (t, J = 7.1 Hz, 1H), 7.73–7.62 (m, 5H), 7.29 (s, 1H), 7.07 (d, J = 8.8 Hz,

5H), 6.11 (d, J = 12.4 Hz, 1H), 4.93 (d, J = 12.3 Hz, 1H), 2.83 (d, J = 14.8 Hz, 1H), 2.55 (d, J = 14.9 Hz, 1H), 2.39 (s, 3H).

 $^{13}\text{C}\{1\text{H}\}$ NMR (100 MHz, CDCl₃) δ 201.8, 201.5, 142.1, 141.7, 138.2, 137.5, 136.4, 136.1, 132.1, 129.4, 128.6, 128.3, 128.1, 125.2, 123.6, 123.3, 93.4, 81.5, 60.4, 54.4, 46.4, 21.1.

IR (ATR) \tilde{v} (cm⁻¹): 3436, 2914, 1743, 1707, 1554, 1538, 1495, 1455.

HRMS (SI, m/z): calculated for $C_{26}H_{21}NO_5Na$ ([M + Na][†]): 450.1317; found: 450.1311.

(\pm) (2S,3R,4R)-4-(2-Bromophenyl)-4-hydroxy-3-nitro-2-phenylspiro[cyclopentane-1,2'-indene]-1',3'-dione (3f)

The title compound 3f was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (50% yield; 95:5 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 20% EtOAc/Hexane.

Melting point = 219-221 °C.

¹H NMR (400 MHz, CDCl₃) δ 8.16 (dd, J = 8.0, 1.4 Hz, 1H), 8.06 (d, J = 7.7 Hz, 1H), 7.83 (t, J = 7.4 Hz, 1H), 7.77–7.71 (m, 2H), 7.60 (d, J = 7.6 Hz, 1H), 7.45–7.43 (m, 1H), 7.24 (dd, J = 7.6, 1.4 Hz, 1H). 7.14–7.13 (m, 3H), 7.07 (dd, J = 6.5, 2.8 Hz, 2H), 6.97 (d, J = 11.3 Hz, 1H), 4.95 (s, 1H), 4.86 (d, J = 11.3 Hz, 1H), 3.78 (d, J = 15.1 Hz, 1H), 2.35 (d, J = 15.1 Hz, 1H).

 $^{13}\text{C}\{1\text{H}\}$ NMR (100 MHz, CDCl₃) δ 204.2, 199.0, 143.0, 140.8, 137.3, 136.8, 136.0, 135.2, 132.9, 130.1, 130.0, 128.8, 128.6, 128.3, 127.9, 123.9, 123.5, 120.2, 91.1, 82.1, 61.1, 53.9, 42.2.

IR (ATR) \tilde{v} (cm⁻¹): 3401, 3064, 3010, 2955, 2918, 1758, 1695, 1589, 1543, 1469, 1452, 692.

HRMS (SI, m/z): calculated for $C_{25}H_{19}BrNO_5$ ([M + H]⁺): 492.0447; found: 492.0467.

(±) (2S,3R,4R)-4-(2-Chlorophenyl)-4-hydroxy-3-nitro-2-phenylspiro[cyclopentane-1,2'-indene]-1',3'-dione (3g)

The title compound 3g was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (40% yield; 93:7 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 20% EtOAc/Hexane.

Melting point = 198-200 °C.

¹H NMR (400 MHz, CDCl₃) δ 8.11 (d, J = 7.7 Hz, 1H), 8.06 (d, J = 7.6 Hz, 1H), 7.83 (t, J = 7.4 Hz, 1H), 7.75 (t, J = 7.4 Hz, 1H), 7.60 (d, J = 7.6 Hz, 1H), 7.51 (d, J = 7.6 Hz, 1H), 7.37 (dt, J = 19.6, 7.2 Hz, 2H), 7.13 (d, J = 2.6 Hz, 3H), 7.06 (d, J = 3.1 Hz, 2H), 6.84 (d, J = 11.4 Hz, 1H), 4.87 (d, J = 13.8 Hz, 2H), 3.73 (d, J = 14.9 Hz, 1H), 2.30 (d, J = 14.9 Hz, 1H).

 $^{13}\text{C}\{1\text{H}\}$ NMR (100 MHz, CDCl₃) δ 204.2, 198.9, 143.0, 140.8, 136.8, 136.0, 135.8, 132.8, 131.6, 131.0, 129.9, 129.7, 128.8, 128.6, 128.3, 127.4, 123.9, 123.5, 91.1, 81.7, 61.1, 54.0, 42.1.

IR (ATR) \tilde{v} (cm⁻¹): 3530, 3066, 3035, 2954, 1741, 1695, 1592, 1544, 1495, 1467, 761.

HRMS (SI, m/z): calculated for $C_{25}H_{18}NO_5NaCl$ ([M + Na]⁺): 470.0771; found: 470.0757.

(\pm) (2S,3R,4R)-4-Hydroxy-3-nitro-4-(3-nitrophenyl)-2-phenylspiro[cyclopentane-1,2'-indene]-1',3'-dione (3h)

The title compound **3h** was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (58% yield; 97:3 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 20% EtOAc/Hexane.

Melting point = 198-200 °C.

¹H NMR (400 MHz, DMSO- d_6) δ 8.66 (s, 1H), 8.32 (d, J = 7.8 Hz, 1H), 8.25 (d, J = 8.1 Hz, 1H), 7.94 (d, J = 7.5 Hz, 1H), 7.89–7.76 (m, 3H), 7.68 (d, J = 7.5 Hz, 1H), 7.13 (s, 1H), 7.05 (d, J = 10.7 Hz, 5H), 6.24 (d, J = 12.2 Hz, 1H), 4.78 (d, J = 12.2 Hz, 1H), 2.80 (d, J = 15.5 Hz, 1H), 2.73 (d, J = 15.6 Hz, 1H).

 13 C{1H} NMR (100 MHz, DMSO- d_6) δ 203.1, 200.8, 148.3, 147.4, 142.3, 141.8, 136.9, 133.6, 133.1, 130.3, 128.9, 128.3, 127.9, 123.4, 123.0, 121.2, 93.6, 80.3, 60.7, 53.9, 47.6.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3320, 3062, 2976, 1741, 1687, 1588, 1553, 1526, 1441.

HRMS (SI, m/z): calculated for $C_{25}H_{18}N_2O_7Na$ ([M + Na]⁺): 481.1012; found: 481.1025.

(\pm) (2S,3R,4R)-4-(2,4-Dichlorophenyl)-4-hydroxy-3-nitro-2-phenylspiro[cyclopentane-1,2'-indene]-1',3'-dione (3i)

The title compound 3i was prepared according to general procedure A on a 0.2 mmol scale. The desired product was

obtained as a white solid (58% yield; 96:4 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f}=0.3$, eluent = 20% EtOAc/Hexane.

Melting point = 150-152 °C.

¹H NMR (400 MHz, CDCl₃) δ 8.06 (dd, J = 7.8, 4.7 Hz, 2H), 7.84 (t, J = 7.4 Hz, 1H), 7.76 (t, J = 7.4 Hz, 1H), 7.60 (d, J = 7.6 Hz, 1H), 7.53 (s, 1H), 7.36 (d, J = 8.5 Hz, 1H), 7.13 (d, J = 2.7 Hz, 3H), 7.03 (d, J = 3.6 Hz, 2H), 6.75 (d, J = 11.3 Hz, 1H), 5.01 (s, 1H), 4.83 (d, J = 11.3 Hz, 1H), 3.73 (d, J = 14.9 Hz, 1H), 2.23 (d, J = 14.9 Hz, 1H).

¹³C{1H} NMR (100 MHz, CDCl₃) δ 204.4, 198.6, 143.0, 140.6, 137.0, 136.1, 135.1, 134.5, 132.7, 131.5, 131.2, 131.0, 128.8, 128.7, 128.4, 127.6, 124.0, 123.5, 91.2, 81.4, 61.1, 53.9, 41.6.

IR (ATR) \tilde{v} (cm⁻¹): 3372, 3118, 3088, 3040, 3040, 3012, 1745, 1693, 1591, 1550, 1471, 1417, 763.

HRMS (SI, m/z): calculated for $C_{25}H_{18}Cl_2NO_5$ ([M + H]⁺): 482.0562; found: 482.0571.

(\pm) (2S,3R,4R)-4-Hydroxy-2-(4-methoxyphenyl)-3-nitro-4-(3-nitrophenyl)spiro[cyclopentane-1,2'-indene]-1',3'-dione (3j)

The title compound 3j was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (60% yield; 92:8 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 30% EtOAc/Hexane.

Melting point = 218-220 °C.


¹H NMR (400 MHz, DMSO- d_6) δ 8.65 (s, 1H), 8.31 (d, J = 7.7 Hz, 1H), 8.25 (d, J = 8.4 Hz, 1H), 7.95 (d, J = 7.5 Hz, 1H), 7.88 (t, J = 7.2 Hz, 1H), 7.85–7.80 (m, 2H), 7.73 (d, J = 7.4 Hz, 1H), 7.09 (s, 1H), 6.98 (d, J = 8.4 Hz, 2H), 6.63 (d, J = 8.4 Hz, 2H), 6.16 (d, J = 12.3 Hz, 1H), 4.73 (d, J = 12.3 Hz, 1H), 3.57 (s, 3H), 2.74 (q, J = 15.6 Hz, 2H).

¹³C{1H} NMR (100 MHz, DMSO- d_6) δ 203.3, 201.0, 159.1, 148.3, 147.4, 142.3, 141.8, 136.9, 133.1, 130.3, 129.2, 125.2, 123.4, 123.0, 121.2, 114.3, 94.0, 80.2, 60.7, 55.4, 53.3, 47.6.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3319, 3020, 2986, 2971, 2934, 1742, 1688, 1612, 1587, 1554, 1527.

HRMS (SI, m/z): calculated for $C_{26}H_{20}N_2O_8Na$ ([M + Na]⁺): 511.1118; found: 511.1111.

(\pm) (2S,3R,4R)-2-(4-(Benzyloxy)phenyl)-4-hydroxy-3-nitro-4-(3-nitrophenyl)spiro[cyclopentane-1,2'-indene]-1',3'-dione (3k)



The title compound **3k** was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (67% yield; 93:7 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 30% EtOAc/Hexane.

Melting point = 190-192 °C.

¹H NMR (400 MHz, DMSO- d_6) δ 8.65 (s, 1H), 8.28 (dd, J=25.6, 8.0 Hz, 2H), 7.95–7.80 (m, 4H), 7.72 (d, J=7.4 Hz, 1H), 7.36–7.28 (m, 5H), 7.10 (s, 1H), 6.99 (d, J=8.1 Hz, 2H), 6.71 (d, J=8.0 Hz, 2H), 6.18 (d, J=12.3 Hz, 1H), 4.91 (s, 2H), 4.73 (d, J=12.3 Hz, 1H), 2.74 (q, J=15.5 Hz, 2H).

¹³C{1H} NMR (100 MHz, DMSO- d_6) δ 203.3, 201.0, 158.2, 148.2, 147.4, 142.3, 141.8, 137.2, 136.9, 133.1, 130.3, 129.2, 128.8, 128.2, 128.1, 125.5, 123.4, 123.0, 121.2, 115.1, 93.9, 80.2, 69.5, 60.8, 53.3, 47.6.

IR (ATR) \tilde{v} (cm⁻¹): 3299, 3083, 3064, 3025, 2970, 2939, 1745, 1698, 1611, 1593, 1544, 1529.

HRMS (SI, m/z): calculated for $C_{32}H_{24}N_2O_8Na$ ([M + Na]⁺): 587.1430; found: 587.1424.

(\pm) (2S,3R,4R)-4-Hydroxy-2-(4-hydroxyphenyl)-3-nitro-4-(3-nitrophenyl)spiro[cyclopentane-1,2'-indene]-1',3'-dione (3l)

The title compound 3l was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (63% yield; 95:5 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 20% EtOAc/Hexane.

Melting point = 219-221 °C.

¹H NMR (400 MHz, DMSO- d_6) δ 9.28 (s, 1H), 8.66 (t, J=1.7 Hz, 1H), 8.32–8.23 (m, 2H), 7.94–7.80 (m, 4H), 7.73 (d, J=7.4 Hz, 1H), 7.07 (s, 1H), 6.84 (d, J=8.5 Hz, 2H), 6.43 (d, J=8.5 Hz, 2H), 6.09 (d, J=12.3 Hz, 1H), 4.68 (d, J=12.3 Hz, 1H), 2.74 (q, J=15.5 Hz, 2H).

 $^{13}\text{C}\{1\text{H}\}$ NMR (100 MHz, DMSO- d_6) δ 203.5, 201.1, 157.2, 148.3, 147.5, 142.4, 141.9, 136.9, 136.8, 133.0, 130.3, 129.0, 123.4, 123.3, 123.0, 121.1, 115.7, 94.0, 80.1, 60.9, 53.5, 47.4.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3438, 3278, 3086, 3036, 2979, 2942, 1734, 1693, 1615, 1592, 1549, 1523.

HRMS (SI, m/z): calculated for $C_{25}H_{18}N_2O_8Na$ ([M + Na]⁺): 497.0961; found: 497.0957.

(\pm) (2S,3R,4R)-2-(4-Chlorophenyl)-4-hydroxy-3-nitro-4-(3-nitrophenyl)spiro[cyclopentane-1,2'-indene]-1',3'-dione (3m)

The title compound 3m was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (71% yield; 92:8 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 30% EtOAc/Hexane.

Melting point = 246-248 °C.

¹H NMR (400 MHz, CDCl₃) δ 8.16 (d, J = 7.6 Hz, 1H), 7.88 (t, J = 7.5 Hz, 1H), 7.78 (t, J = 7.5 Hz, 1H), 7.73–7.63 (m, 6H), 7.44 (d, J = 8.5 Hz, 2H), 7.39 (t, J = 7.7 Hz, 1H), 5.77 (d, J = 11.6 Hz, 1H), 5.41 (s, 1H), 5.36 (d, J = 11.6 Hz, 1H), 3.06 (d, J = 14.9 Hz, 1H), 2.41 (d, J = 14.9 Hz, 1H).

¹³C{1H} NMR (100 MHz, DMSO- d_6) δ 201.8, 199.6, 147.2, 146.2, 141.2, 140.6, 136.0, 132.0, 131.9, 131.7, 129.2, 128.9, 127.8, 122.4, 121.9, 120.1, 92.3, 79.2, 59.5, 52.2, 46.5.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3445, 3091, 2979, 2907, 1741, 1691, 1588, 1543, 1524, 1494, 727.

HRMS (SI, m/z): calculated for $C_{25}H_{17}N_2O_7NaCl$ ([M + Na]⁺): 515.0622; found: 515.0631.

(±) (2S,3R,4R)-2-(4-Fluorophenyl)-4-hydroxy-3-nitro-4-(3-nitrophenyl)spiro[cyclopentane-1,2'-indene]-1',3'-dione (3n)

The title compound 3n was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (57% yield; 99:1 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 30% EtOAc/Hexane.

Melting point = 195-197 °C.

¹H NMR (400 MHz, CD₂Cl₂) δ 8.70 (s, 1H), 8.26 (d, J = 8.3 Hz, 1H), 8.21 (d, J = 7.9 Hz, 1H), 8.02 (d, J = 7.5 Hz, 1H), 7.86 (t, J = 7.4 Hz, 1H), 7.80 (t, J = 7.3 Hz, 1H), 7.73–7.69 (m, 2H), 7.08 (dd, J = 8.1, 5.4 Hz, 2H), 6.84 (t, J = 8.5 Hz, 2H), 6.03 (d, J = 12.2 Hz, 1H), 4.86 (d, J = 12.2 Hz, 1H), 4.32 (s, 1H), 2.93 (d, J = 15.3 Hz, 1H), 2.60 (d, J = 15.3 Hz, 1H).

¹³C{1H} NMR (100 MHz, DMSO- d_6) δ 203.01, 200.73, 161.89 (d, J = 244.7 Hz), 148.26, 147.36, 142.27, 141.73, 136.99, 133.13, 130.29, 130.13 (d, J = 8.2 Hz), 129.92 (d, J = 2.9 Hz), 123.38 (d, J = 1.6 Hz), 122.98, 121.21, 115.73 (d, J = 21.5 Hz), 93.58, 80.29, 60.76, 53.27, 47.42.

¹⁹F NMR (377 MHz, CD_2Cl_2) δ –113.54.

IR (ATR) \tilde{v} (cm⁻¹): 3387, 3096, 3075, 2988, 2966, 1739, 1686, 1590, 1555, 1529, 1511, 729.

HRMS (SI, m/z): calculated for $C_{25}H_{17}FN_2O_7Na$ ([M + Na]⁺): 499.0918; found: 499.0906.

(\pm) 4-((3R,4R,5S)-3-Hydroxy-4-nitro-3-(3-nitrophenyl)-1',3'-dioxo-1',3'-dihydrospiro[cyclopentane-1,2'-inden]-5-yl) benzonitrile (30)

The title compound **30** was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (69% yield; 99:1 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 30% EtOAc/Hexane.

Melting point = 260-262 °C.

¹H NMR (400 MHz, DMSO- d_6) δ 8.66 (s, 1H), 8.31 (d, J=7.8 Hz, 1H), 8.25 (d, J=8.1 Hz, 1H), 7.96 (d, J=7.5 Hz, 1H), 7.90 (t, J=7.3 Hz, 1H), 7.85–7.81 (m, 2H), 7.70 (d, J=7.5 Hz, 1H), 7.57 (d, J=7.9 Hz, 2H), 7.35 (d, J=8.0 Hz, 2H), 7.18 (s, 1H), 6.44 (d, J=12.1 Hz, 1H), 4.85 (d, J=12.1 Hz, 1H), 2.81–2.72 (m, 2H).

¹³C{1H} NMR (100 MHz, DMSO- d_6) δ 202.4, 200.3, 148.2, 147.2, 142.2, 141.5, 139.7, 137.2, 137.2, 133.2, 132.7, 130.3, 129.3, 123.5, 123.4, 123.0, 121.2, 118.6, 111.1, 92.9, 80.4, 60.6, 53.7, 47.6.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3457, 3088, 2998, 2930, 2102, 1739, 1698, 1589, 1526, 1483, 1432.

HRMS (SI, m/z): calculated for $C_{25}H_{17}N_3O_9Na$ ([M + Na]⁺): 506.0964; found: 506.0965.

(\pm) (2S,3R,4R)-4-Hydroxy-3-nitro-4-(3-nitrophenyl)-2-(o-tolyl) spiro[cyclopentane-1,2'-indene]-1',3'-dione (3p)

The title compound 3p was prepared according to general procedure A on a 0.2 mmol scale. The desired product was

obtained as a white solid (63% yield; 97:3 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 30% EtOAc/Hexane.

Melting point = 195-197 °C.

 1 H NMR (400 MHz, CD₂Cl₂) δ 8.71 (s, 1H), 8.24 (dd, J=14.4, 8.0 Hz, 2H), 8.03 (d, J=7.6 Hz, 1H), 7.85 (t, J=7.4 Hz, 1H), 7.78 (t, J=7.4 Hz, 1H), 7.72 (t, J=8.0 Hz, 1H), 7.67 (d, J=7.6 Hz, 1H), 7.33 (d, J=7.8 Hz, 1H), 7.15 (t, J=7.5 Hz, 1H), 7.03 (t, J=7.4 Hz, 1H), 6.90 (d, J=7.5 Hz, 1H), 5.94 (d, J=11.9 Hz, 1H), 5.17 (d, J=11.9 Hz, 1H), 4.74 (s, 1H), 3.05 (d, J=15.2 Hz, 1H), 2.56 (d, J=15.2 Hz, 1H), 2.09 (s, 3H).

 $^{13}\text{C}\{1\text{H}\}$ NMR (100 MHz, CD_2Cl_2) δ 203.4, 199.8, 148.6, 142.9, 142.3, 140.9, 137.6, 137.1, 136.4, 131.8, 130.8, 130.3, 129.7, 128.2, 128.0, 126.2, 123.6, 123.4, 123.2, 121.0, 95.8, 81.2, 60.4, 49.4, 45.9, 19.5.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3367, 3118, 3088, 3068, 3027, 2983, 2910, 1746, 1691, 1591, 1551, 1524, 1438.

HRMS (SI, m/z): calculated for $C_{26}H_{20}N_2O_7Na$ ([M + Na]⁺): 495.1169; found: 495.1169.

(\pm) (2*R*,3*R*,4*R*)-2-(2-Bromophenyl)-4-hydroxy-3-nitro-4-phenylspiro[cyclopentane-1,2'-indene]-1',3'-dione (3q)

The title compound 3q was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (55% yield; 97:3 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 20% EtOAc/Hexane.

Melting point = 230-232 °C.

¹H NMR (400 MHz, CDCl₃) δ 8.08 (d, J = 7.6 Hz, 1H), 7.87–7.79 (m, 3H), 7.75 (t, J = 7.4 Hz, 1H), 7.62 (d, J = 7.6 Hz, 1H), 7.48 (t, J = 7.5 Hz, 2H), 7.40 (dd, J = 17.2, 7.9 Hz, 2H), 7.29 (dd, J = 11.6, 6.7 Hz, 2H), 7.01 (t, J = 7.6 Hz, 1H), 5.89 (d, J = 11.9 Hz, 1H), 5.52 (d, J = 11.9 Hz, 1H), 4.80 (s, 1H), 3.03 (d, J = 14.9 Hz, 1H), 2.47 (d, J = 14.9 Hz, 1H).

 $^{13}\text{C}\{1\text{H}\}$ NMR (100 MHz, CDCl₃) δ 203.0, 199.7, 142.0, 141.8, 139.5, 136.6, 136.3, 133.3, 132.2, 129.8, 129.7, 128.7, 128.3, 127.7, 126.2, 125.4, 124.1, 123.2, 95.2, 81.8, 60.2, 52.1, 45.6.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3401, 3064, 3010, 2955, 2918, 2853, 1758, 1695, 1589, 1543, 1469, 1452, 692.

HRMS (SI, m/z): calculated for $C_{25}H_{18}NO_5NaBr$ ([M + Na]⁺): 514.0266; found: 514.0231.

(\pm) (2R,3R,4R)-2-(2-Bromophenyl)-4-hydroxy-3-nitro-4-(3-nitrophenyl)spiro[cyclopentane-1,2'-indene]-1',3'-dione (3r)



The title compound 3r was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (61% yield; 95:5 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 30% EtOAc/Hexane.

Melting point = 214-216 °C.

¹H NMR (400 MHz, DMSO- d_6) δ 8.68 (s, 1H), 8.35 (d, J = 7.9 Hz, 1H), 8.25 (dd, J = 8.1, 2.1 Hz, 1H), 7.95 (d, J = 7.6 Hz, 1H), 7.87–7.81 (m, 2H), 7.76 (t, J = 7.4 Hz, 1H), 7.59 (d, J = 7.6 Hz, 2H), 7.28 (d, J = 8.0 Hz, 1H), 7.22 (t, J = 7.6 Hz, 1H), 7.11 (s, 1H), 7.00–6.95 (m, 1H), 6.26 (d, J = 11.9 Hz, 1H), 5.37 (d, J = 11.9 Hz, 1H), 2.80 (s, 2H).

¹³C{1H} NMR (100 MHz, DMSO- d_6) δ 201.6, 199.0, 147.8, 146.6, 142.0, 141.2, 136.1, 136.1, 132.8, 132.8, 129.8, 129.6, 129.5, 127.6, 125.2, 123.0, 122.5, 122.4, 120.8, 94.0, 80.0, 60.4, 51.6, 45.7. IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3457, 3116, 2998, 2930, 1738, 1698, 1590.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3457, 3116, 2998, 2930, 1738, 1698, 1590, 1548, 1528, 1477, 725.

HRMS (SI, m/z): calculated for $C_{25}H_{17}N_2O_7NaBr$ ([M + Na]⁺): 559.0117; found: 559.0112.

(\pm) (2*R*,3*R*,4*R*)-2-(2-chlorophenyl)-4-hydroxy-3-nitro-4-(3-nitrophenyl)spiro[cyclopentane-1,2'-indene]-1',3'-dione (3s)

The title compound **3s** was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (66% yield; 96:4 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 30% EtOAc/Hexane.

Melting point = 242-244 °C.

¹H NMR (400 MHz, DMSO- d_6) δ 8.68 (s, 1H), 8.34 (d, J = 7.8 Hz, 1H), 8.25 (d, J = 8.1 Hz, 1H), 7.95 (d, J = 7.6 Hz, 1H), 7.84 (dt, J = 11.9, 7.7 Hz, 1H), 7.76 (t, J = 7.4 Hz, 1H), 7.65–7.52 (m, 1H), 7.18 (t, J = 7.4 Hz, 1H), 7.13–7.01 (m, 2H), 6.28 (d, J = 12.0 Hz, 1H), 5.35 (d, J = 12.0 Hz, 1H), 2.79 (s, 1H).

 $^{13}\text{C}\{1\text{H}\}$ NMR (100 MHz, DMSO- d_6) δ 202.2, 199.6, 148.3, 147.0, 142.4, 141.5, 136.7, 136.6, 134.4, 133.2, 131.7, 130.2, 129.8, 127.6, 123.4, 123.0, 122.9, 121.3, 94.1, 80.5, 60.7, 49.7, 46.3.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3457, 3088, 2998, 2930, 1739, 1698, 1590, 1549, 1528, 1483, 724.

HRMS (SI, m/z): calculated for $C_{25}H_{17}ClN_2O_7Na$ ([M + Na]⁺): 515.0622; found: 515.0574.

(\pm) (2S,3R,4R)-4-Hydroxy-3-nitro-2-(2-nitrophenyl)-4-phenylspiro[cyclopentane-1,2'-indene]-1',3'-dione (3t)

NO₂ NO₂ NO₂

The title compound **3t** was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (63% yield; 95:5 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 20% EtOAc/Hexane.

Melting point = 214-216 °C.


¹H NMR (400 MHz, CDCl₃) δ 8.16 (d, J = 7.7 Hz, 1H), 7.88 (t, J = 7.4 Hz, 1H), 7.77 (t, J = 7.5 Hz, 3H), 7.68 (d, J = 15.4, 13.1, 7.9 Hz, 4H), 7.48 (t, J = 7.7 Hz, 2H), 7.39 (t, J = 7.8 Hz, 2H), 5.84 (d, J = 11.6 Hz, 1H), 5.38 (d, J = 11.6 Hz, 1H), 5.30 (s, 1H), 3.12 (d, J = 14.9 Hz, 1H), 2.44 (d, J = 14.9 Hz, 1H).

 $^{13}\text{C}\{1\text{H}\}$ NMR (100 MHz, CDCl₃) δ 203.6, 199.3, 150.2, 141.7, 141.4, 139.1, 136.7, 136.6, 133.0, 131.2, 129.4, 128.6, 128.4, 128.2, 125.5, 125.0, 124.4, 123.5, 96.6, 81.8, 59.9, 47.8, 46.4.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3469, 3083, 2955, 2917, 2851, 1736, 1690, 159, 1551, 1522, 1446.

HRMS (SI, m/z): calculated for $C_{25}H_{18}N_2O_7Na$ ([M + Na]⁺): 481.1012; found: 481.1015.

(\pm) (2S,3R,4R)-4-(4-Chlorophenyl)-4-hydroxy-3-nitro-2-(2-nitrophenyl)spiro[cyclopentane-1,2'-indene]-1',3'-dione (3u)



The title compound 3u was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (64% yield; 94:6 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f}=0.3$, eluent = 20% EtOAc/Hexane.

Melting point = 210-212 °C.

¹H NMR (400 MHz, CDCl₃) δ 8.16 (d, J = 7.6 Hz, 1H), 7.88 (t, J = 7.5 Hz, 1H), 7.78 (t, J = 7.5 Hz, 1H), 7.73–7.63 (m, 6H), 7.44 (d, J = 8.5 Hz, 2H), 7.39 (t, J = 7.7 Hz, 1H), 5.77 (d, J = 11.6 Hz, 1H), 5.41 (s, 1H), 5.36 (d, J = 11.6 Hz, 1H), 3.06 (d, J = 14.9 Hz, 1H), 2.41 (d, J = 14.9 Hz, 1H).

¹³C{1H} NMR (100 MHz, CDCl₃) δ 203.6, 199.1, 150.2, 141.7, 141.4, 137.8, 136.8, 136.7, 134.3, 133.0, 131.1, 129.5, 128.8, 128.1, 127.0, 125.0, 124.5, 123.5, 96.4, 81.5, 59.8, 47.6, 46.3.

IR (ATR) \tilde{v} (cm⁻¹): 3476, 3114, 3082, 2922, 2854, 1736, 1697, 1594, 1550, 1519, 1437, 729.

HRMS (SI, m/z): calculated for $C_{25}H_{17}N_2O_7ClNa$ ([M + Na]⁺): 515.0622; found: 515.0635.

(\pm) (2S,3R,4R)-4-Hydroxy-3-nitro-2-(2-nitrophenyl)-4-(3-nitrophenyl)spiro[cyclopentane-1,2'-indene]-1',3'-dione (3v)



The title compound 3v was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (66% yield; 95:5 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 30% EtOAc/Hexane.

Melting point = 215-217 °C.

¹H NMR (700 MHz, DMSO- d_6) δ 8.67 (t, J = 2.0 Hz, 1H), 8.33 (d, J = 7.9 Hz, 1H), 8.26–8.24 (m, 1H), 7.92 (d, J = 7.6 Hz, 1H), 7.87–7.85 (m, 2H), 7.82 (t, J = 8.0 Hz, 1H), 7.78–7.76 (m, 1H), 7.64 (d, J = 7.6 Hz, 1H), 7.57–7.55 (m, 2H), 7.36–7.33 (m, 1H), 7.12 (s, 1H), 6.38 (d, J = 11.7 Hz, 1H), 5.25 (d, J = 11.7 Hz, 1H), 2.81 (d, J = 15.6 Hz, 1H), 2.76 (d, J = 15.7 Hz, 1H).

¹³C{1H} NMR (177 MHz, DMSO- d_6) δ 201.5, 198.6, 150.1, 147.8, 146.3, 141.8, 141.0, 136.4, 136.2, 132.8, 132.6, 130.1, 129.7, 129.4, 127.0, 124.2, 123.2, 122.6, 122.6, 120.8, 93.9, 79.9, 60.5, 47.3, 45.9.

IR (ATR) \tilde{v} (cm⁻¹): 3368, 3116, 3094, 3068, 3046, 2983, 1743, 1690, 1593, 1551, 1522, 1439.

HRMS (SI, m/z): calculated for $C_{25}H_{17}N_3O_9Na$ ([M + Na]⁺): 526.0863; found: 526.0870.

(\pm) (2S,3R,4R)-4-(4-Bromophenyl)-4-hydroxy-3-nitro-2-(2-nitrophenyl)spiro[cyclopentane-1,2'-indene]-1',3'-dione (3w)

The title compound **3w** was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (65% yield; 89:11 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 25% EtOAc/Hexane.

Melting point = 208-210 °C.

¹H NMR (400 MHz, CDCl₃) δ 8.16 (d, J = 7.6 Hz, 1H), 7.88 (t, J = 7.3 Hz, 1H), 7.80–7.76 (m, 1H), 7.68 (dd, J = 17.9, 7.8 Hz, 6H), 7.60 (d, J = 8.6 Hz, 2H), 7.39 (t, J = 7.6 Hz, 1H), 5.77 (d, J = 11.5 Hz, 1H), 5.35 (d, J = 11.5 Hz, 1H), 3.05 (d, J = 14.9 Hz, 1H), 2.41 (d, J = 14.9 Hz, 1H).

 $^{13}\text{C}\{1\text{H}\}$ NMR (100 MHz, CDCl $_3$) δ 203.6, 199.0, 150.2, 141.7, 141.4, 138.3, 136.8, 136.7, 133.0, 131.8, 131.1, 129.5, 128.1, 127.4, 125.0, 124.5, 123.5, 122.6, 96.4, 81.5, 59.8, 47.6, 46.2.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3480, 3111, 3079, 2953, 2923, 2853, 2849, 1737, 1696, 1591, 1551, 1520, 1488, 715.

HRMS (SI, m/z): calculated for $C_{25}H_{17}N_2O_7NaBr$ ([M + Na]⁺): 559.0117; found: 559.0137.

(\pm) (2S,3R,4R)-2-(3-Fluorophenyl)-4-hydroxy-3-nitro-4-phenylspiro[cyclopentane-1,2'-indene]-1',3'-dione (3x)

The title compound 3x was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (60% yield; 95:5). The spectral data are for the major diastereomer.

 $R_{\rm f} = 0.3$, eluent = 20% EtOAc/Hexane.

Melting point = 245-247 °C.

¹H NMR (400 MHz, CDCl₃) δ 8.02 (d, J = 7.5 Hz, 1H), 7.83–7.71 (m, 5H), 7.49 (t, J = 7.5 Hz, 2H), 7.41–7.37 (m, 1H), 7.08 (dd, J = 14.8, 7.6 Hz, 1H), 6.86 (d, J = 7.7 Hz, 1H), 6.79 (d, J = 8.3 Hz, 2H), 6.10 (d, J = 12.4 Hz, 1H), 4.94 (d, J = 12.3 Hz, 1H), 2.83 (d, J = 15.0 Hz, 1H), 2.58 (d, J = 14.9 Hz, 1H).

 $^{13}\text{C}\{1\text{H}\}$ NMR (100 MHz, CDCl₃) δ 201.37, 201.30, 163.77, 161.30, 141.96, 141.66, 140.34, 136.59, 136.39, 134.74, 134.67, 130.36, 130.27, 128.79, 128.46, 125.28, 123.9 (d, J=3.0 Hz), 123.75, 123.49, 115.41 (dd, J=21.7, 14.4 Hz)., 93.29, 81.46, 60.06, 53.68, 46.74.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3337, 2899, 2885, 1702, 1650, 1552, 1449, 1427

HRMS (SI, m/z): calculated for $C_{25}H_{18}NO_5NaF$ ([M + Na]⁺): 454.1067; found: 454.1053.

(\pm) (2S,3R,4R)-2-(2,4-Dimethoxyphenyl)-4-hydroxy-3-nitro-4-(3-nitrophenyl)spiro[cyclopentane-1,2'-indene]-1',3'-dione (3y)

The title compound 3y was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (66% yield; 95:5 dr). The spectral data are for the major diastereomer.

 $R_{\rm f} = 0.3$, eluent = 30% EtOAc/Hexane.

Melting point = 207-209 °C.

¹H NMR (400 MHz, CD₂Cl₂) δ 8.65 (s, 1H), 8.24 (d, J = 8.1 Hz, 1H), 8.17 (d, J = 7.8 Hz, 1H), 8.11 (d, J = 7.7 Hz, 1H), 7.89 (t, J = 7.4 Hz, 1H), 7.80 (t, J = 7.4 Hz, 1H), 7.69 (t, J = 8.5 Hz, 2H), 7.10 (d, J = 8.5 Hz, 1H), 6.45 (d, J = 8.3 Hz, 1H), 6.09 (s, 1H), 5.96 (d, J =

12.1 Hz, 1H), 5.22 (s, 1H), 5.04 (d, J = 12.1 Hz, 1H), 3.71 (s, 3H), 3.15 (s, 3H), 2.90 (d, J = 14.9 Hz, 1H), 2.43 (d, J = 14.9 Hz, 1H).

 13 C{1H} NMR (100 MHz, DMSO-d₆) δ 203.4, 199.3, 160.9, 157.3, 148.6, 142.4, 141.6, 141.4, 136.4, 136.0, 131.9, 129.6, 127.3, 123.2, 123.2, 121.0, 113.7, 104.3, 98.1, 93.3, 81.5, 59.5, 55.3, 54.0, 46.7, 45.8.

IR (ATR) \tilde{v} (cm⁻¹): 3432, 3075, 3001, 2932, 2837, 1745, 1696, 1614, 1586, 1547, 1529.

HRMS (SI, m/z): calculated for $C_{27}H_{22}N_2O_9Na$ ([M + Na]⁺): 541.1223; found: 541.1220.

(\pm) (2S,3R,4R)-2-(2,5-Dimethoxyphenyl)-4-hydroxy-3-nitro-4-(3-nitrophenyl)spiro[cyclopentane-1,2'-indene]-1',3'-dione (3z)



The title compound 3z was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (67% yield; 98:2 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 30% EtOAc/Hexane.

Melting point = 204-206 °C.

¹H NMR (400 MHz, DMSO- d_6) δ 8.63 (s, 1H), 8.31 (d, J = 7.8 Hz, 1H), 8.24 (d, J = 8.1 Hz, 1H), 7.99 (d, J = 7.6 Hz, 1H), 7.88 (t, J = 7.4 Hz, 1H), 7.81 (t, J = 8.0 Hz, 1H), 7.75 (t, J = 7.4 Hz, 1H), 7.56 (d, J = 7.6 Hz, 1H), 6.97 (s, 1H), 6.84 (s, 1H), 6.59 (d, J = 8.9 Hz, 1H), 6.43 (d, J = 9.0 Hz, 1H), 6.22 (d, J = 12.2 Hz, 1H), 5.05 (d, J = 12.2 Hz, 1H), 3.62 (s, 3H), 3.29 (s, 3H), 2.75–2.67 (m, 2H).

¹³C{1H} NMR (100 MHz, DMSO- d_6) δ 202.5, 199.3, 153.3, 150.9, 148.2, 147.1, 142.8, 140.7, 136.4, 136.1, 133.2, 130.2, 123.2, 122.9, 122.8, 121.3, 114.7, 113.0, 110.9, 93.06, 80.7, 59.8, 56.0, 55.0, 47.3, 46.4.

IR (ATR) \tilde{v} (cm⁻¹): 3367, 3129, 3068, 3049, 3014, 2908, 2833, 1736, 1696, 1590, 1551, 1529, 1498, 1348.

HRMS (SI, m/z): calculated for $C_{27}H_{22}N_2O_9Na$ ([M + Na]⁺): 541.1223; found: 541.1241.

(\pm) (2R,3R,4R)-2-(2,4-Dichlorophenyl)-4-hydroxy-3-nitro-4-(3-nitrophenyl)spiro[cyclopentane-1,2'-indene]-1',3'-dione (3za)

The title compound 3za was prepared according to general procedure A on a 0.2 mmol scale. The desired product was

obtained as a white solid (61% yield; 90:10 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 30% EtOAc/Hexane.

Melting point = 210-213 °C.

¹H NMR (400 MHz, DMSO- d_6) δ 8.67 (s, 1H), 8.32 (d, J = 7.9 Hz, 1H), 8.25 (d, J = 8.1 Hz, 1H), 7.97 (d, J = 7.6 Hz, 1H), 7.89 (t, J = 7.4 Hz, 1H), 7.82 (dd, J = 13.6, 7.2 Hz, 2H), 7.70 (d, J = 8.4 Hz, 1H), 7.65 (d, J = 7.6 Hz, 1H), 7.29 (d, J = 10.6 Hz, 2H), 7.13 (s, 1H), 6.34 (d, J = 11.9 Hz, 1H), 5.30 (d, J = 11.9 Hz, 1H), 2.78 (s, 2H).

 $^{13}\text{C}\{1\text{H}\}$ NMR (100 MHz, DMSO- d_6) δ 202.0, 199.6, 148.3, 146.9, 142.3, 141.5, 136.9, 136.8, 135.4, 133.6, 133.2, 131.4, 131.1, 130.2, 129.2, 127.7, 123.5, 123.0, 121.3, 93.9, 80.6, 60.5, 49.3, 46.4.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3438, 3278, 3086, 3036, 2979, 2942, 1734, 1693, 1615, 1592, 1549, 1523.

HRMS (SI, m/z): calculated for $C_{25}H_{16}N_2O_7NaCl_2$ ([M + Na]⁺): 549.0232; found: 549.0225.

(\pm) (2S,3R,4R)-2-(3-Ethoxy-4-hydroxyphenyl)-4-hydroxy-3-nitro-4-(3-nitrophenyl)spiro[cyclopentane-1,2'-indene]-1',3'-dione (3zb)

The title compound **3zb** was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (65% yield; 96:4 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 35% EtOAc/Hexane.

Melting point = 231-233 °C.

¹H NMR (400 MHz, DMSO- d_6) δ 8.76 (s, 1H), 8.65 (s, 1H), 8.32 (d, J=7.7 Hz, 1H), 8.24 (d, J=8.0 Hz, 1H), 7.95–7.81 (m, 4H), 7.72 (d, J=7.4 Hz, 1H), 7.04 (s, 1H), 6.50 (s, 1H), 6.44 (s, 2H), 6.11 (d, J=12.6 Hz, 1H), 4.66 (d, J=12.4 Hz, 1H), 3.86–3.82 (m, 1H), 3.76–3.73 (m, 1H), 2.73 (q, J=16.2 Hz, 2H), 1.18 (t, J=6.9 Hz, 3H).

¹³C{1H} NMR (100 MHz, DMSO- d_6) δ 203.5, 201.1, 148.2, 147.6, 146.9, 146.6, 142.4, 141.9, 136.9, 136.9, 133.1, 130.3, 124.0, 123.3, 123.2, 123.0, 121.2, 120.6, 115.9, 113.7, 93.8, 80.2, 64.3, 61.0, 54.0, 47.2, 15.0.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3460, 3017, 2983, 2906, 1744, 1697, 1595, 1545, 1529, 148, 737.

HRMS (SI, m/z): calculated for $C_{27}H_{22}N_2O_9Na$ ([M + Na]⁺): 541.1223; found: 541.1220.

(\pm) (2S,3R,4R)-4-Hydroxy-3-nitro-4-(3-nitrophenyl)-2-(3,4,5-trimethoxyphenyl)spiro[cyclopentane-1,2'-indene]-1',3'-dione (3zc)

The title compound 3zc was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (56% yield; 98:2 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 30% EtOAc/Hexane.

Melting point = 226-228 °C.

¹H NMR (400 MHz, DMSO- d_6) δ 8.64 (t, J = 1.9 Hz, 1H), 8.31 (d, J = 8.1 Hz, 1H), 8.25 (dd, J = 8.1, 1.6 Hz, 1H), 7.97 (d, J = 7.6 Hz, 1H), 7.87–7.74 (m, 3H), 7.57 (d, J = 7.6 Hz, 1H), 7.02 (s, 1H), 6.95 (d, J = 8.8 Hz, 1H), 6.58 (d, J = 8.8 Hz, 1H), 6.09 (d, J = 12.3 Hz, 1H), 5.01 (d, J = 12.3 Hz, 1H), 3.65 (s, 3H), 3.61 (s, 3H), 3.21 (s, 3H), 2.74 (s, 2H).

¹³C{1H} NMR (100 MHz, DMSO- d_6) δ 207.6, 204.4, 158.0, 156.2, 153.0, 152.1, 147.7, 146.0, 141.1, 140.9, 137.9, 135.0, 128.1, 127.7, 127.5, 127.1, 125.9, 124.1, 112.5, 98.5, 85.2, 65.2, 65.2, 65.1, 60.9, 52.2, 51.2.

IR (ATR) \tilde{v} (cm⁻¹): 3457, 3234, 3009, 2969, 2936, 2836, 1747, 1700, 1638, 1596, 1551, 1500, 1306.

HRMS (SI, m/z): calculated for $C_{28}H_{24}N_2O_{10}Na$ ([M + Na]⁺): 571.1329; found: 571.1318.

(\pm) (2R,3R,4R)-2-(6-Bromo-2,3-dimethoxyphenyl)-4-hydroxy-3-nitro-4-(3-nitrophenyl)spiro[cyclopentane-1,2 $^\prime$ -indene]-1 $^\prime$,3 $^\prime$ -dione (3zd)

The title compound 3zd was prepared according to general procedure A on a 0.2 mmol scale. The desired product was obtained as a white solid (61% yield; 91:9 dr). The minor diastereomer was separated by silica gel column chromatography.

 $R_{\rm f} = 0.3$, eluent = 30% EtOAc/Hexane.

Melting point = 238-240 °C.

¹H NMR (400 MHz, DMSO- d_6) δ 8.67 (s, 1H), 8.37 (d, J = 7.7 Hz, 1H), 8.25 (d, J = 8.1 Hz, 1H), 7.92 (d, J = 7.5 Hz, 1H), 7.83 (dt, J = 13.5, 7.2 Hz, 3H), 7.70 (d, J = 7.5 Hz, 1H), 7.02 (d, J = 7.5 Hz, 1H), 7.05 (d, J = 7.5 Hz, 1H), 7.05 (d, J = 7.5 Hz, 1H), 7.07 (d, J = 7.5 Hz, 1H), 7.08 (d, J = 7.5 Hz, 1H), 7.09 (d, J = 7.5 Hz, 1H), 7.

13.8 Hz, 2H), 6.79 (s, 1H), 6.25 (d, J = 11.9 Hz, 1H), 5.29 (d, J = 11.9 Hz, 1H), 3.77 (s, 3H), 3.57 (s, 3H), 2.85–2.69 (m, 2H).

 $^{13}\text{C}\{1\text{H}\}$ NMR (100 MHz, CDCl₃) δ 207.8, 204.2, 153.7, 153.1, 153.0, 152.1, 147.1, 146.6, 141.4, 138.2, 135.0, 129.6, 128.1, 127.7, 127.6, 126.1, 120.8, 120.7, 118.1, 99.3, 85.2, 65.8, 61.4, 60.9, 57.0, 50.9.

IR (ATR) $\tilde{\nu}$ (cm⁻¹): 3320, 3095, 3007, 2938, 283, 1731, 1690, 1591, 1542, 1511, 1464, 725.

HRMS (SI, m/z): calculated for $C_{27}H_{21}BrN_2O_9Na$ ([M + Na]⁺): 619.0328; found: 619.0324.

Conflicts of interest

There are no conflicts to declare.

Data availability

CCDC 2456358 contains the supplementary crystallographic data for this paper.¹⁴

The data supporting this article have been included in the SI. Crystallographic data have been deposited at the Cambridge Crystallographic Data Centre (https://www.ccdc.cam.ac.uk/services/structures) with CCDC reference number 2456358 for compound 3g. See DOI: https://doi.org/10.1039/d5ra04224k.

Acknowledgements

The authors acknowledge DST-SERB for financial support in the form of a Core Research Grant (CRG/2022/003143). We are grateful for the financial aid in the form of an initiation grant from IISER Berhampur, Central Advanced Instrument Facility (CAIF) at IISER Berhampur. G.M. thanks CSIR, New Delhi, India, for the financial assistance in the form of fellowships.

Notes and references

1 G. Hazra, G. Mishra, R. Dandela and B. Thirupathi, *J. Org. Chem.*, 2022, **87**, 11925–11938.

- 2 G. Mishra, M. Sasmal, A. Chakraborty and B. Thirupathi, *Chem.–Eur. J.*, 2023, **29**, e202301976.
- 3 G. Mishra, P. Indu, M. Sasmal and B. Thirupathi, *Eur. J. Org. Chem.*, 2025, e202401311.
- 4 B. K. Pal, K. Sahoo, S. Dey, R. S. Bharathavikru and B. Thirupathi, *Org. Lett.*, 2025, **27**, 761–766.
- 5 A. Z. Halimehjani, I. N. Namboothiri and S. E. Hooshmand, RSC Adv., 2014, 4, 31261–31299.
- 6 F. Wei, C. L. Ren, D. Wang and L. Liu, *Chem.-Eur. J.*, 2015, 21, 2335–2338.
- 7 S. Mokesch, M. S. Novak, A. Roller, M. A. Jakupec, W. Kandioller and B. K. Keppler, *Organometallics*, 2015, 34, 848–857.
- 8 D. Giles, K. Roopa, F. Sheeba, P. Gurubasavarajaswamy, G. Divakar and T. Vidhya, *Eur. J. Org. Chem.*, 2012, **58**, 478–484.
- 9 M. Catto, R. Aliano, A. Carotti, S. Cellamare, F. Palluotto, R. Purgatorio, A. De Stradis and F. Campagna, Eur. J. Org. Chem., 2010, 45, 1359–1366.
- 10 Y. Hayakawa, T. Kobayashi and M. Izawa, J. Org. Chem., 2013, 66, 731–733.
- 11 M.-J. Ryu, S. Hwang, S. Kim, I. Yang, D.-C. Oh, S.-J. Nam and W. Fenical, *Org. Lett.*, 2019, 21, 5779–5783.
- 12 H. Bürckstümmer, E. V. Tulyakova, M. Deppisch, M. R. Lenze, N. M. Kronenberg, M. Gsänger, M. Stolte, K. Meerholz and F. Würthner, *Angew. Chem., Int. Ed.*, 2011, 123, 11832–11836.
- 13 D. J. Warnick-Pickle, K. M. Byrne, R. C. Pandey and R. J. White, *J. Antibiot.*, 1981, 34, 1402–1407.
- 14 G. Mishra, M. S. Bobonga, K. Islam, A. Chakraborty and B. Thirupathi, CCDC 2456358: Experimental Crystal Structure Determination, 2025, DOI: 10.5517/ ccdc.csd.cc2ng1ck.