

This is an *Accepted Manuscript*, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. This Accepted Manuscript will be replaced by the edited, formatted and paginated article as soon as this is available.

You can find more information about *Accepted Manuscripts* in the **Information for Authors**.

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard <u>Terms & Conditions</u> and the <u>Ethical guidelines</u> still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this *Accepted Manuscript* or any consequences arising from the use of any information it contains.



www.rsc.org/advances

Efficient synthesis of pyrene-1-carbothioamides and carboxamides. Tunable solid-state fluorescence of pyrene-1-carboxamides

Anna Wrona-Piotrowicz¹, Janusz Zakrzewski¹, Rémi Métivier², Arnaud Brosseau², Anna Makal³, Krzysztof Woźniak³

¹ Department of Organic Chemistry, Faculty of Chemistry, University of Łódź, Tamka 12,

91-403 Łódź, Poland

²PPSM, ENS Cachan, CNRS, UniverSud, 61 av President Wilson, 94230 Cachan, France

³ Faculty of Chemistry, Warsaw University, Pasteura 1, 02-093 Warszawa, Poland

Abstract

Pyrene reacts with potassium thiocyanate and organic isothiocyanates in the presence of trifluoromethanesulfonic acid to afford primary and secondary pyrene-1-carbothioamides in high yields. These compounds were efficiently oxidatively desulfurized with Oxone® to the corresponding carboxamides. The amides display solid-state fluorescence with quantum efficiencies up to 62%, originating from monomers, aggregates (such as preformed dimers), and/or excimers, depending on the substituent at the nitrogen atom. Single crystal X-ray diffraction characterization of one highly emissive compound supports this assumption.

Keywords

Pyrene, thioamide, amide, isothiocyanate, Oxone[®], trifluoromethanesulfonic acid, solid-state fluorescence, aggregates, excimers

Introduction

Pyrene derivatives have attracted significant interest as materials for organic electronics¹, fluorescent molecular probes²⁻⁴, monomers⁵, triplet sensitizers⁶ and sensors^{3, 7-9}. Considerable attention has been paid to the development of synthetic routes to pyrenes bearing various substituents^{1, 10, 11} and to studies on their fluorescence properties.¹¹⁻¹³

Several recent works have focused on environmentally-responsive emission of pyrene-1carboxamides which is strongly dependent on the substituents at the nitrogen atom.^{12, 14-16} Moreover, these compounds were used in the synthesis of polymers with tunable luminescent properties¹⁷ and in the labelling of nucleosides.^{7, 8, 18-22}

In contrast to amides, pyrene-1-carbothioamides are only weakly fluorescent^{23, 24} because of the internal quenching effect of the thiocarbonyl group. Since some chemical species desulfurize thioamides (e.g. oxone[®], H₂O₂ in the presence of Zr^{4+}) to fluorescent amides, pyrene thioamides were used as fluorescent "turn-on" sensors of such species^{23, 24}.

The reported synthetic route to pyrene-1-carboxamides relies on the reaction of pyrene-1carboxylic acid chloride with amines. The amides can then be transformed into thioamides *via* a reaction with Lawesson reagent.^{17, 23, 24}

In this paper we report an efficient method of synthesis of primary and secondary pyrene-1carbothioamides directly from pyrene *via* a Friedel-Crafts-type reaction with potassium thiocyanate and organic isothiocyanates, respectively. The thioamides were then desulfurized into the corresponding amides using Oxone®. Furthermore, we discovered that most of the synthesized amides are fluorescent not only in solution, as was reported earlier, but also in the solid state. Solid-state emission is a phenomenon of great practical importance²⁵⁻²⁷, but is relatively rare in the case of planar aromatic compounds such as pyrene and its derivatives. We found that the solid-state emissive properties of synthesized pyrene-1-carboxamides strongly depend on the substituent on the nitrogen atom and for bulky substituents fluorescence quantum yields as high as 60% were obtained.

Results and Discussion

A Friedel-Crafts-type reaction of organic isothiocyanates with aromatic compounds is a straightforward synthetic route to secondary thioamides.²⁸⁻³¹ We recently reported that a reaction of pyrene with ethoxycarbonylisothiocyanate afforded *N*-ethoxycarbonyl-pyrene-1-carbothioamide in 95% yield.³² Primary thioamides were obtained in a reaction of electron-rich arenes (1,2-diethoxybenzene, ferrocene) with potassium thiocyanate in methanesulfonic acid.^{28, 33, 34}

Herein we report that pyrene reacts with potassium thiocyanate in the presence of 4 equiv. of TfOH to afford the primary thioamide **1a** in 63% yield (Scheme 1). The reaction was performed in dichloromethane at room temperature. Under the same conditions, reaction of

pyrene with alkyl- and aryl isothiocyanates afforded secondary thioamides **1b-j** in 78-96% yield. Thioamides **1a-j** were conveniently isolated, after quenching the reaction mixtures with water and extraction, *via* column chromatography on silica gel.



R	Yield (%)			
	1	2		
H (a)	63	86		
<i>iso</i> -Pr (b)	96	95		
<i>tert</i> -Bu (c))	93	93		
n-hexyl (d)	91	96		
cyclohexyl (e)	94	91		
Bz (f)	78	89		
Ph (g)	85	92		
Bn (h)	86	90		
<i>p</i> -MeO-Ph (i)	88	90		
<i>p</i> -NO ₂ -Ph (j)	87	79		

Scheme 1. Synthesis of thioamides 1a-j.and amides 2a-j.

After having elaborated an efficient direct method for thioamidation of pyrene, we explored the possibility of extending this method to the synthesis of pyrenyl amides using isocyanates instead of isothiocyanates. We chose the reaction of pyrene with phenyl isocyanate as a model. Unfortunately, we found that this reaction provided the expected *N*-phenylpyrene-1-

carboxamide only in low (~30%) yield. Because of this unsatisfactory result, we changed our approach in order to find another synthetic route to pyrenyl amides.

Since a variety of simple and efficient methods of desulfurization of thioamides to amides has been reported in the literature,³⁵ we decided to check whether this transformation could be applied to the synthesis of pyrenyl amides.

We decided to use a commercially available and inexpensive oxidant, Oxone® (2KHSO₅. KHSO₄. K₂SO₄), for the desulfurization of thioamides **1a-j**. This reagent has already been used for desulfurization of other thioamides.^{14, 15, 36, 37} Furthermore, the reaction of Oxone® with *N*,*N*-diethyl-1-pyrene-carboxamide was applied for fluorescence sensing of this oxidant.²⁴

We found that Oxone® reacts smoothly with thioamides **1a-j** in acetonitrile-water at room temperature to afford the corresponding amides **2a-j** in high yields (86-100%, Scheme 1).

In order to complete the series for photophysical studies, we also synthesized pyrene amides 2k-m bearing bulky substituents at the nitrogen atom (Chart 1). Since the isothiocyanates required for syntheses of these compounds *via* Friedel-Crafts reaction were not available we prepared them from pyrene-1-carboxylic acid and the corresponding amines in the presence of *N*,*N*'-dicyclohexylcarbodiimide (DCC). The isolated yields of 2k-m were in the range of 85-90%.



Scheme 2. Synthesis of pyrene-1-carboxamides 2k-m.

All synthesized compounds were fully characterized by spectroscopic methods and elemental analyses.

Solid-state fluorescence of pyrene-1-carboxamides 2a-m.

Solution fluorescence of various pyrene-1-carboxamides was recently thoroughly studied by Konishi et al.¹⁴⁻¹⁶ During the course of our synthetic work, we discovered that these compounds are also solid-state emitters. Organic solid-state fluorescence is of great interest currently because of its relevance to numerous practical applications, e.g. in organic light-emitting diodes, organic light-emitting field-effect transistors, solid-state lasers and sensors.²⁵⁻ ²⁷ It critically depends on interactions of molecular fluorophores (π - π interactions, formation of H- or J-aggregates, excimers, etc.) in powders, crystals or solid films.³⁸

We measured solid-state excitation spectra, emission spectra and fluorescence quantum yields of amides **2a-d,g,h,k-m** (compound **2j** proved non fluorescent). Corresponding spectra are displayed in Fig. 1 and spectroscopic data are gathered in Table 1.



Figure 1. Normalized solid-state excitation (left) and emission (right) spectra of pyrene-1carboxamides **2a-d,g,h,k-m**.

Amide	Excitation ^a	Emission ^a	$\Phi_{ m F}$ / %	
	λ_{max} / nm	λ_{max} / nm		
2a (R=H)	369	408, 430	6	
2b ($R = iso-Pr$)	367, 410(sh)	504	17	
2c (R = t -Bu)	364	463	59	
2d (R = n-hexyl)	363, 415(sh)	406(sh), 466	12	
2g(R = Cy)	367	414	0.2	
$\mathbf{2h} \ (\mathbf{R} = \mathbf{Bn})$	366, 400(sh)	416(sh), 488	20	
$2\mathbf{k}$ (R = 1-adamantyl)	364	477	62	
$2l (R=CHPh_2)$	365	428	12	
$\mathbf{2m} (R = CPh_3)$	365, 433	542	7	

Table 1. Solid-state absorption and emission data of pyrene-1-carboxamides 2a-d,g,h,k-m

^a Shoulders are noted (sh).

It is visible in Table 1 that substituents at the nitrogen atom strongly influence solid-state emissive properties of the synthesized amides. On one side, the primary amide 2a shows a weak structured violet fluorescence ($\Phi_F = 6\%$), that is similar in shape to its fluorescence spectrum when dissolved in chloroform (Fig.2A). However, compared to the solution spectrum, the solid-state emission spectrum of 2a is red-shifted by 25 nm, and a long tail can be observed at wavelengths over 450 nm. This observation suggests that the interaction of fluorophores influencing solid-state fluorescence is is in this case rather limited. On the other side, the solid-state excitation / emission spectra of the secondary amides have a wide variety of shapes, with corresponding quantum efficiencies varying from 0.2% to 62%, as a function of the substituents. When analyzing in detail the solid-state emission spectra, we can distinguish several cases: (i) one compound (2g) shows a clear monomer contribution, peaking at 414 nm, associated with a structured shape and a very low fluorescence quantum yield ($\Phi_F = 0.2\%$); (ii) several compounds (**2b-c**, **2k-m**) display a large red-shifted single band, with quantum yields in the 7-62% range; and (iii) two compounds (2d and 2h) show a well-apparent shoulder at the violet edge of the spectrum (406-416 nm) and a main emission band in the range of 450-600 nm, with intermediate quantum yields (12% and 20%, respectively). The spectral signatures highlighted in the two latter cases are clear indications that the solid-state emission originates from aggregates such as preformed dimers, or excimers. Moreover, the excitation spectra depicted in Fig. 1 all show a main maximum band around 363-369 nm, but also eventually a shoulder (or even a well-defined separated band) at longer wavelengths, in the range of 400-433nm (amides 2b, 2d, 2h, 2l, see Table 1). This observation supports the presence of aggregates in the ground state. In spite of this variety of fluorescence properties, a general tendency can be drawn i.e. that: the increase of the size of the alkyl substituent at the nitrogen atom brings about an increase in the fluorescence quantum yield. Indeed, the amides 2c and 2j bearing a bulky N- tert-butyl and 1-adamantyl groups are the most efficient solid-state emitters of the series ($\Phi_F = 59\%$ and 62%, respectively). On the other hand, N-phenyl substitution (compound 2g) leads practically to disappearance of the solid-state emissive properties. The *N*-benzyl amide **2h** shows moderate fluorescence quantum yield (20%) and the attachment of the second and third phenyl ring to the sp3 carbon (amides **2l** and **2m**, respectively) brings about decrease of the fluorescence quantum yield.



Figure 2. Normalized solution (CHCl₃) and solid-state fluorescence emission spectra of 2a (A) and 2c (B).

Practically, the colors of solid-state fluorescence emitted by the investigated series of amides are shown in the CIE diagram (Figure 3). As a consequence of the different fluorescence spectral shapes of these pyrene derivatives, the solid-state emission expands over a wide range of colors, from violet-blue to green and even yellow, depending on the substituents.



Figure 3. CIE chromacity diagram for compounds 2a-d,h,k-m.

It is worth noting that the most efficient compounds (2c and 2j) emit in the blue region. Interestingly, the former compound has co-ordinates close to those required for deep-blue emission (y < 0.15; x +y < 0.30, cf. Supporting Information).³⁹ The substituents at the nitrogen atom shift the fluorescence into the blue-green (compound 2b) or even the green-yellow region (compound 2l). However, this bathochromic shift is accompanied by a decrease in emission efficiency.

In order to deepen our investigation of the photophysical properties of pyrene carboxamide derivatives in the solid-state, we recorded fluorescence decays for the whole series **2a-d,g-h,k-m** at variable emission wavelengths. The time-correlated single photon counting (TCSPC) method was employed for short decays (decay time constants < 35 ns), whereas the laser flash fluorometry was used for longer decays (including decay time constants > 35 ns). The Fig. 4 displays the solid-state fluorescence decay curves of the compounds **2a-d,g-h,k-m** recorded using these experimental methods, at their respective maximum emission wavelengths. In all cases, the fluorescence decays reveal a multiexponential behavior, which reflects the complexity of these systems in the solid-state. They were satisfactorily fitted with a sum of two, three or four exponentials, and the corresponding parameters are compiled in the Table 2. As was mentioned in the previous paragraph, the derivatives **2a** and **2g** mostly

show monomer emission, and constitute a first group of compounds. This translates into relatively short fluorescence decays, with time constants in the range of a few nanoseconds for 2a, and even in the range of several hundreds of picoseconds for 2g. Thus, the different time constants may represent different populations of monomers in the solid. The timeresolved fluorescence investigations reveal a very specific situation for compounds 2b, 2d and **2h** (the second group of compounds). Indeed, they show a strong emission wavelength dependence of their fluorescence decays, as is highlighted in Figure 5, with a multiexponential decay at short emission wavelength (recorded at the blue edge of the emission spectrum), and a short rise time followed by multiexponential decay at long emission wavelength (recorded at the red edge of the emission spectrum). A global analysis was carried out on these data sets (see Table 2), which shows that the short rise time measured at long emission wavelength (0.3-1.6 ns) has the same order of magnitude as the shorter decay time recorded at short emission wavelength (0.5-0.7 ns). This finding may be consistent with the dynamics of fast excimer formation in the solid-state, and is rather compatible with the spectral features described in the previous paragraph. In this frame the longest decay time constant, determined for 2b, 2d and 2h to be 23.7 ns, 24.8 ns, and 34.1 ns, respectively, corresponds specifically to excimer emission, since its relative fraction of intensity increases at longer emission wavelength (Table 2). Then the last group of four compounds, namely 2c and 2j-l, exhibits intermediate behavior between purely monomeric emission (such as 2a and 2g) and well-defined excimer formation (such as 2b, 2d and 2h). On the one hand, the 2c and **2k-m** derivatives do not show any rise time at long wavelength emission, which excludes the excimer formation mechanism in these cases. On the other hand, their fluorescence decays are rather long and their emission spectra are broad, red-shifted, without any vibrational structure, which is inconsistent with simple monomer emission. We could then assume that, for 2c and **2k-m**, solid-state fluorescence arises from strongly emissive aggregates or dimers preformed in the ground state. Several populations of emitters may exist in the solid state, as is suggested by the multiexponential decays recorded for these compounds. It is worth noting that the situation of compounds 2c and 2k is quite unique, with extremely long decay components $(\tau_1 \sim 10 \text{ ns and } \tau_2 \sim 45 \text{ ns for } 2c; \tau_1 \sim 12 \text{ ns and } \tau_2 \sim 70 \text{ ns for } 2k)$ associated with unprecedented high quantum yields (59% and 62%, respectively). Therefore, for these two derivatives we expect that the formation of aggregates in the crystalline structure and the specific π - π interaction between pyrenyl groups are extremely favorable, thus leading to such effective solid-state fluorescence.

Solid-state excimer emission is a relatively common phenomenon for polycyclic aromatic compounds (including pyrene).⁴⁰⁻⁴².

Table 2. Fitting parameters of solid-state fluorescence decays (τ_i , A_i , f_i) for compounds **2a-d,g-h,k-m**, recorded by the time-correlated single photon counting system (TCSPC) or by the laser flash photolysis spectrometer.

$\lambda_{em}^{[a]}$	τ_1 (ns)	τ_2 (ns)	τ ₃ (ns)	τ ₄ (ns)	$A_1 (f_1^{[b]})$	$A_2 (f_2^{[b]})$	$A_3 (f_3^{[b]})$	$A_4 (f_4^{[b]})$	$\chi^{2}_{r}^{[c]}$
(nm)									

$2a^{\alpha}$	410	1.3	2.3	10.4	-	0.47 (0.32)	0.52 (0.65)	0.01 (0.03)	-	1.13
						0.20 (0.01)				
	460	0.7	8.8	23.7		-0.21 (-	0.65 (0.60)	0.15 (0.38)		1.20
2b ^[d]	505	1.6	9.9	23.7	-	0.02)	0.97 (0.64)	0.25 (0.39)	-	1.05
	570	1.6	10.6	23.7		-0.45 (-	1.06 (0.57)	0.39 (0.47)		1.15
						0.04)				
	420	9	42			0.85 (0.54)	0.15 (0.46)			
2e ^[e]	465	10	46	-	-	0.81 (0.48)	0.19 (0.52)	-	-	-
	520	11	45			0.77 (0.46)	0.23 (0.54)			
						0.61 (0.28)				
	410	0.7	2.2	7.2	24.8	-1.60 (-	0.34 (0.47)	0.05 (0.22)	0.01 (0.03)	1.02
2d ^[d]	465	0.3	2.2	7.2	24.8	0.06)	2.17 (0.57)	0.38 (0.34)	0.05 (0.15)	1.11
	520	0.3	2.2	7.2	24.8	-2.92 (-	3.05 (0.46)	0.73 (0.36)	0.15 (0.25)	1.08
						0.06)				
$2g^{[d]}$	415	0.15	0.7	-	-	0.98 (0.89)	0.02 (0.11)	-	-	1.08
						0.54 (0.14)				
	420	0.5	2.1	9.3	34.1	-1.14 (-	0.38 (0.39)	0.08 (0.35)	0.01 (0.13)	1.08
2h ^[d]	490	0.5	2.1	9.3	34.1	0.02)	0.28 (0.02)	1.08 (0.28)	0.78 (0.72)	1.18
	550	0.5	2.1	9.3	34.1	-2.23 (-	0.29 (0.01)	1.64 (0.26)	1.30 (0.75)	1.20
						0.02)				
	440	9	68			0.80 (0.35)	0.20 (0.65)			
2 k ^[e]	480	12	70	-	-	0.58 (0.19)	0.42 (0.81)	-	-	-
	540	14	77			0.54 (0.18)	0.46 (0.82)			
2l ^[d]	430	1.3	3.4	14.4	-	0.66 (0.36)	0.30 (0.41)	0.04 (0.24)	-	1.10
2m ^{[d}	540	0.3	1.8	7.7	19.6	0.44 (0.03)	0.27 (0.12)	0.18 (0.35)	0.10 (0.49)	1.09

[a] Selected emission wavelength by means of a monochromator with a 50 nm bandwidth. [b] Intensity fractions were calculated using the following equation: $f_i = A_i \tau_i / \Sigma A_j \tau_j$. [c] Global χ^2_r , obtained for a global analysis of the full set of fluorescence decay curves, calculated for TCSPC experiments. [d] Recorded by the TCSPC system, $\lambda_{exc} = 370$ nm. [e] Recorded by the laser flash photolysis spectrometer, $\lambda_{exc} = 355$ nm.



Figure 4. Fluorescence decays of **2a,b,d,g,h,l,m** in the solid state, recorded by the TCSPC system at $\lambda_{exc} = 370$ nm (A), or laser flash fluorometry at $\lambda_{exc} = 355$ nm. (B)





Figure 5. Fluorescence decays of (A) **2b**, (B) **2d**, (C) **2h** in the solid state, recorded by the TCSPC system at two different emission wavelengths: blue edge of the emission spectrum (blue dots) and red edge of the emission spectrum (red dots) ($\lambda_{exc} = 370$ nm).

X-ray diffraction study of 2c

We intended to compare molecular packings in the crystals of the synthesized amides but we were able to obtain crystals suitable for X-ray diffraction analysis only for 2c. The compound crystallized in the space group P2₁/c of the monoclinic system after a long period of standing (2-3 weeks) in a concentrated solution in DMSO in an open tube (presumably moisture slowly diffused into the solution and decreased the solubility of 2c). The molecular structure of 2c is shown in Fig. 6.



Figure 6. Molecular structure of **2c** (ORTEP representation). Displacement ellipsoids were drawn at 50% probability level.

The pyrenyl moiety is slightly bent, with the angle between the planes of rings C1-C2-C3-C4-C15-C14 and C7-C8-C9-C10-C11-C16 ~4 degrees. The amide group is twisted by 60.6(2) degrees from the average plane of the pyrenyl moiety. Together with the C1–C17 bond length greater than 1.5Å this suggests that there is only a very weak electronic conjugation between these units

The crystallographic structure reveals that the molecules of 2c form π -stacked dimers with short C^{...}C distances (Figure 7), thus suggesting strong electronic interactions between the two pyrenyl moieties, which is in very good agreement with the photophysical investigations that were described and discussed in the previous section. This strong π - π interaction in the ground state seems to be at the origin of the very high solid-state fluorescence quantum yield of the **2c** derivative, which is associated with its very slow fluorescence decay.



Figure 7. Dimers of π -stacked molecules of 2c, related by the crystallographic center of symmetry

The intermolecular N1 – H1 \cdots O1 hydrogen bonds formed between the molecules packed along the crystallographic **c** direction bring about the formation of infinite chains of H-bonded molecules, with the N \cdots O vector almost parallel to **c** direction and adjacent pyrenyl moieties in the crystal structure located at an angle of 63.0(3) degrees (Figure 8).



Figure 8. View of the N – H \cdots O hydrogen bond in the context of crystal packing of **2c** along **a*** direction. The atoms directly involved in the H-bond network are represented with thermal ellipsoids at 90% probability level, to enhance the pattern. The remaining atoms are represented as wires in gray or in green in order to differentiate between the adjacent $\pi \cdots \pi$ interacting chains of H-bonded atoms.

Crystal packing viewed along **b** direction confirms the formation of columns of π -stacked dimers of **2c**. Along the crystallographic **a** direction the crystal structure is stabilized only by Van-der Waals interactions of the tert-butyl moieties (Figure 9).



Figure 9. Crystal packing of **2c** viewed along the crystallographic (a) b-axis (b) c-axis. H-bonds marked in cyan.

Conclusion

We have developed a simple and efficient synthetic route to primary and secondary pyrene-1carbothioamides and carboxamides. The amides emit fluorescence in the solid state with quantum efficiencies up to ~60%. The primary amide in the solid state mainly displays structured monomer emission, whereas several secondary amides show a dynamic excimer formation leading to red-shifted emission. The strong solid-state fluorescence of the most efficient fluorophores, *N*-tert-butyl- and *N*-(adamant-1-yl)-pyrene-1-carboxamide can be attributed to preformed dimers or aggregates in the ground state, associated with very long decay times.

Acknowledgments

Financial support from the National Science Centre Poland (NCN, Grant Harmonia UMO-2012/04/M/ST5/00712) is gratefully acknowledged.

Experimental

Solvents were purified before use by reported methods. All reagents were purchased from Sigma-Aldrich and used without further purification. ¹H and ¹³C NMR spectra were recorded in CDCl₃ (if not indicated) or in DMSO- d_6 on a *Bruker ARX 600 MHz* (600 MHz for ¹H and 151 MHz for ¹³C). Chemical shifts were referenced relative to solvent signals.. Spectra were recorded at room temperature (291 K), chemical shifts are in ppm and coupling constants in Hz. IR spectra were run on an FT-IR Nexus spectrometer. Column chromatography was carried out on silica gel 60 (0.040-0.063 mm, 230-400 mesh, Fluka). Elemental analyses were performed at the Laboratory of Microanalysis in the Centre of Molecular and Macromolecular Studies in Łódź, Poland.

Pyrene-1-carbothioamides 1a-j. General procedure:

KSCN (97 mg, 1 mmol) or isothiocyanate (1.5 mmol) and TfOH (348 μ l, 4 mmol) were added to a solution of pyrene (202 mg, 1 mmol) in CH₂Cl₂ (10 ml) at room temperature. After stirring for 2h the reaction mixture was poured into ice-water (50 ml) and extracted several times with CH₂Cl₂. The combined extracts were dried over anhydrous Na₂SO₄ and evaporated. Flash chromatography (silica gel/ CH₂Cl₂) afforded pure products.

1a. Yellow powder (165 mg, 63%), m.p. 179 - 180°C; ¹H NMR: δ 10.40 (s, 1H), 9.93 (s, 1H), 8.39 (d, *J* = 9 Hz, 1H), 8.32 (t, *J* = 6.6Hz, 2H), 8.28 (d, *J* = 6.6 Hz, 1H), 8.25 (d, *J* = 9 Hz, 1H), 8.20 (q, *J* = 9 Hz, 2H), 8.10 (t, *J* = 7.8 Hz, 1H), 8.02 (d, *J* = 7.8 Hz, 1H); ¹³C NMR: δ 202.76, 138.82, 130.77, 130.64, 130.22, 127.75, 127.11, 126.48, 125.60, 125.29, 125.18, 124.30, 124.15, 123.71, 123.60; IR (cm⁻¹) 3396, 3242, 3047, 1615, 1397, 1291, 914, 846 cm⁻¹; Anal. calcd for C₁₇H₁₁NS: C, 78.13; H, 4.24; N, 5.36; S, 12.27; Found: C, 78.15; H, 4.22; N, 5.41.

1b. Yellow powder (291 mg, 96%), m.p. 186.5 – 187°C; ¹H NMR: δ 8.25 – 8.26 (m, 1H), 8.18 (t, *J* = 9.6 Hz, 2H), 8.05 – 8.09 (m, 3H), 7.99 – 8.02 (m, 3H), 7.52 (s, 1H), 4.98 – 5.04 (m, 1H), 1.43 (d, *J* = 6.8 Hz, 6H), ¹³C NMR: δ 199.33, 138.72, 131.64, 131.23, 130.65, 128.53, 128.12, 127.10, 127.08, 126.26, 126.12, 125.73, 125.43, 124.64, 124.55, 124.51, 124.49, 123.49, 47.93, 21.37; IR (KBr) 3267, 3041, 2968, 2926, 1523, 1394, 849 cm⁻¹; Anal. calcd for C₂₀H₁₇NS: C, 79.17; H, 5.65; N, 4.62; S, 10.57; Found: C, 79.15; H, 5.69; N, 4.66.

1c. Yellow powder (292 mg, 93%), m.p.: $184 - 185^{\circ}$ C; ¹H NMR: δ 8.30 (d, J = 9 Hz, 1H), 8.19 (t, J = 7.2 Hz, 2H), 8.13 (dd, $J_1 = 2.4$ Hz, $J_2 = 9.0$ Hz, 2H), 8.08 (d, J = 9 Hz, 1H), 8.03 (dd, $J_1 = 2.4$ Hz, $J_2 = 7.8$ Hz, 2H), 8.01 (d, J = 9 Hz, 1H), 7.48 (s,1H), 1.79 (s, 9H); ¹³C NMR:

δ 200.23, 140.54, 131.44, 131.32, 130.74, 129.53, 128.59, 128.02, 127.16, 126.28, 125.79, 125.72, 125.39, 124.75, 124.64, 124.32, 123.54, 56.83, 27.87; IR (KBr): 3355, 3039, 2966, 1512, 1400, 1362, 843 cm⁻¹; Anal. calcd for C₂₁H₁₉NS: C, 79.45; H, 6.03; N, 4.41; S, 10.10; Found: C, 79.39; H, 6.07; S, 10.04.

1d. Yellow powder (314 mg, 91%), m.p. 156 - 157°C; ¹H NMR: δ 8.27 (d, J = 9 Hz, 1H), 8.20 (d, J = 7.8 Hz, 1H), 8.19 (d, J = 7.2 Hz, 1H), 8.07 – 8.11 (m, 3H), 8.01 – 8.03 (m, 3H), 7.62 (s, 1H), 3.96 (t, J = 7.2 Hz, 1H), 3.95 (t, J = 7.2 Hz, 1H), 1.8 (kwintet, J = 7.4 Hz, 2H), 1.44 – 1.48 (m, 2H), 1.34 - 1.38 (m, 4H), 0.93 (t, J = 7.2 Hz, 3H); ¹³C NMR: δ 200.70, 138.76, 131.74, 131.29, 130.72, 128.53, 128.21, 127.14, 126.31, 126.29, 125.78, 125.47, 124.69, 124.65, 124.57, 124.53, 123.71, 46.60, 31.42, 28.09, 26.78, 22.53, 13.96; IR (KBr) 3169, 3036, 2930, 1545, 1397, 1071, 847 cm⁻¹ Anal. calcd for C₂₃H₂₃NS: C, 79.96; H, 6.71; N, 4.05; S, 9.28; Found: C, 79.88; H, 6.70; N, 4.16.

1e. Yellow powder (323 mg, 94%), m.p.: 206 – 207°C; ¹H NMR: δ 10.60 (d, J = 7.2 Hz, 1H), 8.32 (d, J = 9.6 Hz, 1H), 8.30 (d, J = 10.8 Hz, 1H), 8.28 (d, J = 10.8 Hz, 1H), 8.17 – 8.23 (m, 4H), 8.10 (t, J = 7.8 Hz, 1H), 7.93 (d, J = 7.8 Hz, 1H), 4.62 – 4.64 (m, 1H), 2.17 (d, J = 9.6Hz, 2H), 1.83 (d, J = 12.6 Hz, 2H), 1.67 (d, J = 13.2 Hz, 1H), 1.38 – 1.48 (m, 4H), 1.19 – 1.23 (m, 1H), ¹³C NMR: δ 196.64, 139.09, 130.76, 130.47, 130.23, 127.81, 127.62, 127.11, 126.45, 125.55, 125.23, 124.46, 124.31, 123.99, 123.72, 123.63, 54.52, 30.60, 25.06, 24.56; IR (KBr) 3346, 2928, 2856, 1519, 1396, 845 cm⁻¹; Anal. calcd for C₂₃H₂₁NS: C, 80.42; H, 6.16; N, 4.08; S, 9.34; Found: C, 80.39; H, 6.22; N, 4.16.

1f. Yellow oil (285 mg, 78%) ¹H NMR: δ 13.25 (s, 1H), δ 8.34 (d, J = 7.8 Hz, 1H), 8.32 (d, J = 7.8 Hz, 1H), 8.29 (d, J = 7.8 Hz, 1H), 8.28 (d, J = 9.6 Hz, 1H), 8.24 (d, J = 9.0 Hz, 1H), 8.21 (d, J = 9.0 Hz, 1H), 8.19 (d, J = 7.2 Hz, 1H), 8.10 (d, J = 7.2 Hz, 1H), 8.07 (d, J = 7.8 Hz, 2H), 7.66 (t, J = 7.2 Hz, 1H), 7.52 (t, J = 7.8 Hz, 2H); ¹³C NMR: δ 197.49, 165.11, 139.58, 137.97, 133.50, 133.31, 132.03, 130.99, 130.76, 130.08, 129.98, 129.06, 128.75, 128.44, 127.96, 127.18, 126.47, 125.85, 125.14, 124.97, 124.34, 123.35; IR (KBr) 1713, 1698, 1598, 1470, 1170, 846 cm⁻¹; Anal. calcd for C₂₄H₁₅NOS: C, 78.88; H, 4.14; N, 3.83; O, 4.38; S, 8.77; Found: C, 79.03; H, 4.02; N, 3.97.

1g. Yellow powder (287 mg, 85%) ¹H NMR: δ 12.32 (s, 1H), 8.35 (d, J = 7.8 Hz, 1H), 8.34 (d, J = 7.8 Hz, 1H), 8.33 (d, J = 7.8 Hz, 2H), 8.26 (d, J = 9.0 Hz, 1H), 8.24 (d, J = 3.6 Hz, 2H), 8.12 (d, J = 7.8 Hz, 2H), 8.10 (d, J = 7.8 Hz, 2H), 7.52 (t, J = 7.8 Hz, 2H), 7.35 (t, J =

7.2 Hz, 1H); ¹³C NMR: δ 197.96, 139.73, 139.64, 130.79, 130.23, 128.62, 128.45, 128.15, 127.85, 127.13, 126.53, 126.38, 125.73, 125.57, 125.39, 124.70, 124.47, 123.94, 123.74, 123.68, 123.27, 123.24; IR (KBr) 3329, 3037, 1594, 1497, 1356, 846cm⁻¹; Anal. calcd for C₂₃H₁₅NS: C, 81.87; H, 4.48; N, 4.15; S, 9.50; Found: C, 81.84; H, 4.51; N, 4.26.

1h. Yellow powder (302 mg, 86%), m.p.: 148 - 149°C, ¹H NMR: δ 8.32 (d, J = 9.0 Hz, 1H), 8.19 (d, J = 12.2 Hz, 1H), 8.18 (d, J = 12.2 Hz, 1H), 8.10 (t, J = 7.8 Hz, 1H), 8.08 (d, J = 10.2 Hz, 1H), 8.06 (t, J = 7.8 Hz, 2H), 8.02 (t, J = 7.8 Hz, 1H), 8.01 (d, J = 9.0 Hz, 1H), 7.84 (s, 1H), 8.02 (d, J = 7.8 Hz, 2H), 7.38 – 7.41 (m, 2H), 7.33 – 7.36 (m, 1H), 5.17 (d, J = 5.4 Hz, 2H); ¹³C NMR: δ 200.81, 138.34, 136.04, 131.88, 131.28, 130.68, 129.06, 128.86, 128.63, 128.44, 128.32, 128.28, 127.63, 127.13, 126.43, 126.34, 125.83, 125.53, 124.71, 124.68, 124.53, 123.66, 50.81; IR (KBr) 3211, 3083, 3028, 1522, 1337, 1229, 948, 846 cm⁻¹; Anal. calcd for C₂₄H₁₇NS: C, 82.02; H, 4.88; N, 3.99; S, 9.12; Found: C, 82.07; H, 4.85; N, 4.14.

1i. Yellow powder (323 mg, 88%), m.p.: 189-190 °C; ¹H NMR: δ 12.19 (s, 1H), 8.32 – 8.36 (m, 3H), 8.30 (d, J = 9.0 Hz, 1H), 8.26 (d, J = 9.0 Hz, 1H), 8.22 – 8.24 (m, 2H), 8.11 (t, J = 7.8 Hz, 2H), 8.00 (d, J = 9.0 Hz, 2H), 7.06 (d, J = 9.0 Hz, 2H), 3.83 (s, 3H); ¹³C NMR: δ 196.87, 157.35, 139.70, 132.77, 130.79, 130.69, 130.24, 128.07, 127.79, 127.13, 126.51, 125.69, 125.60, 125.35, 124.89, 124.73, 124.69, 124.45, 124.02, 123.75, 123.69, 113.71, 55.30; IR (KBr) 3155, 3049, 2961, 1594, 1509, 1247, 849 cm⁻¹; Anal. calcd for C₂₄H₁₇NOS: C, 78.45; H, 4.66; N, 3.81; O, 4.35; S, 8.73; Found: C, 78.37; H, 4.72; N, 3.95.

1j Yellow oil (332 mg, 87%), ¹H NMR: δ 12.77 (s, 1H), 8.47 (d, J = 8.4 Hz, 2H), 8.36 – 8.40 (m, 4H), 8.34 (d, J = 7.8 Hz, 1H), 8.24 – 8.28 (m, 4H), 8.15 (d, J = 7.8 Hz, 1H), 8.13 (t, J = 7.2 Hz, 1H); ¹³C NMR: δ 199.86, 145.19, 144.27, 139.49, 131.07, 130.76, 130.16, 128.42, 128.11, 127.10, 126.62, 125.91, 125.62, 125.55, 124.87, 124.45, 123.73, 123.65, 123.62, 122.89; IR (KBr) 3299, 1595, 1551, 1498, 1332, 1317, 1303, 846, cm⁻¹; Anal. calcd for C₂₃H₁₄N₂O₂S: C, 72.23; H, 3.69; N, 7.33; O, 8.37; S, 8.38; Found: C, 72.31; H, 3.59; N, 7.45.

Pyrene-1-carboxamides 2a-i. General procedure:

Oxone[®] (1.5 mmol in 10 ml of water) was added to the thioamides **1a-i** (1 mmol) dissolved in a mixture of acetonitrile (30 ml) and water (20 ml). The resulting solution was stirred at room temperature for 2h, poured into water (100 ml) and extracted several times with CH_2Cl_2 . The

organic phase was dried over anhydrous Na_2SO_4 and concentrated. The products were purified by silica gel column chromatography (CH₂Cl₂/MeOH 100:0 \rightarrow 99:1).

2a. White powder (210 mg, 86 %), m.p.: 257 - 258°C; ¹H NMR (DMSO- d_6): δ 8.63 (d, J = 9.6 Hz, 1H), 8.34 (t, J = 9.0 Hz, 2H), 8.32 (d, J = 7.8 Hz, 1H), 8.30 (d, J = 7.8 Hz, 2H), 8.22 (d, J = 9.0 Hz, 1H), 8.18 (d, J = 9.0 Hz, 1H), 8.16 (s, 1H), 8.11 (t, J = 7.8 Hz, 1H), 7.73 (s, 1H); ¹³C NMR (DMSO- d_6): δ 170.86, 131.76, 131.55, 130.66, 130.13, 128.17, 127.93, 127.72, 127.14, 126.46, 125.68, 125.48, 125.18, 124.80, 124.30, 123.81, 123.63; IR (KBr) 3339, 3169, 1660, 1622, 1399, 853 cm⁻¹; Anal. calcd for C₁₇H₁₁NO: C, 83.25; H, 4.52; N, 5.71; O, 6.52; Found: C, 83.38; H, 4.67; N, 5.53.

2b. White powder (273 mg, 95 %), m.p.: 211.5 – 212.5°C; ¹H NMR (DMSO- d_6): δ 8.55 (d, J = 7.8 Hz, 1H), 8.46 (d, J = 9.6 Hz, 1H), 8.34 (d, J = 6.6 Hz, 2H), 8.31 (d, J = 7.8 Hz, 1H), 8.25 (d, J = 9.0 Hz, 1H), 8.24 (d, J = 9.0 Hz, 1H), 8.21 (d, J = 9.0 Hz, 1H), 8.10 (t, J = 9.0 Hz, 2H), 4.26 – 4.31 (m, 1H), 1.28 (d, J = 6.6 Hz, 6H); ¹³C NMR (DMSO- d_6): δ 167.91, 132.45, 131.32, 130.69, 130.17, 128.06, 127.94, 127.63, 127.15, 126.46, 125.64, 125.45, 125.10, 124.58, 124.29, 123.73, 123.64, 41.13, 22.35; IR (KBr) 3278, 3047, 2975, 1326, 1545, 1530, 1285, 846 cm⁻¹; Anal. calcd for C₂₀H₁₇NO: C, 83.59; H, 5.96; N, 4.87; O, 5.57; Found: C, 83.49; H, 6.07; N, 4.93.

2c. White powder (280 mg, 93 %), m.p.: 232 - 233°C; ¹H NMR: δ 8.53 (d, *J* = 9 Hz, 1H), 8.22 (dd, *J*₁ = 2.4 Hz, *J*₂ = 10.0 Hz, 2H), 8.14 (t, *J* = 7.8 Hz, 2H), 8.10 (d, *J* = 9 Hz, 1H), 8.05 (d, *J* = 7.8 Hz, 1H), 8.03 (t, *J* = 7.2 Hz, 2H), 5.95 (s,1H), 1.61 (s, 9H); ¹³C NMR: δ 169.57, 132.68, 132.21, 131.23, 130.78, 128.78, 128.55, 128.41, 128.27, 127.15, 126.27, 125.69, 125.60, 124.80, 124.53, 124.38, 124.32, 52.29, 29.05; IR (KBr) 3325, 3046, 2977, 2958, 1639, 1523, 1298, 1223, 844 cm⁻¹; Anal. calcd for C₂₁H₁₉NO: C, 83.69; H, 6.35; N, 4.65; O, 5.31; Found: C, 83.76; H, 6.39; N, 4.53.

2d. White powder (316 mg, 96 %); ¹H NMR: δ 8.46 (d, J = 9.6 Hz, 1H), 8.16 (d, J = 7.8 Hz, 2H), 8.03 – 8.05 (m, 2H), 7.99 – 8.02 (m, 2H), 7.93 – 7.96 (m, 2H), 6.29 (s, 1H), 3.54 (q, J = 7.2 Hz, 2H), 1.67 (kwintet, J = 7.2 Hz, 2H), 1.40 – 1.44 (m, 2H), 1.32 – 1.36 (m, 4H), 0.92 – 0.94 (m, 3H); ¹³C NMR: δ 169.92, 132.24, 131.36, 131.07, 130.63, 128.41, 128.38, 128.34, 126.99, 126.17, 125.64, 125.55, 124.60, 124.36, 124.32, 124.15, 123.70, 40.27, 31.49, 29.68, 26.70, 22.55, 13.99; IR (KBr) 3299, 3037, 2928, 1625, 1536, 848 cm⁻¹; Anal. calcd for C₂₃H₂₃NO: C, 83.85; H, 7.04; N, 4.25; O, 4.86; Found: C, 83.89; H, 6.99; N, 4.31.

RSC Advances Accepted Manuscript

2e. White powder (298 mg, 91 %); m.p.: 236 - 237°C; ¹H NMR: δ 8.52 (d, J = 9.0 Hz, 1H), 8.19 (d, J = 7.8 Hz, 2H), 8.11 (d, J = 9.0 Hz, 1H), 8.09 (d, J = 7.8 Hz, 1H), 8.08 (d, J = 9.0 Hz, 1H), 8.04 (d, J = 7.8 Hz, 1H), 8.02 (t, J = 7.8 Hz, 1H), 8.01 (d, J = 9.0 Hz, 1H), 6.05 (d, J = 7.8 Hz, 1H), 4.15 - 4.21 (m, 1H), 2.17 - 2.19 (m, 2H), 1.80 (dt, $J_1 = 3.6$ Hz, $J_2 = 13.8$ Hz, 2H), 1.69 (dt, $J_1 = 3.6$ Hz, $J_2 = 13.2$ Hz, 1H), 1.50 (qt, $J_1 = 3.6$ Hz, $J_2 = 12.0$ Hz, 2H), 1.33 (qd, $J_1 = 3.6$ Hz, $J_2 = 12.0$ Hz, 2H), 1.23 (qt, $J_1 = 3.6$ Hz, $J_2 = 12.0$ Hz, 1H); ¹³C NMR: δ 169.10, 132.31, 131.66, 131.15, 130.70, 128.54, 128.44, 128.36, 127.08, 126.31, 126.24, 125.69, 125.60, 124.72, 124.42, 124.34, 124.26, 49.03, 33.28, 25.58, 24.93; IR (KBr) 3274, 3039, 2934, 2916, 1625, 1532, 1306, 848 cm⁻¹; Anal. calcd for C₂₃H₂₁NO: C, 84.37; H, 6.46; N, 4.28; O, 4.89; Found: C, 84.30; H, 6.52; N, 4.37.

2f. Yellow oil (311 mg, 89 %); ¹H NMR: δ 9.56 (s, 1H), δ 88.58 (d, J = 9.0 Hz, 1H), 8.20 (d, J = 7.2 Hz, 2H), 8.11 (d, J = 10.2 Hz, 2H), 8.08 (d, J = 9.0 Hz, 2H), 8.03 (t, J = 7.8 Hz, 1H), 8.00 (d, J = 8.4 Hz, 1H), 7.46 (d, J = 7.8 Hz, 2H), 7.39 (t, J = 7.2 Hz, 2H), 7.32 (t, J = 7.8 Hz, 1H), 6.48 (s, 1H), 4.80 (d, J = 5.4 Hz, 2H); ¹³C NMR: δ 169.77, 138.25, 132.45, 131.07, 130.67, 130.61, 128.79, 128.57, 128.56, 128.53, 128.03, 127.90, 127.59, 126.99, 126.22, 125.72, 125.64, 124.64, 124.39, 124.31, 124.29, 124.13, 44.29; IR (KBr) 3261, 1644, 1595, 1523, 1441, 1331, 845 cm⁻¹; Anal. calcd for C₂₄H₁₅NO₂: C, 82.50; H, 4.33; N, 4.01; O, 9.16; Found: C, 82.63; H, 4.45; N, 3.92;

2g. Yellow powder (296 mg, 92 %), m.p.: 253 - 255°C; ¹H NMR: δ 10.71 (s, 1H), 8.48 (d, J = 9.6 Hz, 1H), 8.40 (d, J = 9.0 Hz, 1H), 8.37 (t, J = 7.8 Hz, 2H), 8.30 (d, J = 7.8 Hz, 1H), 8.29 (d, J = 7.8 Hz, 1H), 8.28 (t, J = 9.0 Hz, 2H), 8.14 (t, J = 7.2 Hz, 1H), 7.88 (d, J = 7.8 Hz, 2H), 8.41 (t, J = 7.8 Hz, 2H), 7.16 (t, J = 7.2 Hz, 1H); ¹³C NMR: δ 167.56, 139.37, 131.84, 131.76, 130.68, 130.15, 128.69, 128.43, 128.39, 127.76, 127.15, 126.60, 125.90, 125.68, 125.30, 124.39, 124.30, 123.75, 123.69, 123.60, 119.86; IR (KBr) 3260, 3038, 1645, 1524, 1441, 1331, 845 cm⁻¹; Anal. calcd for C₂₃H₁₅NO: C, 85.96; H, 4.70; N, 4.36; O, 4.98; Found: C, 85.88; H, 4.76; N, 4.42.

2h. Yellow powder (302 mg, 90 %), m.p.: 161 - 162°C; ¹H NMR: δ 8.58 (d, *J* = 9.0 Hz, 1H), 8.20 (d, *J* = 7.2 Hz, 2H), 8.11 (d, *J* = 10.2 Hz, 2H), 8.08 (d, *J* = 9.0 Hz, 2H), 8.03 (t, *J* = 7.8 Hz, 1H), 8.00 (d, *J* = 8.4 Hz, 1H), 7.46 (d, *J* = 7.8 Hz, 2H), 7.39 (t, *J* = 7.2 Hz, 2H), 7.32 (t, *J*

= 7.8 Hz, 1H), 6.48 (s, 1H), 4.80 (d, J = 5.4 Hz, 2H); ¹³C NMR: δ 169.77, 138.25, 132.45, 131.07, 130.67, 130.61, 128.79, 128.57, 128.56, 128.53, 128.03, 127.90, 127.59, 126.99, 126.22, 125.72, 125.64, 124.64, 124.39, 124.31, 124.29, 124.13, 44.29; IR (KBr) 3270, 3030, 2920, 1632, 1529, 1290, 848 cm⁻¹; Anal. calcd for C₂₄H₁₇NO: C, 85.94; H, 5.11; N, 4.18; O, 4.77; Found: C, 85.87; H, 5.09; N, 4.25.

2i. White powder (316 mg, 90 %), m.p.: 251 - 252 °C; ¹H NMR: δ 10.69 (s, 1H), 8.51 (d, J = 9.0 Hz, 1H), 8.37 (d, J = 9.8 Hz, 1H), 8.36 (t, J = 7.8 Hz, 2H), 8.28 (d, J = 9.0 Hz, 1H), 8.27 (d, J = 9.0 Hz, 1H), 8.25 (t, J = 7.8 Hz, 2H), 8.12 (t, J = 7.2 Hz, 1H), 7.83 (d, J = 4.8 Hz, 2H), 6.99 (d, J = 4.8 Hz, 2H), 3.77 (s, 3H); ¹³C NMR: δ 167.17, 155.59, 132.64, 131.97, 131.70, 130.70, 130.17, 128.36, 128.28, 127.82, 127.18, 126.57, 125.86, 125.64, 125.39, 124.46, 124.40, 123.79, 123.64, 121.50, 113.86, 55.23; IR (KBr) 3323, 3039, 2929, 1643, 1540, 1340, 1234, 848 cm⁻¹; Anal. calcd for C₂₄H₁₇NO₂: C, 82.03; H, 4.88; N, 3.99; O, 9.11; Found: C, 82.05; H, 4.83; N, 3.91.

2j Yellow powder (289 mg, 79 %), ¹H NMR: δ 11.32 (s, 1H), 8.41 (d, J = 8.4 Hz, 1H), 8.40 (d, J = 7.8 Hz, 1H), 8.30 – 8.34 (m, 2H), 8.27 (d, J = 7.8 Hz, 1H), 8.26 (d, J = 9.0 Hz, 1H), 8.23 (d, J = 9.0 Hz, 1H), 8.13 (t, J = 7.8 Hz, 1H), 8.08 (d, J = 8.4 Hz, 1H), 7.86 (d, J = 8.4 Hz, 2H), 7.09 (d, J = 8.4 Hz, 2H) ¹³C NMR: δ 168.15, 142.69, 133.13, 130.52, 129.88, 129.51, 129.21, 128.32, 127.86, 127.12, 126.92, 126.59, 126.35, 124.78, 124.39, 123.64, 123.15, 122.58, 120.64; IR (KBr) 3172, 1612, 1594, 1514, 1336, 1029, 987, 841 cm⁻¹; Anal. calcd for C₂₃H₁₄NO₃: C, 75.40; H, 3.85; N, 7.65; O, 13.10; Found: C, 75.51; H, 3.89; N, 12.89.

Pyrene-1 carboxamides 2k-m. General procedure

A solution of DCC (412 mg, 2 mmol) in CH_2Cl_2 (5 ml) was added to a solution of the pyrene-1-carboxylic acid (246 mg,1 mmol,) and amine (1.2 mmol) in CH_2Cl_2 (10 ml) and the mixture was stirred at rt for 24 h. The resulting precipitate was filtered off. The solvent was evaporated and the residue chromatographed on silica gel using CH_2Cl_2 as eluent to afford the pure products.

2k. White powder (321 mg, 85%). ¹H NMR: δ 8.33 (d, J = 7.2 Hz, 1H), 8.32 (d, J = 7.8 Hz, 1H), 8.26 (d, J = 7.8 Hz, 1H), 8.22 – 8.25 (m, 3H), 8.19 (t, J = 7.8 Hz, 2H), 7.89 (d, J = 7.8

Hz, 1H), 1.63 - 1.83 (m, 6H), 1.24 - 1.34 (m, 3H), 0.69 - 1.11 (m, 6H); ¹³C NMR: δ 167.92, 131.83, 131.10, 130.59, 130.18, 128.02, 127.67, 127.18, 127.05, 126.43, 125.61, 125.44, 124.81, 124.63, 123.84, 123.48, 123.46, 48.81, 30.99, 30.47, 25.46; IR (KBr) 3306, 3039, 2929, 2855, 1644, 1541, 1339, 847 cm⁻¹; Anal. calcd for C₂₇H₂₅NO: C, 85.45; H, 6.64; N, 3.69; O, 4.22; Found: C, 85.54; H, 6.59; N, 3.76.

21. White powder (369 mg, 90%). ¹H NMR (DMSO- d_6): δ 9.69 (d, J = 8.4 Hz, 1H), 8.36 (d, J = 9.0 Hz, 1H), 8.35 (d, J = 7.2 Hz, 1H), 8.33 (d, J = 7.8 Hz, 2H), 8.26 (d, J = 9.0 Hz, 1H), 8.23 (d, J = 9.0 Hz, 1H), 8.22 (d, J = 9.6 Hz, 1H), 8.17 (d, J = 7.8 Hz, 1H), 8.12 (t, J = 7.2 Hz, 1H), 7.50 (d, J = 7.8 Hz, 4H), 7.41 (t, J = 7.8 Hz, 4H), 7.30 (t, J = 7.2 Hz, 2H), 6.61 (d, J = 9.0 Hz, 1H); ¹³C NMR (DMSO- d_6): δ 168.21, 131.68, 131.52, 130.62, 130.11, 128.36, 128.20, 128.04, 127.80, 127.43, 127.12, 126.96, 126.48, 125.73, 125.52, 125.29, 124.36, 124.25, 123.69, 123.58, 56.55; IR (KBr) 3325, 3036, 2929, 1631, 1572, 848 cm⁻¹; Anal. calcd for C₃₀H₂₁NO: C, 87.56; H, 5.14; N, 3.40; O, 3.89; Found: C, 87.45; H, 5.23; N, 3.43.

2m. White powder (421 mg, 86%), ¹H NMR (DMSO-*d*₆): δ 8.48 (d, *J* = 9.0 Hz, 1H), 8.34 (d, *J* = 7.8 Hz, 1H), 8.32 (d, *J* = 8.4 Hz, 2H), 8.24 – 8.27 (m, 3H), 8.19 (d, *J* = 8.4 Hz, 1H), 8.13 (d, *J* = 7.8 Hz, 1H), 8.11 (d, *J* = 8.4 Hz, 1H), 7.71 – 7.74 (m, 6H), 7.50 – 7.52 (m, 3H), 7.44 – 7.46 (m, 6H); ¹³C NMR (150 MHz, DMSO): δ 173.01, 153.80, 148.66, 131.97, 131.83, 131.25, 130.84, 129.11, 128.50, 128.19, 128.14, 127.96, 127.93, 127.88, 127.33, 127.16, 126.71, 126.57, 126.47, 125.97, 125.87, 124.70, 124.52, 124.51, 123.56, 122.67; IR (KBr) 3329, 2929, 2852, 1628, 1577, 1310, 847, 705 cm⁻¹; Anal. calcd for C₃₆H₂₅NO: C, 88.68; H, 5.17; N, 2.87; O, 3.28; Found: C, 88.63; H, 5.13; N, 2.99.

References

- 1. T. M. Figueira-Duarte and K. Muellen, Chemical Reviews, 2011, 111, 7260-7314.
- 2. G. Drummen, Molecules, 2012, 17, 14067-14090.
- 3. S. P. Sau and P. J. Hrdlicka, Journal of Organic Chemistry, 2012, 77, 5-16.
- 4. G. Bains, A. B. Patel and V. Narayanaswami, Molecules, 2011, 16, 7909-7935.
- 5. A. M. Breul, M. D. Hager and U. S. Schubert, Chemical Society Reviews, 2013.
- 6. J. Zhao, W. Wu, J. Sun and S. Guo, Chemical Society Reviews, 2013.
- 7. M. E. Ostergaard and P. J. Hrdlicka, Chemical Society Reviews, 2011, 40, 5771-5788.
- 8. A. Okamoto, Y. Saito and I. Saito, Journal of Photochemistry and Photobiology C-Photochemistry Reviews, 2005, 6, 108-122.

9. J. Xie, M. Ménand, S. Maisonneuve and R. Métivier, The Journal of Organic Chemistry, 2007, 72, 5980-5985.

10. L. Zophel, V. Enkelmann and K. Mullen, Organic letters, 2013, 15, 804-807.

11. J. M. Casas-Solvas, J. D. Howgego and A. P. Davis, Organic & Biomolecular Chemistry, 2014, 12, 212-232.

12. C. X. Yao, H. B. Kraatz and R. P. Steer, Photochemical & Photobiological Sciences, 2005, 4, 191-199.

13. M. Ottonelli, M. Piccardo, D. Duce, S. Thea and G. Dellepiane, Journal of Physical Chemistry A, 2012, 116, 611-630.

14. Y. Niko, Y. Hiroshige, S. Kawauchi and G. I. Konishi, Journal of Organic Chemistry, 2012, 77, 3986-3996.

15. Y. Niko, Y. Hiroshige, S. Kawauchi and G. I. Konishi, Tetrahedron, 2012, 68, 6177-6185.

16. Y. Niko, Y. Cho, S. Kawauchi and G.-i. Konishi, RSC Advances, 2014, 4, 36480-36484.

17. Y. Niko and G. I. Konishi, Macromolecules, 2012, 45, 2327-2337.

18. F. Seela and S. A. Ingale, Journal of Organic Chemistry, 2010, 75, 284-295.

19. D. C. Knapp, J. D'Onofrio and J. W. Engels, Bioconjugate Chemistry, 2010, 21, 1043-1055.

20. S. Kodate, H. Wada, I. Suzuka, A. Okamoto, K. Tainaka, Y. Saito and I. Saito, Nucleic acids symposium series (2004), 2006, 211-212.

21. S. T. Gaballah, Y. H. A. Hussein, N. Anderson, T. Q. T. Lian and T. L. Netzel, Journal of Physical Chemistry A, 2005, 109, 10832-10845.

22. A. Okamoto, K. Kanatani and I. Saito, Journal of the American Chemical Society, 2004, 126, 4820-4827.

23. J. Hwang, M. G. Choi, S. Eor and S.-K. Chang, Inorganic Chemistry, 2012, 51, 1634-1639.

24. S. Eor, J. Hwang, M. G. Choi and S.-K. Chang, Organic Letters, 2011, 13, 370-373.

25. S. P. Anthony, ChemPlusChem, 2012, 77, 518-531.

26. M. Shimizu and T. Hiyama, Chemistry - An Asian Journal, 2010, 5, 1516-1531.

27. Y. Hong, J. W. Y. Lam and B. Z. Tang, Chemical Communications, 2009, 4332-4353.

28. D. Plazuk, J. Zakrzewski, A. Rybarczyk-Pirek and S. Domagała, Journal of Organometallic Chemistry, 2005, 690, 4302-4308.

29. A. Wesolowska, L. Gros, S. Westerlich and T. S. Jagodzinski, Arkivoc, 2008, 239-255.

30. T. Jagodzinski, Organic Preparations and Procedures International, 1990, 22, 755-760.

31. E. P. Papadopoulos, Journal of Organic Chemistry, 1976, 41, 962-965.

32. A. Wrona-Piotrowicz, D. Plazuk, S. Domagala and J. Zakrzewski, Arkivoc, 2012, 412-420.

33. D. Plazuk, J. Zakrzewski, A. Rybarczyk-Pirek and S. Domagala, Journal of Organometallic Chemistry, 2005, 690, 4302-4308.

34. S. Aki, T. Fujioka, M. Ishigami and J.-i. Minamikawa, Bioorganic & Medicinal Chemistry Letters, 2002, 12, 2317-2320.

35. A. Corsaro and V. Pistara, Tetrahedron, 1998, 54, 15027-15062.

36. I. Mohammadpoor-Baltork, M. M. Sadeghi and K. Esmayilpour, Phosphorus, Sulfur, and Silicon and the Related Elements, 2003, 178, 61-65.

37. I. Mohammadpoor-Baltork, M. M. Sadeghi and K. Esmayilpour, Synthetic Communications, 2003, 33, 953-959.

38. N. S. S. Kumar, S. Varghese, C. H. Suresh, N. P. Rath and S. Das, Journal of Physical Chemistry C, 2009, 113, 11927-11935.

39. M. Zhu and C. Yang, Chemical Society Reviews, 2013, 42, 4963-4976.

40. Z. Zhao, S. Chen, J. W. Y. Lam, Z. Wang, P. Lu, F. Mahtab, H. H. Y. Sung, I. D. Williams, Y. Ma, H. S. Kwok and B. Z. Tang, Journal of Materials Chemistry, 2011, 21, 7210-7216.

41. R. Katoh, K. Suzuki, A. Furube, M. Kotani and K. Tokumaru, The Journal of Physical Chemistry C, 2009, 113, 2961-2965.

42. T. Seko, K. Ogura, Y. Kawakami, H. Sugino, H. Toyotama and J. Tanaka, Chemical Physics Letters, 1998, 291, 438-444.