

# RSC Advances




This is an *Accepted Manuscript*, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

*Accepted Manuscripts* are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. This *Accepted Manuscript* will be replaced by the edited, formatted and paginated article as soon as this is available.

You can find more information about *Accepted Manuscripts* in the [Information for Authors](#).

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard [Terms & Conditions](#) and the [Ethical guidelines](#) still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this *Accepted Manuscript* or any consequences arising from the use of any information it contains.



Morphological transition from creasing to detachment of a growing biological tube in a confined environment with the contacting boundary

# Morphological Patterns of a Growing Biological Tube in a Confined Environment with Contacting Boundary

Mir Jalil Razavi and Xianqiao Wang\*

College of Engineering, University of Georgia, Athens, GA 30602

## Abstract

Growing soft tissue with a confined boundary is accompanied by a large strain and stress which lead to instability and the formation of surface wrinkling, folding or creasing. This paper presents the morphological evolution of the growth of a biological tube composed of a neo-Hookean hyperelastic material within a confined environment. Critical growth ratios for the triggering of creases or detachment from the contacting boundary have been investigated both analytically and numerically. Results show that compressive residual stresses induced by confined growth of the tubular tissue can lead to a variety of surface folding patterns which strongly depend on the thickness of the tube. In thick tube creases begin to form at the inner surface of the tube and in thin tube the structure detaches from the confining wall. Between these two extremes there is a transitional area wherein the tube starts to crease at first and then detaches from the confining wall. Further modeling reveals that a gap between the tube and the confinement can tune the shape evolution of the growing biological tube. These findings may provide some fundamental understanding to growth modeling of complicated biological phenomena such as cortical folding of the brain and the growth of solid tumors.

**Keywords:** Soft tissue, Growth, Instability, Evolution, Morphogenesis

## 1- Introduction

Growth of soft biological tissues is an important yet highly complex process that has undeniable influence both in the normal development of biological tissues and in various pathological conditions. Irrespective of growth type, it has been accepted for a long time that growth may generate residual stress in tissues<sup>1</sup>. Residual stress has been observed in growing soft biological tissues and is believed to play a crucial role in morphogenesis and regulation of the material properties of biological systems<sup>2-5</sup>. This stress is essential in preserving the integrity of biological structures by inhibiting the body tissue from overlapping with itself and/or external boundaries, or by creating cavities<sup>3, 6-8</sup>. Hence, general deformation in biological tissue is related to both growth and elasticity in the material<sup>3, 6, 9-11</sup>. It has been proven that, as the compressive residual stress exceeds a critical value, by releasing potential energy the tissue buckles into a new configuration<sup>8, 12-17</sup>. Beyond the critical condition, three common types of morphological instability can be observed: wrinkling, folding, and creasing. Wrinkling refers to wavy surface patterns which are achieved by appropriate compression of a stiff layer on a soft compliant substrate. Ridges and valleys are detectable in this kind of instability<sup>13, 14, 18-21</sup>. Folds are post-buckling evolutions of wrinkled surfaces and can be created by further compression of wrinkled surface until the formation of localized, deep surface valleys<sup>22, 23</sup>. In contrast, in soft material without a hard skin compression beyond the critical value leads to the formation of creases with sharp edges. One of the main characteristics of creases is the development of self-contact phenomenon after instability<sup>24-27</sup>. The various shapes of plants, rippling of leaves, wrinkling of mucosa, corrugation of skin, fingerprint patterns, swell induced surface creasing of hydrogels and cortical folding of the brain are all the result of growth and instability in the constituent soft

materials<sup>13, 28-31</sup>. Swell induced instability of the hydrogels is an interesting phenomenon because it has been controllably used to mimic the growth of soft tissues<sup>32,33</sup>. A hydrogel swells considerably when absorbing a large amount of solvent (e.g., water). However, it is yet a debatable question which and how accurately chemical or physical hydrogels can mimic growth of biological tissues<sup>34</sup>. Recent studies have showed that controllable surface patterns by chemical modification of molecular structures can be generated near the surface<sup>35,36</sup>. Despite of diversity between the soft tissues, remodeling and morphological evolution is an important contributor to the healthy behavior of soft biological tissues like the artery, heart, brain and airway. Inappropriate growth processes may cause pathological disorders in organs such as asthma, mucosal inflammation, gastroenteritis, chronic bronchitis, autism and tumor invasion<sup>5, 10, 11, 13, 37, 38</sup>. Many studies have been done to present analytical models for growth and bifurcation to complement knowledge about the mechanisms of growing living tissues, e.g. Rodriguez et al.<sup>6</sup> proposed a general continuum formulation for finite volumetric growth in soft elastic tissues with the deformation gradient tensor of the tissue described as the multiplication of the elastic and growth parts. Ben Ammar et al.<sup>3</sup> adopted incremental deformation theory to include growth effects and showed its application to a growing spherical shell under external pressure. Bo li et al.<sup>13, 39</sup> presented a linear stability analysis to investigate critical conditions and characteristic buckling patterns. The results indicate that the wrinkling mode is sensitive to the geometry as well as the properties of tissues. Jin et al.<sup>27</sup>, by application of criteria for the starting of creases, found critical growth ratios for a tube growing inside a rigid shell and a growing shell on a rigid core. Ciarletta et al.<sup>4</sup> proposed a variational method that gives a straightforward derivation of the linear stability analysis for bifurcation analysis. Dunlop et al.<sup>40</sup>

developed a general thermodynamically theoretical model for tissue growth and applied it for a simple geometry as isotropically elastic tissue growing inside a circular pore. The study extended the model in order to couple tissue growth to the presence of a surface stress<sup>41</sup>. Rumpler et al.<sup>42</sup> showed that geometry had effect on the tissue growth and as a result, local curvature strongly influenced the tissue growth rate. Beside these analytical models, numerical analyses and especially finite element models are valuable solutions when there is not any exact formulation for the buckling and post-buckling analysis<sup>12-14, 16, 30</sup>. Analytical and numerical results of these studies reveal that beyond the critical growth ratio the system tends to be destabilized and prefers to release its potential energy by developing wrinkles and creases. Balance between geometry and material behavior of layer/layers dictates the number of wrinkles or creases<sup>4, 13, 24, 27</sup>. Although significant progress has been made in recent years on the modeling of morphological instability in soft matter, there remain plenty of interesting problems that needs additional experimental and theoretical investigation<sup>15</sup>. In this study we will focus on soft material growth in a confined environment, especially with contact properties between boundaries, as many growing tissues are in contact with other tissues or consist of several layers with different material properties; thus, the existence of confinement has a remarkable effect on the stress distribution of the structure, triggering instability and remodeling processes. Many living tissues are growing in confined area; e.g. wrinkling and folding of mucosa<sup>13, 37, 39</sup>, wrinkling of solid tumors<sup>34</sup> and folding of the cortical layer of brain<sup>5, 30</sup> are all results of growth and instability in confined conditions. Study of confined growth with the contacting boundaries is a core issue due to its great impact on clarifying tumor and brain growth. Tumors deform the surrounding tissue due to the stresses imposed on the

environment, and the environment in turn alters the tumor growth dynamics. Tumor growth inhibition depends on the stiffness of the surrounding environment. In an in vitro setting, this corresponds to the stiffness of the agarose gel, and in vivo this corresponds to the stiffness of the extracellular matrix environment<sup>43</sup>. Experimental results highlight that geometric confinement alters the shape and growth dynamics of a developing tumor. In brain growth, the mechanical constraint of the skull regulates the cortical folding process. Cortical development with the skull as a constraint is much more convoluted than without<sup>44</sup>. On the other hand, a general model of tumor or brain growth accounting for geometric confinement effects on the size and shape of a growing tumor or developing brain<sup>5,45</sup> is lacking and remains to be further exploited. Therefore, study and research in this area is worthy of pursuit and may open new windows to the treatment and therapy of severe disorders. In this paper, in contrast to other studies, we will discuss the growth of single layer tubular soft tissue in a confined boundary with contact properties between tissue and environment. Critical growth ratios, both analytical and numerical, will be determined for the formation of creases or detachment of tissue from the contact boundary. In a special case the effect of gap magnitude between the outer layer of tube and confinement will be evaluated.

## **2- Theoretical investigation**

### **2-1- Basic equations for growth model**

Due to growth, the final state of the system will be different from the initial one. Theoretical models have attempted to relate the growth ratio to the deformation and stress field. Any point  $\mathbf{X}$  in the reference state will be mapped by transformation to the final one,  $\mathbf{x}$ , in the current state. For modeling volumetric growth we consider the most famous theory, namely,

multiplicative decomposition of deformation gradient<sup>6</sup>. In this theory the deformation gradient,  $\mathbf{F}(\mathbf{X})$ , is decomposed to growth tensor  $\mathbf{G}(\mathbf{X})$ , indicating the addition of materials, and elastic deformation tensor  $\mathbf{A}(\mathbf{X})$  describing pure deformation resulting from stress. The growth tensor maps the stress-free reference configuration to a grown stress-free state, then the elastic deformation tensor maps the grown state to a stressed and final current state<sup>6</sup>. Deformation gradient  $\mathbf{F}$  maps the tissue from the stress free state before the growth to the stressed state after the growth.

$$\mathbf{F} = \mathbf{A} \cdot \mathbf{G} \quad (1)$$

where  $\mathbf{F} = \frac{\partial \mathbf{x}}{\partial \mathbf{X}}$ . while both  $\mathbf{G}$  and  $\mathbf{A}$  tensors may be incompatible deformations, their multiplication,  $\mathbf{F}$ , should be a compatible deformation<sup>6</sup>. In general, the elastic deformation of living soft tissues yields little volume change, therefore, the nonlinear response of these materials can be described by an isotropic incompressible hyperelastic material. The incompressibility implies the determinant of the elastic deformation tensor should be equal to unit,  $\det \mathbf{A} = 1$ . In general, the growth tensor depends on the stress state, deformation, and some other factors. For simplicity, we assume the growth process with a known spatial distribution, insinuating that all the biological information is independent of stresses<sup>3</sup>.

Many biological soft tissues can be modeled by a hyperelastic material with a strain energy function  $W(\mathbf{A})$ . The Cauchy stress  $\boldsymbol{\sigma}$  is related to the strain energy function by<sup>3</sup>

$$\boldsymbol{\sigma} = \mathbf{A} \frac{\partial W}{\partial \mathbf{A}} - p \mathbf{I} \quad (2)$$

where  $p$  is the hydrostatic pressure and  $\mathbf{I}$  is a second-order unit vector. In the absence of any body force, mechanical equilibrium imposes



$$\operatorname{div} \boldsymbol{\sigma} = 0 \quad (3)$$

where “div” stands for the divergence operator in the current configuration. There are several proposed material behaviors for hyperelastic material<sup>46</sup>; here a simple and common model, isotropic nonlinear Neo-Hookean, is implemented.

$$W = \frac{\mu}{2} (\lambda_r^2 + \lambda_\theta^2 + \lambda_z^2 + 3) \quad (4)$$

where  $\mu$  is the shear modulus and  $\lambda_r$ ,  $\lambda_\theta$  and  $\lambda_z$  are the radial, circumferential and axial principal stretches, respectively.

## 2-2- Residual stress induced by growth

Consider a tubular soft tissue grown inside a rigid confinement. The outer layer of tissue is in contact with the boundary as seen in Figure 1.

According to Figure 1, the inside and outside radii of the tube are  $A$  and  $B$ , and the thickness is  $B - A$ . The initial and undeformed configuration for the tube is defined by  $\mathbf{X} = (R, \theta, Z)$

$$A \leq R \leq B, \quad 0 \leq \theta \leq 2\pi, \quad 0 \leq Z \leq L, \quad (5)$$

where  $R$ ,  $\theta$  and  $Z$  are cylindrical coordinates in the initial state.  $L$  is longitudinal length of the tube. Due to growth, the tube will deform axisymmetrically before the occurrence of instability in the system. The new and current configuration after growth is defined by  $\mathbf{x} = (r, \theta, l)$

$$a \leq r \leq b, \quad 0 \leq \theta \leq 2\pi, \quad 0 \leq z \leq l, \quad (6)$$

where  $r$ ,  $\theta$  and  $z$  are cylindrical coordinates in the deformed state and  $l$  is deformed axial length. In the case of axisymmetric and plane-strain deformation, the deformation field after growth is just function of radius,  $r = r(R)$ . So, circumferential and longitudinal coordinates in both deformed and undeformed states will be the same. For eliminating longitudinal effect and studying in-plane bifurcation the plane-strain assumption has been considered.

By application of the deformation gradient in cylindrical coordinates for this specific case,  $\mathbf{F}(\mathbf{X})$  can be determined

$$\mathbf{F} = \begin{bmatrix} \frac{\partial r}{\partial R} & 0 & 0 \\ 0 & \frac{r}{R} & 0 \\ 0 & 0 & 1 \end{bmatrix} \quad (7)$$

On the other hand, the growth tensor  $\mathbf{G}$  is

$$\mathbf{G} = \begin{bmatrix} g_r & 0 & 0 \\ 0 & g_\theta & 0 \\ 0 & 0 & 1 \end{bmatrix} \quad (8)$$

where  $g_r$  and  $g_\theta$  are radial and circumferential growth ratios, which  $g_i > 1$  is for growth and  $0 < g_i < 1$  represents atrophy. In plane-strain condition without deformation and growth in axial direction,  $g_z$  is considered as unit.

From Eq. (1) the elastic deformation tensor can be extracted

$$\mathbf{A} = \begin{bmatrix} \frac{\partial r}{g_r \partial R} & 0 & 0 \\ 0 & \frac{r}{g_\theta R} & 0 \\ 0 & 0 & 1 \end{bmatrix} \quad (9)$$

which shows

$$\lambda_r = \frac{\partial r}{g_r \partial R}, \quad \lambda_\theta = \frac{r}{g_\theta R}, \quad \lambda_z = 1, \quad (10)$$

With incompressibility constraint  $\det \mathbf{A} = 1$

$$\frac{r}{g_r g_\theta R} \frac{\partial r}{\partial R} = 1 \quad (11)$$

As isotropic growth of soft tissue is interpreted in this paper, hereafter  $g_r = g_\theta = g$ . So, for isotropic growth

$$\frac{r}{R} \frac{\partial r}{\partial R} = g^2 \quad (12)$$

Integration of Eq. (12) gives

$$r^2 - a^2 = g^2(R^2 - A^2) \quad \text{for } A \leq R \leq B \quad (13)$$

This shows the deformed field relates to the growth ratio and the initial state. Before instability, the outer layer of the tube is in contact with a stiff boundary, so  $b = B$ . From this constraint “ $a$ ”, inner radius of tube after deformation, is determined and final equation for the deformed state is

$$r^2 = B^2 + g^2(R^2 - B^2) \quad \text{for } A \leq R \leq B \quad (14)$$

For preventing self-contact effects in the inner radius, the isotropic growth ratio should satisfy

$$g \leq \left(\frac{B^2}{B^2 - A^2}\right)^{1/2} \quad (15)$$

Based on Eqs. (2) and (4) the Cauchy stress components are derived as

$$\sigma_{rr} = \mu \lambda_r^2 - p, \quad \sigma_{\theta\theta} = \mu \lambda_\theta^2 - p \quad (16)$$

The equilibrium equation, Eq. (3), is derived as

$$\frac{\partial \sigma_{rr}}{\partial r} + \frac{\sigma_{rr} - \sigma_{\theta\theta}}{r} = 0 \quad (17)$$

With Eqs. (10), (14), (16) and (17), the stress distribution is derived to be

$$\sigma_{rr} = \frac{\mu}{2} \left[ \ln \left( \frac{r^2 + B^2(g^2 - 1)}{a^2 + B^2(g^2 - 1)} \right) - \ln \left( \frac{r}{a} \right)^2 + B^2(g^2 - 1)(r^{-2} - a^{-2}) \right] \quad (18)$$

$$\sigma_{\theta\theta} = \sigma_{rr} - \mu(\lambda_r^2 - \lambda_\theta^2) = \sigma_{rr} + \mu \left[ \frac{r^2}{r^2 + B^2(g^2 - 1)} - \frac{r^2 + B^2(g^2 - 1)}{r^2} \right] \quad (19)$$

In Figure 2. the normalized radial and circumferential Cauchy stresses,  $\bar{\sigma}_{rr} = \frac{\sigma_{rr}}{\mu}$ ,  $\bar{\sigma}_{\theta\theta} = \frac{\sigma_{\theta\theta}}{\mu}$ , have been sketched for growth ratio  $g = 1.15$  and  $A/B = 0.6$ .

Figure 2 shows that the circumferential stress in the inner radius of tube is greater than other places. This stress as mentioned in the introduction part may have an important effect on the onset of instability. Circumferential stress in the inner radius is also sensitive to the thickness of the tube. In a tube with high thickness (when ratio of inner radius to outer radius is small) increasing by a small amount the growth ratio, circumferential compressive stress increases rapidly in inner surface in comparison to a thin tube, as seen in Figure 3. A thick tube,  $A/B = 0.6$ , is more sensitive to the growth ratio and by slightly increasing the growth ratio, circumferential compressive stress is increased dramatically, In contrast, in a thin tube,  $A/B = 0.9$ , a higher growth ratio is needed to create large compressive stress in the inner surface. This observation is based on analytical formulation and without instability consideration; hence, instability may change this trend beyond the critical growth ratio.

### 3- Instability analysis

With a large growth ratio, it is observed that circumferential stress in the inner surface of the tube will be increased. This stress may trigger instability and remodeling in the tube. A linear wrinkling analysis for this system with a fixed boundary condition in the outer layer reveals that wrinkles can be formed beyond a specific growth ratio. The critical growth ratio for starting instability and number of wrinkles depends on the thickness of the tube<sup>39</sup>. Another attempt shows that creases form in the inner side of the tube below the critical growth ratio to initiate wrinkling. In other words, the critical growth ratio for formation of creases is less than the critical growth ratio for formation of wrinkles<sup>27</sup>. The result for crease formation is based on the

analysis of finite-element calculation for incompressible neo-Hookean material. The critical condition for onset of crease formation in the circumferential direction (normal to radial direction) is that the ratio of principal stretch in the radial direction to the circumferential direction in the inner radius should be more than 2.4<sup>26</sup>.

$$\frac{\lambda_r}{\lambda_\theta} = 2.4 \quad R = A \quad (20)$$

where, as indicated before,  $\lambda_r$  and  $\lambda_\theta$  are the principal stretches in the radial and circumferential directions.

By applying this equation, the critical growth ratio for isotropic growth in radial and circumferential direction and with plane-strain condition ( $\lambda_z = 1$  and  $g_z = 1$ ) can be derived.

From Eqs.(10), (12) and (14) in the inner radius of tube

$$\frac{(g_c A)^2}{B^2 + g^2(A^2 - B^2)} = 2.4 \quad (21)$$

Or

$$g_c^2 = \frac{2.4}{2.4 - 1.4 \left(\frac{A}{B}\right)^2} \quad (22)$$

It is clear that the critical growth ratio depends on the initial configuration and thickness of the tube. Figure 4 plots the critical growth ratio,  $g_c$ , for the onset of creases as a function of  $A/B$ .

Due to the symmetry in the system there is no slip between the outer layer of the tube and the stiff confinement. By growth of the tube, confinement pushes the outer layer and creases start to form from the inner radius. As it can be seen from Figure 4, in thick tube the critical growth ratio for starting instability is low and with a small amount of growth creases can be developed in the inner surface of the tube. In contrast, in tube with small thickness, for starting instability

higher growth ratios should be applied. This result shows that in the same condition thin tubes are more stable than thick ones. It is worthwhile to mention these critical growth ratios have been derived based on the assumption that there is not any detachment of the outer layer of the tube from the boundary. Since there is contact property between the outer layer and confinement in some cases, detachment may change the instability form and lead to a different final configuration. This phenomenon will be further demonstrated by application of finite element modeling in the following section.

#### **4- Finite element model**

##### **4-1- Transition from crease to detachment**

For the evaluation of tube growth, formation of creases, and detaching phenomenon several non-linear finite element models have been carried out in the commercial finite element software. The plane-strain models with neo-Hookean material behavior are performed and growth is simulated with thermal expansion<sup>12, 27</sup>. A fixed discrete rigid circle as a confinement is modeled around the outer surface of the tube and a frictionless contact relation is employed. The inner and outer surfaces of the tube are allowed to self-contact, as the inner surface after creasing and the outer surface after detaching will be in a self-contact condition. Figure 5 shows the initial and deformed state of tube after a certain amount of growth inside the confined boundary, and indicates that stress concentration is higher in the inner surface, which is consistent with the analytical results.

In the plane-strain isotropic growth and with the condition of incompressibility, because expansion in the longitudinal direction is neglected, the growth ratio can be defined as the ratio of deformed area to initial area. From the growth tensor in Eq. (8) the isotropic growth ratio is

$$g^2 = \frac{S}{S_0} \quad (23)$$

where  $S$  is defined as the deformed area and  $S_0$  is the initial area. If there is not any confinement the tube will expand freely, but stiff confinement prevents growth of the tube on the outer surface and causes residual stress. Figure 6 compares the deformed inner radius " $a$ " versus growth ratio between the theoretical analysis in Eq. (13) and the finite element model for  $A/B = 0.6$ . From the figure it is clear that theory and finite element model result are in very good agreement. Since in derivation of Eq. (14) (deformation field) instability and crease formation has not been considered, by continuation of growth the inner surface analytically keeps its circular pattern, but in the finite element models beyond the critical growth ratio the tube starts to form creases and buckles towards an irregular shape.

When the growth ratio increases stepwise beyond the critical value, the system will lose stability and begin to form creases in the inner surface of thick tubes or detach from the boundary and snap inwards in thin tubes. There should be a transition area between the two distinct instability patterns. The starting point for either crease formation or detachment is the critical growth ratio. In Figure 7, different growth patterns of a thick tube in a confined boundary can be seen. After the critical growth ratio the system loses stability, and creases in order to release a portion of its elastic energy and becomes more stable

Since the thickness is high, the outer surface does not lose contact from the stiff boundary and creases develop only in the inner surface of tube. In contrast, in low thickness tubes, before crease formation in the inner surface the tube detaches from the stiff boundary and buckles completely towards the inside. Similar phenomena have been seen and modeled using confined elastic rings or confined thin-walled cylinders in structural engineering<sup>47-49</sup>. Figure 8 shows

expansion and buckling of a thin tube which after the critical point loses contact with the confinement. According to Eq. (22), for thin tubes a higher growth ratio is needed to start creasing, so thin tubes store more elastic energy and hence before starting to crease they lose contact with the confinement surface and snap inwards to release energy. After the critical growth ratio, the tube loses contact and buckles towards the inside, and eventually starts to fill the area of confinement with further growth.

It can be anticipated that there is a transition area wherein the tube at first starts to develop creases in the inner surface and after further growth loses contact with the boundary with snapping inwards. Figure 9 depicts a transition form from creasing to detaching.

Under contact boundary conditions different patterns of instability of the soft tissue due to growth may arise in contrast to fixed boundary<sup>27, 39</sup>. In contact boundary configurations, creasing or detaching or both of them can be noticed in models. We can categorize this morphological evolution in the three phases: creasing, transition (crease-detach) and complete detaching. In Figure 10, critical growth ratios from the theoretical analysis (Figure 4) and finite elements models have been compared. It should be mentioned that here the theoretical part is based on the fixed boundary assumption. As marked in the figure, there are three phases: **A** for the thicknesses where only creases occur, **B** for the transition area where at first creases form in inner surface and then detachment happens, and **C** for detachment. In the transition phase (**B**) the lower critical growth ratio is for crease starting and the higher one is for detaching. This can be explained: since at the starting point the thickness is larger, a larger growth ratio is needed to detach the system from the boundary.



#### 4-2- Gap effects

Current studies have concluded that fixed and contact boundaries exert different effects on the morphological changes of a confined tissue tube. The critical growth ratios for creasing or detachment sensitively depend on the geometrical parameters. Another effective parameter which may cause a change in the instability behavior of the system is an existing gap between the outer surface of the tube and the confinement<sup>49</sup>. In the previous models this gap is considered as zero and the tube and confinement boundary are in close contact with each other. In this section we investigate the gap effect on the stability of a confined tube in only one initial configuration,  $A/B = 0.6$ . The gap is showed by  $\delta$  and for eliminating magnitude effects we consider it in dimensionless form  $\delta/h$ , such that  $h$  is the thickness of tube ( $h = B - A$ ), see Figure 11.

According to Figure 7, in contact boundary without a gap the tube just forms creases in the inside surface and does not lose contact from the confinement. Figure 12 illustrates how the gap may change the critical growth ratios and final configuration of destabilized system. In contrast to close contact behavior, the existence of a gap changes the instability form and may cause detaching phenomenon. With small gaps the tube just forms creases in the inside surface and the outer surface will be in close contact to the confinement. By increasing the gap, after formation of creases and further growth, the tube loses contact from the confinement and detaches. This trend holds for gaps that are comparable to the thickness. For large gaps (greater than the thickness) again we will see only creases in the inside surface and no detachment from the confinement.

For small gaps, after a slight growth, contact between the outer surface and confinement occurs where the state of the system is similar to a close contact situation and only creasing on the inside surface can be seen. But in larger gaps, when magnitude of the gap is comparable with thickness of the tube, balance between the gap magnitude and thickness dictates instability forms. The tube at first develops creases and then detaches from the confinement. In gaps larger than the tube thickness, after contact the tube starts to form creases in the inner surface and the grown thickness prevents the tube from detachment. Figure 13 shows growth and instability for a sample of models with an initial gap  $\delta = 0.8h$ .

These results have shown that an initial gap has a crucial effect on triggering instabilities and stabilizing the final configuration of the system. In a single layer tube, the thickness of the tube and magnitude of the initial gap are the most important parameters that control the morphogenesis of the soft confined tube. Since the single layer tube has been considered as an isotropic hyperelastic material, the magnitude of the shear modulus has no effect on the instability and crease formation. In contrast, as has been studied previously, the shear modulus ratio for double or multilayer systems is quite an important parameter for the starting and developing of buckling or postbuckling<sup>12-14</sup>, which will be explored in future work dealing with a confined environment.

## 5- Summary and Outlook

In this paper, we have explored growth induced morphological instability of a soft tube in a confined boundary. Results show that for a growing soft tube restricted with a stiff boundary, dependent on the tube thickness and the initial gap with the boundary, multiple instability patterns may be seen in the structure. Analytical and numerical models revealed that by growth

and expansion of a tube, higher compressive stress is observed in the inner surface of the tube which is a crucial parameter in triggering instability and crease formation. In tubes with high thickness and a small growth ratio, compressive stress arises in high levels and creases start to form to release strain energy. In contrast, when tube thickness is small in compare to the mean radius of the tube, a higher growth ratio is needed to destabilize the structure and in this situation the tube begins to detach from the boundary and buckle towards the interior. Between large and small tube thicknesses there is a transition area where the tube at first starts to develop creases in the inner surface and with further growth detaches from the stiff boundary. Another parameter which has a notable effect on the morphological evolution is the existence and size of a gap between the outer layer of the tube and the confined boundary. Results for a special case show that dependent on the ratio of gap to tube thickness, all multiple bifurcation patterns can happen.

These preliminary results are suitable to the modeling of confined growth of soft biological materials, e.g. brain and tumors. It has proven that mechanical constraints the brain skull exerts influence the cortical folding process<sup>50</sup>. Recently, it has been showed that this kind of modeling can explain and predict some developing brain abnormalities<sup>51, 52</sup>. These studies showed that the thickness ratio of cortex to subcortex in developing brain is a very important parameter just as thickness of a growing tube is a main parameter to the determination of evolution path. Many of solid tumors create a layered structure during their avascular evolution. For more expansion, some tumors such as melanoma or glioblastoma lose their initial symmetries to trespass the encompassing tissues<sup>53</sup> which experimental study for shape transition of these tumors showed that formation of creases in outer layer is highly dependent on the thickness

ratio<sup>54</sup>. In other words, these biological tissues are growing in confined environments and elastic or stiff boundaries can change their shape and performance and in some special cases lead to disorders. Therefore, as the continuation of this work, it is worth to study the effect of confinement elasticity on the morphological evolution of a growing model. We can expect that elasticity of the surrounding area will have a great influence on the morphogenesis of the growing tissue. As another application, it is possible to apply the present analysis, with some modifications, to model the swell of hydrogels which is accompanied by diffusion or chemical process. For example, an extra term such as concentration of solvent molecules has been introduced into Helmholtz free energy density<sup>55</sup> in addition to deformation gradient tensor. Therefore, the nominal stress is a function of deformation gradient and concentration of solvent<sup>56</sup>.

No research, however, provides a perfect answer, with this work being no exception to the rule. It is worthwhile to mention that in application of theoretical and computational models there are some simplifications and assumptions which impose limitations to our results. For example, a simple neo-Hookean hyperelastic material was considered, while in the reality, biological or soft chemical materials show anisotropic and complex behaviour, e.g. brain, artery or artificial hydrogels<sup>57-59</sup>. Also, a perfect circular model has been considered as the initial geometry for the growing tubular structures while in the reality profiles at early stage is not in a regular shape. Therefore, an appropriate model with realistic initial geometry may lead to a better depiction of morphological patterns. Some recent studies have showed the initial shape has a crucial effect on the instability and shape transition of the growing multilayer models<sup>33, 52, 60</sup>. Finally, our analysis is based on a simple 2D model, which in contrast, a 3D model would be obviously more

realistic as in many cases growth is a three dimensional process<sup>61</sup>. Hence, the application of the 3D model towards the growing tissue will better present its spatial patterns and evolutions. However, despite these limitations we hope our study can open new windows towards understanding and treatment of soft biological tissues disorders.

## Acknowledgement

We acknowledge support from the University of Georgia (UGA) Research Foundation.

## References

1. J. Sachs, *Text-book of botany*, 1882.
2. R. Skalak, S. Zargaryan, R. K. Jain, P. A. Netti and A. Hoger, *J. Math. Biol.*, 1996, **34**, 889-914.
3. M. Ben Amar and A. Goriely, *Journal of the Mechanics and Physics of Solids*, 2005, **53**, 2284-2319.
4. P. Ciarletta and M. Ben Amar, *International Journal of Non-Linear Mechanics*, 2012, **47**, 248-257.
5. P. V. Bayly, L. A. Taber and C. D. Kroenke, *Journal of the Mechanical Behavior of Biomedical Materials*, 2014, **29**, 568-581.
6. E. K. Rodriguez, A. Hoger and A. D. McCulloch, *Journal of Biomechanics*, 1994, **27**, 455-467.
7. D. Ambrosi and F. Mollica, *International Journal of Engineering Science*, 2002, **40**, 1297-1316.
8. E. Kuhl, *Journal of the mechanical behavior of biomedical materials*, 2014, **29**, 529-543.
9. A. Stein, *Journal of Applied Mathematics and Mechanics*, 1995, **59**, 139-146.
10. G. A. Holzapfel and T. C. Gasser, *International journal of cardiology*, 2007, **116**, 78-85.
11. J.-S. Ren, *Journal of Theoretical Biology*, 2013, **337**, 80-88.
12. Y. Cao, Y. Jiang, B. Li and X. Feng, *Acta Mechanica Solida Sinica*, 2012, **25**, 483-492.
13. B. Li, Y.-P. Cao, X.-Q. Feng and H. Gao, *Journal of the Mechanics and Physics of Solids*, 2011, **59**, 758-774.
14. B. Li, F. Jia, Y.-P. Cao, X.-Q. Feng and H. Gao, *Physical review letters*, 2011, **106**, 234301.
15. B. Li, Y.-P. Cao, X.-Q. Feng and H. Gao, *Soft Matter*, 2012, **8**, 5728-5745.
16. Y.-P. Cao, B. Li and X.-Q. Feng, *Soft Matter*, 2012, **8**, 556-562.
17. G. deBotton, R. Bustamante and A. Dorfmann, *International Journal of Solids and Structures*, 2013, **50**, 403-413.
18. Y. Cao and J. W. Hutchinson, *Journal of applied Mechanics*, 2012, **79**, 031019.
19. Z. Y. Huang, W. Hong and Z. Suo, *Journal of the Mechanics and Physics of Solids*, 2005, **53**, 2101-2118.

20. J. Zang, X. Zhao, Y. Cao and J. W. Hutchinson, *Journal of the Mechanics and Physics of Solids*, 2012, **60**, 1265-1279.
21. S. Cai, D. Breid, A. J. Crosby, Z. Suo and J. W. Hutchinson, *Journal of the Mechanics and Physics of Solids*, 2011, **59**, 1094-1114.
22. L. Pocivavsek, R. Dellsy, A. Kern, S. Johnson, B. Lin, K. Y. C. Lee and E. Cerda, *Science*, 2008, **320**, 912-916.
23. J.-Y. Sun, S. Xia, M.-W. Moon, K. H. Oh and K.-S. Kim, *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Science*, 2012, **468**, 932-953.
24. Y. Cao and J. W. Hutchinson, *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Science*, 2012, **468**, 94-115.
25. S. Cai, D. Chen, Z. Suo and R. C. Hayward, *Soft Matter*, 2012, **8**, 1301-1304.
26. W. Hong, X. Zhao and Z. Suo, *Applied Physics Letters*, 2009, **95**, 111901.
27. L. Jin, S. Cai and Z. Suo, *EPL (Europhysics Letters)*, 2011, **95**, 64002.
28. A. Buganza Tepole, C. Joseph Ploch, J. Wong, A. K. Gosain and E. Kuhl, *Journal of the Mechanics and Physics of Solids*, 2011, **59**, 2177-2190.
29. A. Boudaoud, *Trends in Plant Science*, 2010, **15**, 353-360.
30. P. Bayly, R. Okamoto, G. Xu, Y. Shi and L. Taber, *Physical biology*, 2013, **10**, 016005.
31. M. Kücken and A. Newell, *EPL (Europhysics Letters)*, 2004, **68**, 141.
32. M. Ben Amar and P. Ciarletta, *Journal of the Mechanics and Physics of Solids*, 2010, **58**, 935-954.
33. T. Tallinen, J. Y. Chung, J. S. Biggins and L. Mahadevan, *Proceedings of the National Academy of Sciences*, 2014, **111**, 12667-12672.
34. J. Dervaux and M. Ben Amar, *Journal of the Mechanics and Physics of Solids*, 2011, **59**, 538-560.
35. M. Guvendiren, J. A. Burdick and S. Yang, *Soft Matter*, 2010, **6**, 5795-5801.
36. M. Guvendiren, S. Yang and J. A. Burdick, *Advanced Functional Materials*, 2009, **19**, 3038-3045.
37. W. Yang, T. Fung, K. Chian and C. Chong, *Journal of biomechanics*, 2007, **40**, 481-490.
38. S. Göktepe, O. J. Abilez, K. K. Parker and E. Kuhl, *Journal of Theoretical Biology*, 2010, **265**, 433-442.
39. B. Li, Y.-P. Cao and X.-Q. Feng, *Journal of biomechanics*, 2011, **44**, 182-188.
40. J. Dunlop, F. Fischer, E. Gamsjäger and P. Fratzl, *Journal of the Mechanics and Physics of Solids*, 2010, **58**, 1073-1087.
41. E. Gamsjäger, C. Bidan, F. Fischer, P. Fratzl and J. Dunlop, *Acta biomaterialia*, 2013, **9**, 5531-5543.
42. M. Rumpler, A. Woesz, J. W. Dunlop, J. T. van Dongen and P. Fratzl, *Journal of the Royal Society Interface*, 2008, **5**, 1173-1180.
43. G. Helmlinger, P. A. Netti, H. C. Lichtenbeld, R. J. Melder and R. K. Jain, *Nature biotechnology*, 1997, **15**, 778-783.
44. J. Nie, L. Guo, G. Li, C. Faraco, L. Stephen Miller and T. Liu, *Journal of theoretical biology*, 2010, **264**, 467-478.
45. J. L. Gevertz, G. T. Gillies and S. Torquato, *Physical Biology*, 2008, **5**, 036010.
46. A. Goriely, M. Robertson-Tessi, M. Tabor and R. Vandiver, in *Mathematical Modelling of Biosystems*, Springer, 2008, **102**, 1-44.
47. L. El-Bayoumy, *Journal of Applied Mechanics*, 1972, **39**, 758-766.
48. D. Vasilikis and S. A. Karamanos, *International Journal of Mechanical Sciences*, 2009, **51**, 21-32.
49. D. Vasilikis and S. A. Karamanos, *Applied Mechanics Reviews*, 2014, **66**, 011001.
50. T. Liu, J. Nie, A. Tarokh, L. Guo and S. T. Wong, *NeuroImage*, 2008, **40**, 991-1002.
51. S. Budday, C. Raybaud and E. Kuhl, *Scientific reports*, 2014, **4**, 5644.
52. S. Budday, P. Steinmann and E. Kuhl, *Journal of the mechanics and physics of solids*, 2014, **72**, 75-92.

53. H. B. Frieboes, X. Zheng, C.-H. Sun, B. Tromberg, R. Gatenby and V. Cristini, *Cancer Research*, 2006, **66**, 1597-1604.
54. J. Dervaux, Y. Couder, M.-A. Guedeau-Boudeville and M. B. Amar, *Physical review letters*, 2011, **107**, 018103.
55. W. Hong, X. Zhao, J. Zhou and Z. Suo, *Journal of the Mechanics and Physics of Solids*, 2008, **56**, 1779-1793.
56. M. K. Kang and R. Huang, *Journal of the Mechanics and Physics of Solids*, 2010, **58**, 1582-1598.
57. K. B. Arbogast and S. S. Margulies, *Journal of biomechanics*, 1998, **31**, 801-807.
58. N. Driessen, W. Wilson, C. Bouten and F. Baaijens, *Journal of theoretical biology*, 2004, **226**, 53-64.
59. Z. Wu, N. Bouklas and R. Huang, *International Journal of Solids and Structures*, 2013, **50**, 578-587.
60. M. Eskandari, M. R. Pfaller and E. Kuhl, *Materials*, 2013, **6**, 5639-5658.
61. P. Ciarletta, V. Balbi and E. Kuhl, *Physical Review Letters*, 2014, **113**, 248101.




Figure 1. Initial and current states of a growing tube inside a confined boundary.






Figure 2. Normalized Stress distribution in radial and circumferential directions,  $g=1.15$  and  $A/B=0.6$ .




Figure 3. Normalized circumferential stress in the inner radius for different growth ratios




Figure 4. Critical growth ratio for starting creases




Figure 5. a) Initial state and b) deformed state and Von Mises stress counter of growing tube,

$A/B=0.6$  and  $g= 1.034$




Figure 6. Comparison between theoretical results and finite element analysis

for deformed inner radius,  $A/B=0.6$ .




Figure 7. Evolution of expansion and crease formation induced by the growth,  $A/B=0.6$ .

a)  $g=1$    b)  $g= 1.122$    c)  $g= 1.189$    d)  $g= 1.234$    e)  $g= 1.246$




Figure 8. Evolution of expansion and detaching phenomenon induced by the growth, Von Mises stress distribution,

$A/B=0.9$ .

a)  $g=1$  b)  $g= 1.332$  c)  $g= 1.520$  d)  $g= 1.825$  e)  $g= 2.271$




Figure 9. Evolution of expansion, crease formation and detaching induced by the growth,  $A/B=0.75$ .

a)  $g=1$    b)  $g= 1.214$    c)  $g= 1.307$    d)  $g= 1.383$    e)  $g= 1.512$






Figure 10. Phase diagram of critical growth ratio under different thicknesses




Figure 11. Initial configuration of tubular tissue,  $A/B=0.6$  with existing gap ( $\delta$ ).




Figure 12. Critical growth ratio of the tubular tissue versus the dimensionless gap for  $A/B=0.6$




Figure 13. Growth and morphological evolution of tube with initial gap ( $A/B=0.6$ ,  $\delta/h=0.8$ ).

a)  $g=1$    b)  $g= 1.247$    c)  $g= 1.504$    d)  $g= 1.659$    e)  $g= 1.824$