Chemical Science

Accepted Manuscript



This is an *Accepted Manuscript*, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. We will replace this Accepted Manuscript with the edited and formatted Advance Article as soon as it is available.

You can find more information about *Accepted Manuscripts* in the **Information for Authors**.

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard <u>Terms & Conditions</u> and the <u>Ethical guidelines</u> still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this *Accepted Manuscript* or any consequences arising from the use of any information it contains.



Chemical Science

RSCPublishing

EDGE ARTICLE

Blue Transition Metal Complexes of a Natural Bilin-Type Chlorophyll Catabolite

Cite this: DOI: 10.1039/x0xx00000x

by Chengjie Li^a, Markus Ulrich^a, Xiujun Liu^a, Klaus Wurst^b, Thomas Müller^a and Bernhard Kräutler^a*

Received xxth February 2014, Accepted yxth month 2014

DOI: 10.1039/x0xx00000x

www.rsc.org/

"Non-fluorescent" chlorophyll catabolites (NCCs) are ubiquitous, colourless bilane-type natural products, first identified about 20 years ago. In various senescent leaves NCCs are oxidized, in part, to yellow chlorophyll catabolites (YCCs), which undergo further oxidation to unique pink chlorophyll catabolites (PiCCs). The present work presents the crystal structure of a PiCC, the first of a natural chlorophyll catabolite from a higher plant. The PiCC binds (divalent) zinc-, cadmium-, copper- and nickel-ions with high affinity. Binding of these metal ions to the PiCC is rapid at room temperature. The resulting deep blue complexes represent the first transition metal complexes of a bilin-type chlorophyll catabolite. The structure of the metal complexes has been deduced from spectroscopic analyses, which has revealed an effective tridentate nature of the tetrapyrrolic PiCC ligand. The zinc and cadmium complexes show bright red luminescence, the nickel and copper complexes are non-luminescent. Binding of Zn- and Cd-ions to the PiCC 'lights-up' the intensive red fluorescence of the metal-complexes, which is detectable at nM levels of these closed shell metal ions. Formation of transition metal complexes with PiCCs, and related chlorophyll catabolites, may thus also occur in the tissues of plants, notably of 'heavy metal (hyper)-accumulating' plants.

Introduction

Chlorophyll breakdown is commonly associated with the appearance of the fall colours. 1-3 Thus, chlorophyll catabolites from higher plants were primarily expected to be coloured compounds.1 However, when they were first identified, they were revealed to be colourless linear, bilane-type tetrapyrroles.^{4, 5} In senescent leaves the typical major products of chlorophyll breakdown were shown to belong either to the so called "nonfluorescent" chlorophyll catabolites (NCCs),⁵⁻⁷ or to the related linear tetrapyrroles that were classified as colourless dioxobilane-type NCCs (DNCCs).5, 8-10 Recently, also natural yellow chlorophyll catabolites (YCCs) and pink-red catabolites (PiCCs) were detected in some senescent leaves. 11-13 The same (types of) compounds could also be prepared by chemical oxidation of an NCC (Fig. 1). 11 Here, we report on the blue complexes of the bilin-type pink chlorophyll catabolite (PiCC) 1 with four biologically relevant transition metals, as well as on the crystal structure of 1, the first of a chlorophyll-derived 'phyllobilin' from a higher plant.5

A-6020 Innsbruck, Austria

*to whom to address correspondence: e-mail: bernhard.kraeutler@uibk.ac.at

§ Electronic Supplementary Information (ESI) available: Experimental details (crystal structure, syntheses, spectral analyses, kinetic analysis and detection of Zn and Cd-ions) see DOI:

Fig. 1 Chlorophyll breakdown products in higher plants: Nonfluorescent chlorophyll catabolites (NCCs), such as to the colorless NCC $\mathbf{3}$, ^{6, 14, 15} accumulate in various senescent leaves as rapidly formed products of the degradation of the chlorophylls a and b. In some leaves, the NCC $\mathbf{3}$ was oxidized to the yellow catabolite (YCC) $\mathbf{2}$, ¹³ followed by further oxidation to the pink catabolite (PiCC) $\mathbf{1}$. ¹¹

^a Institute of Organic Chemistry & Centre of Molecular Biosciences University of Innsbruck, Innrain 80/82

b Institute of General, Inorganic & Theoretical Chemistry University of Innsbruck, Innrain 80/82 A-6020 Innsbruck, Austria

Results

Pink PiCC 1 is a racemic linear tetrapyrrole found in extracts of senescent leaves of the deciduous Katsura tree (Cercidiphyllum japonicum) as oxidation product of the yellow YCC 2.11 PiCC 1 was also obtained from the ubiquitous NCC 3 by oxidation with dicyanodichlorobenzoquinone (DDQ),11 or by oxidation of YCC 2 (see below). The UV/Vis-spectrum of 1 in MeOH exhibited strong absorbance bands at 313 and 523 nm (log ε = 4.56) (Fig. 2).




Fig. 2 UV/Vis-spectra of the PiCC 1 (6.97 μ M) and of its zinc-complex Zn-1 (9.67 μM) in MeOH, normalized to 1.00 at the absorption maxima of both spectra.

Detailed NMR-analyses of the non-fluorescent linear tetrapyrrole 1 revealed its extended structure and an E-configuration at the double bond (between C10 and C11) near the molecular centre. 11 Crystals of the PiCC 1 were obtained by vapor diffusion of dichloromethane into a methanolic solution of 1. A single crystal of the potassium salt K-1 of 1 was subjected to X-ray analysis (space group P-1(no.2)), confirming the basic features of the NMR-derived structure and revealing further details of the covalent bonding within the PiCC molecules. Thus, the heavy atoms constituting the main chromophore were spanning a nearly planar array, in which the individual bond distances fitted a structure with conjugated alternating single and double bonds, as is, indeed, represented by the conventional formula shown (Figs. 1 and 3).

Fig. 3 Chemical formula of the potassium salt (K-1) of the pink phyllobiladiene-b,c (PiCC) 1 and ORTEP-model based on the crystal structure of K-1 (atoms are coloured black (C), red (O), blue (N), green (H), and cyan (K).

The structure of **1** featured a short C=C bond (1.362(8) Å) in E-

configuration between C10 and C11, as well as a short C=C bond (1.345(8) Å) in Z-configuration between C15 and C16. It also revealed the formation of H-bonded and potassium-bridged pair of enantiomers of K-1 in the crystal. The pair of enantiomers of K-1 showed nearly parallel planes of the π -system extending over rings B to D, and, at a distance of ca. 3.55 Å, indicating tight packing with van der Waals' contact of the conjugated main chromophores. The de-conjugated ring A stands out of the plane of the main chromophore and is positioned by an intra-molecular H-bond between pyrrole-N and a carboxylate O-atom (see Fig. 3 and ESI, Fig. S1).


Fig. 4 Incorporation of divalent transition metal ions into the PiCC 1 gives the complexes M-1 (e.g. with M = Zn, Cd, Cu, Ni).

In contrast to the more saturated phyllobilanes, such as the ubiquitous NCCs, pink-red PiCC 1 proved to be an excellent ligand for divalent transition metal ions (Fig. 4). The synthesis of **Zn-1**, the complex of 1 with a Zn(II)-ion, proceeded cleanly in Ar-saturated MeOH at room temperature, and could be followed by a rapid colour change of the reaction mixture from pink-red to intense blue (see below). From experiments with Zn(OAc)2, Zn-1 could be isolated with a yield of about 74%. However, work-up was more efficient when Zn(acac)₂ was used, furnishing **Zn-1** in a yield of 95%. The complex Zn-1 showed intense and red shifted absorbance bands, with maxima at 578 nm (log $\varepsilon = 4.23$) and at 620 nm (log $\varepsilon = 4.43$, in MeOH, see Fig. 2). A solution of Zn-1 in MeOH exhibited bright red luminescence with an emission maximum at 650 nm (Fig. 5). The molecular formula of **Zn-1** was confirmed in a positive ion ESI mass spectrum, in which a base peak at m/z = 725 of $[M + Na]^+$ was recorded. The structure of Zn-1 was largely established by 2dimensional NMR spectroscopy (Fig. 6, Exptl. Part and ESI, Table S3 and Fig. S2). These analyses indicated Zn-coordination of the three N-atoms that belong to the conjugated chromophore at rings B - D, whereas metal-coordination of ring A was shown to be unimportant by a consistent set of similar ¹H and ¹³C-chemical shift data for PiCC (1) and for Zn-1, as well as by the presence of a broad signal of the ring A-NH at 11.9 ppm. ¹H¹H-NOE-correlations and ¹³C-chemical shift values indicated Z-configuration at the C10-C11 and C15-C16 double bonds, as expected for a mononuclear assembly of **Zn-1** in solution with three-fold N-coordination by the ligand **1**. However, polar solvent molecules are likely to be (one) additional ligand(s) (L) at the Zn-ion of Zn-1 (Figs. 4 and 6). In pyridine, a significant red shift of the UV/Vis-spectra indicated coordination of pyridine. Indeed, from such solutions of Zn-1 a dark blue-green powder was isolated, suggested by its ¹H-NMR spectrum in CD₃OD to be a 1:1 pyridine complex (**Zn-1**-py).

In an alternative procedure, the zinc complex Zn-1 was obtained from treatment of an air-saturated yellow solution of YCC 2 in DMF with Zn(OAc)₂, and storage overnight at room Page 3 of 7 Chemical Science

Chemical Science EDGE ARTICLE

temperature, giving a dark blue solution of **Zn-1**. Thus, from air oxidation, **Zn-1** could be prepared directly from YCC **2** in a yield of about 94%. Via this path, a further method for the partial synthesis of the PiCC **1** from **2** was developed, as the Zn(II)-ion was readily removed from the blue Zn-complex by exposure of **Zn-1** to an aqueous phosphate solution. By this procedure, PiCC (**1**) was obtained from **2** in an overall yield of 91% (see Fig. 7).






Fig. 5 UV/Vis-spectra and fluorescence emission spectra (full lines), as well as fluorescence excitation spectra (dashed lines) of solutions of **M-1** in MeOH. Top. Spectra of **Zn-1** and **Cd-1** (9.67 μ M). Bottom. Spectra of **Ni-1** and **Cu-1** (9.67 μ M).

The preparation of the Cd(II)-complex **Cd-1** was carried out analogous to that of **Zn-1**: treatment of **1** with Cd(acac)₂ in MeOH at room temperature for 2 hours, gave **Cd-1**, isolated in 95 % yield as a dark blue powder. The absorbance spectrum of a solution of **Cd-1** in MeOH showed maxima at 570 nm (shoulder) and at 613 nm (log \square = 4.52), and it emitted red light with emission maxima at 648 and 706 nm (Fig. 5). The structure of **Cd-1** was clarified by ESI mass (base peak at m/z = 775 of [M+ Na]⁺) and ¹H-NMR spectra. NMR-analyses provided a set of similar chemical shift values and correlations, as observed for the Zn-complex **Zn-1** indicating a closely similar structure. (see Exptl. Part and ESI, Fig. S3).

The non-luminescent Ni(II)- and Cu(II)-complexes (**Ni-1** and **Cu-1**) were prepared correspondingly from **1** in 88% and 90% yield, respectively, by treatment of **1** with Ni(acac)₂ or Cu(acac)₂ in Arsaturated MeOH at room temperature. Slower formation of the Nicomplex required a reaction time of about 20 hours. The molecular formulas of **Ni-1** and **Cu-1** were confirmed by their ESI mass spectra, in which the base peaks were recorded at $m/z = 697 [M+H]^+$

for **Ni-1**, and at m/z = 740 [M+K]⁺ for **Cu-1**. The absorbance spectra of solutions of **Ni-1** or **Cu-1** in MeOH were similar to those of **Zn-1** and **Cd-1**, and showed long wavelength maxima at 626 nm and at 635 nm, respectively (see Fig. 5). The paramagnetic Cu(II)-complex **Cu-1** and the Ni(II)-complex **Ni-1** did not emit (visible) light, when photo-excited near 620 nm.

Fig. 6 Left: Graphical representation of ¹H-chemical shift data from a 500 MHz ¹H-NMR spectrum of **Zn-1** in CD₃CN/d₆-DMSO (10:1) with correlations from H,H-ROESY-spectra (solid and dashed arrows). Right: Deduced constitutional formula of **Zn-1** (atom numbering used follows a convention for linear tetrapyrroles ¹⁶ and is exemplified here).

Fig. 7 Oxidation of the YCC **2** in aerated solution occurs in the presence of Zn(II)-ions, and yields **Zn-1**, from which the PiCC **1** can be prepared by decomplexation with phosphate.

The nickel-complex Ni-1 was diamagnetic in d_6 -DMSO (or in d_3 -acetonitrile). In both solvents, 1H -NMR-spectra indicated the presence of two structurally similar compounds (possibly diastereoisomers), as shown by two sets of closely spaced signals with similar coupling patterns. This signal pattern may be caused by (very slowly equilibrating) coordination isomers from solvent coordination or from intra-molecular coordination of the 3^2 -OH. Interestingly, a well-resolved tripletoid signal near 4.5 ppm could be assigned to the (exchange labile) H-atom of the primary 3^2 -OH group at the side chain extending from ring A (see ESI, Fig. S4). In contrast, a solution of Ni-1 in deuteromethanol did not show any relevant 1H -NMR-signals, suggesting a paramagnetic nature of Ni-1 in this solvent.

The rates of formation of complexes of the PiCC 1 with four biologically important divalent transition metal ions were studied qualitatively (see Table 1 and ESI, Fig. S5): in a solution of 1 and of an excess of $Zn(OAc)_2$ in MeOH **Zn-1** formed quantitatively within a few minutes at room temperature with pseudo-first order kinetics $(k_{obs}(22 \, ^{\circ}C) = 6.1 \, \text{x} \, 10^2 \, \text{M}^{-1}\text{s}^{-1}$, see ESI, Fig. S5). Likewise, the corresponding metal complexes **M-1** were readily assembled with $Cd(OAc)_2$, $Ni(OAc)_2$, and $Cu(OAc)_2$ (Table 1). Spectral analysis indicated formation of **Ni-1** to be effectively slower. A first fast

interaction of Ni(II)-ions with 1 results in a complex with similar absorbance properties in the visible region as 1, followed by a clean, slower conversion to the blue metal complex Ni-1 ($k_{obs} = 10 \text{ M}^{-1}\text{s}^{-1}$, Fig. 8).




Fig. 8 UV/Vis-spectroscopic analysis of Ni-incorporation into the PiCC 1. Reaction of 1 (20 µM) with 10 eq. of Ni(OAc)₂ in MeOH at 22 °C gives Ni-1 cleanly.

Table 1: Kinetic analyses of the reaction between PiCC (1) and transition metal acetates $M(OAc)_2$ (values of rate constants k were obtained from fitting experimental data by pseudo first order kinetics, see e.g. ESI, Fig S5)

	$k [s^{-1}]$	Total concentration of M(II) [M]	k [M ⁻¹ s ⁻¹]
Zn(OAc) ₂	7.5×10^{-2}	12.3×10^{-5}	6.1×10^{2}
Cd(OAc) ₂	2.0×10^{-2}	10.8×10^{-5}	1.9×10^2
Ni(OAc) ₂ b	1.1×10^{-3}	10.8×10^{-5}	1.0×10^{1}
Cu(OAc) ₂	$4.3\times10^{\text{-2}}$	$10.8\times10^{\text{-5}}$	3.9×10^2


^a PiCC (**1**, 1.31×10^{-5} M) in MeOH.

The strongly luminescent complexes **Zn-1** and **Cd-1** provided the opportunity to use fluorescence to analyze the formation of these metal complexes from the PiCC 1. A solution of the PiCC 1 in MeOH exhibited only very weak luminescence with a maximum at 620 nm, with a roughly two orders of magnitude lower intensity than that of the luminescence of **Zn-1** or **Cd-1** (emission maxima at 650 or 648 nm, resp., see ESI, Fig. S6). Thanks to a rapid rate of formation of Zn-1 and Cd-1, and a high affinity of Zn(II)- and Cd(II)-ions for 1, the observation of the luminescence of Zn-1 and Cd-1 allowed for the quantitative detection of these ions at concentrations down to about 1 nM (see Fig. 9, and ESI, Figs. S7 and S8). The nearly linear dependence of the fluorescence upon the total concentration of Zn- and Cd-ions indicated 1:1 stoichiometry in their complexes with 1 and strong binding of these metal ions (with an equilibrium constant $> 10^9 \,\mathrm{M}^{-1}$). Cu(II)-ions displaced Zn(II) and Cd(II) from the complexes Zn-1 and Cd-1, consistent with even better binding of Cu(II) by 1.

Discussion

Phyllobilins are linear tetrapyrroles from catabolism of chlorophyll. 3, 5, 6 Chlorophyll breakdown is easily seen in fall leaves and in ripening fruit by their characteristic colour changes.^{7, 17, 18} This process has aroused interest, not only from the point of basic human curiosity, 19 but also for ecological and economic reasons. 20 It has

been estimated to involve about 1000 million tons each year, 1, 20, 21 indeed, implying the formation of a similarly huge amount of phyllobilins. 5, 7 In senescent leaves, colourless, 'nonfluorescent' bilane-type catabolites typically accumulate, classified as NCCs and DNCCs 5, and suggested to represent the 'final' tetrapyrrolic products of chlorophyll breakdown. 20, 22






Fig. 9 Assay for Zn(II)-ions in solution by detection of the red fluorescence of the zinc complex Zn-1. Top. Fluorescence spectra for solutions of PiCC (1, 7.0 µM) in MeOH and concentrations of Zn(II)-ions (total) from 1000 nM down to 15 nM. Bottom. Fluorescence spectra for solutions of PiCC (1, 7.0 μM) in MeOH and concentrations of Zn(II)-ions (total) from 15 nM down to 1 nM; Insets: Linear log/log plots of the fluorescence intensity at 650 nm vs. total concentration of zinc ions (see Experimental Part and Supporting Information for details). Fluorescence spectra and values of intensities at 650 nm were corrected for weak background luminescence of the solution of pure 1 (for uncorrected spectra and further details, see Supporting Information).

Colourless NCCs were shown to be effective antioxidants, ¹⁵ and to be readily oxidized to more unsaturated, yellow catabolites (YCCs), such as 2.13 YCC 2 also proved to be an excellent antioxidant,²³ even slightly more effective than bilirubin.²⁴ Further oxidation of YCCs (e.g. **2**) furnished PiCCs, e.g. **1** ¹¹ (Fig. 1). As reported here, YCC 2 is also oxidized cleanly to Zn-1 at room temperature in air saturated solution in DMF and in the presence of Zn(II)-ions. Decomplexation of **Zn-1** gives **1** cleanly and provides an alternative path to the PiCC 1. Oxidation of NCCs to yellow phyllobilenes-c, such as YCC 2, extends the chromophore by formal dehydrogenation at their C15 meso-carbon. Subsequent oxidation of 2 by formal dehydrogenation at the C10 meso-position produces PiCC 1, a pink-red phyllobiladiene-b,c. The coloured phyllobilins 2

^b PiCC (**1**, 2.15×10^{-5} M) in MeOH.

Page 5 of 7 Chemical Science

Chemical Science EDGE ARTICLE

and 1 were observed in senescent leaves, e.g of *Cercidiphyllum japonicum*, where they are accessible from the NCC 3 by a yet unspecified endogenous oxidation process.^{5, 11}

The crystal structure of the (potassium complex **K-1** of) PiCC **1** is the first crystal structure of a chlorophyll catabolite from a higher plant. It provided detailed insights into the bonding of **1**, confirming, first of all, the basic NMR-derived structure of **1**, besides indicating significant double bond alternation in the main parts of the chromophore, compatible with the formula shown (e.g. in Figs. 1 and 3). The structure of a related red tetrapyrrole isolated from the green alga *Auxenochlorella protothecoides* is also available ²⁵, which crystallized in an H-bonded dimeric structure. The crystal structure of **K-1** also revealed the remarkable association of two PiCC molecules in the crystal into H-bonded and K-bridged pairs of enantiomers (see ESI, Fig. S1). This crystallographic finding contrasts the absence of spectroscopic evidence, so far, for such an association of **1** in (methanolic) solution.

NCCs are bilane-type tetrapyrroles, which are not expected to coordinate well to transition metal ions. However, the main chromophore of YCCs, such as 2, is similar to that of bilirubin, 16, 26 which forms complexes with a variety of metal ions 27 Our preparative studies (see above) suggest weak bi-dentate coordination of 2 to Zn(II)-ions. As shown here, the still more unsaturated phyllobilin PiCC 1 represents an effective, chelate-type ligand for metal ions, comparable to the related heme-derived bilins. 27, 28 The Zn(II)-, Cd(II)-, Ni(II)- and Cu(II)-complexes of PiCC (1) were prepared in a remarkably straightforward way from 1 and the corresponding metal acetylacetonates. In contrast to 1, in which the C10-C11 double bond is \dot{E} -configurated, ¹¹ the metal complexes **M-1**, such as **Zn-1**, require the C10-C11 and C15-C16 bonds to be Z, in order to allow for the inferred tri-dentate primary coordination of the tetrapyrrolic ligand to the metal ion (Fig. 4). According to extensive NMR analyses of the solution structures of **Zn-1**, **Cd-1** and **Ni-1**, these three complexes are monomeric and the metal ions are coordinated by 1 in a similar tridentate fashion involving the Natoms of rings B, C and D. Likewise, the NMR-derived data provide no evidence for intra-molecular N-coordination of ring A. Indeed, other polar functional groups present at ring A may engage in weak intra-molecular ligation of the central metal ion. The ¹H-NMR spectrum of Ni-1 in d₆-DMSO suggests a specific interaction of the 3²-OH group. This Ni(II)-complex is diamagnetic in DMSO and acetonitrile, compatible with strong equatorial binding of the Ni(II)ion by 4 ligand atoms. Coordination of further ligands (e.g. polar solvent molecules) to the bound divalent transition metal ions in M-1 is also likely, as these metal ions have a strong preference for being (at least) 4-coordinate. $^{27,\ 28}$ Thus, solutions of the Ni(II)complex Ni-1 in MeOH are indicated by the ¹H-NMR spectrum to be paramagnetic, a phenomenon also observed in other tetrapyrrolic Ni(II)-complexes.²⁹ However, no evidence for a significant formation of dimeric assemblies in solution was seen in the spectra. Clearly, the chlorophyll-derived bilin-type tetrapyrrole PiCC represents a new type of natural three-dentate ligand for transition metal-ions.

In all four complexes investigated here, metal ion coordination resulted in a notable red shift of the absorbance maximum at long wave length by roughly 100 nm. This was most pronounced for the copper complex ${\bf Cu}$ -1, with an absorbance maximum at 635 nm. The deduced double bond E to Z isomerisation may come up for part of the red shift; typically, it would mainly affect transition intensities, rather than their energies. ^{11, 16} Indeed, related spectral properties were also found in blue transition metal complexes of linear tetrapyrroles obtained via photooxygenolysis of porphyrins. ³⁰⁻³² The

spectroscopic behaviour of 1, and its metal complexes, also reminds of that of some artificial tripyrrones, 16 as well as of prodigiosenes, natural 'tripyrrolic' alkaloids with interesting antibacterial and antifungal properties,³³ which are also capable of binding a variety of metal ions. 16,33 In methanolic solution, the diamagnetic Cd(II)and Zn(II)-complexes of 1 exhibited strong red luminescence, whereas the paramagnetic Cu(II)-complex Cu-1 and the Ni(II)complex Ni-1 showed negligible emission, as expected (see Fig. 10). Metal chelation not only induced a significant 'red' shift (to give bright blue complexes), but also led to intense luminescence with the closed-shell Zn- and Cd-ions, which do not induce rapid quenching of the excited singlet state of the coordinated tetrapyrrolic ligand. From the closely spaced (0-0)-transitions in absorption and luminescence spectra of Zn-1 near 625 nm, the singlet excited state can be estimated to be situated above the ground state by about 47 kcal/mol. Coordination of Zn(II)-ions, or of Cd(II)-ions, induces a dramatically increased fluorescence intensity, when compared to that of the very weakly luminescent, free PiCC 1. This apparently results from rigidifying the ligand-chromophore (the tridentate B-C-Dsection) in the complex, which then inhibits fast radiation-less deactivation paths that appear to operate in the pink-red phyllobiladiene-b,c 1. Further studies are planned to also explore the expected capacity of some coordinated metal ions in M-1 to induce intersystem crossing and to assist the formation of triplet excited states, leading to phosphorescence and sensitization of the formation of singlet oxygen.³⁴




Fig. 10 Solutions of metal complexes M-1 of the PiCC 1 in MeOH (with M = Zn(II), Cd(II), Cu(II), Ni(II)), as observed under day light (top), or under UV light at a wavelength of 366 nm (bottom).

In contrast to the colourless NCCs, the more unsaturated phyllobiladiene-*b*, *c* **1** is a kinetically and thermodynamically effective chelator of a variety of transition metal ions. However, for tridentate binding of the four transition metal ions investigated, the tetrapyrrolic ligand must undergo E to Z isomerisation. This appears to be an effectively fast, not separately observed step in the full

assembly of the complexes **Zn-1**, **Cd-1** and **Cu-1**. In contrast, it was indicated to be a slow (rate limiting) step, and the formation of an intermediate was observed, during complexation of **1** with Ni(II)-ions, which still had spectral features similar to those of **1** (Fig. 8). Formation of the complexes **M-1** (M = Zn(II), Cd(II), Ni(II) and Cu(II)) from **1** and Zn(II)-, Cd(II)-, Ni(II)- and Cu(II)-acetates was found to occur with effective rate constants of roughly 600, 200, 10 and 400 M^{-1} sec⁻¹, respectively (Table 1).

A dilute solution of a crystallized sample of the only weakly luminescent PiCC (1), when exposed to (a sub-stoichiometric amount of) Zn(II)- or Cd(II)-ions, rapidly developed the typical luminescence of Zn-1 or Cd-1. A linear dependence of the luminescence intensity at 650 nm on the total concentration of these metal-ions, down to roughly 1 nM, was observed. A log/log plot had a slope of 1.00 in the concentration range above about 10 nM, indicating formation of **Zn-1** (or **Cd-1**) in a 1:1 stoichiometry of the bound metal-ion and PiCC ligand. The slope decreased slightly at lower metal-ion concentrations, probably due to very weak background luminescence (see Fig. 9 and ESI, Figs. S7 and S8). Thus, the PiCC 1 may serve as a luminescence reporter for Zn- and Cd-ions in a range of concentrations between >1000 µM and nM. However, 1 was revealed to be a veritable sponge for transition metals, and the analytical luminescence observations at low concentrations of Zn(II)- and Cd(II)-ions were reliable only with very pure solutions of crystallized 1.

Binding (transition) metal ions is a prime capacity of the natural cyclic tetrapyrroles, furnishing Nature with the important class of metallo-porphyrinoid cofactors. 35 Metal-binding is considered a less typical feature, biologically, of (the heme-derived) linear tetrapyrroles. $^{27,-28}$ The pink-coloured chlorophyll catabolite ${\bf 1}$ represents a new class of bilin-type biological pigments, and of amphiphilic ligands binding metal ions.³⁶ Indeed, PiCCs (such as 1) bind various transition metal ions with high affinity. In this capacity, the phyllobilin 1 reminds of the prodigiosenes, tripyrrolic alkaloids that are suspected to owe their biological activities to their natural transition metal complexes.³³ PiCCs may find application in the specific detection of some closed-shell metal ions, such as Zn(II)and Cd(II)-ions. Potentially, the PiCC 1 and related oxidized phyllobilins may also bind transition metal ions inside plant cells, and induce diagnostic optical effects there. Detection of closed-shell transition ions by fluorescence, such as of Zn(II)- and Cd(II)-ions, could be particularly useful for in-vivo and ex-vivo studies of their accumulation in plants. Indeed, a variety of plants are 'heavy metal hyper-accumulators', and concentrate transition metal ions in the leaf vacuoles, such as the divalent Zn, Cd, Ni and Cu ions, investigated here. 37, 38 The vacuoles are also believed to accumulate the 'late' stages of the tetrapyrrolic chlorophyll catabolites.^{3, 39} Formation of transition metal complexes of some phyllobilins (such as of 1) may thus be relevant under physiological conditions. The possible competition by closed and open shell transition metal ions for complexation of 1 could thus be important, inside the plant, and remain to be studied. In conclusion, formation of complexes M-1 by coordination of transition metal-ions by the PiCC 1 could be a biologically significant capacity of PiCCs and of related oxidized phyllobilins. This may give such phyllobilins and their transition metal complexes unsuspected physiological functions in plants, e.g. as sensitizers for singlet oxygen,³⁴ as toxins against pathogens,³³ or in 'heavy metal transport and detoxification'. 38 Roles related to the latter ones in animals and humans have been discussed for hemederived bilins, for which transition metal complexes were shown to occur in (oxidized) bile. 27, 40

Experimental Part

See Supporting Information for general experimental details, spectroscopy and HPL-chromatography. Spectroscopy. UV/Vis: HITACHI U-3000 spectrophotometer; λ_{max} in nm (log ϵ). Fluorescence. Varian Cary Eclipse Fluorescence Spectrophotometer. ESI-MS: ESI source, flow rate 2 ml min⁻¹, spray voltage 1.4 kV, solvent water/methanol 1:1 (v/v).

Synthesis of the PiCC 1 from 2. See Supporting Information for details.

For crystallization of PiCC (1), ca. 3 mg of 1 were dissolved in MeOH (2 ml), the solution was filtered through a tight plug of cotton wool, and the filtrate was collected in a vial, which was put into a jar that contained CH_2Cl_2 . Clear rhombus-shaped single crystals formed on the wall of the vial (see Notes and ESI, for further crystallographic details).

Synthesis of metal complexes of the PiCC 1.

Synthesis of Zn-1 from 2: 93.9 % yield of a dark blue solid, identified as **Zn-1** by ¹H-NMR and UV-Vis spectra. See Supporting Information for details.

Synthesis of metal complexes from the PiCC 1.

Zn-1. To a sample of 4.5 mg of PiCC **1** (7.03 µmol), dissolved in 4.5 ml MeOH, 2.8 mg of Zn(acac)₂ (10.5 µmol, 1.5 eq) were added. The suspension was purged with Ar for 10 min. After 2 hours reaction at r.t. under Ar, analysis by t.l.c. indicated complete conversion, and the deep blue mixture obtained was filtered through a tight plug of cotton wool. The filtrate was concentrated to 1 ml under reduced pressure. Toluene (4.0 ml) was added and the solution was concentrated (150 mbar, 30 °C) to remove MeOH, furnishing **Zn-1** as a blue precipitate. The precipitate was separated off by centrifugation and the obtained blue powder was washed with toluene (3 × 1.0 ml) and pentane (5 × 0.5 ml). The sample of **Zn-1** was dried (high vacuum, ambient temperature) and was obtained as a dark blue powder, 4.67 mg (94.5 % yield), which was characterized (as **Zn-1**) as described below and in the Supporting Information.

Cd-1. From reaction of 3.10 mg of PiCC **1** (4.84 μ mol) and 2.25 mg of Cd(acac)₂ (7.24 μ mol, 1.5 eq) in 3 ml MeOH **Cd-1** was similarly obtained as 3.48 mg (95.6 % yield) of a dark blue powder (for details see Supporting Information), which was characterized (as **Cd-1**) as described below and in the Supporting Information.

Cu-1. From reaction of 4.02 mg of PiCC **1** (6.28 μ mol) and of 2.44 mg of Cu(acac)₂ (9.32 μ mol, 1.5 eq) in 5 ml MeOH, 3.97 mg of **Cu-1** were likewise obtained (90 % yield) as dark blue powder, identified as **Cu-1** by UV/Vis- and mass-spectra (for further details, see Supporting Information).

Ni-1. Reaction of 3.83 mg of PiCC **1** (5.98 μ mol) with 10.8 mg of Ni(acac)₂ (41.9 μ mol, 7 eq) in 4 ml MeOH gave 3.64 mg (88% yield) of **Ni-1** (obtained as residue, and characterized as described here and in the Supporting Information).

Spectroscopic data

PiCC 1: UV/Vis (λ_{max} , log ε , MeOH): 523 (4.56), 495sh (4.49), 313 (4.40). ESI-MS: m/z (%) = 687.3 (18), 686.2 (42), 685.2 (100, [M+2Na-H]⁺).

Chemical Science EDGE ARTICLE

6.

Zn-1: UV/Vis (λ_{max} , log ε , MeOH): 620 (4.43), 578 (4.23), 349 (4.31), 318 (4.35). Fluorescence (excitation at 620 nm, rel. int.): 704 (0.32), 650 (1.00). Excitation spectrum (emission at 651 nm, rel.int.): 621 (1.00), 576 (0.60), 348 (0.42). ESI-MS: m/z (%) = 728.1 (16), 727.1 (36), 726.1 (66), 725.1 (100, [M+Na]⁺); 707.1 (9), 706.0 (7), 705.1 (10), 704.1 (9), 703.1 (18, $[M+H]^+$). See Supporting Information for ¹H-NMR and further ESI-MS data.

Cd-1: UV/Vis (λ_{max} , log ε , MeOH): 613 (4.52), 570 (sh, 4.35), 347 (4.29), 317 (4.33). ESI-MS: m/z (%) = 778.3 (21), 777.1 (35), 776.1 (61), 775.1 (100), 774.1 (66), 773.1 (72), 772.1 (40), 771.1 (28, [M+Na]⁺). See Supporting Information for fluorescence, ¹H-NMR and further ESI-MS data.

Cu-1: UV/Vis (λ_{max} , log ε , MeOH): 635 (4.38), 589 (4.16), 360 (4.26), 323 (4.33). ESI-MS: m/z (%) = 743.2 (18), 742.0 (52), 741.1 (30), 740.1 (100, [M+K]⁺). See Supporting Information for further ESI-MS data.

Ni-1: UV/Vis (λ_{max} , log ε , MeOH): 626 (4.41), 585 (4.20), 356 (4.17), 326 (4.23). ESI-MS: m/z (%) = 700.1 (18), 699.1 (45), 698.1 (38), 697.1 (100, [M+H]⁺). See Supporting Information for ¹H-NMR and further ESI-MS data.

Rates of formation of complexes M-1 were determined at 22 °C for Zn(II)-, Cd(II)-, Cu(II)- and Ni(II)-acetates in MeOH from measurements of absorbance changes. To 3 mL of a solution of the PiCC 1 in MeOH in a UV-cell the desired amount of a solution of M(OAc)₂ in MeOH was added and the cell was immediately placed into the spectrophotometer. Changes of the absorption at 620 nm were analyzed in a time scan model. A calculated fit of the experimental absorptions at 620 nm at 22 °C by pseudo first order kinetics $(y = y_0 + Ae^{-kt})$ gave the values for the rate constants k.

Detection of Zn²⁺-ions and of Cd²⁺-ions in solution of PiCC (1) at ambient temperature via luminescence of the complexes Zn-1 and Cd-1: for details, see ESI.

Acknowledgements

We would like to thank Gerhard Scherzer for excellent technical assistance, and we are grateful to the Austrian National Science Foundation (FWF, projects P-19596 and I-563) for financial support.

Key words

Chlorophyll, Luminescence, Natural Product, Phyllobilin, Pigment, Transition Metals.

Notes and references

Crystal data of K-1: $C_{35}H_{35}KN_4O_8 \times CH_3OH \times 2.5 H_2O$; M = 755.85, ρ = 1.303 g/cm³. Triclinic space group P-1 (no. 2), Z = 2, a = 11.7592(8) Å, b = 1.30312.7470(9) Å, c = 13.3933(9) Å, $\alpha = 98.948(4)^{\circ}$, $\beta = 100.210(4)^{\circ}$, $\gamma =$ $97.418(3)^{\circ}$ and V = 1926.2(2) Å³ at 233(2) K, 4396 independent reflections, 3127 with $I > 2 \sigma$ (I). Final R indices $[I > 2 \sigma]$ (I): R1 = 0.0769, wR2 =0.1824. Cambridge Crystallographic Data Centre CCDC # 981318 (1, PiCC).

- 1. S. B. Brown, J. D. Houghton and G. A. F. Hendry, eds., Chlorophylls, CRP-Press, Boca Raton, USA, 1991.
- 2. P. Matile, S. Hörtensteiner, H. Thomas and B. Kräutler, Plant Physiol., 1996, 112, 1403-1409.
- S. Hörtensteiner and B. Kräutler, Biochim. Biophys. Acta 3. Bioenergetics, 2011, 1807, 977-988.
- 4. B. Kräutler, B. Jaun, K. Bortlik, M. Schellenberg and P. Matile, Angew. Chem. Int. Ed., 1991, 30, 1315-1318.

- B. Kräutler and S. Hörtensteiner, in Handbook of Porphyrin Science ed. G. C. Ferreira, Kadish, K. M., Smith, K. M., Guilard, R., World Scientific Publishing, USA, 2013, vol. 28, pp. 117 -
- S. Moser, T. Müller, M. Oberhuber and B. Kräutler, Eur. J. Org. Chem., 2009, 21-31.
- 7. B. Kräutler, Photochem & Photobiol Sci., 2008, 7, 1114-1120.
- T. Müller, M. Rafelsberger, C. Vergeiner and B. Kräutler, Angew. 8. Chem. Int. Ed., 2011, 50, 10724-10727.
- 9. F. G. Losey and N. Engel, J. Biol. Chem., 2001, 276, 8643-8647.
- 10. I. Süßenbacher, B. Christ, S. Hörtensteiner and B. Kräutler, Chem. Eur. J., 2014, 20, 87-92.
- M. Ulrich, S. Moser, T. Müller and B. Kräutler, Chem. Europ. J., 11. 2011, 17, 2330-2334.
- 12. M. Scherl, T. Müller and B. Kräutler, Chem. Biodiv., 2012, 9, 2605 - 2617
- 13. S. Moser, M. Ulrich, T. Müller and B. Kräutler, Photochem. Photobiol. Sci., 2008, 7, 1577-1581.
- 14. C. Curty and N. Engel, Phytochem., 1996, 42, 1531-1536.
- T. Müller, M. Ulrich, K.-H. Ongania and B. Kräutler, Angew. 15. Chem. Int. Ed., 2007, 46, 8699-8702.
- H. Falk, Chemistry of Linear Oligopyrroles and Bile Pigments, 16. Springer, Wien, 1989.
- 17. C. S. Barry, Plant Sci., 2009, 176, 325-333. 18.
 - S. Hörtensteiner, Plant Mol. Biol., 2013, 82, 505 517.
- 19. C. R. Bell and A. H. Lindsey, Fall Colors and Woodland Harvests, Laurel Hill Press, Chapel Hill, USA, 1990.
- 20. B. Kräutler and P. Matile, Acc. Chem. Res., 1999, 32, 35-43.
- G. A. F. Hendry, J. D. Houghton and S. B. Brown, New Phytol., 21. 1987, 107, 255-302.
- S. Hörtensteiner, Annu Rev Plant Biol, 2006, 57, 55-77.
- 23. M. Ulrich and B. Kräutler, unpublished, see M. Ulrich, PhDthesis, University of Innsbruck, 2011.
- 24. R. Stocker, Y. Yamamoto, A. F. McDonagh, A. N. Glazer and B. N. Ames, Science, 1987, 235, 1043-1046.
- 25. N. Engel, A. Gossauer, K. Gruber and C. Kratky, Helv. Chim. Acta, 1993, 76, 2236-2238.
- 26. D. Lightner and A. F. McDonagh, Acc. Chem. Res, 1984, 17, 417-
- 27. M. Bröring, in Handbook of Porphyrin Science, ed. K. M. S. K. M. Kadish, R. Guilard, World Scientific, 2010, vol. 8, pp. 343-
- A. L. Balch and F. L. Bowles, in Handbook of Porphyrin Science, 28. ed. K. M. S. K. M. Kadish, R. Guilard, World Scientific, 2010, vol. 8, pp. 293-342.
- C. Kratky, A. Fässler, A. Pfaltz, B. Kräutler, B. Jaun and A. 29. Eschenmoser, J. Chem. Soc. Chem. Commun., 1984, 1368-1371.
- 30. C. Jeandon, B. Krattinger, R. Ruppert and H. J. Callot, Inorg. Chem., 2001, 40, 3149-3153.
- 31. J. A. S. Cavaleiro, M. J. E. Hewlins, A. H. Jackson and M. G. P. M. S. Neves, Tetrah. Lett., 1992, 33, 6871-6874.
- 32. A. Jauma, A. Escuer, J. A. Farrera and J. M. Ribo, Monatsh. Chem., 1996, 127, 1051-1062.
- 33. A. Fürstner, Angew. Chem., 2003, 115, 3706-3728.
- P. R. Ogilby, Chem. Soc. Rev., 2010, 39, 3181-3209. 34. 35.
 - K. M. Kadish, K. M. Smith and R. Guilard, eds., Handbook of Porphyrin Science, World Scientific Publ. Co., Singapore, 2010.
- Kräutler B., Ulrich, M., patent application WO 2012016255, 36. 2012
- 37. N. Rascio and F. Navari-Izzo, Plant Science, 2011, 180, 169-181.
- 38. U. Krämer, Annu. Rev. Plant. Biol., 2010, 61, 517-534.
- 39. P. Matile, S. Ginsburg, M. Schellenberg and H. Thomas, Proc. Natl. Acad. Sci. USA, 1988, 85, 9529-9532.
- 40. R. J. Garner, Nature, 1954, 173, 451-452.