ChemComm

Accepted Manuscript



This is an *Accepted Manuscript*, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. We will replace this Accepted Manuscript with the edited and formatted Advance Article as soon as it is available.

You can find more information about *Accepted Manuscripts* in the **Information for Authors**.

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard <u>Terms & Conditions</u> and the <u>Ethical guidelines</u> still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this *Accepted Manuscript* or any consequences arising from the use of any information it contains.



Journal Name RSCPublishing

COMMUNICATION

Nickel-catalyzed borylation of arenes and indoles via C-H bond cleavage

Cite this: DOI: 10.1039/x0xx00000x

Takayuki Furukawa, ^a Mamoru Tobisu*^{abc} and Naoto Chatani*^a

Received 00th January 2012, Accepted 00th January 2012

DOI: 10.1039/x0xx00000x

www.rsc.org/

The first nickel-catalyzed method for the borylation of carbonhydrogen bonds in arenes and indoles is described. The use of an *N*-heterocyclic carbene ligand is essential for an efficient reaction, with an *N*-cyclohexyl-substituted derivative being optimal. This method is readily applied to the gram scale synthesis of 2-borylindole.

Over the past few decades, substantial progress has been made in the development of catalytic methods for C-H bond functionalization.1 Catalytic borylation of arenes is arguably the method of paramount importance, since it allows the introduction of a synthetically useful boron functionality directly at the C-H bond of an arene without using any directing groups.² The regioselectivity of this method is predictable based on steric factors, enabling the widespread use of this borylation method in the late-stage elaboration of a range of complex aromatic molecules. Iridium complexes ligated with a bipyridine-based ligand are presently the catalyst of choice for the efficient, regioselective borylation of arenes (Scheme 1a).3 One remaining challenge in the catalytic C-H borylation methodology is the development of base metal catalysts, driven by recent concerns regarding the limited availability of precious metals. Although a seminal work by Hartwig demonstrated the potential activity of base metal complexes such as Fe and Mn in the C-H bond borylation reaction in 1995,4 catalytic variants were achieved only recently (Scheme 1b). Ohki and Tatsumi reported an iron-catalyzed borylation of furans and thiophenes in the presence of a hydrogen acceptor,⁵ while Kuang and Wang demonstrated that Fe₂O₃ nanoparticles can also catalyze the borylation of arenes in the presence of a more than stoichiometric amount of tert-butyl peroxide.⁶ A mechanistically unique C-H borylation using a Cu/Fe bimetallic catalyst under photochemical conditions was developed by Mankad.⁷ Chirik reported a cobalt-catalyzed C-H borylation

applicable to a broad range of arenes and heterarenes.⁸ Despite these advances, the full potential of base metals to promote C-H borylation in a broader sense, to promote C-H activation, has not been explored, especially in the case of metals other than iron⁹ and cobalt.¹⁰ Herein, we report the first nickel-catalyzed borylation of C-H bonds in arenes and indoles.

(a) State-of-the-art

[Ir(OMe)(cod)]₂/bipyridine

(b) Alternative nonprecious metal catalysts

Fe₂O₃ nanoparticle
$$(|Pr)Cu - Fe(Cp)(CO)_{2}$$

$$|P'Pr_{2}|$$

$$|N-Co-CH_{3}|$$

$$|N-Co-CH_{2}SiMe_{3}|$$

$$|P'Pr_{2}|$$

(c) This work: the first nickel catalyst

Ni(cod)₂ or + Ni(OAc)₂

Scheme 1 Catalysts for the borylation of C-H bonds of (hetero)arenes

During the course of our mechanistic studies of the Ni(cod)₂/PCy₃-catalyzed reductive cleavage of anilides using HBpin, we found that the hydrogens of the aromatic ring of the toluene solvent were interchanged with those of the HBpin.¹¹ This observation clearly indicated that the C-H

Journal Name

bonds in simple arenes can be activated under nickel catalysis. We were intrigued by this finding because, to the best of our knowledge, the nickelcatalyzed C-H functionalization of simple arenes (i.e., arenes bearing no directing group) has not yet been reported, with the exception of the reactions using highly fluorinated benzenes.^{12,13} We therefore envisaged that the C-H borylation of simple arenes by nickel should be possible if an appropriate catalyst system can be identified.

We initially examined the nickel-catalyzed reaction of HBpin with benzene in the presence of a variety of ligands (Table 1). Although we previously determined that the Ni(cod)₂/PCy₃ system can mediate the H/D exchange reaction via C-H activation of arenes, 11 this catalyst system did not lead to the formation of the desired borylated product 1 (Entry 2). In contrast, the use of IMes, an N-heterocyclic carbene (NHC) bearing a mesityl group, was found to generate 1 in 51% yield (Entry 3). Replacing the mesityl group with either the larger 2,6-Pr₂C₆H₂ group (i.e., IPr) or the smaller methyl group (i.e., IMe) decreased the yield of 1 (Entries 4 and 5). Further experimentation with the substituent on the nitrogen of the NHC ligand revealed that the cyclohexyl-substituted derivative (i.e., ICy) was the most effective ligand among those tested, with 1 being formed in 71% isolated yield (Entry 8). Whereas the use of a saturated analog of ICy (i.e., SICy) led to a complete loss of catalytic activity (Entry 11), the benzohomolog of ICy (i.e., BICy) promoted the borylation of benzene with comparable efficiency (Entry 12).

Table 1 Nickel-catalyzed borylation of benzene: ligand screening^a

| Entry | Ligand | Yield (%) ^b |
|-------|--|------------------------|
| 1 | none | 5 |
| 2^c | PCy ₃ | 0 |
| 3 | IMes·HCI (R = $2,4,6$ -Me $_3$ C $_6$ H $_2$) | 51 |
| 4 | IPr·HCI (2,6- ⁱ Pr ₂ C ₆ H ₃) | 16 |
| 5 | IMe·HCI (R = Me) | 22 |
| 6 | $I^{i}Pr \cdot HBF_{4} (R = {}^{i}Pr)$ | 33 |
| 7 | I ^t Bu·HCl (R = ^t Bu) | 50 |
| 8 | ICy·HCI (R = cyclohexyl) | 75 (71) ^d |
| 9 | I(1-Ad)·HCI (R = 1-adamantyl) | 36 |
| 10 | I(2-Ad)·HCI (R = 2-adamantyl) | trace |
| 11 | SICy·HCI | 2 |
| 12 | BICy·HCI | 69 |

^a Reaction conditions: HBpin (1.2 mmol), Ni(cod)₂ (0.036 mmol), ligand (0.036 mmol), NaO'Bu (0.072 mmol) and benzene (1.0 mL) in a screwcapped vial under N_2 at 80 °C for 20 h. b GC yield based on HBpin. c NaO'Bu was not added d Isolated yield.

 $B_2 pin_2$ was also found to be a suitable boron source for this nickelcatalyzed borylation, forming 1 in a 125% yield based on B₂pin₂ (Eq 1).

The Ni(cod)₂/ICy-catalyzed borylation of substituted benzene derivatives was also investigated (Table 2). When toluene was used as the substrate, the borylation proceeded efficiently just as in the case of the benzene substrate (Entry 1). The regioselectivity of the borylation was found to be primarily controlled by steric effects, forming the meta and para isomers as the major products, a result similar to those obtained using Ir,3 Fe6 or Co8 catalysts. The difference between the present work and these previously reported catalysts is that the borylation in the current study also occurred at the benzylic position. The observed product distribution was similar to that obtained using a rhodium-based catalyst, 14,15 although the rhodium system allows the benzylic isomer to be formed as the major product. The borylation of ethylbenzene under these nickel-catalyzed conditions also proceeded to deliver four isomers (Entry 2). Disubstituted benzenes were generally much less reactive than mono-substituted benzenes under the current reaction conditions (Entry 3). The use of anisole as the substrate resulted in borylation products, with the ortho-borylated isomer as the major product (Entry 4). This regioselectivity was in sharp contrast to that observed in homogeneous Ir,3 Fe7 and Co8 systems, wherein the major products were the meta and para isomers. This result indicated that a methoxy group can serve as an ortho-directing group in the current nickel-catalyzed borylation reaction. It is noteworthy that borylative cleavage of the C(aryl)-OMe bond16 in anisole was also observed, albeit in low yield (7%). Unlike the Hartwig's hydroarylation system,12 1,3-bis(trifluoromethyl)benzene was not a good substrate in the present reaction (<10% yield). Halogen (Cl, Br and F) and carbonylcontaining (ketone and ester) benzenes were found to be inapplicable since these functionalities can react with the nickel species under these conditions. Heteroarenes were also examined as potential substrates for the nickel-catalyzed borylation reactions. Whereas furan, thiophene, pyridine and their benzo-fused derivatives could not be borylated under these conditions, pyrrole was found to be exceptionally reactive during this borylation, forming the 2borylated product in a regioselective manner (Entry 5). Notably, the product was obtained in good yield even when the amount of pyrrole was reduced to 1.7 equivalents relative to HBpin.

Journal Name COMMUNICATION

ChemComm

Table 2 Nickel-catalyzed borylation of various arenes^a

Page 3 of 4

 a Reaction conditions: HBpin (1.2 mmol), Ni(cod)₂ (0.035 mmol), ICy·HCl (0.035 mmol), NaO'Bu (0.070 mmol) and arene (1.0 mL) in a screw-capped vial under N₂ at 100 °C for 20 h. b Isolated yield based on HBpin. c At 80 °C. d N-Methylpyrrole (2.0 mmol) in methylcyclohexane (1.0 mL).

The evident high reactivity of pyrrole prompted us to examine indole derivatives in this nickel-catalyzed borylation reaction (Table 3). As expected, the borylation occurred efficiently using indole as the limiting agent and also took place regioselectively at the 2position. In addition to N-methylindole (Entry 1), a bulkier N-butylsubstituted indole successfully underwent borylation without any decrease in the regioselectivity of the reaction (Entry 2). An N,Oacetal moiety remained intact, serving as a suitable protecting group in this reaction (Entry 3). In addition, N-benzyl groups were also tolerated, leaving the aryl group free from borylation (Entries 4 and 5). Installation of a boryl group at the sterically hindered 2-position of 3substituted indoles was also possible (Entry 6). The reactivity and selectivity of this borylation was unaffected by the introduction of a methoxy group to the indole framework (Entry 7). Although a C(aryl)-F bond can be activated by a low valent nickel catalyst, ¹⁷ fluoroindole underwent borylation with its fluoride moiety remaining intact (Entry 8). Azaindole also served as a good substrate for this borylation, generating the corresponding 2-borylated product (Entry 9).

Although Ni(cod)₂ was routinely used as the catalyst for this borylation during our exploratory studies, Ni(OAc)₂ was found to serve as a more useful catalyst precursor. A protocol using Ni(OAc)₂ allowed the successful implementation of this borylation on the gram-scale, highlighting the practical utility of the nickel-catalyzed system (Scheme 2).

Table 3 Nickel-catalyzed borylation of indoles^a

 a Reaction conditions: indole (0.80 mmol), HBpin (1.2 mmol), Ni(cod)₂ (0.040 mmol), ICy·HCl (0.040 mmol), NaO'Bu (0.080 mmol), and methylcyclohexane (1.0 mL) in a screw-capped vial under N₂ at 80 °C for 16 h. b HBpin (1.2 equiv) was used. c Indole (0.72 mmol) and HBpin (0.98 mmol, 1.4 equiv) were used.

Scheme 2 Gram scale synthesis of 2-borylindole using Ni(OAc)₂

To obtain further insights into the mechanistic aspects of the nickel-catalyzed borylation, some preliminary mechanistic experiments were performed. Comparison of the initial rates of the nickel-catalyzed borylation reactions of benzene and benzene- d_6 determined that $k_{\rm H}/k_{\rm D}$ was 2.1, which was slightly smaller than the values reported for iridium² and iron³ systems. The nickel-catalyzed borylation of benzene or indole was also found to be completely inhibited when the reaction was attempted in the presence of an excess of mercury. In addition, filtration tests indicated that the liquid phase of the catalytic mixture did not contain catalytically active species (see ESI for details). The currently available data indicate that the borylation is likely mediated by heterogeneous nickel species,

although more detailed studies are required for a definitive understanding of the nature of the catalysis.¹⁸ Finally, a recent report on the KO'Bucatalyzed silylation of heteroarenes^{19,20} motivated us to examine the borylation of indole in the presence of only NaO'Bu. The borylation product was not observed under such conditions, indicating that the nickel species play an essential role in this borylation reaction.

In summary, we have shown for the first time that the direct borylation of arenes can be mediated by a nickel-based catalyst. Indoles are particularly reactive with this catalyst system, affording the corresponding 2-borylated products. The successful use of nickel is noteworthy because nickel is rarely employed as a catalyst for the C-H bond activation process in the absence of a directing group. The heterogeneous nature of the active species generated under the current conditions could be important in explaining the unprecedented reactivity of nickel, although further investigations are required for a complete understanding of the mechanism of this borylation. The application of these nickel species to other transformations as well as catalytic borylations using other base metals are currently being investigated in our laboratories.

This work was supported by a Grant-in-Aid for Scientific Research on Innovative Areas "Molecular Activation Directed toward Straightforward Synthesis" from MEXT, Japan. M.T. was also supported by the "Elements Strategy Initiative to Form Core Research Center" from MEXT. T.F. expresses his special thanks for a JSPS Research Fellowship for Young Scientists. We also thank the Instrumental Analysis Center, Faculty of Engineering, Osaka University, for assistance with the HRMS analyses.

Notes and references

- ^a Department of Applied Chemistry, Faculty of Engineering, Osaka University, Suita, Osaka 565-0871, Japan
- ^b Center for Atomic and Molecular Technologies, Graduate School of Engineering, Osaka University, Suita, Osaka 565-0871, Japan
- ^c ESICB, Kyoto University, Katsura, Kyoto 615-8510, Japan
- \dagger Electronic Supplementary Information (ESI) available: detailed experimental procedures and characterization of new products. See DOI: 10.1039/c000000x/
- Selected recent reviews: (a) F. Kakiuchi, T. Kochi and S. Murai, Synlett, 2014, 25, 2390; (b) M. Miura, T. Satoh and K. Hirano, Bull. Chem. Soc. Jpn., 2014, 87, 751; (c) S. De Sarkar, W. Liu, S. I. Kozhushkov and L. Ackermann, Adv. Synth. Catal., 2014, 356, 1461; (d) G. Rouquet and N. Chatani, Angew. Chem., Int. Ed., 2013, 52, 11726; (e) J. Wencel-Delord and F. Glorius, Nat. Chem., 2013, 5, 369; (f) P. B. Arockiam, C. Bruneau and P. H. Dixneuf, Chem. Rev., 2012, 112, 5879; (g) J. Yamaguchi, A. D. Yamaguchi and K. Itami, Angew. Chem., Int. Ed., 2012, 51, 8960; (h) B.-J. Li and Z.-J. Shi, Chem. Soc. Rev., 2012, 41, 5588; (i) S. R. Neufeldt and M. S. Sanford, Acc. Chem. Res., 2012, 45, 936; (j) K. M. Engle, T.-S. Mei, M. Wasa and J.-Q. Yu, Acc. Chem. Res., 2012, 45, 788; (k) S. H. Cho, J. Y. Kim, J. Kwak and S. Chang, Chem. Soc. Rev., 2011, 40, 5068.
- 2 A review: I. A. I. Mkhalid, J. H. Barnard, T. B. Marder, J. M. Murphy and J. F. Hartwig, *Chem. Rev.*, 2010, **110**, 890.
- 3 A seminal work: T. Ishiyama, J. Takagi, K. Ishida, N. Miyaura, N. R. Anastasi and J. F. Hartwig, *J. Am. Chem. Soc.*, 2002, **124**, 390.
- 4 K. M. Waltz, X. He, C. Muhoro and J. F. Hartwig, J. Am. Chem. Soc., 1995, 117, 11357.
- 5 T. Hatanaka, Y. Ohki and K. Tatsumi, Chem. Asian J., 2010, 5, 1657.

- 6 G. Yan, Y. Jiang, C. Kuang, S. Wang, H. Liu, Y. Zhang and J. Wang, Chem. Commun., 2010, 46, 3170.
- 7 T. J. Mazzacano and N. P. Mankad, J. Am. Chem. Soc., 2013, 135, 17258.
- 8 J. V. Obligacion, S. P. Semproni and P. J. Chirik, J. Am. Chem. Soc., 2014, 136, 4133.
- 9 Selected reviews on C-H bond functionalization under Fe catalysis: (a) E. Nakamura and N. Yoshikai, *J. Org. Chem.*, 2010, 75, 6061; (b) C.-L. Sun, B.-J. Li and Z.-J. Shi, *Chem. Rev.*, 2011, 111, 1293; (c) B. D. Sherry and A. Fürstner, *Acc. Chem. Res.*, 2008, 41, 1500.
- Selected reviews on C-H bond functionalization under Co catalysis:
 (a) N. Yoshikai, *Bull. Chem. Soc. Jpn.*, 2014, 87, 843; (b) K. Gao and N. Yoshikai, *Acc. Chem. Res.*, 2014, 47, 1208; (c) L. Ackermann, *J. Org. Chem.*, 2014, 79, 8948.
- 11 M. Tobisu, K. Nakamura and N. Chatani, *J. Am. Chem. Soc.*, 2014, **136**, 5587. A related work using a nickel cluster: R. Beck, M. Shoshani and S. A. Johnson, *Angew. Chem., Int. Ed.*, 2012, **51**, 11753.
- (a) Y. Nakao, N. Kashihara, K. S. Kanyiva and T. Hiyama, *J. Am. Chem. Soc.*, 2008, 130, 16170; (b) K. S. Kanyiva, N. Kashihara, Y. Nakao, T. Hiyama, M. Ohashi and S. Ogoshi, *Dalton Trans.*, 2010, 39, 10483; (c) M. E. Doster, J. A. Hatnean, T. Jeftic, S. Modi and S. A. Johnson, *J. Am. Chem. Soc.*, 2010, 132, 11923; (d) M. E. Doster and S. A. Johnson, *Organometallics*, 2013, 32, 4174; (e) J. S. Bair, Y. Schramm, A. G. Sergeev, E. Clot, O. Eisenstein and J. F. Hartwig, *J. Am. Chem. Soc.*, 2014, 136, 13098.
- 13 Nickel-catalyzed C-H functionalization of arenes bearing a directing group: L. C. M. Castro and N. Chatani, *Chem Lett.* in press (doi: 10.1246/cl.150024).
- 14 S. Shimada, A. S. Batsanov, J. A. K. Howard and T. B. Marder, Angew. Chem., Int. Ed., 2001, 40, 2168.
- 15 Borylation of benzylic C-H bond by Pd/C catalyst: T. Ishiyama, K. Ishida, J. Takagi and N. Miyaura, *Chem. Lett.*, 2001, **30**, 1082.
- 16 Reviews on nickel-catalyzed transformations via C-OMe cleavage of aryl ethers: J. Cornella, C. Zarate and R. Martin, *Chem. Soc. Rev.*, 2014, 43, 8081.
- Selected works on C(aryl)-F bond activation under Ni catalysis: (a) Y. Kiso, K. Tamao and M. Kumada, J. Organomet. Chem., 1973, 50, C12; (b) B.-J. Li, Y.-Z. Li, X.-Y. Lu, J. Liu, B.-T. Guan and Z.-J. Shi, Angew. Chem., Int. Ed., 2008, 47, 10124; (c) N. Yoshikai, H. Matsuda and E. Nakamura, J. Am. Chem. Soc., 2009, 131, 9590; (d) M. Tobisu, T. Xu, T. Shimasaki and N. Chatani, J. Am. Chem. Soc., 2011, 133, 19505; (e) A. D. Sun, K. Leung, A. D. Restivo, N. A. LaBerge, H. Takasaki and J. A. Love, Chem.-Eur. J., 2014, 20, 3162; (f) H. Saijo, H. Sakaguchi, M. Ohashi and S. Ogoshi, Organometallics, 2014, 33, 3669; (g) M. Tobisu, T. Takahira, A. Ohtsuki and N. Chatani, Org. Lett., 2015, 17, 680
- 18 R. H. Crabtree, Chem. Rev., 2012, 112, 1536.
- 19 A. A. Toutov, W.-B. Liu, K. N. Betz, A. Fedorov, B. M. Stoltz and R. H. Grubbs, *Nature*, 2015, **518**, 80.
- 20 A related base effect in Ir-catalyzed C-H borylation: (a) M. N. Eliseeva and L. T. Scott, *J. Am. Chem. Soc.*, 2012, **134**, 15169; (b) T. Ohmura, T. Torigoe and M. Suginome, *Chem. Commun.*, 2014, **50**, 6333.
- 21 Unique reactivity of heterogeneous nickel species in C-O bond activation: A. G. Sergeev, J. D. Webb and J. F. Hartwig, *J. Am. Chem. Soc.*, 2012, **134**, 20226.