

Environmental Science Nano

Accepted Manuscript

This article can be cited before page numbers have been issued, to do this please use: K. Mensah, A. Magdaleno, S. Yaparathne, S. Garcia-Segura and O. G. Apul, *Environ. Sci.: Nano*, 2024, DOI: 10.1039/D4EN00188E.



This is an Accepted Manuscript, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. We will replace this Accepted Manuscript with the edited and formatted Advance Article as soon as it is available.

You can find more information about Accepted Manuscripts in the [Information for Authors](#).

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard [Terms & Conditions](#) and the [Ethical guidelines](#) still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this Accepted Manuscript or any consequences arising from the use of any information it contains.

Environmental Significance Statement: Widespread nanoplastic pollution of aquatic environment has cascading environmental and public health consequences. The long-term stability of nanoplastics in water further complicates their removal by traditional approaches. The key finding of this study is that suspended nanobubbles in water can shuttle nanoplastics to the air-water interface via hetero-aggregation if repulsive Columbic forces are overcome by pH adjustment. Although it is still in its early stages, nanobubble-based water treatment can enable NP removal if technology matures and embraces the intricacies of scaling up. This is the first evidence of nanobubble-nanoplastic floc formation and subsequent flotation and can lead to utilization of engineered solutions by deploying nanobubbles for nanoplastic remediation when traditional approaches are not able to.

Environmental Science: Nano Accepted Manuscript

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Open Access Article. Published on 04/08/2024. Downloaded on 20/08/2024 20:21:38.
This article is licensed under a Creative Commons Attribution-NonCommercial 3.0 Unported Licence.



Emerging investigator series: Suspended air nanobubbles in water can shuttle polystyrene nanoplastics to air-water interface

Kenneth Mensah^a, Andre Magdaleno^b, Sudheera Yaparathne^a, Sergi Garcia-Segura^b, Onur G.

Apul^{*a}

^a Department of Civil and Environmental Engineering, University of Maine, Orono, ME 04469,
United States

^b School of Sustainable Engineering and the Built Environment, Arizona State University,
Tempe, AZ 85287, United States

***Corresponding author:** email: onur.apul@maine.edu; Phone: +1 207.581.2981 Fax:

207.581.3888

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Open Access Article. Published on 04/08/2024. Downloaded on 04/08/2024 20:21:38.
This article is licensed under a Creative Commons Attribution-NonCommercial 3.0 Unported Licence.



ABSTRACT

Nanoplastics in the environment are a great concern given their nanoscopic size, colloidal stability, and bio-recalcitrant and biomagnifying nature. They are detected ubiquitously in natural and built environments and pose harm to human and ecological health. In this study, we report the seminal evidence that suspended nanobubbles can remove nanoplastics when repulsive Coulombic forces between nanobubble and nanoplastic are subdued. Our findings showed 60% of 100 nm polystyrene latex was eliminated from the water column after stirring in nanobubble solution at the pH_{pzc} of nanoplastics for 5 min whereas the controls with no nanobubbles showed no removal. Nanoparticle tracking analysis indicated a 61% decrease in number concentration and 27% increase in particle size in the supernatant due to plastic-bubble attachment. Additionally, the mass concentration of nanoplastics in the float after nanobubble flotation was 123% more than the concentration in the supernatant confirming an upward shuttling of plastic-bubble aggregate. This study paves the way forward for engineering systems where coagulation and flotation can deliberately contribute to the removal of nanoplastics with the utility of nanobubbles.

Keywords: flotation, nanoplastics, nanobubbles, surface chemistry, zeta potential

Synopsis: Suspended nanoplastics can be removed from water column with nanobubbles if interparticle repulsive forces are overcome by pH adjustment.

1. INTRODUCTION

Nanoplastics (NP, *i.e.*, typically defined as polymeric particulates <1,000 nm) form in the environment by the weathering of plastic debris due to environmental stressors such as ultraviolet radiation, physical forces, chemical oxidants, and biological degradation.^{1–3} They occur after the breakdown of microplastics which are commonly polyethylene, polypropylene, polystyrene (PS), polyvinyl chloride, and polyethylene terephthalate polymers.⁴ The NP are ubiquitous in the natural aquatic environment and their minuscule size and surface charge make them arduous to eliminate.^{5–7} NPs exist in seas, rivers, and nature reserves across the globe at 0.3–488 µg/L levels.⁸

At low trophic levels, NP can bind to algae or can be directly ingested by aquatic organisms.⁹ The nanometric size of nanoplastics enables their permeation of biological membranes unlike larger particles, then exert reproductive, developmental, neurological, endocrinal, and intestinal toxicity.^{7,10,11} For example, in *Daphnia*, polystyrene NPs stimulate reactive oxygen species generation and decrease antioxidant enzyme activity leading to a retardation of the growth rate, and reproductive ability, and shorten the lifespan of zooplanktons.^{7,12,13} Polystyrene NPs also interfere with the embryonic development of zebrafish, oysters, sea urchins, and mussels causing hormonal disorders, gonadal damage, inflammation, oxidative stress, and an imbalance in energy metabolism.^{7,14–18} At higher trophic levels, ingesting NPs is also problematic because they can reduce the viability of HepG2 liver cells and destroy antioxidant capabilities.¹⁹ NPs were detected in human cells and are shown to be cytotoxic to the human reproductive, digestive, and nervous systems by inducing oxidative stress, causing inflammation, and metabolic disorders.^{4,20,21} In addition, ingestion of NPs may indirectly result in contaminant uptake by leaching of toxic monomers, oligomers, additives, and/or adsorbed micropollutants (*i.e.*, the Trojan horse mechanism).^{7,22,23}

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

These multifaceted implications of NP pollution necessitate urgent and innovative water treatment strategies as they pose ecological and human health risks. Although it is still in its early stages, nanobubble-based water treatment can enable NP removal if technology matures and embraces the intricacies of scaling up. Successful separation of larger plastic debris such as microplastics from water by coarse bubble flotation has been demonstrated in the literature.^{24–26} However, the removal of NPs via flotation has not been explored yet. Removing ultrafine NPs by coarse bubble flotation is challenging because of the low collision probability between the short-lived coarse bubbles and fine particulates.^{27,28} Nanobubbles, on the other hand, are on the same scale as NPs, and they have conspicuously greater retention times in water;^{29–31} thus, they present an opportunity for NP flotation.^{32,33} Nanobubbles lack buoyancy and remain suspended in solution with Brownian motion as the only mechanism of transport in aqueous solution.^{29,34} Suspended nanobubbles can attach to the surface of NPs, improve dissolved air concentration, and result in higher flotation efficiencies. In addition, smaller bubbles adhere more strongly to surfaces than coarser bubbles and hence are less likely to detach from surfaces during flotation.^{24,33,35} The enhanced flotation recoveries with nanobubbles may also extend to coarser materials by multiple bubble attachments.³⁶ For this, we studied the utility of nanobubbles towards NP removal and gained formative mechanistic insights for nanobubble-based flotation.

We report seminal fundamental evidence of nanobubble-based flotation to remove NPs from water by nanobubble-NP hetero-aggregation. The objectives of the study were to: (i) investigate the removal of NPs using nanobubble flotation, (ii) understand the surface chemistry and underlining mechanism of nanobubble-NP attachment, and (iii) study the probability and rate of NP-nanobubble collision, attachment, and flotation. To achieve these objectives, we experimentally tested the influence of pH and stirring speed as independent variables on the



1
2
3 plastic-bubble attachment, rising velocity, and removal while providing theoretical computations
4
5 to explain the results.
6

7 8 9 **2. MATERIALS AND METHOD**

10 11 **2.1. Nanobubble-based flotation experimental procedure**

12
13 Information about materials and reagents used in this study is presented in Text S1 in the
14 supplementary information (SI) section. For flotation experiments, 10 μL of 100 nm polystyrene
15 NP latex was added to 40 mL of solution containing or in the absence of nanobubbles reaching a
16 final nanoplastic concentration of 26 $\mu\text{g/L}$. The nanobubble solution was produced using a Moleaer
17 XTB 25 nanobubble generator as detailed in Text S1. The water height of each suspension was 2.4
18 cm and the diameter of the beaker was 4.6 cm. Each sample was stirred at either 100 rpm ($Re =$
19 81) or 400 rpm ($Re = 325$) for 5 min using a Heidolph MR Hei-Tec magnetic stirrer. The stirring
20 rod was cylindrical with 2.5 cm length and 0.7 cm diameter. After stirring, the suspension was
21 observed for the fluid motion in about 5-10 seconds for the meniscus of the suspension to come to
22 rest and be stationary and quiescent. Samples were drawn from the stagnant float and subnatant of
23 the suspension. A plastic syringe was placed at the meniscus of the suspension to collect the float
24 and then at about 2 cm below the meniscus to collect the subnatant. The influence of pH on
25 nanoplastic flotation with nanobubble solution was investigated by adjusting the pH to 3.0, 5.0,
26 and 9.0 using 0.1 M HCl or 0.1 M NaOH. All pH measurements of the solutions are presented in
27 Table S1. Control experiments were conducted for solutions containing nanobubbles only and NPs
28 only in ultrapure distilled and deionized water (DDI, Barnstead NANOpure infinity ultrapure water
29 system, $>18.2 \text{ M}\Omega\text{-cm}$). The effect of velocity gradient on plastic-bubble attachment was
30 examined by adjusting the stirring speed of NP in nanobubble solution at 100 rpm vs. 400 rpm.
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

2.2. Analytical procedures

Hach DR 6000 UV-vis spectrophotometer was used to measure the nanoplastics concentration at $\lambda=249$ nm. The detailed UV-vis spectrophotometry method is described in Text S2 (including the calibration curve in Fig. S1) in the SI section. The number concentration and size of NP and nanobubbles were determined by nanoparticle tracking analysis (NTA) using a NanoSight NS300. Solution pH was measured using MultiLab IDS 4010-3W, and zeta potential was quantified using Zetasizer Nano-ZS. The analytical procedures of these characterization techniques are described in detail in Text S2 of the SI section. The data points presented are averaged from triplicate experiments with standard error bars. The one-way ANOVA test at 95% confidence interval was used to determine the statistical significance.

3. RESULTS AND DISCUSSION

3.1. Nanobubble-based flotation of nanoplastics

Nanobubble and NP solutions looked indistinguishable to the naked eye before and after the flotation experiments. The only visible difference was the appearance of a thin film resembling an immiscible oil layer on water after stirring NPs with nanobubbles at pH 3 (Fig. S2 in SI). We attributed the formation of this film to the migration of suspended NP-nanobubble flocs to the air-water interface. Fig. 1a presents the mass concentration of NPs measured by UV-vis in the supernatant after 5 min stirring at different pH levels. It should be noted that the detection of NPs by UV-vis was not influenced by the presence of nanobubbles as indicated by the calibration curves presented in Fig. S1 in SI. After stirring the nanobubble solutions with NPs, the concentration of NPs decreased as a function of pH, resulting in removal percentages of 60, 9, 6, and 0% at pH 3.0, 5.0, 6.0, and 9.0, respectively. Conversely, no to little changes were noted when the same

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60This article is licensed under a Creative Commons Attribution-NonCommercial 3.0 Unported Licence.
Downloaded on 04/08/2024 20:21:38.
Open Access Article. Published on 30/07/2024. Downloaded on 30/07/2024 20:21:38.
This article is licensed under a Creative Commons Attribution-NonCommercial 3.0 Unported Licence.


1
2
3 experiment was conducted in the absence of nanobubbles, yielding NP removal rates of 8, 3, 0,
4 and 0% at pH 3.0, 5.0, 6.0, and 9.0, respectively.
5
6

7
8 To complement the mass concentration data, NTA analysis was performed, and the
9 changes in the number concentrations were reported. The results from Fig. 1b are affirmative as a
10 consistent decrease in number concentration was observed as the pH decreased to 3.0 while the
11 nanoscopic entity counts at pH 5.0, 6.0, and 9.0 remained relatively unchanged (<20% of initial
12 concentrations). Specifically, at pH 3.0, a significant decrease of 61% in the initial NP
13 concentration (p -value = 0.0025) was observed after stirring the NPs in the nanobubble mixture.
14 This was attributed to the destabilization of nanobubbles and the removal of NPs. However, since
15 NTA does not distinguish nanobubbles from NPs, control experiments with only nanobubbles and
16 only NPs were also conducted at pH 3.0. These control experiments showed 58% and 19%
17 decreases in number concentrations after stirring only nanobubbles and only NPs, respectively.
18 This confirmed that the NPs were relatively stable in DDI water during stirring at pH 3.0 but they
19 were destabilized when nanobubbles were in the system. Therefore, the primary mechanism of NP
20 removal was speculated to be hetero-aggregation of nanobubbles with NPs with subsequent rise
21 of the bubble-particle flocs (*i.e.*, upward sweeping) to the surface of the vessel.
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40

41 To confirm the discussed results, quantitative analysis of the changes in the number
42 concentration and size distributions of the nanobubble alone, NPs alone, and NP-nanobubble
43 systems were evaluated. Fig. 1c is a graph of the NTA number concentration versus size, and the
44 area under the curve was integrated by the NTA software to determine the value of the total number
45 concentration written beside each curve. The size distribution of nanobubbles showed polydisperse
46 “peaks and shoulders” ranging from 80 to 300 nm, with a noticeable decline in the intensity of the
47 peaks especially at 80 to 200 nm range after 5 min of stirring at pH 3.0. The size distribution of
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

NPs, on the other hand, was uniform around 100 nm, and it maintained monodispersity after stirring despite a slight reduction in the intensity. The curve representing the mixture of NP and nanobubbles exhibited both the characteristic 100 nm NP peak and the nanobubble “peaks and shoulders”. After stirring at pH 3.0, a notable decrease in the NP peak (at 100 nm intensity) was observed, resulting in a net loss of 106 million entities mL⁻¹ in the bulk of the NP-nanobubble mixture. Considering the initial number concentration of nanobubble solution, the loss of 65 million entities mL⁻¹ was assumed to be removal of nanobubbles yielding a loss of 41 million NP mL⁻¹ from water in 5 min. This corresponds to 51% NP removal, and it aligns well with the UV-vis observation, which indicated 60% removal. The NTA micrographs in Fig. S3 further illustrate the changes in number concentration at pH 3.0. The size measurements by NTA and zeta potential were investigated and discussed in section 3.2 to provide a detailed mechanistic insight into the NP removal in nanobubble solution at pH 3.0.






Fig. 1. (a) Nanoplastics concentration in the subnatant after stirring at various pH (Conditions: initial nanoplastic concentration = 26 $\mu\text{g/L}$, stirring speed = 400 rpm, stirring time = 5 min). The p -values show a statistically significant difference in NP concentration in nanobubble solution vs. DI water sample at 95% level of confidence. NTA analysis of nano-entities in the subnatant before and after stirring: (b) normalized number concentration at all pH ranges, and (c) particle size distributions at pH 3.0. C_{T0} and C_T denote the initial and final number concentration respectively.

3.2. Mechanistic insights into bubble-plastic attachment and nanoplastic flotation

The changes in size according to NTA analysis after stirring at pH 3.0 are presented in Fig. 2a. It should be noted that the NTA measurements in this section are conducted for the residual nanoscopic entities in bulk suspension (supernatant) after the treatment. The average increase in size by particle aggregation for all other pH values was negligible *i.e.*, <5% (Fig. S4). Also at pH 3.0, the average size of NPs alone remained relatively unchanged indicating that stirring at pH 3.0 does not cause homo-aggregation of NPs, confirming the findings from NTA and UV-vis spectroscopy. Thus, the 19% loss in NP number concentration when NPs alone were stirred at pH 3 may be attributed to the traveling of NPs that were close to the meniscus of the suspension through the air-water interface to form aerosols due to the vortex created during stirring. On the other hand, the size of nanobubbles without NPs increased by 14%, indicating that the bubbles were destabilized and coalesced. Coalesced bubbles can have sufficient volume to experience buoyancy, causing them to rise to the surface and collapse.³⁷ This accounts for the 58% loss of nanobubbles when nanobubbles alone were stirred at pH 3. Affirmatively, the nanobubble solution with NPs showed a 27% increase in size indicating not only the coalescence of bubbles but also floc-forming interactions with NPs. NP-nanobubble floc can rise to the surface of the bulk water during stirring, resulting in NP flotation. The NP floats can accumulate and be trapped at the air-water interface or form NP aerosols as NP-nanobubble flocs burst at the air-water interface.³⁸ However, no evidence for aerosolization was collected in this study. Additionally, the thin film layer volume was too thin to measure. The increasing size of bubbles and NP-nanobubble flocs were attributed to decreasing repulsive Coulombic forces between NPs and nanobubbles at pH 3.0. As shown in Fig. 2b, zeta potential diminished with decreasing pH, leading to an almost complete charge neutralization for nanobubbles and notable compression of the electric double layer for NPs.³⁹ At unmodified-pH, both NPs and nanobubbles were negatively charged with zeta potentials of -33.8

mV and -17.8 mV, respectively. The NP zeta potential was subdued to -16.7 mV at pH 3.0 while nanobubbles had nearly no charge *i.e.*, -1.6 mV at pH 3.0. Therefore, the subdued electrostatic repulsion at pH 3.0 is ascribed to enabling the attachment of NPs and nanobubbles.²⁴




Fig. 2. (a) NTA size analysis of nano-entities in the supernatant after stirring at 400 rpm for 5 min (b) Zeta potential measurements for nanobubbles and nanoplastics (c) Schematic representation of NP-nanobubble bursting at air-water interface and NP aerosols formation

3.3. Ratio, density, size, and rising velocity of nanoplastic-nanobubble aggregates

To further establish the mechanistic insights regarding the nanobubble-based NP flotation, the changes in density, concentration, and size as well as nanoplastic-nanobubble attachment and rising velocities were computed using the equations in Text S3.^{39–41} According to the NTA analysis, nanobubbles and NPs have average diameters of 137 and 109 nm, respectively. The densities of polystyrene NPs and air nanobubbles were assumed to be 1,070 and 409 kg m⁻³, respectively.^{40,41,42} It should be noted that the density of nanobubbles is scarcely reported in the literature and future research on nanobubble density can contribute to enhancing the accuracy of computational results. Based on these assumptions, the minimum volume of gas (ϕ_g) required to float all the NPs was computed as 6.56×10^{-6} mL L⁻¹. To determine whether enough gas volume in nanobubbles is present at pH 3.0, the critical diameter required for the nanobubbles, to overcome their Brownian motion and rise, was calculated to be 488 nm. This implies that at least 3.6 nanobubbles needed to come together to reach the critical rising diameter. In addition, the number of nanobubbles that coalesced and traveled upwards was computed as 18 million mL⁻¹. The total volume occupied by 18 million nanobubbles mL⁻¹ is 1.11×10^{-3} mL L⁻¹ (assuming nanobubbles are perfect spheres), which is three orders of magnitude greater than the minimum gas volume, ϕ_g , required for 100% NP removal. This implies that the small gas volume packed in nanobubbles is not limiting the success of NP flotation. For our case, the generation of at least 112 million mL⁻¹ nanobubbles could ensure complete NP removal theoretically. Lastly, based on the assumption that 3.6 nanobubbles coalesced at pH 3.0 to form “the rising nanobubbles with critical size”, our results indicate that each “rising nanobubble” attaches to 2.3 NPs (assuming 100% collision-attachment efficiency). Analogously, suppose the total volume of residual nanobubbles in the bulk phase after stirring at pH 3 (3.7×10^{15} nm³) is subtracted from the initial total volume of nanobubbles present before stirring (6.0×10^{15} nm³). In that case, 2.3×10^{15} nm³ of nanobubble is


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

estimated to have traveled upwards to the air-water interface during stirring, representing 38% loss of the initial nanobubble volume. Assuming the nanobubbles floated to the surface at the critical size (488 nm), 37.2 million bubbles rose to cause NP flotation. This implies that, in this case, 4.4 NPs were attached to a coalesced-rising bubble during flotation.

The coalesced nanobubbles are computed to rise at a velocity of $2.97 \mu\text{m min}^{-1}$ while NPs settled slowly at $0.03 \mu\text{m min}^{-1}$. However, when they attach to form NP-nanobubble flocs, they are computed to rise at a speed of $2.93 \mu\text{m min}^{-1}$ (if 2.3 NPs attached to the rising nanobubbles) or $2.90 \mu\text{m min}^{-1}$ (if 4.4 NPs attached to the rising nanobubbles). This rising velocities of NP-nanobubble flocs is two orders of magnitude greater than the settling rate of NPs, indicating that attaching nanobubbles to NPs will significantly accelerate NP mobility. Moreover, in a typical flotation cell, coarse bubbles provide additional rising velocity as they attach to the NP-nanobubble flocs. Nevertheless, the computed rising velocities of the NP-nanobubble flocs are still not enough to achieve flotation in a 2.4 cm suspension height within 5 min. This indicates that incidental vertical fluid mixing enhanced the rising of NP-nanobubble flocs leading to flotation in 5 min due to the vortex created during stirring. Control experiments under static conditions (no stirring for 5 min) confirmed the impact of stirring on NP-nanobubble attachment and flotation (Fig. S5). There was no difference between the subnatant and float concentrations when there was no mixing but an increase in NP and NP-nanobubble flocs size occurred. This signifies that agglomeration of the nano-entities proceeds immediately after the electric double layer is overcome without stirring. However, the agglomerated particles could not rise to the surface in 5 min, hence no increase in the float number concentration occurred due to the lack of the external rising force created by stirring. The rise of NP-nanobubble flocs during stirring was confirmed by analyzing and comparing the concentration and size of NPs in the float and subnatant after stirring (Fig. S6). In

NP-only control, the mass and number concentrations (Fig. S6a-b), and size of NPs (Fig. S6c) in the float were the same as the NPs in the suspension after pH 3.0 and 6.0 stirring for 5 and 30 min. This indicates that without nanobubbles, NPs do not accumulate in the froth. Similarly, when NPs were stirred in nanobubbles at unmodified pH for 5 and 30 mins, no significant difference in the float and subnatant concentration (Fig. S6a-b), and size (Fig. S6c) was observed in both stirring durations. This indicates that the presence of repulsive Coulombic forces deters hetero-aggregation required for flotation to occur even if the stirring duration is extended. On the contrary, in the nanobubble solution at pH 3.0, the mass concentration of NPs in the float after treatment was 123% more than the subnatant (Fig. S6a-b) after stirring for 5 min. There was likewise a significant 27% increase in size (Fig. S6c) which was elaborated earlier. This difference between the float and subnatant upholds the inferences that the NPs attach to nanobubbles at pH 3.0 and rise to the air-water interface during stirring.

The attachment of NP-nanobubble can occur via the formation of a three-phase wetting perimeter and a spontaneous rupture of a fluid film between the bubble and particle. This attachment is propelled by hydrophobic forces and affected by the contact angle between particles and bubbles, liquid surface tension, and particle surface properties like zeta potential and roughness. Alternatively, contactless flotation could take place, which is influenced by attractive interparticle forces overcoming repulsive forces.^{24,43,44} The former mechanism of nanobubble-NP attachment is assumed to have taken place here since the thickness of the electric double layer was the driver of NP-nanobubble attachment. The rate at which the NPs and nanobubbles collide and attach is also governed by the induced velocity gradient during mixing.³⁹ This was studied experimentally by varying the stirring speed at 400 and 100 rpm. To improve the chances of NP-nanobubble collision, attachment, and flotation, 100 and 400 rpm stirring were selected to

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60This article is licensed under a Creative Commons Attribution-NonCommercial 3.0 Unported Licence.


represent slow (less turbulent) and fast (more turbulent) agitation regimes respectively. The equations for calculating the velocity gradient, collision frequency, and the rate of attachment are in Text S4 and the results are discussed in Text S5. The findings indicate the role of hydrodynamic shearing forces from agitation that may require optimization for the envisioned applications, NP characterization, and nanobubble properties at 100 rpm showed better hetero-aggregation (bigger floc size in both float and subnatant) and flotation (higher NP removal and float concentration) than 400 rpm. However, the NP removal at 100 rpm versus 400 rpm was not statistically different in terms of both mass concentration (p -value = 0.516) and number concentration (p -value = 0.941). A lesser floc breakage in the bulk and a lower floc collapse rate at the air-water interface may account for this improvement at 100 rpm. This also demonstrates that NPs and nanobubbles can attach and float under minimal stirring indicating the potential low energy demand of the nanobubble-enabled flotation of nanoplastics.

4. Conclusion


The findings from this work show that nanobubbles can attach to NPs once the electric double layer is subdued. Nevertheless, flotation only occurs when the system is agitated by stirring due to incidental vertical fluid mixing. A slow mixing regime at 100 rpm favored both hetero-aggregation of NP-nanobubbles (i.e., bigger floc size) and flotation than 400 rpm, however, the efficiencies at 100 and 400 rpm were not statistically significantly different. The floated NPs were speculated to be either trapped at the air-water interface increasing float concentration or converted into aerosols as NP-nanobubble flocs burst at the surface. This suggests that the floated NP concentration may not always balance out the residual NP concentration remaining in the subnatant after flotation. These fundamental underlying principles revealed by this work are crucial to comprehending the mechanisms of NP flotation and a key step to NP removal from real water and

wastewater. The technique demonstrated in this work has the potential to work as a standalone treatment process for removing nanoplastics from hyperclean effluents. Moreover, NP-nanobubble attachment can serve as an ancillary step to the conventional coarse bubble flotation and reduce the amount of surfactant, frother, and collector used for flotation. However, issues such as the low solution pH required, how long the aggregates are held together, and the aging and shapes of NP must be taken into practical consideration. Thus, further studies are required to determine the interactions between nanobubbles and NPs of different polymers, sizes, shapes, hetero-aggregation, and flotation kinetics. Moreover, coagulants like alum can also be investigated as a potential alternative to the use of acid. Additionally, investigation must be done to determine if the NP removal can be improved by increasing the nanobubble concentration or by introducing flotation reagents such as collectors, frothers, and modifiers. Future studies must also investigate if aerosolization of nanoplastics occurs during flotation and engineer ways to curb this problem. Scaling up the technology will require engineering considerations such as the need for an additional nanobubble flotation tank, the size and shape of the tank required, space to accommodate the physical footprint and the type, and speed of suitable propellers, as well as cost-benefit analysis to determine its feasibility.

Acknowledgements The authors are thankful for the financial support provided by NASA EPSCoR Cooperative agreement number: EP-23-03 and Federal Award No: 80NSSC22M0168. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of the National Aeronautics and Space Administration or of the Maine Space Grant Consortium. The authors thank Micheal Mason's Lab for their support in dynamic light scattering measurements and, John Graf and Emily Matula for their critical input during research meetings.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Open Access Article. Published on 04/08/2024. Downloaded on 20/08/2024 21:38.
This article is licensed under a Creative Commons Attribution-NonCommercial 3.0 Unported Licence.




References

- (1) Arp, H. P. H.; Kühnel, D.; Rummel, C.; Macleod, M.; Potthoff, A.; Reichelt, S.; Rojo-Nieto, E.; Schmitt-Jansen, M.; Sonnenberg, J.; Toorman, E.; Jahnke, A. Weathering Plastics as a Planetary Boundary Threat: Exposure, Fate, and Hazards. *Environmental Science and Technology*. American Chemical Society June 1, 2021, pp 7246–7255. <https://doi.org/10.1021/acs.est.1c01512>.
- (2) Hernandez, L. M.; Yousefi, N.; Tufenkji, N. Are There Nanoplastics in Your Personal Care Products? *Environ Sci Technol Lett* **2017**, 4 (7), 280–285. <https://doi.org/10.1021/acs.estlett.7b00187>.
- (3) Gigault, J.; Halle, A. ter; Baudrimont, M.; Pascal, P. Y.; Gauffre, F.; Phi, T. L.; El Hadri, H.; Grassl, B.; Reynaud, S. Current Opinion: What Is a Nanoplastic? *Environmental Pollution*. Elsevier Ltd April 1, 2018, pp 1030–1034. <https://doi.org/10.1016/j.envpol.2018.01.024>.
- (4) Yang, S.; Li, M.; Kong, R. Y. C.; Li, L.; Li, R.; Chen, J.; Lai, K. P. Reproductive Toxicity of Micro- and Nanoplastics. *Environ Int* **2023**, 177, 108002. <https://doi.org/10.1016/J.ENVINT.2023.108002>.
- (5) da Costa, J. P.; Santos, P. S. M.; Duarte, A. C.; Rocha-Santos, T. (Nano)Plastics in the Environment - Sources, Fates and Effects. *Science of the Total Environment*. Elsevier B.V. October 1, 2016, pp 15–26. <https://doi.org/10.1016/j.scitotenv.2016.05.041>.
- (6) Alava, J. J.; Jahnke, A.; Bergmann, M.; Aguirre-Martínez, G. V.; Bendell, L.; Calle, P.; Domínguez, G. A.; Faustman, E. M.; Falman, J.; Kazmiruk, T. N.; Klasios, N.; Maldonado, M. T.; McMullen, K.; Moreno-Báez, M.; Öberg, G.; Ota, Y.; Price, D.; Shim,

- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
- W. J.; Tirapé, A.; Vandenberg, J. M.; Zoveidadianpour, Z.; Weis, J. A Call to Include Plastics in the Global Environment in the Class of Persistent, Bioaccumulative, and Toxic (PBT) Pollutants. *Environmental Science and Technology*. American Chemical Society 2023, pp 8185–8188. <https://doi.org/10.1021/acs.est.3c02476>.
- (7) Yin, K.; Wang, Y.; Zhao, H.; Wang, D.; Guo, M.; Mu, M.; Liu, Y.; Nie, X.; Li, B.; Li, J.; Xing, M. A Comparative Review of Microplastics and Nanoplastics: Toxicity Hazards on Digestive, Reproductive and Nervous System. *Science of the Total Environment*. Elsevier B.V. June 20, 2021. <https://doi.org/10.1016/j.scitotenv.2021.145758>.
- (8) Shi, C.; Liu, Z.; Yu, B.; Zhang, Y.; Yang, H.; Han, Y.; Wang, B.; Liu, Z.; Zhang, H. Emergence of Nanoplastics in the Aquatic Environment and Possible Impacts on Aquatic Organisms. *Science of The Total Environment* **2024**, *906*, 167404. <https://doi.org/10.1016/J.SCITOTENV.2023.167404>.
- (9) Chen, Q.; Reisser, J.; Cunsolo, S.; Kwadijk, C.; Kotterman, M.; Proietti, M.; Slat, B.; Ferrari, F. F.; Schwarz, A.; Levivier, A.; Yin, D.; Hollert, H.; Koelmans, A. A. Pollutants in Plastics within the North Pacific Subtropical Gyre. *Environ Sci Technol* **2018**, *52* (2), 446–456. https://doi.org/10.1021/ACS.EST.7B04682/ASSET/IMAGES/LARGE/ES-2017-04682T_0003.JPEG.
- (10) Keerthana Devi, M.; Karmegam, N.; Manikandan, S.; Subbaiya, R.; Song, H.; Kwon, E. E.; Sarkar, B.; Bolan, N.; Kim, W.; Rinklebe, J.; Govarthan, M. Removal of Nanoplastics in Water Treatment Processes: A Review. *Science of the Total Environment*. Elsevier B.V. November 1, 2022. <https://doi.org/10.1016/j.scitotenv.2022.157168>.




- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
- (11) Lai, H.; Liu, X.; Qu, M. Nanoplastics and Human Health: Hazard Identification and Biointerface. *Nanomaterials*. MDPI April 1, 2022. <https://doi.org/10.3390/nano12081298>.
- (12) Jeong, C. B.; Kang, H. M.; Lee, M. C.; Kim, D. H.; Han, J.; Hwang, D. S.; Souissi, S.; Lee, S. J.; Shin, K. H.; Park, H. G.; Lee, J. S. Adverse Effects of Microplastics and Oxidative Stress-Induced MAPK/Nrf2 Pathway-Mediated Defense Mechanisms in the Marine Copepod Paracyclopina Nana. *Scientific Reports 2017 7:1* **2017**, 7 (1), 1–11. <https://doi.org/10.1038/srep41323>.
- (13) Sun, X.; Chen, B.; Li, Q.; Liu, N.; Xia, B.; Zhu, L.; Qu, K. Toxicities of Polystyrene Nano- and Microplastics toward Marine Bacterium *Halomonas Alkaliphila*. *Science of The Total Environment* **2018**, 642, 1378–1385. <https://doi.org/10.1016/J.SCITOTENV.2018.06.141>.
- (14) Duan, Z.; Duan, X.; Zhao, S.; Wang, X.; Wang, J.; Liu, Y.; Peng, Y.; Gong, Z.; Wang, L. Barrier Function of Zebrafish Embryonic Chorions against Microplastics and Nanoplastics and Its Impact on Embryo Development. *J Hazard Mater* **2020**, 395, 122621. <https://doi.org/10.1016/J.JHAZMAT.2020.122621>.
- (15) Wang, J.; Qiu, W.; Cheng, H.; Chen, T.; Tang, Y.; Magnuson, J. T.; Xu, X.; Xu, E. G.; Zheng, C. Caught in Fish Gut: Uptake and Inflammatory Effects of Nanoplastics through Different Routes in the Aquatic Environment. *ACS ES&T Water* **2023**. <https://doi.org/10.1021/acsestwater.3c00392>.
- (16) Pedersen, A. F.; Meyer, D. N.; Petriv, A. M. V.; Soto, A. L.; Shields, J. N.; Akemann, C.; Baker, B. B.; Tsou, W. L.; Zhang, Y.; Baker, T. R. Nanoplastics Impact the Zebrafish (*Danio Rerio*) Transcriptome: Associated Developmental and Neurobehavioral



- Consequences. *Environmental Pollution* **2020**, *266*, 115090.
<https://doi.org/10.1016/J.ENVPOL.2020.115090>.
- (17) Xie, X.; Deng, T.; Duan, J.; Xie, J.; Yuan, J.; Chen, M. Exposure to Polystyrene Microplastics Causes Reproductive Toxicity through Oxidative Stress and Activation of the P38 MAPK Signaling Pathway. *Ecotoxicol Environ Saf* **2020**, *190*, 110133.
<https://doi.org/10.1016/J.ECOENV.2019.110133>.
- (18) González-Fernández, C.; Tallec, K.; Le Goïc, N.; Lambert, C.; Soudant, P.; Huvet, A.; Suquet, M.; Berchel, M.; Paul-Pont, I. Cellular Responses of Pacific Oyster (*Crassostrea Gigas*) Gametes Exposed in Vitro to Polystyrene Nanoparticles. *Chemosphere* **2018**, *208*, 764–772. <https://doi.org/10.1016/J.CHEMOSPHERE.2018.06.039>.
- (19) He, Y.; Li, J.; Chen, J.; Miao, X.; Li, G.; He, Q.; Xu, H.; Li, H.; Wei, Y. Cytotoxic Effects of Polystyrene Nanoplastics with Different Surface Functionalization on Human HepG2 Cells. *Science of The Total Environment* **2020**, *723*, 138180.
<https://doi.org/10.1016/J.SCITOTENV.2020.138180>.
- (20) Song, X.; Du, L.; Sima, L.; Zou, D.; Qiu, X. Effects of Micro(Nano)Plastics on the Reproductive System: A Review. *Chemosphere* **2023**, *336*, 139138.
<https://doi.org/10.1016/J.CHEMOSPHERE.2023.139138>.
- (21) Ragusa, A.; Svelato, A.; Santacroce, C.; Catalano, P.; Notarstefano, V.; Carnevali, O.; Papa, F.; Rongioletti, M. C. A.; Baiocco, F.; Draghi, S.; D'Amore, E.; Rinaldo, D.; Matta, M.; Giorgini, E. Plasticenta: First Evidence of Microplastics in Human Placenta. *Environment International*. Elsevier Ltd January 1, 2021.
<https://doi.org/10.1016/j.envint.2020.106274>.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Open Access Article. Published on 04/08/2024. Downloaded on 20/10/2024 21:58:38.
This article is licensed under a Creative Commons Attribution-NonCommercial 3.0 Unported Licence.



- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
- (22) Alimi, O. S.; Farner Budarz, J.; Hernandez, L. M.; Tufenkji, N. Microplastics and Nanoplastics in Aquatic Environments: Aggregation, Deposition, and Enhanced Contaminant Transport. *Environmental Science and Technology*. American Chemical Society February 20, 2018, pp 1704–1724. <https://doi.org/10.1021/acs.est.7b05559>.
- (23) Rout, P. R.; Mohanty, A.; Aastha; Sharma, A.; Miglani, M.; Liu, D.; Varjani, S. Micro- and Nanoplastics Removal Mechanisms in Wastewater Treatment Plants: A Review. *Journal of Hazardous Materials Advances* **2022**, *6*.
<https://doi.org/10.1016/j.hazadv.2022.100070>.
- (24) Swart, B.; Pihlajamäki, A.; John Chew, Y. M.; Wenk, J. Microbubble-Microplastic Interactions in Batch Air Flotation. *Chemical Engineering Journal* **2022**, *449*.
<https://doi.org/10.1016/j.cej.2022.137866>.
- (25) Kökkılıç, O.; Mohammadi-Jam, S.; Chu, P.; Marion, C.; Yang, Y.; Waters, K. E. Separation of Plastic Wastes Using Froth Flotation – An Overview. *Advances in Colloid and Interface Science*. Elsevier B.V. October 1, 2022.
<https://doi.org/10.1016/j.cis.2022.102769>.
- (26) Wang, C. qing; Wang, H.; Fu, J. gang; Liu, Y. nian. Flotation Separation of Waste Plastics for Recycling-A Review. *Waste Management* **2015**, *41*, 28–38.
<https://doi.org/10.1016/j.wasman.2015.03.027>.
- (27) Tao, D. Recent Advances in Fundamentals and Applications of Nanobubble Enhanced Froth Flotation: A Review. *Minerals Engineering*. Elsevier Ltd June 15, 2022, p 107554.
<https://doi.org/10.1016/j.mineng.2022.107554>.

- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
- (28) Li, C.; Zhang, H. A Review of Bulk Nanobubbles and Their Roles in Flotation of Fine Particles. *Powder Technology*. Elsevier B.V. January 1, 2022, pp 618–633. <https://doi.org/10.1016/j.powtec.2021.10.004>.
- (29) Atkinson, A. J.; Apul, O. G.; Schneider, O.; Garcia-Segura, S.; Westerhoff, P. Nanobubble Technologies Offer Opportunities to Improve Water Treatment. *Acc Chem Res* **2019**, *52* (5), 1196–1205. <https://doi.org/10.1021/acs.accounts.8b00606>.
- (30) Kyuichi, Y. Mechanism for Stability of Ultrafine Bubbles. *Japanese Journal of Multiphase Flow* **2016**, *30* (1), 19–26. <https://doi.org/10.3811/jjmf.30.19>.
- (31) Yaparathne, S.; Doherty, Z. E.; Magdaleno, A. L.; Matula, E. E.; MacRae, J. D.; Garcia-Segura, S.; Apul, O. G. Effect of Air Nanobubbles on Oxygen Transfer, Oxygen Uptake, and Diversity of Aerobic Microbial Consortium in Activated Sludge Reactors. *Bioresour Technol* **2022**, *351*. <https://doi.org/10.1016/j.biortech.2022.127090>.
- (32) Zhang, F.; Sun, L.; Yang, H.; Gui, X.; Schönherr, H.; Kappl, M.; Cao, Y.; Xing, Y. Recent Advances for Understanding the Role of Nanobubbles in Particles Flotation. *Advances in Colloid and Interface Science*. Elsevier B.V. May 1, 2021. <https://doi.org/10.1016/j.cis.2021.102403>.
- (33) Li, C.; Zhang, H. Surface Nanobubbles and Their Roles in Flotation of Fine Particles – A Review. *Journal of Industrial and Engineering Chemistry*. Korean Society of Industrial Engineering Chemistry February 25, 2022, pp 37–51. <https://doi.org/10.1016/j.jiec.2021.11.009>.

- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
- (34) Favvas, E. P.; Kyzas, G. Z.; Efthimiadou, E. K.; Mitropoulos, A. C. Bulk Nanobubbles, Generation Methods and Potential Applications. *Curr Opin Colloid Interface Sci* **2021**, *54*, 101455. <https://doi.org/10.1016/j.cocis.2021.101455>.
- (35) Ralston, J.; Fornasiero, D.; Hayes, R. *Bubble-Particle Attachment and Detachment in Flotation*; 1999; Vol. 56.
- (36) Calgaroto, S.; Azevedo, A.; Rubio, J. Flotation of Quartz Particles Assisted by Nanobubbles. *Int J Miner Process* **2015**, *137*, 64–70.
<https://doi.org/10.1016/j.minpro.2015.02.010>.
- (37) Soyluoglu, M.; Kim, D.; Zaker, Y.; Karanfil, T. Stability of Oxygen Nanobubbles under Freshwater Conditions. *Water Res* **2021**, *206*.
<https://doi.org/10.1016/j.watres.2021.117749>.
- (38) Lhuissier, H.; Villermaux, E. Bursting Bubble Aerosols. *J Fluid Mech* **2012**, *696*, 5–44.
<https://doi.org/10.1017/jfm.2011.418>.
- (39) Crittenden, J. C. (John C.; Montgomery Watson Harza (Firm). *MWH's Water Treatment : Principles and Design*, 3rd ed.; John Wiley & Sons, 2012.
- (40) Kuizenga, B.; Van Emmerik, T.; Waldschläger, K.; Kooi, M. Will It Float? Rising and Settling Velocities of Common Macroplastic Foils. *ACS ES and T Water* **2022**, *2* (6), 975–981. <https://doi.org/10.1021/acsestwater.1c00467>.
- (41) Waldschläger, K.; Born, M.; Cowger, W.; Gray, A.; Schüttrumpf, H. Settling and Rising Velocities of Environmentally Weathered Micro- and Macroplastic Particles. *Environ Res* **2020**, *191*. <https://doi.org/10.1016/j.envres.2020.110192>.

- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
- (42) Che, Z.; Theodorakis, P. E. Formation, Dissolution and Properties of Surface Nanobubbles. *J Colloid Interface Sci* **2017**, *487*, 123–129. <https://doi.org/10.1016/j.jcis.2016.10.027>.
- (43) Derjaguin, B. V.; Dukhin, S. S.; Rulyov, N. N. Kinetic Theory of Flotation of Small Particles. *Surface and Colloid Science* **1984**, *13*, 71–113. https://doi.org/10.1007/978-1-4615-7972-4_2/COVER.
- (44) Xing, Y.; Gui, X.; Pan, L.; Pinchasik, B. El; Cao, Y.; Liu, J.; Kappl, M.; Butt, H. J. Recent Experimental Advances for Understanding Bubble-Particle Attachment in Flotation. *Adv Colloid Interface Sci* **2017**, *246*, 105–132. <https://doi.org/10.1016/J.CIS.2017.05.019>.

All underlying data available in the article itself and its Supporting Information
The data underlying this study are available in the published article and its Supporting Information.

Environmental Science: Nano Accepted Manuscript

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

This article is licensed under a Creative Commons Attribution-NonCommercial 3.0 Unported Licence.

