

**Amorphous Entangled Active Matter**

Journal:	<i>Soft Matter</i>
Manuscript ID	SM-ART-12-2022-001573
Article Type:	Paper
Date Submitted by the Author:	01-Dec-2022
Complete List of Authors:	Savoie, William; Georgia Institute of Technology, Physics Tuazon, Harry; Georgia Institute of Technology, Chemical and Biomolecular Tiwari, Ishant; Georgia Institute of Technology, School of Chemical and Biomolecular Engineering Bhamla, M.; Georgia Institute of Technology, Chemical and Biomolecular Engineering Goldman, Daniel; Georgia Institute of Technology, Physics

Cite this: DOI: 00.0000/xxxxxxxxxx

Amorphous Entangled Active Matter[†]William Savoie,^{‡a} Harry Tuzon,^{‡b} Ishant Tiwari,^b M. Saad Bhamla,^b and Daniel I. Goldman^{*a}Received Date
Accepted Date

DOI: 00.0000/xxxxxxxxxx

The design of amorphous entangled systems, specifically from soft and active materials, has the potential to open exciting new classes of active, shape-shifting, and task-capable 'smart' materials. However, the global emergent mechanics that arise from the local interactions of individual particles are not well understood. In this study, we examine the emergent properties of amorphous entangled systems in an in-silico "smarticle" collection and in living entangled aggregate of worm blobs (*L. variegatus*). In simulations, we examine how material properties change for a collective composed of dynamic three-link robots. We compare three methods of controlling entanglement in a collective: external oscillations, shape-changes, and internal oscillations. We find that large-amplitude changes of the particle's shape using the shape-change procedure produced the highest average number of entanglements, with respect to the aspect ratio (l/w), improving the tensile strength of the collective. We demonstrate the applications of these simulations by showing how the individual worm activity in a blob can be controlled through the ambient dissolved oxygen in water, leading to complex emergent properties of the living entangled collective, such as solid-like entanglement and tumbling. Our work reveals principles by which future shape-modulating, potentially soft robotic systems may dynamically alter their material properties, advancing our understanding of living entangled materials, while inspiring new classes of synthetic emergent super-materials.

1 Introduction

Physically-entangled active matter is an emerging area of both living and man-made systems, where mechano-functionality of the collective emerges through physical interaction of individual elements. These are different from flocks of birds or swarms of fish that are not physically connected into an amorphous emergent material¹. Biological examples include cellular slime molds, fire ant rafts, and worm blobs, where the dynamics of the individual agent (a cell, an ant or a worm) contributes to emergent functionality of the collective²⁻⁴. Synthetic or biohybrid systems include xenobots^{5,6}, acto-myosin assemblies⁷⁻⁹, granular materials¹⁰, stochastic robot collectives^{11,12}, and super-smarticles¹³. In contrast to biological counterparts, robotic active matter systems are limited to spheroidal elements (low-aspect ratio), low density, non-interacting particles, or weakly actuating elements. Thus, P.W. Anderson's famous observation that 'More is different' remains true, and foundational understanding through both theory and experiments that can guide bottom-up mechano-functional

entangled active matter systems remains tantalizingly elusive¹⁴.

In soft condensed matter systems composed of particle ensembles, it is known that particle shape can influence rheological and structural properties like viscosity¹⁵⁻¹⁷, yield-stress^{16,18-20}, packing density²¹⁻²⁵, and packing stiffness²⁶. In granular media for example, there has been some research in the evolution of the macroscopic state dynamics. Most research was performed with external loading^{10,19}; however, less is known about how structural properties evolve as particle shape evolves, despite such transitions existing in nature (as in ant systems, in cytoskeleton and f-actin, in polymer rheology, and in aquatic worm blobs)^{4,27-34}. In this work, we focus on an active matter system composed of shape-changing particles, where as we demonstrate below, rich and non-intuitive material physics can be uncovered. How macroscopic material properties are affected by the microscopic movements of its constituents is under-studied³⁵. Moreover, for many-agent systems where elements can actuate, much of the research is either limited to planar systems^{36,37}, are low density, or non-interacting three-dimensional systems^{38,39}. Yet as both computational units and actuating elements become smaller and cheaper, smaller and more highly interactive robotic systems may become more commonplace.

In this paper, we seek to discover and understand the independent formation of solid or semi-solid structures by an open-loop dynamic collective. Using simulation, we examine how material

^aSchool of Physics, Georgia Institute of Technology, Atlanta, GA 30318^bSchool of Chemical and Biomolecular Engineering, Georgia Institute of Technology, Atlanta, GA 30318 E-mail: daniel.goldman@physics.gatech.edu[†] Electronic Supplementary Information (ESI) available: [details of any supplementary information available should be included here]. See DOI: xx.xxxxx/xxxxxxxxx/[‡] These authors contributed equally to this work.




Fig. 1 Smarticles in simulation and biological analogy. (a) The coordinate system and size designations used for the smarticles. (b) An individual California blackworm (*Lumbriculus variegatus*). (c) An entangled pile of smarticles in simulation. (d) A group of 20 individual blackworms forming a physically-entangled blob.

properties change for a collective composed of dynamic particles whose form (a three-linked two degree-of-freedom shape) is based on the robotic particle called smarticles^{40,41}. By implementing different shape-altering procedures, and probing the final structures, we gain insight into possible material properties attainable for future real-world robotic systems. We compare a few of these properties to biological experiment using California blackworms (*Lumbriculus variegatus*), whose collectives demonstrate a non-trivial macroscopic rheological analogue with features and properties from microscopic entanglement^{4,32,42}.

2 Materials and methods

To test the material properties of non-convex granular aggregates, we constructed a three-link robot in simulation Fig. 1(a,c) and compared it to the entangled collective behavior demonstrated by blackworms Fig. 1(b,d). Additionally, using stress-strain tests on an entangled chain of robotic smarticles, we discover various properties related to their emergent auxeticity (see SI section).

2.1 Multibody simulation of smarticles

We developed a multibody simulated model of many staple-shaped three-link particles (henceforth called "smarticles"), Fig. 1(a), capable of actuating their outer links. The smarticle's form was inspired by Purcell's three-link swimmer^{43,44} and the size was inspired by previous work from Gravish et al.¹⁰. Two outer links (or barbs) were connected to a middle segment by rotational actuators, making the smarticle a planar system with two degrees-of-freedom. The middle link was of width $w = 1.17$ cm and the barbs are of length $l = [0 - 1.1]w$ (all simulation pa-

rameters are shown in Tab. 1). The multibody simulation was implemented using ProjectChrono^{45,46}, an open-source physics dynamics engine.

Since smarticles can actuate their barbs to specific positions, each motor was velocity-controlled with a maximum allowable torque. Smarticle barbs were controlled to move with an angular velocity of $\omega = 6$ rad/s. The maximum allowable torque, τ_{max} , was set to the torque required to lift a mass equivalent to a smarticle of $l/w = 0.7$, a distance w away from the actuator's axis. For $\tau_i \geq \tau_{max}$, the i th barb's movement was halted until the first time step where the condition $\tau_i < \tau_{max}$ was satisfied.

Each simulation consisted of three phases: a deposition phase Fig. 2(a), an activity phase, and a final testing phase for certain simulations. A relaxation period was added between each activity phase (when energy is added to the system) and testing phase. During this period, no activity was added to the system. We chose a relaxation period of 0.5 seconds, which was determined to provide sufficient amount of time for the system to settle. In the deposition phase, smarticles were given a random initial and rotation position, and were released to fall by gravity into a hollow cylinder of radius $r = 2w$. All barbs were held static at the position: $(\alpha_1, \alpha_2) = (\pi/2, \pi/2)$ during this phase (see Fig. 1(a)). The activity phase began once all smarticles were deposited in the system. This phase was responsible for changing the material properties of the collective by affecting the average entanglement between smarticles Fig. 2(a,b). We define entanglement as the interpenetration of concave particles.

In the activity phase, activity was added to the system in one of three ways, where each active procedure represented a categorically different type of motion: an external sinusoidal oscillation of the confining cylinder ("externally-oscillated") Fig. 2(c), a single cycle of a large angular change of each particles' barbs ("shape-change") Fig. 2(d), and finally, many in-phase small amplitude oscillations of each particles' barbs ("internally-oscillated") Fig. 2(e). In the externally-oscillated procedure, the container was shaken with a peak acceleration $\Gamma = 2$ (in units of gravitational acceleration g) at $f = 30$ Hz and oscillated for 20 s (600 cycles) Fig. 2(c). The shape-change procedure represented large amplitude movements. In shape-change simulations, the barbs were given 1.5 s to actuate from $(\alpha_1, \alpha_2) = (90^\circ, 90^\circ)$ to $(\alpha_1, \alpha_2) = (0^\circ, 0^\circ)$, then another 1.5 s to actuate back to their original position $(\alpha_1, \alpha_2) = (90^\circ, 90^\circ)$ (Fig. 2(d)). The internally-oscillated procedure represents small amplitude vibrational motion. The arc length travelled by the barbs' tips, for a given degree amplitude θ , was constant for all l/w in the internally-oscillated trials. The distance travelled by the barb's tips was kept constant for all l/w . The travel distance was set to be equivalent to the arc length traversed by an arm of length l with $l/w = 0.7$. The arm travelled by an angle $\theta = \pm[5^\circ, 30^\circ]/2$ (Fig. 2(e)) from the original $(90^\circ, 90^\circ)$ position. This ensured that the arc length traced by the barb tip was equal, for all l/w , at a single oscillation amplitude θ .

The activity phase in the internally-oscillated procedure lasts 5 s before any subsequent procedures start. These various methods were used to encourage higher entanglement than that achieved from only deposition. Following the activity phase was a testing phase.

In the testing phase, we performed casting and sculpting tests, which examined qualitative material properties of a collective after smarticle activations. In summary, after smarticles were deposited in a container of a certain shape and activated, the container walls were removed for testing (see SI Video 1).

In all the simulations, the range of aspect ratios tested in the smarticle system for all procedures was $l/w \in [0.4, 1.1]$. For the internally-oscillated system, the oscillation amplitude was $\theta \in [5^\circ, 30^\circ]$.




Fig. 2 Various smarticle activation procedures, internal and external. (a) Render of simulated smarticle system deposited into a closed container of radius $r = 2w$, one side is shown open to enhance visualization. (b) Rendering of four smarticles entangled together, here $\langle N \rangle = 1.5$. (c) In the externally-oscillated procedure, particles were deposited into system and container was shaken sinusoidally, parallel to gravity, such that $z(t) = A \sin(2\pi ft)$. (d) In the shape-change procedure, smarticle barbs travelled $\pi/2$ outwards and returned back to the original position, this position change happens a single time in this procedure. (e) In the internal-oscillation procedure, particle barbs oscillated with an amplitude θ centered around $(\alpha_1, \alpha_2) = (\pi/2, \pi/2)$.

2.2 Comparing multibody simulations to nature

We compared smarticle simulations to emergent physically-entangled behaviors demonstrated by blackworms. Outside of their natural granular or detritivorous habitat, these worms entangle together forming a highly dense worm blob (Fig.1d) due to their thigmotactic behavior^{47,48}. Furthermore, depending on the oxygenation of their surrounding, blackworms can disentangle their tails from the collective and lift it up to supplement respi-

Table 1 simulation parameters

parameter	value
w	1.17 cm
dt	2×10^{-4} s
f	30 Hz
Γ	2
ρ	7850 kg/m ³
τ	1
ω	6 rads/s
t_1	1.27 mm
t_2	0.5 mm
$\mu_{particle-wall}$	0.4
$\mu_{particle-particle}$	0.4
r	$2w$
$H_T(t_i)$	$20t_2$
$H_B(t_i)$	$10t_2$

ration in hypoxic, or low dissolved oxygen (DO), conditions^{47,48}. By altering the dissolved oxygen in a container, we can vary the entanglement strength displayed by a worm blob and observe its emergent dynamics. We define low and high DO as <2 mg/L and >8 mg/L, respectively.

2.2.1 Animals

We purchased, reared, and habituated blackworms as described in Tuazon, et al⁴². Using blackworms for experiments do not require approval by an institutional animal care committee.

3 Results and Discussion

3.1 Simulation

3.1.1 Packing fraction for an externally forced smarticle collective

We begin by testing how smarticle collectives pack when subjected to an external vibration. In granular material studies, compaction, or volume fraction, is a commonly measured material property⁴⁹. Volume fraction, or ϕ , is defined by $\phi = V_p/V$, where V_p is the solid particle volume and V is the volume of the collective. ϕ can greatly affect how a granular collective reacts to external perturbations^{50,51}.

We test how ϕ evolves for a collective undergoing external oscillation. Fig. 3(a) shows how ϕ evolved over time for different aspect ratios. As l/w decreases, the initial and final volume fraction, ϕ_0 and ϕ_f respectively, increase. The inset in Fig. 3(a) shows $l/w = 1.1$ with $t \in [12.375s, 12.625s]$, the oscillations in the inset are consistent with the applied oscillation frequency $f = 30$ Hz. Furthermore, the rate at which ϕ increases, as a function of l/w , is faster than linear, which is illustrated more clearly in Fig. 3(b). This is true for both the ϕ_0 and ϕ_f . Fig. 3(b) shows a comparison of our simulation to results from a similar experimental system¹⁰. Both ϕ_0 and ϕ_f are monotonically decreasing functions of l/w . Our simulation results agree with the experimental system.

3.1.2 Packing fraction for a smarticle collectives with internal degrees-of-freedom

In the following trials, we examine packing evolution for internally-activated smarticles. In Fig. 4 we introduce the effects of internal activations by showing the time evolution of a single trial for the different activation procedures. In Fig. 4, we show




Fig. 3 Packing fraction and packing evolution as a function of smarticle aspect ratio. (a) ϕ vs. time for various smarticles aspect ratios $l/w \in [0.4, 1.1]$. The inset is a zoomed in version of the data from $l/w = 1.1$ over a 0.25 s domain. (b) ϕ as a function of aspect ratio in experiment (orange) and simulation (blue). The bottom two curves represent the volume fraction before activity was added to the system ϕ_0 in both simulation and experiment. The top two curves are the volume fraction after external forcing ϕ_f . The orange curves were taken from data used in Gravish et al.¹⁰

three different frames from a shape-change activation procedure. In Fig. 4(b), we show both the CoM height in addition to the inset containing the volume fraction. In the shape-change procedure, the final collective's shape fills the container differently with time as shown in Fig. 4(a.1-3). The dynamics of the procedure are better captured by both the CoM height and ϕ evolution in the shape-change procedure. As the shape-change is initiated, we see a rapid increase of h . This increase results from the smarticles straightening. As the second shape-change phase happens, there is an initial decrease in height as smarticles curl into the u-shape.

The smarticle collective's height does not decrease to the initial height of h_0 , despite all constituents being in the same shape as deposited. Since the number of smarticles does not change during a trial, the change in height suggests that the procedure has changed the macroscopic state. After performing the shape-change procedure, the smarticles were not as well-molded or sculpted to the container as before. This suggests that the shape-

change activation tends to force the smarticles away from the container wall as they transition back to the final u-shape. This inwardly-directed movement during the activation indicates an inwardly pointing attractive force. We suspect that the origin of the force arises from the geometry of the smarticle's final shape, as well as from the confining walls. The now excluded volume between the outer walls and curled smarticles drives the collective upwards, increasing its height after the initial drop after point 2 in Fig. 4(b).

The internally-oscillated smarticles affect the collective differently than the shape-change procedure, Fig. 4(c). As smarticles vibrate their barbs, each unit interact with their neighbors causing them to rotate and displace. This allows particles to siphon into empty spaces that may exist between neighbors. Since gravitational force points downward, most rearrangement tends to lead to the compaction of particles until an equivalent random close packing (rcp) value for the smarticle shape is approached^{52,53}. As the general action fills voids, the collective tends to decrease in height and becomes denser. This increase in density means that the smarticle collective is molding more closely to the container boundary; thereby producing a final height of less than h_0 . In Fig. 4(d), we see that the majority of the compaction happens rapidly, in fact, the first 50% of the final compaction is reached after only $\approx 12\%$ of the total activation time has elapsed.

Next, we look at how the geometry of the smarticles, as well as the amplitude of their movements, affects the packing state of each system. In the shape-change procedure, ϕ generally decreases as the aspect ratio increases (Fig. 5). Past $l/w > 0.6$, ϕ monotonically increases (rather than increasing for a short time then decreases). This behavior suggests at the existence of a critical packing fraction, which likely exists between $0.7 < l/w_{crit} < 0.6$.

The internally-oscillated procedure is affected similarly as the shape-change with regards to the aspect ratio l/w . In Fig. 6(a) $\theta = 10^\circ$ is held constant, and similar with the shape-change procedure, ϕ of the internally-oscillated procedure decreases with increasing l/w . $\Delta\phi = \phi_f - \phi_0$ also increases with increasing l/w . For a given smarticle in a collective, as the barbs get longer, the number of neighboring units it interacts with will generally increase. During internally-activated procedures, longer barbs tend to create more overall motion in, and of, the collective. The increased motion, or collective "temperature", tends to rearrange smarticles when space is available. For the simulation, at a given θ , the arc length travelled by barb tips is constant for all l/w . This explains why the oscillations in ϕ tend to decrease as l/w the oscillation frequency increases as l/w increases.

Given a constant $l/w = 0.7$, in Fig. 6(b) we vary oscillation amplitude θ . We find that ϕ decreases as θ increases. As oscillation amplitude increases, larger vacancies form between neighbors, but the larger θ hinders flow into the temporary vacancies made by the barb motion. While θ increases, $\Delta\phi$ decreases as well.

Finally, we compare how ϕ_f varies with l/w for all activation procedures (Fig. 7(a-b)). The internally-oscillated procedure tends to pack more densely, whereas shape-change tends to pack the least Fig. 7(a). Among various oscillation amplitudes, lower amplitudes tend to pack more tightly than larger




Fig. 4 Packing behavior distinctions between two different active procedures. (a) Renders of a shape-change trial at three instances. (b) The center-of-mass (CoM), $\frac{h(t)}{h_0}$, in the z-plane of the shape-change collective, the times of the renders in (1,2,3) are highlighted with black points [1s, 2.5s, 4.5s]. (c) Renders of an internally oscillated trial at three times. (d) The CoM in the z-plane of the internally-oscillated collective, the times of the renders in (1,2,3) are highlighted with black points [1s, 3.5s, 6s].

amplitudes Fig. 7(b). Indeed, the largest amplitude shows only a marginal increase in ϕ compared to the static system, where there is no smarticle activation after the deposition phase (Fig. 7(a)).

3.1.3 Energy comparison between procedures

To clarify the cost of each procedure in terms of energy input to packing output, we measured the energy necessary to complete each procedure. This test was performed for smarticles of varying aspect ratio. Each simulation was performed three times for each preparation style at each aspect ratio and oscillation amplitude when applicable. To calculate the energy of the active procedures, the following calculation was performed at each time step:

$$E = \int_{\alpha_1(t)}^{\alpha_1(t+dt)} \tau_1 d\alpha_1 + \int_{\alpha_2(t)}^{\alpha_2(t+dt)} \tau_2 d\alpha_2 \quad (1)$$

where the subscripts correspond to the barbs on each smarticle. Here, τ_i is the motor reaction torque on barb i . Since the energy is added into the system for the externally-oscillated system, we sum

$$E = \int_{z(t)}^{z(t+dt)} F(t) dz \quad (2)$$

over each time step during the shaking process. Here, $F(t)$ is the reaction force on the linear actuator (which controls the height of the container with the smarticles) motor at time t , and $z(t)$ is the distance travelled by the cylinder at time t . The contribution of




Fig. 5 Evolution of ϕ at different $l/w \in [0.4, 1.1]$ for the shape-change procedure. Time evolution of ϕ for varying l/w performing the shape-change procedure. The vertical dashed line represents denotes when the "straight" to "u" configuration change begins.




Fig. 6 Time evolution of volume fraction ϕ for various l/w and θ for the internally-oscillated procedure. (a) l/w is varied $\in [0.4, 1.1]$ while $\theta = 10^\circ$ is held constant. (b) θ is varied $\in [5^\circ, 30^\circ]$ while $l/w = 0.7$ is held constant.

the container's weight was removed from the force calculation.

Fig. 8(a) reveals that the shape-change procedure requires the most energy to perform, regardless of the aspect ratio. Indeed, shape-change required greater than an order of magnitude increase in energy compared to the internally-oscillated procedure, which required generally the lowest amount of energy. Plotted in Fig. 8(a) are all oscillation amplitudes in the internally-oscillated procedure. As θ increases, the energy required to perform the procedure also increase. Similarly, the energy to perform the procedure increases with l/w with the exception of local maxima at $l/w = 0.9$.

Plotted in Fig. 8(b) is the energy as a function of oscillation amplitude for various aspect ratios. Apart from $l/w = 0.9$, energy tends to increase with amplitude. Next, given each procedure's energy expenditure, we measure how the average entanglement in the collective varies for each procedure.

3.1.4 Entanglement

Since entanglement is affected by aspect ratio in externally-activated procedures, we examine how it changes for internally-activated procedures. After the collective has performed a procedure,




Fig. 7 ϕ_f fraction for the various procedures. (a) ϕ_f versus l/w for all procedures. For the internally-oscillated procedure, $\theta = 10^\circ$ was used. (b) ϕ_f versus aspect ratio for the internally-oscillated system, each line is has a different $\theta \in [5^\circ, 30^\circ]$.

the average number of entanglements, $\langle N \rangle$, between smarticles was measured. $\langle N \rangle$ was measured for the non-actuated (or static) procedure, the shape-change procedure, and the internally- and externally-oscillated procedures. $\langle N \rangle$ was determined as follows: for each smarticle A, there exists a plane defined by its 3 links. The number of smarticle links, not belonging to A, which intercepts smarticle A's plane is N . The mean of all N , over all smarticles in a single time step, is $\langle N \rangle$ (see Fig. 9(a) inset).

While entanglement is largely independent of aspect ratio in the static, or inactive, procedure, it is more dependent on aspect ratio in the active procedures Fig. 9(a). Apart from the shape-change procedure, all other active procedures tend to display a maximum of $l/w \approx 1.0$. As l/w increases, the barbs increase in size, thereby requiring more movement between two entangled components to become disentangled. Larger barbs make disentangling more difficult, this is true for an even greater degree in confined systems. Although smarticles with larger l/w will remain entangled more readily, they are less likely to become entangled¹⁰. The shape-change system does not have this issue: the




Fig. 8 Comparing energy usage between procedures. (a) Comparisons of energy output for different procedures as a function aspect ratio. The internally-oscillated data are the unlabeled lines where θ is varied. All data points are averaged from three trials. (b) Energy usage for the internal oscillation procedure as a function of θ with a constant $l/w = 0.7$.

entangling action happens during the straight to u-shape transition. During this time, a barb's length does not act to restrict a new entanglement from arising, as the smarticle shape starts from a convex (straight) shape. Therefore, higher values of l/w increase the likelihood of entanglements happening in the shape-change system, as the area defining interpenetration is larger.

Now we examine how θ and l/w affect $\langle N \rangle$ in the internally-oscillated system. In these trials, we measured entanglements over $\theta = [5^\circ - 30^\circ]$ for all l/w in Fig. 9(b). At $l/w < 0.7$, as θ increases, the number of entanglements decrease. At larger l/w , $\langle N \rangle$ becomes more independent of l/w . The functional form of entanglement, as a function of amplitude, changes as aspect ratio increase. At low aspect ratios, $l/w = [0.4 - 0.5]$, the curve is monotonically decreasing. However, as l/w increases, the curve is no longer monotonic: the peak forms between $\theta = [10^\circ - 15^\circ]$. As barbs increase in size, the location of the peak also increase. Furthermore, the peak's relative amplitude to the rest of the curve also increase. We posit that this is related to the argument stated




Fig. 9 Comparing entangling procedures. (a) Comparisons of entanglements for all procedures at various aspect ratios. The internal oscillation line for each point has an amplitude $\theta = 10^\circ$. (b) Entanglement with respect to l/w for the internally-oscillated system $\theta \in [5^\circ, 30^\circ]$. (c) Entanglement as a function of θ for internally-oscillated systems $l/w \in [0.4, 1.1]$.

before: at low l/w , there is an increased likelihood to both entangle and to disentangle; therefore, the barbs can break the entanglements faster than new ones are generated. However, if the arms are longer, the same arc length travelled will not tend to disentangle an existing connection. The amplitude, as well as the energy threshold that is necessary to break pre-existing bonds, is larger.

The static system (not shown in the energy plot) has zero energy input, and the $\langle N \rangle$ is the lowest for all aspect ratios measured. The internally- and externally-oscillated procedures have similar energy inputs; although the internally-driven system is slightly lower. In the internally-driven system, however, the number of entanglements measured after the deposition phase is noticeably higher. Aside from requiring different amounts of energy to prepare each procedure, each procedure also tends to impart different collective attributes. Since entangling allows a collective to support tensile loads, next we test how well each procedure allows a collective to both sculpt in a cast, and keep its shape after the cast is removed.

3.1.5 Melting behavior

We check the qualitative differences between collections of smarticles after each procedure was performed and after the confining walls were removed. Inspired by heat-treatment annealing procedures in metallurgy and their effects on a metal's final hardness properties during fast and slow cooling, respectively, we test how shape-change and internal oscillation change the properties of the collective⁴⁹. Furthermore, we study how these preparation procedures allowed cohesive smarticle collectives to be sculpted by




Fig. 10 Melting behavior for active procedures.(a,c) Renders of a shape-change trial and internally-oscillated trial, respectively, at three instances. (b,d) The z-plane center-of-mass (CoM) of the collective vs. time, where the three renders from (a,c) are indicated with black points.

the container.

After the deposition and activation of smarticle collectives, in Fig. 10(a-d) we removed the outer boundary and examined how the unconfined collective settles. The shape-change system, Fig. 10(a-b), does not break apart nor do the particles on the periphery disengage from the collective: the collective holds firmly together. Since shape-change narrows the base and increases the height, this procedure tends to produce less stable structures. Indeed, in the illustrated example, the structure falls onto its side in Fig. 10(a.3). The internally-oscillated system reacts differently than the shape-change system when the confinement is removed. Since the internally-oscillated procedure increases in ϕ , lowering the height of the collective while maintaining its width, the stability of the final collective is improved compared to the initial state after deposition. However, because the amount of entanglement was lower than in the shape-change procedure after the walls were removed, some smarticles on the outer edge slough off as they are not entangled tightly with neighbors in the structure. In the next section, we will look in more detail at structure forming using these two procedures.

3.1.6 Casting

Here, we show how certain shapes are formed or sculpted through the activity of the smarticles in the collective. Starting in the u-shape position, we deposited smarticles into a three-tiered empty structure with each tier smaller than the one below (Fig. 11(a)). After depositing the smarticles, the smarticles were activated using the two aforementioned internal activation proce-

dures: internal oscillation in Fig. 11(b-top) and shape-change in Fig. 11(b-lower). The container serves to define the final shape.

While activation procedures tend to compact a collection, they do so in distinct ways; these distinctions lead to the macroscopic differences visible in the remaining structure after the container is removed. Internal oscillation imparts the fluid-like property of being able to fill its container, and the activity tends to help smarticles flow into voids. While the container is filled more completely (as shown by the increase in ϕ), this does not imply increases in entanglement. This is evident in Fig. 11(b) in the instant the walls were removed. The system has the shape of the container but, shortly afterward, the overhangs tend to fall apart. For the shape-change procedure, while the particles become more compact, it is not due to an improved container space usage. The walls serve to give a basic tubular shape, but the particle structure consolidates inward and grows upward, rather than outward. Previously, we showed the resulting effects caused by the number of entanglements produced by the different procedures (Fig. 9). Shape-change produces a higher entanglement allowing particles to stay together more readily, but it does not sculpt to the container as easily as the internally-oscillated procedure. After the activation procedure completion in the shape-change procedure, the system exhibits properties of a hardened structure, whereas the internally-oscillated procedure tends to flow apart and is comparably softer, eroding at its surface after the removal of the walls. We find analogies between the shape-change and internal oscillation procedure and rapid and slow quenching in metallic systems. In metals, rapid temperature reduction in the quenching process




Fig. 11 Smarticle aggregate sculpting capabilities. (a) Particles are deposited in a three-tiered system at $l/w = 0.8$ with each tier smaller than the one below. In (b), after the activation state has occurred, (top is internally-oscillated at $\theta = 10^\circ$ and bottom is the shape-change) the outer walls are removed. (c) The piles one second after the container is removed for the internally-oscillated (top) and shape-change (bottom) procedures. (Supplementary Movie S1)




Fig. 12 Measuring force as a function of entanglement procedure. Two hooks, colored red, were embedded in an already entangled pile. The force necessary to raise the top hook out of the pile, at constant speed, was measured, while the bottom hook was kept fixed to anchor the pile.

tends to leave a metal harder but more brittle, with a great deal of internal stress. Conversely, a slowly quenched metal will see a reduction in the internal stress as well as becoming softer⁴⁹. These effects are further supported through quantitative tests in the simulated fracture tests and in the biological experiments performed in the next sections.

3.1.7 Tensile loading and fracture

To determine the relationship between entanglement and tensile loading ability, we measured the force required to raise a

hook embedded in the various smarticle preparations as shown in Fig. 12(a-c). Specifically, we measured the force as a function of aspect ratio, $F(l/w)$. The force required to raise the top hook was measured three times for each aspect ratio.

To investigate how materials properties are affected, we performed various fracture tests. In Fig. 13(a) for the three procedures, the peak force output and the entanglements (Fig. 9(a)) do not keep the same ordering. The shape-change system shows the highest peak force output, whereas internal oscillation displays the least amount of tensile strength. There is agreement between force generated as a function of internal oscillation as shown in Fig. 13(b) and in the number of entanglements for a given oscillation amplitude as shown in Fig. 9(b). Using this simulated system, we found a connection between tensile strength, measured through a fracture test, and the number of entanglements: the shape-change procedure, which produces the highest average number of entanglements, improves the tensile strength of the system. Next, we compare emergent properties that arises from simulations to physically-entangled collective dynamics found in biology.

3.2 Biological Experiment

Here, inspired by the results from simulations, we conducted experiments using an analogous entangled system found in nature. Similar to how smarticles display the metallurgical dynamics of annealing, worm blobs can emergently display a few of these be-




Fig. 13 Tensile force measurements for the various preparation procedures. Force shown here is a unitless quantity scaled by W_s , the weight of the smarticles, and n , the number of smarticles in the trial. Each line is averaged over 3 trials. (a) Force versus time for the various procedures at $l/w = 0.7$, (b-c) Force versus time for the internally-oscillated system. In (b), $l/w = 0.7$ and θ is varied, and (c) $\theta = 10^\circ$ as l/w varies.

haviors from their entanglement. Of course, we note that in contrast to smarticles, blackworms are highly dynamic and flexible with aspect ratios >40 ³² and can generate thrust using muscles across its body length^{54,55}. Additionally, worms can display a wide range of length as it extends and contracts its body.

As an analogy to states achieved upon shape-changes, worm blobs can display either very high or very low entanglement in steady state environmental parameters. Similar to the smarticle simulations, low levels of entanglement occurs when worms are extended (Fig. 1(b)) like when the barbs travel $\pi/2$ outwards (Fig. 2(d)). However, when transitioning between levels of environmental parameters, worms can reversibly vary their activity levels and change their level of entanglement, an analogy for internal oscillations. For example, according to Tuazon, et al., worm blobs show less activity and less structural exposed surface area in high DO (>8 mg/L) as opposed to hypoxic conditions (<2 mg/L)⁴². Furthermore, worm blobs in high DO shows higher internal mechanical stress, which was demonstrated by lifting worm blobs using a 3D-printed serrated endpiece in two extreme levels of DO. Additionally, according to Ozkan-Aydin, et al.⁴, a highly entangled, "solid-like" blob was observed in lower temperatures ($T < 25^\circ\text{C}$). However, when exposed to higher temperatures $T > 25^\circ\text{C}$, the blob slowly disentangled into a "fluid-like" aggregate which demonstrates that higher temperature leads to higher internal oscillations, followed by full disentanglement. In short, worm blobs in low temperatures and/or in high DO environments tend to display solid-like structural properties and vice versa.




Fig. 14 Evolution of a worm blob from a rigid structure at high concentration of DO to a loosely entangled state in a lower concentration of DO. (a) The red dot depicts the centroid, which decreases over time as DO is consumed by the worms. Blackworms supplement respiration by disentangling their posterior segments and raising it upwards, emergently relaxing the structure. (b) The normalized height of the blob's centroid, $\frac{h(t)}{h_{max}}$, plotted as a function of time. Numbers in the time series correspond to the snapshots shown in (a). $n = 5$ trials. (Supplementary Movie S2)

3.2.1 Packing behavior

Inspired by the packing behavior of smarticles presented in Figure 4, we placed an 8 mg worm blob in a cylindrical container filled with air-saturated water and allow the worms to deplete the oxygen. The water was aerated with ambient air bubbles before each trial to ensure consistent initial DO conditions. As previously described, the high DO results in the worms forming a highly rigid structure (Figure 14(a.1)). As DO decreased, worms began to extend and wave their posterior segments, weakening the overall structural integrity of the blob (see Supplementary Movie S2). This created a situation qualitatively similar to the internally-oscillated ensemble of smarticles and the blob begins to decrease in height (Figure 14(a.1-3)). The normalized height of the centroid, $\frac{h(t)}{h_{max}}$, of the blob is plotted as a function of time in (Figure 14(b)). As individual worms moved to obtain oxygen, the height of centroid monotonically decreases.

3.2.2 Structural stability

To emphasize the structural rigidity of the worm blob as a function of DO, we designed and performed another experiment inspired by the simulations presented in Figure 10. A schematic render of the experimental setup is presented in Figure 15. It consists of a cylindrical wall holding the blob into shape while




Fig. 15 The experimental setup for testing the structural stability of the worm blobs under different DO concentrations. Worms were first added into the cylinder then the inner concentric cylindrical wall was lifted up by the linear actuator.

the whole assembly is housed in a glass beaker. The cylindrical wall was held in a stand connected to a linear actuator which lifted out the wall at a constant speed of ≈ 14 mm/s. We performed this experiment with both high and low DO concentrations. When the cylindrical wall was removed, worm blobs in high DO toppled over due to its high rigidity (Figure 16a) (see Supplementary Movie S3).

In low DO concentration, the blob is much more "relaxed" and exhibits significantly less rigidity. Once the wall is removed, the worms slowly adjust to the shape of the container. The corresponding time series for the normalized height of the blob's centroid is plotted in Figure 16(b,d).

3.2.3 Tensile strength

To quantify the tensile strength of the blob in the two DO concentrations, i.e., two different levels of entanglement, we designed an experiment to incorporate a load cell (Figure 17(a)). The setup is similar to the one presented in Tuazon, et al., with the addition of an anchor point, which is a stationary serrated piece attached at the base of the container⁴². The upper 3D-printed piece was attached to a load cell, which was connected to a linear actuator. The load cell was added to measure the amount of force that the worms blob are applying as the upper piece was

pulled upwards. Snapshots of this experiment are presented for two different DO levels in Figure 17(b).

In high DO, worm blobs resist the removal of the 3D-printed piece. The timeseries of the force applied on the load cell in the two DO conditions is plotted in Figure 17(c). This plot shows that worm blobs apply significantly greater amount of force under tensile stress in a high DO (high entanglement) environment. The maximum force applied by the blobs from 6 repetitions of this experiment is presented in Figure 17(d) for two different DO concentrations. We find that the maximum force applied under tensile stress is significantly different ($p < 0.01$) for the case of high DO compared to that of low DO environments.

4 Conclusions

We performed, to our knowledge, the first study of time-dependent material-properties of soft amorphous entangled matter through simulations and through living systems. Despite the seemingly complex interactions which comprise the material properties of a collective, we found that amount of entanglement, which encodes much of the material properties, is controllable. Building upon previous studies of entangleable materials, we found that fracture force increased with the degree of entanglement in a simulation. Next, we compared our simulations to the physically-entangled collective behavior of blackworms. By exposing them to varying DO conditions, worm blobs displayed both solid- and fluid-like structural dynamics. We found that worms in high DO conditions interweave strongly to one another and exert significantly more force than in low DO conditions.

In the future, we envision an adaptable material capable of maximal or minimal entanglement in response to stimuli (i.e. fire ants' raft formations in the presence of flooding^{3,29}). Additionally, it would also be interesting to look for the presence of biaxial nematic, cholesteric, or twist-bend properties of the smarticles⁵⁶.

This entanglement response should be able to spread through the collective "organically", or via local communication, rather than through a global or centralized mechanism. We believe that another insight from this study is that the choice of how limbs may be activated to alter entanglement is optimizable as a function of energy cost. Due to improvements in the field of rheology over the last century, there has been an explosion in the number of goods with designed material properties based on their purpose: from detergents, to plastics, to hydrophobic clothing⁵⁷. We posit that by improving our understanding of the emergent collective dynamics of mutable active particles, we may someday take a major step towards creating adaptive, shape-shifting and task-capable soft, super-materials⁵⁸.

Author Contributions

W.S. designed and carried out the smarticles simulations and experiments, analyzed, and interpreted the results. H.T. and I.T. observed, designed, and carried out the biological experiments, analyzed, and interpreted the results. D.I.G. and M.S.B. reviewed the design and execution of experiments, the data analysis, the interpretations, and the manuscript. All authors contributed to writing the manuscript.




Fig. 16 Tumbling worm blobs. Timelapse of a tumbling worm blob (~ 8.5 g) at three instances when present in a (a) high DO and a (b) low DO environment. (c) Timeseries of the normalized height of the blob's centroid, $\frac{h(t)}{h_{\max}}$, over time. $T = 0\text{s}$ represents the instance where the inside wall was lifted outside of the water in high DO (blue dotted curves). The gray shaded region indicates the large drop in centroid height when toppling occurred for one trial in high DO conditions. $n = 4$ trials for each DO levels. (Supplementary Movie S3)

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

H.T. acknowledges funding support from the NSF graduate research fellowship program (GRFP) and Georgia Tech's President's Fellowship. D.I.G. acknowledges funding support from ARO MURI award (W911NF-19-1-023), NSF Physics of Living Systems Grant (PHY-1205878), and the Dunn Family Professorship award. M.S.B. acknowledges funding support from NIH Grant R35GM142588 and NSF Grants CAREER 1941933 and 1817334.

We thank members of the Bhamla lab and Goldman lab for useful discussions. We especially want thank Akash Vardhan for experimental assistance, Dana Randall, Andréa W. Richa, and Paul Umbanhowar for helpful discussions. Finally, we thank Dr. Prateek Seghal for assisting with the image analysis of the biological experiment.

References

- 1 D. Hu, S. Phonekeo, E. Altshuler and F. Brochard-Wyart, *The European Physical Journal Special Topics*, 2016, **225**, 629–649.
- 2 C. R. Reid, T. Latty, A. Dussutour and M. Beekman, *Proceedings of the National Academy of Sciences*, 2012, **109**, 17490–17494.
- 3 N. J. Mlot, C. A. Tovey and D. L. Hu, *Proceedings of the National Academy of Sciences*, 2011, **108**, 7669–7673.
- 4 Y. Ozkan-Aydin, D. I. Goldman and M. S. Bhamla, *Proceedings of the National Academy of Sciences*, 2021, **118**, e2010542118.
- 5 D. Blackiston, E. Lederer, S. Kriegman, S. Garnier, J. Bongard and M. Levin, *Science Robotics*, 2021, **6**, eabf1571.
- 6 S. Kriegman, D. Blackiston, M. Levin and J. Bongard, *Proceedings of the National Academy of Sciences*, 2020, **117**, 1853–1859.
- 7 S. Dumont and M. Prakash, *Molecular Biology of the Cell*, 2014, **25**, 3461–3465.
- 8 F. Ndlec, T. Surrey, A. C. Maggs and S. Leibler, *Nature*, 1997, **389**, 305–308.
- 9 T. Surrey, F. Nédélec, S. Leibler and E. Karsenti, *Science*, 2001, **292**, 1167–1171.
- 10 N. Gravish, S. V. Franklin, D. L. Hu and D. I. Goldman, *Phys. Rev. Lett.*, 2012, **108**, 208001.
- 11 J.-F. Boudet, J. Lintuvuori, C. Lacouture, T. Barois, A. Deblais, K. Xie, S. Cassagnere, B. Tregon, D. Brückner, J.-C. Baret *et al.*, *Science Robotics*, 2021, **6**, eabd0272.
- 12 S. Li, R. Batra, D. Brown, H.-D. Chang, N. Ranganathan, C. Hoberman, D. Rus and H. Lipson, *Nature*, 2019, **567**, 361–365.
- 13 W. Savoie, T. A. Berrueta, Z. Jackson, A. Pervan, R. Warkentin, S. Li, T. D. Murphey, K. Wiesenfeld and D. I. Goldman, *Science Robotics*, 2019, **4**, eaax4316.
- 14 P. Anderson, *More is different Science* *177*, 393-399 (1972); CV Negoita, *Fuzzy Systems*, 1980.
- 15 C. H. Hsueh and W. C. J. Wei, *Journal of Applied Physics*, 2010, **107**, 024905.
- 16 E. Brown, H. Zhang, N. A. Forman, B. W. Maynor, D. E. Betts, J. M. DeSimone and H. M. Jaeger, *Phys. Rev. E*, 2011, **84**, 031408.
- 17 R. G. Egres and N. J. Wagner, *Journal of Rheology*, 2005, **49**, 719–746.
- 18 R. C. Kramb and C. F. Zukoski, *Journal of Rheology*, 2011, **55**, 1069–1084.
- 19 K. A. Murphy, A. K. MacKeith, L. K. Roth and H. M. Jaeger, *Granular Matter*, 2019, **21**, 1–6.
- 20 A. Z. Nelson, K. S. Schweizer, B. M. Rauzan, R. G. Nuzzo, J. Vermant and R. H. Ewoldt, *Current Opinion in Solid State and Materials Science*, 2019, 100758.
- 21 W. Man, A. Donev, F. H. Stillinger, M. T. Sullivan, W. B. Russel, D. Heeger, S. Inati, S. Torquato and P. M. Chaikin, *Phys. Rev.*




Fig. 17 Experimental setup for blackworms. (a) Two 3D-printed pieces were placed inside a conical tube: the lower stationary arm was fixed to the bottom to anchor the worms while the upper moving arm was attached to a load cell above. The load cell was attached onto a linear actuator, which allows the upper arm to move in the z-direction. 2g of worms ($N \sim 250$) were added into the tube and mixed to allow an even distribution around the arms. The upper arm was gradually raised and the force was measured. The images show snapshots from trials with low DO concentration (bottom row) and high DO concentration (upper row), taken from successive epochs during the trial. Insets show zoomed-in images of column II. (b) Graph of force applied, in mN, on the load cell as a function of time, for low DO concentration (blue curve) and high DO concentration (red curve). The three epochs I-III in panel (a) correspond to the shaded regions in panel (b). The data points correspond to individual experimental runs and the solid curves are averages across trials. (c) Violin plot of maximum pulling force, in mN, vs. dissolved oxygen level. The solid rectangles indicate the interquartile range while the whiskers indicate the maximum and the minimum value of the distribution. The individual data points are plotted as dots. ** indicate a significance level of 1%. $n = 6$ trials for each DO levels.

lett., 2005, **94**, 198001.
 22 K. Desmond and S. V. Franklin, *Phys. Rev. E*, 2006, **73**, 031306.
 23 M. Z. Miskin and H. M. Jaeger, *Soft Matter*, 2014, **10**, 3708–3715.
 24 M. Trepanier and S. V. Franklin, *Phys. Rev. E*, 2010, **82**, 011308.
 25 J. Blouwolf and S. Fraden, *Europhysics Letters (EPL)*, 2006, **76**, 1095–1101.

26 M. Z. Miskin and H. M. Jaeger, *Nature materials*, 2013, **12**, 326.
 27 M. L. Gardel, M. T. Valentine, J. C. Crocker, A. R. Bausch and D. A. Weitz, *Phys. Rev. Lett.*, 2003, **91**, 158302.
 28 P. C. Foster, N. J. Mlot, A. Lin and D. L. Hu, *Journal of Experimental Biology*, 2014, **217**, 2089–2100.
 29 N. J. Mlot, C. Tovey and D. L. Hu, *Communicative & Integrative Biology*, 2012, **5**, 590–597.
 30 T. McLeish, *Physics today*, 2008, **61**, 40–45.

- 31 O. Lieleg, K. M. Schmoller, C. J. Cyron, Y. Luan, W. A. Wall and A. R. Bausch, *Soft Matter*, 2009, **5**, 1796–1803.
- 32 C. Nguyen, Y. Ozkan-Aydin, H. Tuazon, D. I. Goldman, M. S. Bhamla and O. Peleg, *Frontiers in Physics*, 2021, **9**, 1–12.
- 33 A. Deblais, A. Maggs, D. Bonn and S. Woutersen, *Physical Review Letters*, 2020, **124**, 188002.
- 34 A. Deblais, S. Woutersen and D. Bonn, *Physical Review Letters*, 2020, **124**, 208006.
- 35 C. M. Henein and T. White, *Physica A: statistical mechanics and its applications*, 2007, **373**, 694–712.
- 36 A. Garcimartín, J. Pastor, L. Ferrer, J. Ramos, C. Martín-Gómez and I. Zuriguel, *Physical Review E*, 2015, **91**, 022808.
- 37 X. Zheng, T. Zhong and M. Liu, *Building and Environment*, 2009, **44**, 437–445.
- 38 N. Michael, C. Belta and V. Kumar, Proceedings 2006 IEEE International Conference on Robotics and Automation, 2006. ICRA 2006., 2006, pp. 964–969.
- 39 D. H. Kelley and N. T. Ouellette, *Scientific reports*, 2013, **3**, 1073.
- 40 W. Savoie, T. A. Berrueta, Z. Jackson, A. Pervan, R. Warkentin, S. Li, T. D. Murphey, K. Wiesenfeld and D. I. Goldman, *Science Robotics*, 2019, **4**, eaax4316.
- 41 W. Savoie, S. Cannon, J. J. Daymude, R. Warkentin, S. Li, A. W. Richa, D. Randall and D. I. Goldman, *Artificial Life and Robotics*, 2018, **23**, 459–468.
- 42 H. Tuazon, E. Kaufman, D. I. Goldman and M. S. Bhamla, *Integrative and Comparative Biology*, 2022.
- 43 E. M. Purcell, *American Journal of Physics*, 1977, **45**, 3–11.
- 44 R. L. Hatton, Y. Ding, H. Choset and D. I. Goldman, *Phys. Rev. Lett.*, 2013, **110**, 078101.
- 45 P. Chrono, *Chrono: An Open Source Framework for the Physics-Based Simulation of Dynamic Systems*, <http://projectchrono.org>, 2019, Accessed: 2019-01-17.
- 46 A. Tasora, R. Serban, H. Mazhar, A. Pazouki, D. Melanz, J. Fleischmann, M. Taylor, H. Sugiyama and D. Negrut, International Conference on High Performance Computing in Science and Engineering, 2015, pp. 19–49.
- 47 T. Timm and P. J. Martin, in *Clitellata: Oligochaeta*, Elsevier, 2015, pp. 529–549.
- 48 C. D. Drewes, *Journal of the Iowa Academy of Science: JIAS*, 1990, **97**, 112–114.
- 49 W. Callister, *Materials science and engineering : an introduction*, Wiley, Hoboken, NJ, 2014.
- 50 N. Gravish, P. B. Umbanhowar and D. I. Goldman, *Physical Review E*, 2014, **89**, 042202.
- 51 S. Agarwal, C. Senatore, T. Zhang, M. Kingsbury, K. Iagnemma, D. I. Goldman and K. Kamrin, *Journal of Terramechanics*, 2019, **85**, 1–14.
- 52 G. Scott and D. Kilgour, *Journal of Physics D: Applied Physics*, 1969, **2**, 863.
- 53 B. Andreotti, Y. Forterre and O. Pouliquen, *Granular media: between fluid and solid*, Cambridge University Press, 2013.
- 54 C. D. Drewes and C. R. Fournier, *The Biological Bulletin*, 1989, **177**, 363–371.
- 55 C. D. Drewes, *Hydrobiologia*, 1999, **406**, 263–269.
- 56 N. A. Kasian, L. N. Lisetski and I. A. Gvozдовskyy, *Liquid Crystals*, 2022, **49**, 142–152.
- 57 H. A. Barnes, J. F. Hutton and K. Walters, *An introduction to rheology*, Elsevier, 1989.
- 58 M. A. McEvoy and N. Correll, *Science*, 2015, **347**, 1261689.