



Cite this: *Phys. Chem. Chem. Phys.*,  
2023, 25, 1063

# Dynamics of core-excited ammonia: disentangling fragmentation pathways by complementary spectroscopic methods

Oksana Travnikova,<sup>a</sup> Farzad Hosseini,<sup>ab</sup> Tatiana Marchenko,<sup>a</sup>  
Renaud Guillemin,<sup>a</sup> Iyas Ismail,<sup>a</sup> Roba Moussaoui,<sup>a</sup> Loïc Journel,<sup>a</sup>  
Aleksandar R. Milosavljević,<sup>b</sup> John D. Bozek,<sup>b</sup> Edwin Kukk,<sup>ac</sup> Ralph Püttner,<sup>d</sup>  
Maria Novella Piancastelli<sup>id</sup>\*<sup>ae</sup> and Marc Simon<sup>id</sup><sup>a</sup>

Fragmentation dynamics of core-excited isolated ammonia molecules is studied by two different and complementary experimental methods, high-resolution resonant Auger spectroscopy and electron energy-selected Auger electron-photoion coincidence spectroscopy (AEPICO). The combined use of these two techniques allows obtaining information on different dissociation patterns, in particular fragmentation before relaxation, often called ultrafast dissociation (UFD), and fragmentation after relaxation. The resonant Auger spectra contain the spectral signature of both molecular and fragment final states, and therefore can provide information on all events occurring during the core-hole lifetime, in particular fragmentation before relaxation. Coincidence measurements allow correlating Auger electrons with ionic fragments from the same molecule, and relating the ionic fragments to specific Auger final electronic states, and yield additional information on which final states are dissociative, and which ionic fragments can be produced in timescales either corresponding to the core-hole lifetime or longer. Furthermore, we show that by the combined use of two complementary experimental techniques we are able to identify more electronic states of the  $\text{NH}_2^+$  fragment with respect to the single one already reported in the literature.

Received 29th July 2022,  
Accepted 4th November 2022

DOI: 10.1039/d2cp03488c

rsc.li/pccp

## 1. Introduction

Core excitation of molecules by monochromatic soft X-rays produces core holes, which are unstable and decay mainly by resonant Auger electron emission on a timescale of a few femtoseconds (fs,  $10^{-15}$  s).<sup>1,2</sup> When the intermediate state reached by promotion of a core electron to an unoccupied orbital is dissociative, a change in geometry possibly leading to a chemical bond breaking can occur, since the time interval between excitation and decay processes (the so-called core-hole lifetime) is long enough for light nuclei/atoms to move from their equilibrium geometry and even to grow apart until they are no longer bound. Therefore, two dynamical processes

(electronic relaxation and nuclear motion) are in competition. The process in which a chemical bond is actually broken during core-hole lifetime is labelled ultrafast dissociation (UFD) (see e.g. ref. 3–8) and the resonant Auger electronic decay occurs after dissociation in the ionic fragment (fragmentation before relaxation).

In resonant Auger decay, two types of final electronic cationic states are reached; (i) states with one valence hole, when the excited electron participates in the decay process (the so-called participator decay) and (ii) states with two valence holes and one excited electron, when the electron promoted to an empty orbital during excitation remains in the previously unoccupied orbital, one valence electron fills the core hole and another one is emitted (the so-called spectator decay). Some of these final states can in turn be dissociative, and eventually fragment. Thus, fragmentation after relaxation is an alternative dynamical pathway competing with the UFD. However, it should be noted that in this case the core-hole lifetime is no longer a limiting factor for the dissociation timescale of the final states, since the electronic relaxation has already taken place and the molecule is in an electronically well-defined cationic state prior to the possible dissociation (fragmentation after relaxation).

<sup>a</sup> Sorbonne Université, CNRS, UMR 7614, Laboratoire de Chimie Physique-Matière et Rayonnement, F-75005 Paris, France

<sup>b</sup> Synchrotron SOLEIL, L'Orme des Merisiers, Saint-Aubin, F-91192 Gif-sur-Yvette Cedex, France

<sup>c</sup> Department of Physics and Astronomy, University of Turku, FI-20014 Turku, Finland

<sup>d</sup> Fachbereich Physik, Freie Universität Berlin, D-14195 Berlin, Germany

<sup>e</sup> Department of Physics and Astronomy, Uppsala University, SE-751 20 Uppsala, Sweden. E-mail: maria-novella.piancastelli@physics.uu.se



To investigate UFD, one needs to be able to explore the few-femtosecond timescale after core excitation. One way (which will not be considered here) is the use of suitable short-pulse light sources and time-resolved techniques. Another very powerful method is high-resolution electron spectroscopy, because it is possible to use the electronic decay process itself as an “internal clock” to access the ultrashort time domain. This is the basis of the so-called core-hole-clock method.<sup>9–11</sup> Such a tool uses the decay time of a core excitation as a reference clock for other processes in the system studied. Typically, the decay of a core excitation yields a spectral signature that is characteristic of a given system. If additional processes are taking place during the core-hole decay, they will also have their own identifiable spectral signature. The core-hole lifetime can then be used as an “internal clock” to study some dynamical phenomena. If UFD is present, the decay takes place in the fragment. However, it should be emphasized that the core-hole clock is a probabilistic rather than deterministic approach, and therefore, even if UFD is present, molecular Auger decay events still occur prior to or during the UFD. The resonant Auger spectrum of the fragment will then be superimposed on the one of the intact molecule, and will be possible to assign.<sup>5–8,12,13</sup>

While the analysis of a resonant Auger spectrum can provide important information on anything which happens during core-hole lifetime, therefore *e.g.* on fragmentation before relaxation, the drawback is that by resonant Auger spectroscopy the nature (bound or dissociative) of the molecular final states reached after decay is not straightforward to assess, beside simple arguments on the peak shapes and substructure. In particular, the ionic fragments originating from fragmentation after decay cannot be identified, since the Auger electrons cannot carry information on processes happening after relaxation.

Another powerful technique to study fragmentation processes is electron-ion coincidence spectroscopy. The method of recording Auger electrons in coincidence with ions is called AEPICO (Auger electron–photoion coincidence) spectroscopy.<sup>14</sup> Coincidence measurements allow correlating Auger electrons with ionic fragments from the same molecule. The ion detection, typically as a time-of-flight measurement, provides information on all ionic fragments produced, momenta and their correlation, as well as the kinetic energy release during the fragmentation. In addition, a coincidence measurement allows to relate the ionic fragments to specific Auger final electronic states and to study the interplay between electron and ion kinetic energies. Very few articles have been reported so far on ultrafast fragmentation studies through resonant Auger-ion coincidences.<sup>15,16</sup> However, typically lower electron energy resolution and lower count rates, required in performing coincidence measurements, do not allow the same level of details on electron side, which can be derived from single-channel high-resolution resonant Auger spectra.

As mentioned, Auger electrons act as an instant probe into the chemical environment that exists at the moment of their emission during the time window of the core-hole lifetime. This information is carried also by the electrons detected in an AEPICO experiment; however, there the typically lower

resolution limits our ability to extract it. On the other hand, the properties of the emitted ions do not reflect the electronic and geometrical configuration of the system at a certain moment in time in a similarly direct fashion, since their detected properties (masses, momenta) are largely formed during the entire course of the dissociation process on a much slower timescale than femtoseconds. Consequently, retrieving the initial conditions (such as timing relative to the core-excitation event) of the dissociation requires reconstruction of the entire dissociation dynamics. Therefore, the two methods (high-resolution single-channel resonant Auger spectroscopy and Auger electron–photoion coincidence technique) are complementary and their combined use is very advantageous.

We present here a study on fragmentation dynamics of core-excited isolated ammonia molecules. To achieve a complete overview of the dynamics occurring upon core excitation, in our work we have used both high-resolution resonant Auger spectroscopy and electron energy-selected AEPICO. We have exploited the complementarity of the two methods to obtain information on both different dissociation patterns, fragmentation before relaxation (UFD) and fragmentation after relaxation. While the core-hole clock method has allowed us to investigate ultrafast dissociation on the few-fs timescale, the coincidence measurements have yielded additional information on which final states are dissociative, and which ionic fragments can be produced in timescales either corresponding to the core-hole lifetime or longer.

The chosen showcase molecule is ammonia,  $\text{NH}_3$ , for several reasons. The dynamics of core-excited ammonia has been extensively studied in  $\text{NH}_3$  molecules either isolated<sup>7,17,18</sup> or adsorbed on surfaces.<sup>19</sup> It is well known that excitation from the N 1s core level to the LUMO (lowest unoccupied molecular orbital) results in the population of a dissociative intermediate state, with a core-hole lifetime of about 6 fs.<sup>7</sup> Previous studies have shown that the fragment produced by ultrafast dissociation and the subsequent decay is  $\text{NH}_2^+$ .<sup>7,17</sup> However, in the literature there was no indication of how many fragment electronic states are populated in the decay, since there is a substantial overlap with molecular final states which cannot be resolved even with high-resolution measurements.

The main goal of the present work is to derive a complete picture of the dissociation dynamics of core-excited ammonia, both during core-hole lifetime (UFD, fragmentation before decay) or after relaxation by resonant Auger electron emission (fragmentation after decay). Furthermore, on the ground of the coincidence measurements, we can identify other electronic final states of the fragment which in the resonant Auger spectra overlap with some molecular features, but can be singled out more clearly in the AEPICO results. In the earlier work, only one final state of the  $\text{NH}_2^+$  fragment pertaining to the UFD process was described in the literature.<sup>7</sup> Our results indicate that UFD is a more efficient process in ammonia than previously reported.

We show that the  $\text{NH}_2^+$  fragment appears also in coincidence events involving some of the molecular final states, therefore indicating fragmentation after relaxation. The dissociation of the  $\text{NH}_2^+$  fragment proceeds until it is stripped of all



hydrogens, provided that the energy left in the systems is above the corresponding ion appearance energy. However, exclusively the  $\text{NH}_2^+$  ion is formed in the Auger electron kinetic energy region of the fragment lines, though the appearance of  $\text{NH}^+$  is energetically allowed.<sup>20–22</sup> It can be mentioned that Walsh *et al.*<sup>17</sup> observed  $\text{NH}^+$  fragment with  $\text{H}^+$  co-fragment, which however originates from a different minor decay channel, namely double Auger decay,<sup>23</sup> leading to dicationic final states. The electron energies, corresponding to the double Auger decay channel, are not covered by the current measurements and cannot be disentangled easily in Auger spectra owing to the energy sharing between the two electrons.

The present results are complementary to those of a recent paper of ours,<sup>24</sup> where we published Auger electron–ion coincidence (AEPICO) measurements on core-excited ammonia with a different setup, and showed the Auger–Doppler effect in the emission of ionic fragments deriving from UFD. While the focus of the previous work<sup>24</sup> was mainly on the description of the Auger–Doppler effect and partitioning of the internal energy left in the system after dissociation between different degrees of freedom, this work aims at providing a more complete description of the dissociation dynamics in  $\text{NH}_3$  and disentangling different final states of the  $\text{NH}_2^+$  fragment originating from UFD. We believe that such combined use of complementary spectroscopic methods allows one investigating in unprecedented detail core excitation–relaxation dynamic in isolated molecules. We will present results based on a similar approach in further publications concerning other molecules containing light atoms such as  $\text{H}_2\text{O}$ .<sup>25</sup>

## 2. Experimental

All experiments were performed on the beamline PLEIADES<sup>26</sup> at synchrotron SOLEIL, near Paris, France. PLEIADES uses two insertion devices. One of them is a 256 mm-period electromagnetic undulator for providing photon energies below 100 eV. The second one is an 80 mm-period Apple II type undulator for photon energies above 60 eV. Various light polarizations are available such as horizontal and vertical and tilted (magic angle ( $\sim 54.74^\circ$ )) linear as well as circular and elliptical polarization.

The monochromator installed at PLEIADES is a plane grating monochromator (PGM) with varied line spacing (VLS). It has four gratings with varied groove depth (VGD). Three available end-stations include a high-resolution electron spectrometer, an ion beam source crossing the photon beam of the synchrotron, and an electron–ion coincidence setup (EPICEA,<sup>27,28</sup>) for measuring high-energy electrons in coincidence with ions. The two spectrometers require somewhat different beamline settings and are operated in sequence, not simultaneously.

The high-resolution resonant Auger measurements were performed using a VG-Scienta R4000 hemispherical electron analyzer, which was operated at the pass energy of 20 eV and the entrance slit of 0.8 mm. At these analyzer settings, the achievable electron kinetic energy resolution was estimated to be 40 meV. The beamline monochromator slit was set to

20 microns and a high-flux grating containing 600 lines per mm was used. These beamline parameters resulted in a photon bandwidth of about 56 meV around 400 eV. The measurements were performed using circularly polarised light as it provides the highest flux around N K edge at the PLEIADES beamline. The electron kinetic energy was calibrated using  $3a_1^{-1}$  valence photoelectron line<sup>29</sup> as well as 1st and 2nd order of the N 1s photoelectron line of  $\text{NH}_3$  recorded at the photon energy  $\sim 50$  eV above N 1s ionisation threshold. For both high-resolution resonant Auger-electron and coincidence measurements, the exact position of the top of the  $\text{N } 1s^{-1}4a_1^{-1}$  resonance (400.66 eV<sup>30</sup>) was determined by recording a total ion yield spectrum, which mimics a photoabsorption spectrum, as a function of photon energy just below the N 1s ionization threshold of  $\text{NH}_3$ . The total ion yield measurement was systematically repeated every 2–4 hours to monitor possible drifts in photon energy position using a channeltron detector, installed downstream from the hemispherical electron analyzer and the coincidence setups at the PLEIADES gas-phase end-station. Ammonia gas was introduced to the home-build gas cell at a constant flow and the pressure in the chamber was kept at  $2.5 \times 10^{-5}$  mbar.

The electron–ion coincidence measurements were performed with the EPICEA setup.<sup>27,28</sup> The electron analyzer in EPICEA is a home-designed electron spectrometer. The trajectory of electrons through the analyzer consists of two half-toroidal pathways (double toroidal analyser, DTA). An ion time-of-flight (TOF) spectrometer is installed opposite to the DTA to make electron–ion coincidence measurements possible. The DTA was operated at a 180 eV pass energy providing a kinetic energy resolution of  $\sim 1.4$  eV and allowing simultaneous detection of electrons in the kinetic energy window of 22 eV. The centre of the kinetic energy window was set to 378 eV. Ammonia gas was introduced as an effusive beam through the needle and the pressure in the chamber was kept at  $4.5 \times 10^{-7}$  mbar. The monochromator slit was set to 5 microns for the measurements performed on top of the  $\text{N } 1s^{-1}4a_1$  resonance in  $\text{NH}_3$  and was adjusted to keep the electron count rate comparable for the two other photon energies across the resonance (+200 meV and –200 meV detunings).

Ions were detected by Roentdek 80 mm MCP and HEX-anode detector, recording ion flight times (TOFs) and radial hit positions, which were combined into a coincidence dataset together with the electron energy. Combining the ion hit positions on the detector with the deviations in the ion flight times, we could derive 3D momenta for each ion and hence obtain kinetic energy release (KER) for each dissociation event leading to the  $\text{NH}_2^+$  fragment. The ions emitted in all directions ( $4\pi$ ) were collected using the pulsed extraction field, which is applied after detection of each electron during a defined time window. In addition, non-coincident “random” triggers for ion extraction were generated during data acquisition and added to the dataset. These “randomly” generated ions create a statistical background, which was used in the analysis for the subtraction of false coincidences from the Auger electron–ion coincidence (PEPICO) maps and KER distributions.

For the coincidence measurements, electron kinetic energy calibration was performed using Ar gas by recording a series of



spectra at several photon energy, which were scanned in steps so that Ar 2p lines sweep through the electron kinetic range between 375–395 eV. Ion energy was calibrated by AEPICO measurements on  $N_2$ .<sup>31</sup>

### 3. Results and discussion

In ammonia, core excitation of an N 1s electron to the  $4a_1$  antibonding molecular orbital populates an intermediate state, which is dissociative and known to undergo UFD. First evidence of the phenomenon was observed by resonant Auger electron spectroscopy in ref. 7. A following study reported the existence of a potential barrier of 0.17 eV at 1.2 Å in the potential energy surface (PES) of core-excited ammonia, meaning that the dissociative region of the PES of the intermediate core-excited state is not reached at the top of the resonance, but at slightly higher photon energy, to overcome such barrier.<sup>17</sup>

In Fig. 1 we show a schematic representation of core excitation, resonant Auger decay and dissociation of ammonia.

We can immediately notice that the  $NH_2^+$  fragment can be produced by two different pathways. Therefore, one of the challenges of the present work has been to characterize the timescale and the energetics of these two fragmentation processes. In the following we will discuss first the high-resolution resonant Auger spectra, which shed light on events taking place during core-hole lifetime (the “internal clock” mentioned above), and then the electron–ion coincidence measurements,

which provide information on the energetics of all fragmentation pathways irrespective of their occurrence before or after electronic relaxation.

#### 3.1 High-resolution resonant Auger spectroscopic analysis

In Fig. 2 we show resonant Auger spectra measured across the N  $1s^{-1} 4a_1$  resonance (400.66 eV). The peaks labelled  $3a_1^{-1}$  and  $1e^{-1}$  correspond to molecular final states reached either after Auger decay of the  $NH_3^*$  core-excited species, or by direct valence photoionization, while the group of sharp peaks starting at 382 eV kinetic energy corresponds to a transition to fragment final states reached after UFD and subsequent Auger decay of the  $NH_2^*$  core-excited species.<sup>7,17</sup>

Sharp fragment lines in Fig. 2 show non-dispersive behaviour with the photon energy, which is a signature of UFD in resonant Auger decay spectra.<sup>7</sup> At the same time the spectroscopic feature of the  $1e^{-1}$  molecular final state, corresponding to the Auger decay in the undissociated ammonia, follows the photon energy detuning across the resonance. The behaviour of the  $3a_1^{-1}$  molecular final state as a function of photon energy can be understood as redistribution in the population of vibrational states which would be a hint that its potential energy surface might be (nearly) parallel to the intermediate N  $1s^{-1} 4a_1$  core-excited state.<sup>33</sup> One can notice that the width of the individual peaks within the vibrational progression of the  $3a_1^{-1}$  is significantly narrower from that of the vibrationally resolved  $\tilde{a}^1A_1$  state of the  $NH_2^+$  fragment. This is owing to the contribution of the lifetime broadening ( $\Gamma \sim 120$  meV) in Auger decay process




Fig. 1 Schematic representation of core excitation, relaxation and fragmentation processes in an isolated ammonia molecule. The two pathways (fragmentation before and after resonant Auger decay) are illustrated. The thickness of the arrows indicates the probability of the various dissociation processes. The  $NH_2^+$  fragment is singled out by boxes because it is the main example of how the same ionic final state can be reached by different pathways. Note that depending on the Auger decay, the final ionic fragments can be  $NH_3^+$ ,  $NH_2^+$ ,  $NH^+$ , and  $N^+$ , i.e. not all decay processes result in a complete dissociation into  $N^+$  and 3H.




Fig. 2 Resonant Auger spectra taken at several photon energy values across the N  $1s^{-1} 4a_1$  resonance. The different spectra are measured at different values of detuning  $\Omega$ , which is the difference between the photon energy and the energy corresponding to the highest core-excitation cross section for the N  $1s^{-1} 4a_1$  resonance (400.66 eV). The theoretically expected energy positions for the different Auger transitions in  $NH_2$  fragment are also indicated based on the energy differences between the states  $\tilde{a}^1A_1$  as well as  $\tilde{b}^1B_1$  and  $\tilde{c}^1A_1$  of the  $NH_2^+$  ion with the H–N–H bond angle of  $110^\circ$ , which corresponds to the geometry of the core-excited fragment.<sup>32</sup> All spectra are normalized to photon flux and acquisition time.






occurring in the fragments after UFD, while molecular Auger decay does not include lifetime broadening of core-excited state in resonant Raman conditions.<sup>24</sup>

Another noticeable observation from Fig. 2 is the appearance of the additional broad feature with the maximum at electron kinetic energy of about 380.5 eV, which was not reported in the previous work by Hjelte *et al.*<sup>7</sup> The cross-section of this feature seems to follow the fragment lines of the  $\tilde{a}^1A_1$  state rather than molecular final states  $3a_1^{-1}$  and  $1e^{-1}$ , whose cross-section evidently drops as the photon energy is tuned away from the top of the resonance. In fact, this spectral broad feature at 380.5 eV becomes more apparent at positive detunings  $>200$  meV, where the resonant cross-section decreases and hence molecular Auger decay signal also decreases but the probability of UFD increases owing to the barrier of 170 meV on the potential energy surface of the core-excited ammonia (see above). This suggests that the peak at 380.5 eV may also correspond to another final state of the UFD fragment. To confirm this hypothesis, we have performed a more detailed analysis of the spectra, which is presented in the following discussion.

**3.1.1 Vibrational analysis for the transitions to the  $\tilde{a}^1A_1$  and  $\tilde{b}^1B_1$  final states of the  $NH_2^+$  fragment.** We performed a very detailed analysis of the spectral region of the fragment peaks by a careful fitting procedure. The results are presented in Fig. 3, which shows the Auger transitions of core-excited  $NH_2^+$  to the states  $\tilde{a}^1A_1$  (blue subspectrum) and  $\tilde{b}^1B_1$  (black subspectrum) of  $NH_2^+$  measured for different detuning relative to the peak maximum of the  $N\ 1s^{-1}\ 4a_1$  excitation of  $NH_3$ . As discussed further below, we conclude from the analysis that the initial state of the transition is  $(1a_1)^1(2a_1)^2(1b_2)^2(3a_1)^2(1b_1)^2(^2A_1)$ , that is the lowest core-excited state of  $NH_2$ .

In a previous publication<sup>7</sup> the most intense narrow lines around 382 eV were assigned, based on the vibrational spacing of  $\approx 400$  meV for the symmetric stretching mode, to transitions to the  $\tilde{a}^1A_1$  state of  $NH_2^+$ . Calculations predict Auger transitions to the  $\tilde{b}^1B_1$  state at about 1 eV lower kinetic energies,<sup>34,35</sup> which were not observed in the previous work of Hjelte *et al.*<sup>7</sup> As discussed above, in the present work a broad peak at around 380.5 eV becomes more and more obvious with increasing photon energy. This peak does not show much structure due to a large change of the bond angle upon the Auger transition, as discussed later. Since the Auger rates for the  $NH_2^+$  fragment are independent from the excitation energy a constant intensity ratio for the transitions to the states  $\tilde{a}^1A_1$  and  $\tilde{b}^1B_1$  of  $NH_2^+$  is expected. In order to confirm this assumption and, as a consequence, the assignment of the broad peak at around 380.5 eV (see black curves in Fig. 3) as transition to the state  $\tilde{b}^1B_1$  of  $NH_2^+$ , we performed a least-squares curve fitting analysis of the present high-resolution spectra recorded at different photon energies in the range of 100 meV below and 300 meV above the peak maximum of the  $N\ 1s^{-1}\ 4a_1$  resonance.

In this analysis the transitions to the  $\tilde{a}^1A_1$  state were described with a Franck–Condon analysis by assuming Morse potentials of the core-excited and the final state. In such an analysis the intensities of the vibrational levels are calculated



**Fig. 3** Fit result for the region of the Auger transitions of the fragment  $NH_2$  measured at different detuning energies between  $-100$  and  $300$  meV relative to the top of the  $N\ 1s^{-1}\ 4a_1$  resonance ( $400.66$  eV). The red solid lines through the data points represent the fit result. The blue and black solid subspectra indicate the transitions to the final states  $\tilde{a}^1A_1$  and  $\tilde{b}^1B_1$ , respectively. The background formed mostly by resonant Auger decays of molecular  $NH_3^+$  is indicated by the dashed black line. For more details, see text.

based on the equilibrium distances  $R_e$ , vibrational energies  $\hbar\omega$  and anharmonicities  $x\hbar\omega$  of the Morse potentials; for details, see ref. 36. The initial core-excited state  $NH_2^+$  undergoes a transition to the state  $\tilde{a}^1A_1$  of  $NH_2^+$ ; this Auger transition takes place in the core-excited  $NH_2$  fragment, rather than in the  $NH_3$  molecule, due to ultrafast dissociation of the  $N\ 1s^{-1}\ 4a_1$  state of  $NH_3$ . Because of this, its exact configuration and symmetry is not known. In the analysis we assumed that the initial state is the lowest core-excited state of  $NH_2$ , namely  $(1a_1)^1(2a_1)^2(1b_2)^2(3a_1)^2(1b_1)^2(^2A_1)$ . The potential-energy surface of this state is not reported in literature, but can be approximated based on the  $Z + 1$  approximation, *i.e.*, it can be approximated with the ground state of water. The values for the ground state of  $H_2O$ , namely the equilibrium distance  $R_e = 0.958\ \text{\AA}$ ,<sup>37</sup> the vibrational energy  $\hbar\omega = 475.0\ \text{meV}$ <sup>38</sup> and the anharmonicity  $x\hbar\omega = 5.3\ \text{meV}$ <sup>38</sup> for the symmetric stretching vibrational mode were



used to generate a model potential energy curve for the lowest core-excited state of  $\text{NH}_2$ . As we will show further below, these values lead to consistent results of the fit analysis; this we consider as a strong argument for the assignment of the initial state. Finally, we will use the fit result and the geometry reported in literature for the final state  $\tilde{a}^1\text{A}_1$  of  $\text{NH}_2^+$  to derive the equilibrium distance of the core-excited  $\text{NH}_2$  state.

The equilibrium distance, vibrational energy and anharmonicity of the  $\tilde{a}^1\text{A}_1$  state were free fit parameters. The transition to the  $\tilde{b}^1\text{B}_1$  state is described with a broad Gaussian, (black subspectra in Fig. 3). The five spectra taken at different photon energies and shown in this figure were fitted simultaneously. As discussed above, we assume that the initial state of the dissociation fragment  $\text{NH}_2$  is independent from the excitation energy, and thus expect identical Auger spectra for the different excitation energies. In particular, the vibrational progressions of all spectra were described with the same Morse potentials. Moreover, the same Gaussian function was used for the transition to the  $\tilde{b}^1\text{B}_1$  state. Finally, the same intensity ratio and energy splitting for the transitions to the  $\tilde{a}^1\text{A}_1$  and  $\tilde{b}^1\text{B}_1$  states were used. The only free parameters for the  $\text{NH}_2$  transitions that were different for the spectra recorded at different photon energies are the total intensities as well as a small shift for the kinetic energy axis to account for different number of counts and small energy calibration uncertainties, respectively. The background indicated by a dashed black line is formed by resonant Auger decay to the spectator final states of molecular  $\text{NH}_3$  and possible contribution from the  $\tilde{c}^1\text{A}_1$  state of the  $\text{NH}_2^+$  fragment. This complex background is described by four Gaussian lineshapes as well as a quadratic function; note that these individual components have no direct physical meaning. Since the shapes of the corresponding resonant Auger transitions may depend on the photon energy, the parameters of the four Gaussian peaks in the spectra recorded at different photon energies are not linked to each other.

The reduced  $\chi^2$  for the parallel fit of the different spectra amounts to 1.90, which is significantly larger than expected for a set with about 2100 data points if only statistical deviations between the fit result and the data points occur, *i.e.* the fit model does not describe the physics completely. However, we consider the good agreement between the experimental data and the fit result as well as the obtained value for the reduced  $\chi^2$  as clear evidence for the fact that our simplifying and restricted fit model describes well the essential physics of the analyzed spectra. Small effect that cause systematic deviations between the fit result and the experimental data and, as a consequence, the reduced  $\chi^2$  larger than 1, will be discussed further below.

In the following we discuss the results of the fit analysis and start with the vibrational progression. From the fit analysis a vibrational energy of  $\hbar\omega = 424(5)$  meV and an anharmonicity of  $x\hbar\omega = 13.5(1.5)$  meV is obtained for the symmetric stretching mode of the final state. These numbers agree well with the spacings of 390(10) meV for the lower vibrational levels observed by Hjelte *et al.*<sup>7</sup> and used to assign the final state of the Auger transition to  $\tilde{a}^1\text{A}_1$ . This assignment is, however, not

unambiguous since the calculated vibrational energies for the symmetric stretching mode of the four lowest states of  $\text{NH}_2^+$  vary between 401.5 meV and 408.5 meV, *i.e.*, are very similar.<sup>29</sup> However, from the fit analysis a change in the equilibrium distance upon the Auger decay of  $\Delta R_e = +0.081(1)$  Å is obtained. Using the equilibrium distance of water in the ground state as the value for the initial state of the considered Auger transition, an equilibrium distance  $R_e = 1.039(1)$  Å for the final state is obtained. This result fits best to the equilibrium distances of the state  $\tilde{a}^1\text{A}_1$  as obtained in different calculations.<sup>34,35,39,40</sup> However, the most convincing argument for the assignment of the vibrational progression to the transition from the  $(1a_1)^1(2a_1)^2(1b_2)^2(3a_1)^2(1b_1)^2(^2\text{A}_1)$  state of  $\text{NH}_2$  to the  $\tilde{a}^1\text{A}_1$  state of  $\text{NH}_2^+$  is the absence of bending vibrational levels since the difference of the bond angle of the ground state of  $\text{H}_2\text{O}$  ( $104.52^\circ$ <sup>37</sup>) and the calculated bond angles of the  $\tilde{a}^1\text{A}_1$  state ( $108.8^\circ$ ,<sup>39</sup>  $109^\circ$ ,<sup>38</sup>  $108.0^\circ$ ,<sup>34</sup>  $109.2^\circ$ <sup>35</sup>) is very small. For all other final states, the bond angle differs much more from that of the initial state so that long vibrational progressions of the bending mode are expected. Moreover, the bond angles and equilibrium distances of the low-lying excited states of water<sup>41</sup> also do not fit to the observed vibrational progression so that other initial states than  $(1a_1)^1(2a_1)^2(1b_2)^2(3a_1)^2(1b_1)^2(^2\text{A}_1)$  can also be excluded.

Since we identified in the above-presented analysis the initial and the final states unequivocally, we will use in the following the accurate results for the  $\tilde{a}^1\text{A}_1$  obtained from rotationally resolved photoelectron spectra<sup>35</sup> to get deeper inside in the states involved. In the latter reference an equilibrium distance of 1.051(3) Å is reported. With this value and the change in the equilibrium distance of  $\Delta R_e = +0.081(1)$  Å upon the Auger decay, see above, we derive an equilibrium distance of 0.970(4) Å for the lowest core-excited state of  $\text{NH}_2$ ; this value is only slightly larger than for that for the  $Z + 1$  molecule water, see above. The experimental bond angle of  $109.12(27)^\circ$ <sup>35</sup> are also in excellent agreement with the different calculated results discussed above.

Willitsch *et al.*<sup>35</sup> derived a spacing of 377.3(3) meV between the  $\nu' = 0$  and the  $\nu' = 1$  states. From our fit approach based on Morse potentials we obtain a splitting of  $\hbar\omega - 2x\hbar\omega = 397(8)$  meV, which is significantly larger than the value given by Willitsch *et al.* Note that in our fit analysis the entire vibrational progression presented by the blue subspectra in Fig. 3 are described by the three parameters of  $\hbar\omega$ ,  $x\hbar\omega$ , and  $\Delta R_e$ , *i.e.* the fit is highly restricted. A different analysis that considers only the positions of the first two peaks result in a splitting of 383(4) meV between the vibrational levels  $\nu' = 0$  and 1, which agrees reasonably well with the value given by Willitsch *et al.*

This result shows clearly that our fit approach based on Morse potentials has small deficiencies, which explain the reduced  $\chi^2$  of 1.90. Amongst the possible reasons for these deficiencies is a not fully correct description of the background or the  $\tilde{b}^1\text{B}_1$  state. It is also possible that the potential energy curves of the core-excited  $\text{NH}_2$  state or the  $\tilde{a}^1\text{A}_1$  final state of  $\text{NH}_2^+$  do not exactly match the empirical Morse potential. However, the highly restricted fit approach based on Morse potentials has two advantages, so that it makes sense to utilize it in the present data analysis. First, one obtains, based on a



small number of parameters, a physically meaningful vibrational progression; in this way one can separate different contributions to the spectra. Second, this approach allows to derive geometrical changes upon electronic transitions.

From the fit analysis we can also conclude that higher vibrational levels of the initial core-excited state are practically not populated since the observed Poisson-like intensity distribution of the vibrational progression is typical for a transition starting at the vibrational ground state  $v'' = 0$ . This agrees with the conclusions also derived in our previous work.<sup>24</sup> Indications for the populations of higher vibrational levels in the initial state are expected at higher kinetic energies, namely at  $\approx 382.5$  eV for  $v'' = 1$  and  $\approx 383$  eV for  $v'' = 2$ ; obviously such lines are absent in the spectrum.

In the analysis, the lines of the vibrational progression were described with Lorentzian lineshapes to account for the lifetime broadening  $\Gamma$ . Since the lifetime broadening of core-excited  $\text{NH}_2$  is not known, we applied  $\Gamma = 120$  meV, which is the average of the  $\text{N } 1\sigma_{\text{g}}^{-1}$  and  $\text{N } 1\sigma_{\text{u}}^{-1}$  levels of  $\text{N}_2$ . These lineshapes were convoluted with a Gaussian to describe the experimental resolution and the Doppler broadening due to the dissociation of  $\text{NH}_3$ .<sup>24</sup> The width of the Gaussian function was a free parameter and resulted in  $\Delta E = 130(5)$  meV. This Gaussian contains three contributions, namely a photon bandwidth of 56 meV, an electron analyzer contribution of 40 meV, and a Doppler broadening  $\Delta E_{\text{Doppler}}$  of 110(8) meV (FWHM) mainly caused by the velocity of the  $\text{NH}_2$  fragment due to UFD. Using the equation  $\Delta E_{\text{Doppler}} [\text{eV}] = (2.48 \times 10^{21}) p_z [\text{kg m s}^{-1}]$  with  $p_z$  being the momentum of the  $\text{NH}_2$  fragment along the detection direction of the Auger electron,<sup>24</sup> one obtains momenta between  $-2.2(2) \times 10^{-23}$  and  $+2.2(2) \times 10^{-23}$  kg m s<sup>-1</sup>; these values agree well with those observed in Auger electron-ion coincidence measurements.<sup>24</sup>

Finally, we shortly address the transition to the  $\tilde{b}^1\text{B}_1$  state of  $\text{NH}_2^+$ , which is described with a broad Gaussian function. The equilibrium distance of this state amounts  $R_{\text{e}} \approx 1.03$  Å and the bond angle  $\alpha \approx 160^\circ$ .<sup>34,39,40</sup> The large difference in the bond angle of the initial and the final state of the transition leads to a long progression of the bending mode and justifies the Gaussian function used in the fit analysis for this transition.

### 3.2 Energy-selected Auger electron-ion coincidence results

While the careful fits of the high-resolution resonant Auger spectra allow us assigning the two lowest-lying final states of the  $\text{NH}_2^+$  ion, which is produced *via* the UFD process, the analysis of the coincidence data measured by the EPIC setup provides complementary information on all ions emitted and their connection with specific electronic final states. An overview is presented in Fig. 4, in which an Auger decay spectrum (in black) recorded for the photon energy detuning of +200 meV from the top of the resonance is sliced into a series of Auger spectra (in colors) in coincidence with one of the ion fragments. The chosen photon energy corresponds to the value where the maximum amount of UFD is expected, due to the above-mentioned potential barrier.




Fig. 4 Coincidence results obtained by the EPIC setup at +0.2 eV photon energy detuning (400.86 eV). (a) Mass-selected resonant Auger spectra in coincidence with different ions. A to E mark the five distinguishable regions for which the ions time-of-flights are plotted in (b). In these spectra, the flight time is converted to the mass-to-charge ratio.

The different ions were detected in coincidence with the Auger electrons across the whole kinetic energy range from 367 to 389 eV and their time-of-flight mass spectrum is shown in black in Fig. 4(b). Much more detailed information can be extracted by selecting subsets of coincidence events where either the electron energy falls into a certain range, or a certain fragment ion is produced. The coloured curves in Fig. 4(a) show the spectra of Auger electrons associated to the production of either  $\text{N}^+$ ,  $\text{NH}^+$ ,  $\text{NH}_2^+$  or  $\text{NH}_3^+$  ions. Correspondingly, the coloured spectra in panel (b) show the ion spectra that resulted when the electron energy was filtered by the energy windows A–E (defined in Fig. 4(a)).

**3.2.1 Auger-electron-energy-selected ion TOFs.** We observe that not all five coloured ion TOF spectra contain four fragments, but there are substantial differences in number and shape of the ion peaks. A significant example is the green TOF spectrum, which shows ion counts in coincidence with electrons having the



kinetic energy ranging from 380 to 383 eV, which is the spectral region we identify for the  $\tilde{a}^1A_1$  and  $\tilde{b}^1B_1$  final states of UFD (see previous section). There only the  $NH_2^+$  fragment is present. Another region, where solely the  $NH_2^+$  fragment is observed, is region D, which corresponds to the  $1e^{-1}$  molecular final state. However, the presence of the  $NH_2^+$  fragment there means that the fragmentation takes place after the Auger relaxation, and not before as is the case of region C as it is explained further below. In general, this overview is a clear indication of the existence of several fragmentation processes leading to the same ion fragment but with different mechanisms and different timescales.

In  $NH_3$  core excitation, most of the input energy is released as kinetic energy of Auger electrons and the remaining energy can be consumed as appearance energy for ion fragments plus their kinetic energy release (KER) as follows, according to the Born–Haber cycle:

$$E_{ph} - E_{Auger} = (IE + E_{diss}) + E_{KER} = AE + E_{KER}$$

where IE is ionisation energy of the fragment,  $E_{diss}$  – dissociation energy from the neutral molecule, AE – appearance energy of the fragment ion and  $E_{KER}$  is total kinetic energy release. It should be noted that  $E_{KER}$ , apart from the ion energies (KER) deduced from the ion 3D momenta, includes energy transferred to the molecule or fragments as translational, vibrational, or rotational energies, depending on the geometry and the size of the dissociating molecule. We have reported a detailed description of such energy partitioning in a previous paper.<sup>24</sup>

Although the relationship between KER distributions and electron kinetic energy will be explored in detail later using all three components of the ion's momentum ( $p_x$ ,  $p_y$  and  $p_z$ ), the ion time-of-flight (TOF) spectra, which reflect only the  $p_z$  component of the ion momenta, in Fig. 4 panel (b) already give the first insight into these dependencies. The peak shapes in the TOF spectra are strongly affected by the initial momentum of the ion, namely its component along the spectrometer's axis ( $p_z$ ). As the momentum increases, the peak broadens and can eventually split into two components. A narrow width of the TOF peaks indicates that the measured ions have a very small kinetic energy. This is the case for the  $NH_3^+$  peak in all five regions, which is expected since it is the parent ion that does not receive any momentum from the KER of the dissociation. As for the  $NH_2^+$  fragment ion peak shapes from E to A regions, we observe that this peak becomes broader, which means more energetic ions. Such general behaviour – beginning with little kinetic energy at and close to the ion's appearance energy, and then displaying increasing KER as the available internal energy increases (the Auger electron's energy decreases) – is commonly observed in AEPICO type of experiments.<sup>14</sup>

Furthermore, the  $NH_2^+$  peak in region E, from 388 to 393 eV which corresponds to the 8 to 13 eV binding energies, is extremely weak. In this region we see mostly the  $NH_3^+$  ion, indicating that the final electronic state  $3a_1^{-1}$  is very little or not at all dissociative, being below the appearance energy of  $NH_2^+$ . The appearance energy for  $NH_2^+$  is reported at 15.75 eV by Qi *et al.*<sup>20</sup> Note that an appearance energy is derived relative to the used photon energy of 400.86 eV, *i.e.*,  $NH_2^+$  should be

visible below  $400.86 - 15.75 \text{ eV} = 385.11 \text{ eV}$ , in good agreement with the findings in Fig. 4a.

The TOF spectrum (blue) for ions in coincidence with electrons in the electron kinetic energy region D, from 384 to 387 eV, shows a narrow peak for  $NH_2^+$  and the  $NH_3^+$  peak is still present but with lower intensity compared to region E. Here, we have less energetic Auger electrons, and thus more energy is available in the system which leads to the dissociation of the  $NH_3^+$  molecular ion. Note that the appearance energy of  $NH_2^+$  at  $\approx 385.1 \text{ eV}$ , see above, is located close to the center of region D. This agrees well with the observation in Fig. 4(a) that above this energy mainly  $NH_3^+$  fragments (blue line) are formed while below this value the  $NH_2^+$  fragment (green line) is dominant. In the next region, C, the broader component in the shape of the  $NH_2^+$  peak provides a direct additional confirmation of its origin from UFD. In the next two regions, A and B, other fragments,  $NH^+$  and  $N^+$ , are observed with their appearance energies of 16.9 eV<sup>21</sup> and 22.6 eV,<sup>22</sup> respectively. More in detail, for  $NH^+$ , and consequently for  $N^+$ , we observe two onsets, because there are two possible fragmentation processes, concerted and sequential loss of the two hydrogens, with different appearance energies, namely 16.9 eV for the simultaneous breaking of the two N–H bonds and  $H_2$  formation,<sup>21</sup> and 21.4 eV for the N–H bond breaking in two steps ( $E_{diss}(H_2) = 4.5 \text{ eV}^{42}$ ).

**3.2.2. Disentangling Auger decay transitions to the  $\tilde{c}^1A_1$  final state of the  $NH_2^+$  fragment.** In the following discussion, we will concentrate on the  $NH_2^+$  fragment, because as stated above it can be produced by different pathways, which the combined use of both techniques has allowed us disentangling. In particular, we will focus on the manifestations of the third  $\tilde{c}^1A_1$  final state of the  $NH_2^+$  fragment produced *via* UFD, which is observed in our coincidence data and which was not experimentally observed previously in the literature.

In Fig. 5 we show a schematic view of the potential energy curves along the reaction coordinate and the energetics of such different processes.

In particular, in Fig. 5(a) we show where early Auger decays occur in  $NH_3^+$  molecules and in (b) where late Auger decays take place in the  $NH_2^+$  fragments following UFD. In the case of the Auger decay in the molecule, different  $E_{Auger}$  and KER of the fragments can be expected depending on the shapes of the  $NH_3^+$  PESs, which the system reaches after the decay. The emission of Auger electrons with high kinetic energy results in low or nearly zero KER in  $NH_2^+$  fragments, corresponding to its appearance energy. On the other hand, less energetic Auger electrons can be emitted resulting in a larger KER after the dissociation. These two cases are shown schematically in Fig. 5(a). In general, the KER for molecular decay is a product of energy release due to dynamics in the core-excited state and dissociation in the final state. Hence, KER for molecular decay is largely determined by the potential energy surfaces of the final states, in contrast to the KER in the case of UFD, see Fig. 5(b) where it is determined solely by dissociation occurring in the core-excited state. In Fig. 5(b) two cases are shown schematically where two different  $NH_2^+$  final states are reached giving rise to two different electron kinetic energies, while the







Fig. 5 Schematic representation of the cuts through potential energy surfaces along the reaction coordinate showing the ground state, intermediate core-excited state and final cationic states accessible through Auger molecular dissociation (a) or ultrafast dissociation (b), as the limiting cases.

KER in the fragments from which they were emitted is the same for both states.

To obtain more detailed information, we correlate the kinetic energy of the  $\text{NH}_2^+$  fragment to the kinetic energy of

emitted Auger electrons and we show in Fig. 6 (top) the result as 2D energy maps for the range of electron kinetic energy between 368 eV to 388 eV. We show electron-ion correlation maps for three different photon energies across the  $\text{N } 1s \rightarrow 4a_1$




Fig. 6 (top) Compares 2D electron-ion energy correlation map for the three different photon energies across the resonance: below, top, and above the resonance, where electronic regions D, C and B are marked. Sub-regions in C and B, corresponding to KER between 1.2 and 2.2 eV, where the UFD region is observed, are framed with red and dark blue solid boxes, respectively. (bottom) Shows a cut along the whole range of electron kinetic energy on which the two above-mentioned boxes are marked.  $\text{NH}_2^+$  final states expected in these regions are also indicated. These spectra are normalized to the total counts observed for the whole regions at three different photon energies.



resonance, and namely +200 meV, on-top ( $\Omega = 0$  eV; 400.66 eV) and -200 meV. The maps are normalized to the total number of counts and therefore reflect the number of possible dissociation pathways, or in other words their probability. The maps show well separated and distinguishable islands for different kinetic energy ranges of electrons and ions.

Looking at region C, the UFD region, which is delimited by a red box on each map, we observe a visible change in the efficiency of the UFD in this region as a function of the photon energy. The presence of the barrier on the core-excited  $\text{NH}_3^+$  PES around the resonance would influence this efficiency. Thus, by detuning positively, we would expect higher dissociation rates owing to overcoming the potential energy barrier, which is in line with our results.

Fig. 6 (top) manifests also similar behaviour in a lower electron kinetic energy region, B, delimited by a blue box on each map. Region B is also affected by the detuning of the photon energy around the top of the resonance. These low-energy  $\text{NH}_2^+$  ions in correlation with less energetic resonant Auger final states are interesting because they might be also fragments resulting from UFD. This hypothesis is based on the

photon energy dependence of these cationic states as well as their KER similar to the ones obtained for the region C, see also Fig. 5(b).

The region D corresponds to the  $1e^-$  molecular final state. From the coincidence data reported in Fig. 4, it is evident that the  $\text{NH}_2^+$  fragment is produced there. However, at variance with regions B and C, region D seems to be less sensitive to the change in photon energy, and its intensity does not peak at +200 meV detuning, but rather at the top of the resonance, indicating that UFD does not play a role, and the fragmentation takes place after the resonant Auger decay. Note that the low KER values are due to the Auger energies just below the appearance energy of  $\text{NH}_2^+$  at  $\approx 385.1$  eV, see above.

The decrease of intensity in region A with increasing photon energy can be explained by taking into account the way the 2D maps are constructed. In particular, the normalization by the total number of counts implies that the number of counts is proportional to the number of possible dissociation pathways. At lower photon energy the production of  $\text{NH}_2^+$  is concentrated in the low electron kinetic energy regions A and B, with relatively high KER; these processes are mainly due to molecular Auger




Fig. 7 Integrated kinetic energy release distributions extracted from the 2D maps (Fig. 6) for electron kinetic energy regions A, B, C, D. The colours of the curves correspond to different photon energies at which the coincidence data was recorded:  $\Omega = -200$  meV (red), on top of the resonance (black),  $\Omega = +200$  meV (blue).



decay. Across the resonance there are more dissociation pathways open, and therefore the intensity is spread over a larger electron kinetic energy range.

In Fig. 6 (bottom), we show electron kinetic energy spectra for ion KER distributions only between 1.2 to 2.2 eV corresponding to the red and blue boxes from the maps in Fig. 6(a). We clearly see from these spectra the photon energy dependence of these two regions, while for electrons having their energies above and below these regions the intensity of electron emissions does not change considerably as a function of the photon energy. In the electron kinetic energy region B the transition to the  $\tilde{c}^1A_1$  in the  $NH_2^+$  fragment is, indeed, expected at the geometry of the core-excited  $N^*H_2$  (H–N–H bond angle  $\sim 110^\circ$ ).<sup>32</sup> Similarly to the  $\tilde{b}^1B_1$  state,  $\tilde{c}^1A_1$  state of  $NH_2^+$  is linear at the equilibrium geometry. Therefore, extensive excitations of the bending vibrational mode are expected for the cationic final state. This results in the broad spectral profile in the resonant Auger electron spectra, similarly to the  $\tilde{b}^1B_1$  state, which makes its identification in high-resolution single-channel electron spectroscopy measurements extremely difficult (or impossible).

To confirm the results shown in the 2D maps, integrated KER distributions for the different Auger energy regions are reported in Fig. 7. In region C we can clearly identify the main dissociation channel as appearing in the marked KER interval, corresponding to UFD, and with a maximum at the photon energy corresponding to +200 meV detuning. In region D the channel for the formation of the  $NH_2^+$  ion just opens and the KER peaks are visible at low values owing to zero or little access energy left in the system after dissociation. Here, the trend as a function of photon energy (maximum at the top of the resonance) is consistent with early Auger decay and fragmentation after relaxation. In region A the KER peaks at higher values, and the trend again confirms the presence of early Auger decay and fragmentation after relaxation. The excess energy in region A amounts to about 10 eV after dissociation to  $NH_2^+$ . However, the maximum KER is observed at lower values ( $\sim 5.7$  eV). This can be explained as the “leak” of the available energy into different degrees of freedom in the molecular  $NH_2^+$  fragment.<sup>24</sup>

The situation is more complex for region B, where we can identify two main contributions: in the KER interval corresponding to UFD, *i.e.* around 2 eV, we see a shoulder, which increases with photon energy. This trend is analogous to the one in region C and a sign for ultrafast dissociation. At higher KER the trend is similar to region A and suggests fragmentation after early Auger decay. From these findings we can confirm that in region B two dissociation pathways coexist, *i.e.* fragmentation before and after Auger decay.

From the coincidence data we can obtain a rough estimate of the contributions of the late Auger decays occurring in the UFD fragment, which appear in regions B and C. Areas in the 2D electron–ion energy correlation maps in Fig. 6 (top) for KER of  $2.2 \pm 1$  eV, which corresponds to KER of ions produced *via* the UFD process, and Auger electron energies between 376–383 eV (B and C regions) amount to 10(1)%, 14(1)% and 20(1)% from all coincidence events producing  $NH_2^+$  ion for –200, 0 and +200 meV detunings, respectively. And  $NH_2^+$  ion yields 54% of all

the ions, as extracted from the total TOF in Fig. 4b. However, this estimate does not represent UFD efficiency as our AEPICO measurements cover only a part of resonant Auger final states and, markedly, UFD efficiency is photon energy dependent.

## 4. Conclusion

We report here a detailed study on fragmentation dynamics of core-excited ammonia molecules. We have used two complementary methods, and namely high-resolution resonant Auger spectroscopy and electron-energy-selected Auger electron–photoion coincidence (AEPICO) spectroscopy. By exploiting such complementarity, a complete overview of all possible dissociation patterns is achieved. In particular, we are able to disentangle different dissociation patterns with different timescales, *i.e.* fragmentation before relaxation (UFD) and fragmentation after relaxation. The resonant Auger results are interpreted on the ground of the core-hole-clock method and allow investigating ultrafast dissociation on the few-fs timescale. A fit analysis of the  $NH_2^+ \rightarrow \tilde{a}^1A_1$  transition also provides detailed information on the potential energy surfaces of the states involved in the decay process. In turn, the coincidence measurements provide additional information on all final states which are dissociative, and which ionic fragments can be produced in timescales either corresponding to the core-hole lifetime or longer. In particular, we show that for the  $NH_2^+$  ionic fragment we are able to disentangle dissociation patterns occurring either before or after Auger decay. Furthermore, while the  $\tilde{a}^1A_1$  electronic state of  $NH_2^+$  was already described in the literature, we are able to identify two additional cationic states, the  $\tilde{b}^1B_1$  and the  $\tilde{c}^1A_1$  ones, of the  $NH_2^+$  fragment reached by late Auger decays in the already dissociated core-excited  $NH_3$  molecule. Therefore, the combined use of the two techniques gives a detailed picture of all dissociation events and their interplay with electronic relaxation subsequent to core excitation.

## Conflicts of interest

There are no conflicts to declare.

## Acknowledgements

We acknowledge SOLEIL Synchrotron in France for time on the PLEIADES beamline under Proposals No. 20171496 and 20201704. We are grateful to SOLEIL staff, in particular to C. Nicolas, for smoothly running the facility. O. T. acknowledges financial support from the French Agence Nationale de la Recherche (ANR) through the MUSTACHE project (ANR-18-CE30-0015).

## References

- 1 M. Simon, L. Journal, R. Guillemin, W. C. Stolte, I. Minkov, F. Gel'mukhanov, P. Salek, H. Ågren, S. Carniato, R. Taïeb,



- 1 A. C. Hudson and D. W. Lindle, *Phys. Rev. A: At., Mol., Opt. Phys.*, 2006, **73**, 020706(R).
- 2 T. Marchenko, L. Journal, T. Marin, R. Guillemin, S. Carniato, M. Žitnik, M. Kavčič, K. Bučar, A. Mihelič, J. Hoszowska, W. Cao and M. Simon, *J. Chem. Phys.*, 2011, **134**, 144308.
- 3 P. Morin and I. Nenner, *Phys. Rev. Lett.*, 1986, **56**, 1913.
- 4 O. Björneholm, S. Sundin, S. Svensson, R. R. T. Marinho, A. Naves de Brito, F. Gel'mukhanov and H. Ågren, *Phys. Rev. Lett.*, 1997, **79**, 3150.
- 5 O. Björneholm, *et al.*, *Phys. Rev. Lett.*, 2000, **84**, 2826.
- 6 I. Hjelte, M. N. Piancastelli, R. F. Fink, O. Björneholm, M. Bässler, R. Feifel, A. Giertz, H. Wang, K. Wiesner, A. Ausmees, C. Miron, S. L. Sorensen and S. Svensson, *Chem. Phys. Lett.*, 2001, **334**, 151.
- 7 I. Hjelte, M. N. Piancastelli, C. M. Jansson, K. Wiesner, O. Björneholm, M. Bässler, S. L. Sorensen and S. Svensson, *Chem. Phys. Lett.*, 2003, **370**, 781.
- 8 O. Travnikova, V. Kimberg, R. Flammini, X.-J. Liu, M. Patanen, C. Nicolas, S. Svensson and C. Miron, *J. Phys. Chem. Lett.*, 2013, **4**, 2361.
- 9 O. Björneholm, A. Nilsson, A. Sandell, B. Hernnäs and N. Mårtensson, *Phys. Rev. Lett.*, 1992, **68**, 1892.
- 10 O. Björneholm, S. Sundin, S. Svensson, R. R. T. Marinho, A. Naves de Brito, F. Gel'mukhanov and H. Ågren, *Phys. Rev. Lett.*, 1997, **79**, 3150.
- 11 P. A. Brühwiler, O. Karis and N. Mårtensson, *Rev. Mod. Phys.*, 2002, **74**, 703.
- 12 R. Feifel, F. Burmeister, P. Sałek, M. N. Piancastelli, M. Bässler, S. L. Sorensen, C. Miron, H. Wang, I. Hjelte, O. Björneholm, A. Naves de Brito, F. Gel'mukhanov, H. Ågren and S. Svensson, *Phys. Rev. Lett.*, 2000, **85**, 3133.
- 13 L. Rosenqvist, K. Wiesner, A. Naves de Brito, M. Bässler, A. Ausmees, R. Feifel, I. Hjelte, S. L. Sorensen, C. Miron, H. Wang, M. N. Piancastelli, S. Svensson and O. Björneholm, *J. Chem. Phys.*, 2001, **115**, 3614.
- 14 E. Kuk, G. Prümper, R. Sankari, M. Hoshino, C. Makochekanwa, M. Kitajima, H. Tanaka, H. Yoshida, Y. Tamenori, E. Rachlew and K. Ueda, *J. Phys. B: At., Mol. Opt. Phys.*, 2007, **40**, 3677, and references therein.
- 15 K. Le Guen, C. Miron, D. Céolin, R. Guillemin, N. Leclercq, M. Simon, P. Morin, A. Mocellin, O. Björneholm, A. Naves de Brito and S. L. Sorensen, *J. Chem. Phys.*, 2007, **127**, 114315.
- 16 H. Sann, T. Havermeier, C. Müller, H.-K. Kim, F. Trinter, M. Waitz, J. Voigtsberger, F. Sturm, T. Bauer, R. Wallauer, D. Schneider, M. Weller, C. Goihl, J. Tross, K. Cole, J. Wu, M. S. Schöffler, H. Schmidt-Böcking, T. Jahnke, M. Simon and R. Dörner, *Phys. Rev. Lett.*, 2016, **117**, 243002.
- 17 N. Walsh, A. Sankari, J. Laksman, T. Andersson, S. Oghbaie, F. Afaneh, E. P. Månsson, M. Gisselbrecht and S. L. Sorensen, *Phys. Chem. Chem. Phys.*, 2015, **17**, 18944.
- 18 A. Lindgren, M. Gisselbrecht, F. Burmeister, A. Naves de Brito, A. Kivimäki and S. L. Sorensen, *J. Chem. Phys.*, 2005, **122**, 114306.
- 19 M. Nagasono, K. Mase, S. Tanaka and T. Urisu, *Surf. Sci.*, 1997, **390**, 102.
- 20 F. Qi, L. Sheng, Y. Zhang, S. Yu and W.-K. Li, *Chem. Phys. Lett.*, 1995, **234**, 450.
- 21 R. Loch, Ch Servais, M. Ligot, M. Davister and J. Momigny, *Chem. Phys.*, 1988, **125**, 425.
- 22 R. I. Reed and W. Snedden, *J. Chem. Soc. (Resumed)*, 1959, 4132.
- 23 L. Journal, R. Guillemin, A. Haouas, P. Lablanquie, F. Penent, J. Palaudoux, L. Andric, M. Simon, D. Céolin, T. Kaneyasu, J. Viefhaus, M. Braune, W. B. Li, C. Elkharrat, F. Catoire, J.-C. Houver and D. Doweck, *Phys. Rev. A: At., Mol., Opt. Phys.*, 2008, **77**, 042710.
- 24 O. Travnikova, E. Kuk, F. Hosseini, S. Granroth, E. Itälä, T. Marchenko, R. Guillemin, I. Ismail, R. Moussaoui, L. Journal, J. D. Bozek, R. Püttner, P. Krasnov, V. Kimberg, F. Gel'mukhanov, M. N. Piancastelli and M. Simon, *Phys. Chem. Chem. Phys.*, 2022, **24**, 5842.
- 25 O. Travnikova, *et al.*, to be published.
- 26 <https://www.synchrotron-soleil.fr/Recherche/LignesLumiere/PLEIADES>.
- 27 D. Céolin, C. Miron, M. Simon and P. Morin, *J. Electron Spectrosc. Relat. Phenom.*, 2004, **141**, 171.
- 28 C. Miron, M. Simon, N. Leclercq and P. Morin, *Rev. Sci. Instrum.*, 1997, **68**, 3728.
- 29 D. Edvardsson, P. Baltzer, L. Karlsson, B. Wannberg, D. M. P. Holland, D. A. Shaw and E. E. Rennie, *J. Phys. B: At., Mol. Opt. Phys.*, 1999, **32**, 2583.
- 30 J. Schirmer, A. B. Trofimov, K. J. Randall, J. Feldhaus, A. M. Bradshaw, Y. Ma, C. T. Chen and F. Sette, *Phys. Rev. A: At., Mol., Opt. Phys.*, 1993, **47**, 1136.
- 31 H. Iwayama, T. Kaneyasu, Y. Hikosaka and E. Shigemasa, *J. Chem. Phys.*, 2016, **145**, 7.
- 32 S. D. Peyerimhoff and R. J. Buenker, *Chem. Phys.*, 1979, **42**, 167; S. Y. Chu, A. K. Q. Siu and E. F. Hayes, *J. Am. Chem. Soc.*, 1972, **94**, 2969.
- 33 O. Travnikova, C. Miron, M. Bässler, R. Feifel, M. Piancastelli, S. Sorensen and S. Svensson, *J. Electron Spectrosc. Relat. Phenom.*, 2009, **174**, 100.
- 34 J. C. Stephens, Y. Yamaguchi, C. D. Sherrill and H. F. Schaefer III, *J. Phys. Chem. A*, 1998, **102**, 3999.
- 35 S. Willitsch, J. M. Dyke and F. Merkt, *Mol. Phys.*, 2004, **102**, 1543.
- 36 R. Püttner, I. Dominguez, T. J. Morgan, C. Cisneros, R. F. Fink, E. Rotenberg, T. Warwick, M. Domke, G. Kaendl and A. S. Schlachter, *Phys. Rev. A: At., Mol., Opt. Phys.*, 1999, **59**, 3415.
- 37 A. R. Hoy and P. R. Bunker, *J. Mol. Spectrosc.*, 1979, **74**, 1.
- 38 D. F. Smith Jr. and J. Overend, *Spectrochim. Acta, Part A*, 1972, **28**, 471.
- 39 G. Osmani, P. R. Bunker, P. Jensen and W. P. Kraemer, *J. Mol. Spectrosc.*, 1997, **186**, 319.
- 40 S. J. Dunlavey, J. M. Dyke, N. Jonathan and A. Morris, *Mol. Phys.*, 1980, **39**, 1121.
- 41 C. R. Claydon, G. A. Segal and H. S. Taylor, *J. Chem. Phys.*, 1971, **54**, 3799.
- 42 B. P. Stoicheff, *Can. J. Phys.*, 2001, **79**, 165.

