

Cite this: *Chem. Sci.*, 2024, 15, 6763

All publication charges for this article have been paid for by the Royal Society of Chemistry

All-visible-light-driven stiff-stilbene photoswitches†

Fan Xu,^{‡a} Jinyu Sheng,^{‡a} Charlotte N. Stindt,^a Stefano Crespi,^b Wojciech Danowski,^{cf} Michiel F. Hilbers,^d Wybren Jan Buma,^{de} and Ben L. Feringa^{‡*a}

Molecular photoswitches are potent tools to construct dynamic functional systems and responsive materials that can be controlled in a non-invasive manner. As P-type photoswitches, stiff-stilbenes attract increasing interest, owing to their superiority in quantum yield, significant geometric differences between isomers, excellent thermostability and robust switching behavior. Nevertheless, the UV-light-triggered photoisomerization of stiff-stilbenes has been a main drawback for decades as UV light is potentially harmful and has low penetration depth. Here, we provided a series of *para*-formylated stiff-stilbenes by Rieche *ortho*-formylation to achieve all-visible-light-responsiveness. Additional phenolic groups provide access to late-stage chemical modification facilitating design of molecules responsive to visible light. Remarkably, the photoisomerization of aldehyde-appended stiff-stilbenes could be fully manipulated using visible light, accompanied by a high photostationary state (PSS) distribution. These features render them excellent candidates for future visible-light-controllable smart materials and dynamic systems.

Received 9th February 2024

Accepted 27th March 2024

DOI: 10.1039/d4sc00983e

rsc.li/chemical-science

Introduction

Light exhibits distinct advantages to control materials and molecular systems with high spatiotemporal precision.^{1–4} Photoswitches offer the opportunity to transfer energy and information from light to matter and reversibly modulate systems, structures, and functions.^{5–10} Nevertheless, high-energy photons usually required for photochemical reactions restrict the photoactivation of most switches to the use of light in the UV region, which suffers from low penetration depth, potential photodegradation, and being harmful to, *e.g.*, living cells, and therefore limits their applications. Hence, visible and NIR light-activated molecular switches are much in demand.^{11–13}

Recently, elegant molecular engineering strategies,^{7,11,12,14,15} such as push–pull substitution,^{16–18} π -extension,^{19–21} and energy transfer^{22–25} have been introduced into molecular switches, *e.g.* azobenzenes,^{14–16,25–29} diarylethenes,^{7,19–23,30} and overcrowded alkenes^{7,18,31} to achieve visible-light-responsiveness. However, most approaches, such as push–pull substitution and energy transfer, require complicated synthesis and lack design generality for late-stage modification of molecules to exploit their full potential in further applications. Additionally, approaches to all-visible-light-driven P-type (interconversion between isomers only using light) molecular switches are still less exploited compared to T-type photoswitches (interconversion can be either thermal or photochemical^{12,26,29,32,33}). Meanwhile, new scaffolds of photoswitches have emerged in recent years responding to visible light, such as indirubin,³⁴ (thio-)indigo-based photoswitches developed by Dube,^{32,35,36} imino indoline,³⁷ and imidazole-dimer-based photoswitches.^{38–40}

Stiff-stilbenes,⁴¹ a prominent class of photoswitches derived from stilbene that feature a fused five-membered ring, have shown distinct advantages in various research areas, such as supramolecular assemblies,^{42–47} molecular force probes,^{48–50} photoresponsive receptors,^{51–54} ligands,⁵⁵ and light emitting materials,⁵⁶ owing to their large geometric change, robust switching behavior, and excellent bi-thermostability (P-type). These alkenes are also the basis of light-driven rotary molecular motors.^{57–61} However, two intrinsic disadvantages of stiff-stilbenes are still challenging to address: harmful UV light-triggered switching and unfavorable photostationary state (PSS)

^aCenter for System Chemistry, Stratingh Institute for Chemistry, University of Groningen, Nijenborgh 4, 9747 AG Groningen, The Netherlands. E-mail: b.l.feringa@rug.nl

^bDepartment of Chemistry-Ångström Laboratory, Uppsala University, Box 523, Uppsala, Sweden

^cUniversity of Strasbourg CNRS, ISIS UMR 7006, 8 Allée Gaspard Monge, Strasbourg F-67000, France

^dVan't Hoff Institute for Molecular Sciences, University of Amsterdam, Science Park 904, 1098 XH, Amsterdam, The Netherlands

^eInstitute for Molecules and Materials, FELIX Laboratory, Radboud University, Toernooiveld 7c, 6525 ED, Nijmegen, The Netherlands

^fFaculty of Chemistry, University of Warsaw, Pasteura 1, 02-093 Warsaw, Poland

† Electronic supplementary information (ESI) available. CCDC 2319368, 2319369 and 2319370. For ESI and crystallographic data in CIF or other electronic format see DOI: <https://doi.org/10.1039/d4sc00983e>

‡ These authors contributed equally to this work.





Fig. 1 Molecular structures of the stiff-stilbenes S1–S6 controlled using UV light and visible light, respectively, and cartoon representation of the absorption band of stiff-stilbenes substituted with aldehydes (S2, S4, and S6) and those without formyl group (S1, S3, and S5).

distribution for the *E*–*Z* isomerization process (*E* to *Z* conversion).⁴¹ The low yield of the *Z*-isomer and short penetration depth of UV-light limit the efficiency of control over the dynamic properties of materials. A known strategy of introducing push–pull character has been applied to stiff-stilbene switches recently and has successfully led to visible-light-responsiveness.¹⁸ This system shows an interesting acid-gating feature because of the additional push–pull functionalities, which, however, also leads to extensive substitution and limits the opportunity for further modification. To date, a simple and general strategy for the development of an all-visible-light-driven stiff-stilbene system is still unexploited but greatly needed.

Here, we provide a general strategy for the development of all-visible-light-driven stiff-stilbenes. By appending bis-aldehyde functionalities at the para-positions to the olefin core *via* a one-step Rieche formylation, we obtained a series of stiff-stilbenes that allow visible-light modulation with improved photostationary state (PSS) distribution (Fig. 1). Furthermore, two additional phenolic groups are beneficial for potential late-stage modification toward functional structures for dynamic systems. Computational studies supported that appending bis-aldehyde groups drastically decreased the electronic transition gap of the molecules due to the extension of the π -conjugation. This straightforward strategy enables all-visible-light control of stiff-stilbenes, a unique bistable switch known and employed for the large geometric changes occurring upon isomerization. As such, these advances break new ground for increasing the application of stiff-stilbenes in smart materials and dynamic systems.

Results and discussion

Stiff-stilbenes were synthesized through McMurry coupling from the corresponding indanones, and the aldehyde derivatives were obtained by Rieche formylation inspired by our current approach for formylated molecular motor synthesis (Fig. 2a).⁶² The synthesis is detailed in the ESI (Fig. S1†), and the




Fig. 2 (a) The synthesis of stiff-stilbene derivatives (E)-S5 and (E)-S6 by McMurry coupling and Rieche formylation, (b) crystal structures of (E)-2, (E)-S5, and (E)-S6, (c) molecular structures of (E)-S1 to (E)-S6 and the normalized steady-state absorption spectra of (E)-S1 to (E)-S6 ((E)-S1 in DMSO and others in CH₂Cl₂, 298 K).

new compounds were fully characterized by NMR and HRMS (Fig. S18–S22†). Crystal structures of differently substituted stiff-stilbenes (E)-2 (methoxy group protected (E)-S1, see the ESI†), (E)-S5 and (E)-S6 were successfully obtained from X-ray diffraction analyses, providing direct evidence of the respective molecular structures (Fig. 2b). Steady-state absorption spectra of aldehyde-substituted stiff-stilbenes (E)-S2, S4 and S6 showed shifts of ~70 nm compared with those of unsubstituted stiff-stilbenes (E)-S1, S3 and S5 (Fig. 2c).

We first investigated the isomerization behavior of stiff-stilbene (E)-S1 and its aldehyde derivative (E)-S2 by UV-vis and ¹H NMR spectroscopy. UV-vis measurements showed that (E)-S2 displayed an absorption band at $\lambda_{\text{max}} = 403$ nm (Fig. 3, pink spectrum), a significant bathochromic shift of ~70 nm compared to the parent switch (E)-S1 (Fig. 3, grey spectrum), as a result of the π -system extension of the stilbene chromophore by the presence of the aldehyde groups at the para-position. *E* → *Z* photoisomerization of (E)-S1 was achieved by 340 nm light irradiation, while irradiating at 365 nm led to *Z* → *E* back-switching, as monitored by UV-vis spectroscopy (Fig. S2†). A new set of signals appeared in the ¹H NMR spectrum after 340 nm light irradiation of (E)-S1 in accordance with the formation of the *Z* isomer (Fig. S4b†). The integration of the corresponding signals revealed a ratio of 76/24 (*E*/*Z*) at the PSS. Upon irradiation with 365 nm light, the signals of the *Z*-isomer decreased until a new PSS was reached with a ratio of 6/94 (*Z*/*E*), indicating the regeneration of (E)-S1 (Fig. S4c†). This






Fig. 3 Normalized steady-state absorption spectra of (*E*)-S1 (grey curve) in DMSO and (*E*)-S2 (pink curve) in CH₂Cl₂ (298 K).

photoisomerization behavior of (*E*)-S1 is comparable with that of other stiff-stilbenes.^{41,54,63}

In contrast, the photo-switching of the aldehyde-appended stiff stilbene derivative (*E*)-S2 can be controlled using two distinct wavelengths of visible light. Upon irradiation with 405 nm (or 395 nm) light, the absorption band at 310–410 nm decreased while the shoulder at 415–450 nm increased, indicating *E* → *Z* isomerization (Fig. 4a). Irradiating the PSS₄₀₅ mixture at 455 nm resulted in an inverse spectral change, indicating *Z* → *E* isomerization (Fig. 4b). Both processes displayed an isosbestic point at 414 nm, showing the unimolecular conversion process (Fig. 4c and d). Fatigue resistance studies revealed the stability of this molecule over several irradiation cycles (Fig. 4e). In the ¹H NMR spectra, the proton signals of H^a, H^b, and H^c shifted upfield, while H^c and H^d shifted downfield upon irradiation with 405 nm light, proving the *E* → *Z* isomerization (Fig. 4f(i) and (ii)).

The integration of corresponding signals revealed a PSS of 37/63 (*Z/E*) at PSS₄₀₅. A PSS distribution of 45/55 (*Z/E*) was achieved upon irradiation with 395 nm light (Fig. S5†). Compared with (*E*)-S1, the *E* → *Z* isomerization of S2 gave a higher conversion to the *Z*-isomer. Irradiating the PSS₄₀₅ mixture with 455 nm light led to a decrease in the newly generated signals with an increase in the original ones, in line with the recovery of (*E*)-S2 (Fig. 4f(iii)). The ratio of the (*Z*)/(*E*)-isomers was determined to be 8/92 at PSS₄₅₅ (Fig. S5†). Upon irradiation with 390 nm light, the quantum yields for the *E* → *Z* ($\Phi_{E \rightarrow Z}$) and *Z* → *E* ($\Phi_{Z \rightarrow E}$) processes are 31% and 50%, respectively. It should be noted that $\Phi_{E \rightarrow Z}$ of (*E*)-S2 (31%) is higher than that of the majority of the cases studied in the literature (around 20%).⁴¹

Encouraged by the red-shifting effect of the formyl substitution, we further explored the system with tetramethyl-stiff-stilbene.^{64,65} Diol-tetramethyl-stiff-stilbene (*E*)-S3 displayed an



Fig. 4 Changes in the UV-vis absorption spectra starting from (a) (*E*)-S2 (24 μM in CH₂Cl₂, 298 K) upon irradiation with 405 nm light to PSS₄₀₅ and (b) upon subsequently irradiating with 455 nm light to PSS₄₅₅. Enlarged spectra at the isosbestic point of (c) *E* to *Z* isomerization and (d) *Z* to *E* back-switching. (e) Plots of the absorption at λ = 403 nm upon sequential irradiation with 405 nm and 455 nm light. (f) Changes in ¹H NMR spectra of (i) (*E*)-S2 (2.9 mM in CD₂Cl₂, 298 K, 500 MHz), (ii) upon irradiation with 405 nm light to PSS₄₀₅, and (iii) upon subsequent irradiation with 455 nm light to PSS₄₅₅.

absorption band at $\lambda_{\max} = 350$ nm, while its aldehyde derivative (*E*)-S4 showed an absorption maximum at 415 nm (Fig. 5a). Compared with (*E*)-S1 and (*E*)-S2, both (*E*)-S3 and (*E*)-S4 showed more than 10 nm bathchromic shifts, respectively. As indicated above, diol-stiff-stilbenes were designed as potential intermediates for late-stage modification. We, therefore, further explored a dimethoxy-tetramethyl-stiff-stilbene as a model compound to investigate whether the formylated-tetramethyl-stiff-stilbene could be controlled using visible light after the replacement of the phenolic groups with other functional groups. The dimethoxy-substituted aldehyde tetramethyl-stiff-stilbene (*E*)-S6 exhibits an absorption band maximum at 410 nm, allowing the use of visible light for activation (Fig. 5b). Compared with (*E*)-S5 ($\lambda_{\max} = 345$ nm), (*E*)-S6 displays a ~65 nm redshift due to the presence of the formyl groups.

We further monitored the photoisomerization behavior of (*E*)-S5 and (*E*)-S6 by UV-vis and NMR spectroscopy. The





Fig. 5 Normalized UV-vis absorption spectra (CH_2Cl_2 , 298 K) of (a) (*E*)-S3 (grey curve) and (*E*)-S4 (orange curve) and (b) (*E*)-S5 (grey curve) and (*E*)-S6 (green curve).

reversible isomerization of (*E*)-S5 can be achieved by irradiation with 365 nm and 395 nm light (see the ESI for details, Fig. S3†). The integration of ^1H NMR signals revealed a ratio of 52/48 (*Z/E*) at PSS₃₆₅ and 12/88 (*Z/E*) at PSS₃₉₅ in CD_2Cl_2 (Fig. S6†). Compared with (*E*)-S1, irradiating (*E*)-S5 resulted in a higher PSS, possibly due to the better separation of the absorption bands of the (*E*)- and (*Z*)-isomers (Fig. S2 and S4†). Upon 365 nm light irradiation, the quantum yields Φ for the *E* → *Z* and *Z* → *E* processes of S5 are 33% and 42%, respectively. The improved isomerization behavior of the tetramethyl-stiff-stilbene S5, compared to stiff-stilbene S1, prompted us to study its aldehyde derivative (*E*)-S6. Upon irradiation with 405 nm (or 420 and 395 nm) light, the absorption band centered at 410 nm decreased with an increase of a band at 425–470 nm, consistent with the (*E*)-S6 to (*Z*)-S6 isomerization (Fig. 6a). The absorption band at $\lambda_{\text{max}} = 410$ nm was almost fully recovered upon subsequent



Fig. 6 Changes in the UV-vis absorption spectra starting from (a) (*E*)-S6 (13 μM in CH_2Cl_2 , 298 K) upon irradiation with 405 nm light to PSS₄₀₅ and (b) upon subsequent irradiation with 455 nm light to PSS₄₅₅. Enlarged spectra at the isosbestic point of (c) *E* to *Z* isomerization and (d) *Z* to *E* back-switching. (e) Plots of the absorption at $\lambda_{\text{max}} = 410$ nm upon sequential irradiation with 405 nm and 455 nm light. (f) Changes in ^1H NMR spectra of (i) (*E*)-S6 (6.2 mM in CD_2Cl_2 , 298 K, 500 MHz), (ii) upon irradiation with 405 nm light to PSS₄₀₅, and (iii) upon subsequent irradiation with 455 nm light to PSS₄₅₅.

irradiation with 455 nm light, indicating the recovery of (*E*)-S6 (Fig. 6b). An isosbestic point at 425 nm was observed in both processes, indicating a clean and unimolecular photoisomerization process (Fig. 6c and d). Gratifyingly, the photoisomerization processes could be manipulated for many cycles upon toggling the irradiation at 405 nm and 455 nm without any fatigue (Fig. 6e). In the ^1H NMR spectra, irradiating (*E*)-S6 with 405 nm light led to the formation of (*Z*)-S6. Integrations of the related signals revealed a 73/27 (*Z/E*) ratio at PSS₄₀₅ (Fig. S7†). The yield of the *Z*-isomer of *E* to *Z* conversion was significantly higher than the ones found in other commonly used stiff-stilbenes.⁴¹ Upon subsequent irradiation with 455 nm light, NMR signals of (*Z*)-S6 decreased until a PSS ratio of 19/81 (*Z/E*)-isomer was reached, confirming the good reversibility of the photoswitch (Fig. 6 and S7†). Kinetic studies by ^1H NMR were performed with a PSS₄₀₅ mixture of S6 at 298 K, and the unaltered ratio of isomers after 60 h indicates the high thermal stability of both isomers and confirms the P-type feature of the

prepared the crystals. C. N. Stindt resynthesized S6 and performed X-ray diffraction measurements. C. N. S., M. F. H. and W. J. B. performed transient absorption measurements. S. C. performed computational studies. J. S. conducted UV-vis experiments for the QY determination and W. D. processed the data for QY determination. All authors discussed the results and wrote the paper.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

Financial support from the Netherlands Organization for Scientific Research (NWO-CW), the European Research Council (ERC; advanced grant No.694345 to B. L. sF.), the Dutch Ministry of Education, Culture and Science (Gravitation program No.024.001.035), the China Scholarship Council (CSC; No.201707040064 to F. X. and CSC PhD Fellowship No. 201808330459 to J. S.), and the Marie Skłodowska-Curie Actions (Individual Fellowship No. 838280 to S. C. and 101027639 to W. D.) is gratefully acknowledged.

References

- B. L. Feringa and W. R. Browne, *Molecular Switches*, Wiley-VCH, Weinheim, 2nd edn, 2011.
- A. Goulet-Hanssens, F. Eisenreich and S. Hecht, *Adv. Mater.*, 2020, **32**, 1905966.
- L. Wang and Q. Li, *Chem. Soc. Rev.*, 2018, **47**, 1044–1097.
- Molecular Photoswitches : Chemistry, Properties, and Applications*, ed. Z. L. Pianowski, Wiley-VCH, 2022.
- R. Haldar, L. Heinke and C. Wöll, *Adv. Mater.*, 2020, **32**, e1905227.
- A. S. Lubbe, W. Szymanski and B. L. Feringa, *Chem. Soc. Rev.*, 2017, **46**, 1052–1079.
- M. Irie, T. Fukaminato, K. Matsuda and S. Kobatake, *Chem. Rev.*, 2014, **114**, 12174–12277.
- H.-B. Cheng, S. Zhang, E. Bai, X. Cao, J. Wang, J. Qi, J. Liu, J. Zhao, L. Zhang and J. Yoon, *Adv. Mater.*, 2022, **34**, 2108289.
- R. Klajn, *Chem. Soc. Rev.*, 2014, **43**, 148–184.
- F. Xu and B. L. Feringa, *Adv. Mater.*, 2023, **35**, 2204413.
- D. Bléger and S. Hecht, *Angew. Chem., Int. Ed.*, 2015, **54**, 11338–11349.
- Z. Zhang, W. Wang, M. O'Hagan, J. Dai, J. Zhang and H. Tian, *Angew. Chem., Int. Ed.*, 2022, **61**, e202205758.
- A. Leistner and Z. L. Pianowski, *Eur. J. Org. Chem.*, 2022, **2022**, e202101271.
- H. M. D. Bandara and S. C. Burdette, *Chem. Soc. Rev.*, 2012, **41**, 1809–1825.
- S. Crespi, N. A. Simeth and B. König, *Nat. Rev. Chem.*, 2019, **3**, 133–146.
- E. Ishow, A. Brosseau, G. Clavier, K. Nakatani, R. B. Pansu, J.-J. Vachon, P. Tauc, D. Chauvat, C. R. Mendonça and E. Piovesan, *J. Am. Chem. Soc.*, 2007, **129**, 8970–8971.
- L. Pfeifer, M. Scherübl, M. Fellert, W. Danowski, J. Cheng, J. Pol and B. L. Feringa, *Chem. Sci.*, 2019, **10**, 8768–8773.
- D. Villarón, N. Duindam and S. J. Wezenberg, *Chem.–Eur. J.*, 2021, **27**, 17346–17350.
- T. Fukaminato, T. Hirose, T. Doi, M. Hazama, K. Matsuda and M. Irie, *J. Am. Chem. Soc.*, 2014, **136**, 17145–17154.
- X. Guo, J. Zhou, M. A. Siegler, A. E. Bragg and H. E. Katz, *Angew. Chem., Int. Ed.*, 2015, **54**, 4782–4786.
- J. Li, H. K. Bisoyi, S. Lin, J. Guo and Q. Li, *Angew. Chem., Int. Ed.*, 2019, **58**, 16052–16056.
- S. Fredrich, R. Göstl, M. Herder, L. Grubert and S. Hecht, *Angew. Chem., Int. Ed.*, 2016, **55**, 1208–1212.
- H. Xi, Z. Zhang, W. Zhang, M. Li, C. Lian, Q. Luo, H. Tian and W.-H. Zhu, *J. Am. Chem. Soc.*, 2019, **141**, 18467–18474.
- A. Cnossen, L. Hou, M. M. Pollard, P. V. Wesenhagen, W. R. Browne and B. L. Feringa, *J. Am. Chem. Soc.*, 2012, **134**, 17613–17619.
- J. Moreno, M. Gerecke, L. Grubert, S. A. Kovalenko and S. Hecht, *Angew. Chem., Int. Ed.*, 2016, **55**, 1544–1547.
- D. Bléger, J. Schwarz, A. M. Brouwer and S. Hecht, *J. Am. Chem. Soc.*, 2012, **134**, 20597–20600.
- A. A. Beharry, O. Sadowski and G. A. Woolley, *J. Am. Chem. Soc.*, 2011, **133**, 19684–19687.
- A.-L. L. Leistner, S. Kirchner, J. Karcher, T. Bantle, M. L. Schulte, P. Gödtel, C. Fengler and Z. L. Pianowski, *Chem.–Eur. J.*, 2021, **27**, 8094–8099.
- L. N. Lameijer, S. Budzak, N. A. Simeth, M. J. Hansen, B. L. Feringa, D. Jacquemin and W. Szymanski, *Angew. Chem., Int. Ed.*, 2020, **59**, 21663–21670.
- V. W. W. Yam, C. C. Ko and N. Zhu, *J. Am. Chem. Soc.*, 2004, **126**, 12734–12735.
- J. Sheng, W. Danowski, S. Crespi, A. Guinart, X. Chen, C. Stähler and B. L. Feringa, *Chem. Sci.*, 2023, **14**, 4328–4336.
- L. Köttner, E. Ciekalski and H. Dube, *Angew. Chem., Int. Ed.*, 2023, **62**, e202312955.
- C. Petermayer, S. Thumser, F. Kink, P. Mayer and H. Dube, *J. Am. Chem. Soc.*, 2017, **139**, 15060–15067.
- S. Thumser, L. Köttner, N. Hoffmann, P. Mayer and H. Dube, *J. Am. Chem. Soc.*, 2021, **143**, 18251–18260.
- C. Petermayer and H. Dube, *Acc. Chem. Res.*, 2018, **51**, 1153–1163.
- V. Josef, F. Hampel and H. Dube, *Angew. Chem., Int. Ed.*, 2022, **61**, e202210855.
- S. Crespi, N. A. Simeth, M. Di Donato, S. Doria, C. N. Stindt, M. F. Hilbers, F. L. Kiss, R. Toyoda, S. Wesseling, W. J. Buma, B. L. Feringa and W. Szymański, *Angew. Chem., Int. Ed.*, 2021, **60**, 25290–25295.
- M. Nishijima, K. Mutoh, R. Shimada, A. Sakamoto and J. Abe, *J. Am. Chem. Soc.*, 2022, **144**, 17186–17197.
- N. Moriyama and J. Abe, *J. Am. Chem. Soc.*, 2023, **145**, 3318–3322.
- H. Ito, K. Mutoh and J. Abe, *J. Am. Chem. Soc.*, 2023, **145**, 6498–6506.
- D. Villarón and S. J. Wezenberg, *Angew. Chem., Int. Ed.*, 2020, **59**, 13192–13202.
- J. F. Xu, Y. Z. Chen, D. Wu, L. Z. Wu, C. H. Tung and Q. Z. Yang, *Angew. Chem., Int. Ed.*, 2013, **52**, 9738–9742.



- 43 C.-L. Sun, C.-H. Tung, L.-Z. Wu, Y. Wang, Q.-Z. Yang, L.-Y. Niu and Y.-Z. Chen, *Polym. Chem.*, 2017, **8**, 3596–3602.
- 44 X. Yan, J. F. Xu, T. R. Cook, F. Huang, Q. Z. Yang, C. H. Tung and P. J. Stang, *Proc. Natl. Acad. Sci. U. S. A.*, 2014, **111**, 8717–8722.
- 45 F. Xu, L. Pfeifer, S. Crespi, F. K. C. Leung, M. C. A. Stuart, S. J. Wezenberg and B. L. Feringa, *J. Am. Chem. Soc.*, 2021, **143**, 5990–5997.
- 46 D. Y. Alene, R. Arumugaperumal, M. Shellaiiah, K. W. Sun and W. S. Chung, *Org. Lett.*, 2021, **23**, 2772–2776.
- 47 F. Xu, S. Crespi, L. Pfeifer, M. C. A. Stuart and B. L. Feringa, *CCS Chem.*, 2022, **4**, 2212–2220.
- 48 Q. Z. Yang, Z. Huang, T. J. Kucharski, D. Khvostichenko, J. Chen and R. Boulatov, *Nat. Nanotechnol.*, 2009, **4**, 302–306.
- 49 T. J. Kucharski, Z. Huang, Q. Z. Yang, Y. Tian, N. C. Rubin, C. D. Concepcion and R. Boulatov, *Angew. Chem., Int. Ed.*, 2009, **48**, 7040–7043.
- 50 K. Imato, A. Ishii, N. Kaneda, T. Hidaka, A. Sasaki, I. Imae and Y. Ooyama, *JACS Au*, 2023, **3**, 2458–2466.
- 51 S. J. Wezenberg and B. L. Feringa, *Org. Lett.*, 2017, **19**, 324–327.
- 52 S. J. Wezenberg and B. L. Feringa, *Nat. Commun.*, 2018, **9**, 1984.
- 53 D. Villarón, M. A. Siegler and S. J. Wezenberg, *Chem. Sci.*, 2021, **12**, 3188–3193.
- 54 J. Sheng, S. Crespi, B. L. Feringa and S. J. Wezenberg, *Org. Chem. Front.*, 2020, **7**, 3874–3879.
- 55 M. P. O'Hagan, P. Peñalver, R. S. L. Gibson, J. C. Morales and M. C. Galan, *Chem.–Eur. J.*, 2020, **26**, 6224–6233.
- 56 Y. H. Wu, K. Huang, S. F. Chen, Y. Z. Chen, C. H. Tung and L. Z. Wu, *Sci. China: Chem.*, 2019, **62**, 1194–1197.
- 57 T. van Leeuwen, A. S. Lubbe, P. Štacko, S. J. Wezenberg and B. L. Feringa, *Nat. Rev. Chem.*, 2017, **1**, 0096.
- 58 D. R. S. Pooler, A. S. Lubbe, S. Crespi and B. L. Feringa, *Chem. Sci.*, 2021, **12**, 14964–14986.
- 59 N. Koumura, R. W. J. Zijistra, R. A. Van Delden, N. Harada and B. L. Feringa, *Nature*, 1999, **401**, 152–155.
- 60 D. Roke, S. J. Wezenberg and B. L. Feringa, *Proc. Natl. Acad. Sci. U. S. A.*, 2018, **115**, 9423–9431.
- 61 J. Sheng, D. R. S. Pooler and B. L. Feringa, *Chem. Soc. Rev.*, 2023, **52**, 5875–5891.
- 62 J. Sheng, W. Danowski, A. Sardjan, S. Crespi, J. Hou, M. P. Domínguez, A. Ryabchun, W. J. Buma, W. Browne and B. L. Feringa, *Nat. Chem.*, in press.
- 63 M. Quick, F. Berndt, A. L. Dobryakov, I. N. Ioffe, A. A. Granovsky, C. Knie, R. Mahrwald, D. Lenoir, N. P. Ernsting and S. A. Kovalenko, *J. Phys. Chem. B*, 2014, **118**, 1389–1402.
- 64 T. Shimasaki, S. Kato and T. Shinmyozu, *J. Org. Chem.*, 2007, **72**, 6251–6254.
- 65 K. Imato, A. Sasaki, A. Ishii, T. Hino, N. Kaneda, K. Ohira, I. Imae and Y. Ooyama, *J. Org. Chem.*, 2022, **87**, 15762–15770.
- 66 F. E. Doany, E. J. Heilweil, R. Moore and R. M. Hochstrasser, *J. Chem. Phys.*, 1984, **80**, 201–206.
- 67 W. Fuß, C. Kosmidis, W. E. Schmid and S. A. Trushin, *Angew. Chem., Int. Ed.*, 2004, **43**, 4178–4182.
- 68 S. Grimme, A. Hansen, S. Ehlert and J. M. Mewes, *J. Chem. Phys.*, 2021, **154**, 064103.
- 69 F. Weigend and R. Ahlrichs, *Phys. Chem. Chem. Phys.*, 2005, **7**, 3297–3305.
- 70 S. Grimme, S. Ehrlich and L. Goerigk, *J. Comput. Chem.*, 2011, **32**, 1456–1465.
- 71 S. Grimme, J. Antony, S. Ehrlich and H. Krieg, *J. Chem. Phys.*, 2010, **132**, 154104.
- 72 E. Caldeweyher, J.-M. Mewes, S. Ehlert and S. Grimme, *Phys. Chem. Chem. Phys.*, 2020, **22**, 8499–8512.
- 73 J. Da Chai and M. Head-Gordon, *Phys. Chem. Chem. Phys.*, 2008, **10**, 6615–6620.

