

CrystEngComm

rsc.li/crystengcomm



ISSN 1466-8033

PAPER

Huaiyu Yang, Xiangyang Zhang *et al.*
Different thermal and solubility properties with an identical
crystal structure - case of lenalidomide hydrate



Cite this: *CrystEngComm*, 2025, 27, 2815

Different thermal and solubility properties with an identical crystal structure – case of lenalidomide hydrate†

Qi Zhang, ^a Yitong Zhu,^a Yisheng Xu,^a Huaiyu Yang, ^{*b}
 Wei Li^b and Xiangyang Zhang^{*a}

Identification of the polymorphism of a medicine is critical for its pharmaceutical properties. Different thermal properties and solubilities indicate different polymorphs. However, in the case of lenalidomide (LDM) hydrate, crystals with different thermal and solubility properties were determined to have an identical crystal structure. LDM, a drug for multiple myeloma and myelodysplastic syndrome, was found to form two dihydrate crystals. The stick-shaped crystals, E1, exhibit a two-step dehydration process, while the rhombic prism-shaped crystals, E2, show a one-step rapid dehydration process. E1 and E2 also showed different dissolution rates. However, powder XRD patterns of E1 and E2 were identical, and their crystal structures were confirmed as identical by single-crystal XRD. Further, investigation into the arrangement of water molecules showed that E1 and E2 contained features of both channel and isolated site hydrates. Water channels parallel to the *c*-axis were discovered in the hydrated structure, and two dehydration mechanisms were proposed based on the grinding experiments and lattice orientation analysis. E1 and E2 were mainly dehydrated along and perpendicular to the water channels, respectively. In addition, dehydration kinetics and the solid-phase transformation of E1 and E2 were determined.

Received 10th August 2024,
 Accepted 26th March 2025

DOI: 10.1039/d4ce00798k

rsc.li/crystengcomm

1. Introduction

The dissolution of active pharmaceutical ingredients (APIs) is a crucial factor in their delivery to the active site through absorption *via* the gut and circulation in the plasma.¹ Hydrates are essential solid forms for improving the dissolution properties of APIs with poor water solubility.^{2,3} Hydrate formation refers to the interaction of water molecules within the crystal lattice of a drug molecule,⁴ which can be classified as an isolated site, channel, or ion-associated hydrates depending on the arrangement of water molecules.^{5,6} It is estimated that almost one-third of APIs in solid-state pharmaceuticals can form hydrates.^{7,8} These hydrates are influenced by factors such as drug molecule characteristics, solvent type, crystallization method, and solution environment,⁹ affecting their stability, thermal properties, dissolution properties, quantity of hydrated water molecules, crystal habit, and polymorphism.^{10–12}

Thermal dehydration of hydrate crystals is considered a solid-phase reaction,^{13,14} and studying it provides insight into hydrates. Hydrates can be characterized by powder X-ray diffraction (PXRD) and single-crystal X-ray diffraction (SCXRD) to determine the structural information and by thermogravimetric analysis (TGA) and differential scanning calorimetry (DSC) to assess the thermal properties such as melting, dehydration, and transformation.¹⁵ For different types of hydrates, the dehydration mechanism has mainly been determined through a combination of structural analysis and computational simulations.^{16,17} Kang *et al.* investigated the effect of particle size on hydrates, where narrow and staggered water dehydration channels in the crystal lattice were related to the dehydration process. The dehydration mechanism was confirmed through crystal orientation analysis and slip plane calculations.¹⁸ The dehydration kinetic model and dehydration activation energy are also critical in exploring the dehydration mechanism,^{19,20} and the Flynn–Wall–Ozawa (FWO) method is a model-free method to provide detailed information on different stages of the dehydration process.^{21,22} Additionally, density functional theory (DFT) and molecular dynamics (MD) simulations have been employed as emerging methods to provide insight into the dehydration properties of hydrates.^{23–25}

Lenalidomide (LDM, CAS No. 191732-72-6), a medicine to treat multiple myeloma and myelodysplastic syndrome,^{26,27}

^a State Key Laboratory of Chemical Engineering, East China University of Science and Technology, Shanghai, 200237, China. E-mail: zxydcom@ecust.edu.cn

^b Department of Chemical Engineering, Loughborough University, Loughborough, LE11 3TU, UK. E-mail: h.yang3@lboro.ac.uk

† Electronic supplementary information (ESI) available. For ESI and crystallographic data in CIF or other electronic format see DOI: <https://doi.org/10.1039/d4ce00798k>





Fig. 1 (a) SEM images, (b) powder dissolution profiles at 37 °C, and (c) TGA and DSC curves of LDM bulk crystals E1 and E2.

showing that crystals E1 have a larger average crystal size than crystals E2.

The crystals E1 have higher solubility at 60 min than the crystals E2, as shown in Fig. 1b. Solutions with crystals E1 reach saturation around 60 min, reaching concentrations of 0.550 mg mL^{-1} . Solutions containing crystals E2 reach a maximum concentration of 0.600 mg mL^{-1} around 60 min. PXRD and DSC at 60 min confirm that there is no polymorphic transformation for crystals E1 and E2 (detailed in Fig. S1†). The concentration of the solution with crystals E2 gradually decreases to 0.553 mg mL^{-1} at 120 min, approaching a similar solubility as the crystals E1. Both crystals E1 and E2 have faster dissolution rates and larger solubilities than the crystals of commercial hemihydrate form B during a 0–120 min period.

The TGA and DSC curves of the crystals E1 and E2 exhibit different thermal behaviors, as shown in Fig. 1c. In the TGA curves, the crystals E1 have a slow two-step dehydration process, showing weight losses of 9.2% and 2.7% corresponding to the removal of 1.5 H_2O molecules (fast dehydration rate) and 0.5 H_2O molecules (slow dehydration rate), respectively. The crystals E2 have a one-step process with a faster overall dehydration rate with a weight loss of 11.9%, but slower than the 1.5 H_2O molecule dehydration rate and faster than the 0.5 H_2O molecule dehydration rate in crystals E1. The TGA analysis confirms that the crystals E1 and E2 are both LDM dihydrates. The DSC curves present that crystals E1 and E2 have identical melting peaks around 269 °C, but different endothermic peaks before the melting points. The crystals E1 have two heat-absorption peaks at 97 °C and 167 °C before the melting point. The crystals E2 have a single peak at 113 °C before the melting point, corresponding to the one-step dehydration process. The endothermic peaks before the melting points of crystals E1 and E2 were related to the dehydration and polymorphic

transformation processes, which are further analysed in the next section. The thermal properties of crystals E1 and E2 were also compared with those of commercial crystals B, as shown in Fig. S2.†

3.2 Identical powder XRD and single-crystal XRD

PXRD shows that the crystals E1 and E2 share almost the same patterns, as shown in Fig. 2a. The positions of the characteristic peaks of crystals E1 and E2 are identical, such as at 12.1° , 13.8° , 20.0° , 24.7° , and 27.5° , with the strongest peak at about 24.7° , suggesting that crystals E1 and E2 are the same polymorphs before dehydration. In addition, there is no evidence of baseline deflection or significant broadening of diffraction peaks, indicating that the crystallinities between E1 and E2 are almost the same.

However, the changes of the PXRD patterns during dehydration are different. At room temperature, the PXRD patterns of crystals E1 and E2 are the same. With increase in temperature, the PXRD pattern of crystals E1 changes between 85 °C and 100 °C, corresponding to the first dehydration step in Fig. 1c, transforming to form B (Fig. 2b). The PXRD pattern further changes between 160 °C and 170 °C to metastable form 4 and stable form 1. This means that the peaks at 97 °C and 167 °C in the DSC curve of crystals E1 represent two different dehydration and polymorphic transformation processes. Comparatively, crystals E2 are dehydrated and transform to stable form 1 between 105 °C and 120 °C, as shown in Fig. 2c. It may be also possible that crystals E2 have an intermediate hydrated structure, but it was not observed due to the rapid transformation. The PXRD pattern of form 1 has no further change before melting, and the peak at 113 °C in the DSC curve of crystals E2 represents the thermal absorption caused by dehydration and polymorphic transformation.





Fig. 2 PXRD patterns of (a) LDM E1 and E2 determined from experimental bulk crystals and simulated single crystals and crystals E1 (b) and crystals E2 (c) with solid-phase transformation from room temperature (RT) to melting point.

Forms 1, 4, and B have already been reported,^{28,32} and the polymorphic identification of crystals during dehydration is detailed in Fig. S3 and S4.†

The identical PXRD patterns of crystals E1 and E2 indicate that they are the same polymorph. However, they have different thermal stabilities and dehydration processes as measured by DSC and TGA, and the solid-phase transformation proved different polymorphic transformations during dehydration. SCXRD was used to

determine the crystal structures of crystals E1 and E2 for evidence of polymorphisms. Table 1 shows the crystal structure information of LDM crystals E1 and E2, both exhibiting a monoclinic structure with space group $P2_1/c$. Each crystal unit cell has four LDM molecules and eight water molecules for both crystals E1 and E2, with nearly identical lattice parameters (all parameters with differences $<0.25\%$). In addition, the bulk and single crystals were identified by PXRD as the same polymorph, as shown in Fig. S5.†

The molecular conformations of one LDM molecule and two associated H_2O molecules from the crystal unit cells of crystals E1 and E2 were further analysed by Mercury Soft. Fig. 3a shows that the root mean square deviation (RMSD) of molecular overlap between crystals E1 and E2 is 0.0079, which also proves the identical molecular conformation for crystals E1 and E2. Also, both crystals E1 and E2 share an identical packing motif, illustrated in Fig. 3b. The absence of hydrogen bonding interactions between the LDM molecules is observed. However, the $O-H\cdots O$ hydrogen bond existing between the two water molecules acts as a bridge between the LDM molecules through the $O-H\cdots O$ and $N-H\cdots O$ hydrogen bonds to keep structural stability. The crystal structure

Table 1 Single-crystal structural data of LDM crystals E1 and E2

Parameters	E1	E2
Formula	$C_{13}H_{13}N_3O_3 \cdot 2H_2O$	
Weight	295.29	
Crystal system	Monoclinic	
Space group	$P2_1/c$	
a (Å)	13.4400(3)	13.4569(3)
b (Å)	8.8402(2)	8.8327(2)
c (Å)	11.7381(3)	11.7392(3)
α (°)	90	90
β (°)	99.1610(10)	99.2310(10)
γ (°)	90	90
Z, Z'	4, 1	4, 1
Volume (Å ³)	1376.84(6)	1377.33(6)
CCDC No.	2289868	2383285





Fig. 3 (a) Molecular overlap and (b) packing motif of LDM and water molecules in the crystal unit cell of crystals E1 and E2.

analysis confirmed the same polymorph for LDM crystals E1 and E2. In addition, the water molecule interacts with adjacent water and LDM molecules by hydrogen bonds, and both H_2O molecules in crystals E1 and E2 share two structural features of isolated site and channel hydrates,

which is an uncommon hydrated structure. As the crystals E1 and E2 have the same crystal structure, it is expected that the simulated PXRD patterns of crystals E1 and E2 from the single-crystal structures are also identical, as shown in Fig. 2a.

3.3 Unification of dehydration process after grinding

Crystals E1 and E2 were ground in a ball mill at a rate of 5/S for 20 min until devoid of distinct crystal shapes, as shown in the SEM images in Fig. 4a. Before grinding, crystals E1 and E2 have the same diffraction peaks but different peak intensities, as shown in Fig. 4b and c. After grinding, crystals E1 and E2 have the same diffraction peaks and almost the same peak intensities.

The ground crystals E1 and E2 have similar TGA and DSC curves, shown in Fig. 4d. Ground crystals E1 and E2 have identical dehydration peaks at 122 °C and melting peaks at 269 °C. The dehydration processes tend to be the same, with the loss of two water molecules in one-step amounting to about 11.9%. The ground crystals E1 and E2 exhibit faster dehydration rates, completing their dehydration process at 120 °C, which is faster than the one-step dehydration process of the unground crystals E2.



Fig. 4 (a) SEM images after grinding of crystals E1 and E2; (b) comparison of PXRD patterns of crystals E1 and E2 before and after grinding; (c) differences in diffraction peak intensities of bulk E2 compared to E1, simulated E2 after refining in the (1 0 0) orientation, and ground E2 compared to E1; (d) TGA and DSC curves of ground E1 and E2.



3.4 Dehydration mechanism of crystals E1 and E2

Why do crystals E1 and E2 have the same PXRD and crystal structure but different thermal properties and the same dehydration process after grinding? The possible reason is that the water molecules in crystals E1 and E2 are dehydrated through different pathways due to the different lattice orientations. After grinding, the dehydration process and thermal properties of crystals E1 and E2 without morphological features become identical due to the absence of a preferred lattice orientation.

Fig. 5a shows the supercell structure of crystals E1 or E2 with multiple water channels along the *c*-axis. These water channels are perpendicular to the *ab*-plane and parallel to the *c*-axis, and their radial direction consists of four water molecules. In the *ab*-plane, both water channels and LDM clusters are arranged in a straight line, forming the blue hydrophilic layers and red hydrophobic layers, respectively, which are sequentially arranged in parallel to form a

complete crystal structure. Based on this hydrated structure, there are two potential dehydration pathways for hydrated water molecules to leave the crystal structure.

The first pathway related to the dehydration of crystals E1 is represented by crystal face (0 0 1), shown in Fig. 5b. It is noted that crystal planes (3 0 0), (2 2 0), and (4 1 0) are similar to (0 0 1), as they are all parallel to the *c*-axis. At the beginning of dehydration, it is expected that water molecules leave the crystal structure along the water channels, which corresponds to the first dehydration below 100 °C in the DSC curve in Fig. 1c. Although the detailed dehydration process was not determined, it is possible that water molecules dehydrated along the water channels undergo a slower process of diffusion and leaving, while the LDM molecules that lose the water molecules experience collapse and rearrangement due to the presence of hydrogen bonding between the water and LDM molecules, hindering the release of water molecules inside the crystal structure. This explains



Fig. 5 (a) Supercell structures along the *c*-axis of crystals E1 and E2. Schematic diagrams of dehydration channel changes during the dehydration process (b) on E1 crystal face (0 0 1) and (c) on E2 crystal face (1 0 0).





Fig. 6 FWO plots of $\log \beta$ versus $-457/RT$ at $\alpha = 10$ – 90% for the thermal dehydration: (a) crystals E1 and (b) crystals E2.

overall dehydration rates of the ground crystals are faster than those of the unground crystals E1 and E2 due to more dehydration channels being opened. In addition, the specific lattice orientations are maintained by the grains of bulk crystals E1 and E2 despite their different sizes; thus, they exhibit different dehydration behaviors.

There are reports on different dehydration rates due to lattice orientations,^{18,40,41} and it is reasonable to accept that exposing more water channels in the crystal would accelerate the dehydration process. However, to the best of the authors' knowledge, this is the first report to observe that lattice orientation would induce not only different dehydration rates but also totally different changes in the solid-state transformation which further induce different thermal properties during dehydration. The emergence of this uncommon phenomenon is attributed to the special hydrated structure of LDM dihydrate. The water molecule interacts with both adjacent water and LDM molecules through hydrogen bonding interactions in the crystal unit cell, matching the dual features of channel and isolated site hydrates, which results in the appearance of two different dehydration pathways influenced by the lattice orientation. Nevertheless, the question of why the departure of water molecules from crystals E1 and E2 causes the rearrangement of the crystal structure and the different restructuring processes occurring in crystals E1 and E2 still requires further investigation. Besides, both crystals E1 and E2 remain

stable at room temperature, although they have different dehydration temperatures and thermal stabilities. E1 is considered more stable than E2 due to the higher solubility of E2 in the initial dissolution, as evidenced by the greater dissolution rate of E2 compared to that of E1. Therefore, crystals E2 are a promising alternative for solid form LDM.

5. Conclusions

The LDM dihydrates, crystals E1 and E2, have different shapes. Crystals E2 have more stability than crystals E1 by DSC and a higher dissolution rate. TGA shows that crystals E1 have a two-step process of dehydration and restructure to hemihydrate before changing to anhydrous. Crystals E2 have only a one-step process of dehydration and restructure to anhydrous directly. However, the crystals E1 and E2 have the same peak positions in their Powder XRD patterns, and Single-Crystal XRD further proves that crystals E1 and E2 have the same crystal structure.

The same crystal structures and polymorphs with different thermal properties and dissolution rates could be due to two distinct dehydration pathways for different lattice orientations in the presence of a specific hydrated structure. It is demonstrated that ground crystals E1 and E2 without the preferred orientations have the same thermal properties and dehydration processes. The two LDM dihydrates, identified as same polymorph, have different thermal and dissolution properties, highlighting the need for a better understanding of thermal properties and structural changes during the dehydration process.

Table 2 The apparent activation energies (E_a) at different dehydration fractions (α) for the thermal dehydration of LDM crystals E1 and E2

α (%)	E_a (kJ mol ⁻¹)	
	E1	E2
10	53.64	62.07
20	75.43	61.72
30	95.02	61.90
40	101.83	62.75
50	98.39	73.39
60	91.55	74.78
70	81.71	74.55
80	67.02	73.71
90	47.07	72.63

Data availability

Crystallographic data for lenalidomide crystals E1 and E2 have been deposited at the CCDC under No. 2289868 and 2219890. The data supporting this article are included in the ESI.†

Conflicts of interest

There are no conflicts to declare.



Acknowledgements

This work was supported by National Key Research and Development Program of the International Scientific and Technological Innovation Cooperation Project among Governments (2021YFE0100400) and Natural Science Foundation of Shanghai Municipality (No. 23ZR1417100). HY is grateful to the Royal Society for its support (IEC\NSFC\201432). The authors thank Pietro Sacchi for helpful discussions.

References

- L. H. Emara, R. M. Badr and A. Abd Elbary, *Drug Dev. Ind. Pharm.*, 2022, **28**, 795–807.
- E. Jurczak, A. H. Mazurek, Ł. Szeleszczuk, D. M. Pisklak and M. Zielińska-Pisklak, *Pharmaceutics*, 2020, **12**, 959.
- J. Zhang, Y. Ying, B. Pielecha-Safira, E. Bilgili, R. Ramachandran, R. Romañach, R. N. Davé and Z. Iqbal, *Int. J. Pharm.*, 2014, **475**, 428–437.
- D. E. Braun, T. Gelbrich, V. Kahlenberg and U. J. Griesser, *Mol. Pharmaceutics*, 2014, **11**, 3145–3163.
- K. R. Morris and N. Rodríguez-Hornedo, in *Encyclopedia of Pharmaceutical Technology*, ed. J. Swarbrick and J. Boylan, Marcel Dekker, New York, 1993, vol. 7, pp. 393–440.
- L. Kumar and A. K. Bansal, *Thermochim. Acta*, 2011, **525**, 206–210.
- V. Koradia, H. L. de Diego, M. R. Elema and J. Rantanen, *J. Pharm. Sci.*, 2010, **99**, 3966–3976.
- X. Ma, F. Müller, S. Huang, M. Lowinger, X. Liu, R. Schooler and R. O. Williams III, *Pharmaceutics*, 2020, **12**, 379.
- F. Tian, H. Qu, A. Zimmermann, T. Munk, A. C. Jørgensen and J. Rantanen, *J. Pharm. Pharmacol.*, 2010, **62**, 1534–1546.
- A. K. Salameh and L. S. Taylor, *J. Pharm. Sci.*, 2006, **95**, 446–461.
- T. Suzuki and K. Terada, *Int. J. Pharm.*, 2012, **422**, 1–8.
- Z. Pang, Y. Wei, H. Chen, R. Wang, X. Gao, J. Zhang, Y. Gao and S. Qian, *Int. J. Pharm.*, 2021, **597**, 120374.
- A. R. Sheth, D. Zhou, F. X. Muller and D. J. Grant, *J. Pharm. Sci.*, 2004, **93**, 3013–3026.
- J. Sun, C. Xie, X. Zhang, Y. Bao, B. Hou, Z. Wang, J. Gong, H. Hao, Y. Wang, J. Wang and Q. Yin, *Org. Process Res. Dev.*, 2016, **20**, 780–785.
- W. H. Hsieh, W. T. Cheng, L. C. Chen and S. Y. Lin, *Asian J. Pharm. Sci.*, 2018, **13**, 212–219.
- Z. Ding, W. Su, X. Huang, B. Tian, X. Cheng, Y. Mao, G. Li, H. Liu and H. Hao, *Cryst. Growth Des.*, 2020, **20**, 1150–1161.
- A. S. Larsen, M. T. Ruggiero, K. E. Johansson, J. A. Zeitler and J. Rantanen, *Cryst. Growth Des.*, 2017, **17**, 5017–5022.
- F. Kang, F. G. Vogt, J. Brum, R. Forcino, R. C. Copley, G. Williams and R. Carlton, *Cryst. Growth Des.*, 2012, **12**, 60–74.
- A. Bērziņš and A. Actiņš, *CrystEngComm*, 2014, **16**, 3926–3934.
- M. Takahashi and H. Uekusa, *J. Pharm. Sci.*, 2022, **111**, 618–627.
- J. H. Flynn and L. A. Wall, *J. Polym. Sci. B: Pol. Lett.*, 1966, **4**, 323–328.
- J. Gao, Y. Wang and H. Hao, *Front. Chem. Sci. Eng.*, 2012, **6**, 276–281.
- D. E. Braun, T. Gelbrich, V. Kahlenberg and U. J. Griesser, *Mol. Pharmaceutics*, 2014, **11**, 3145–3163.
- A. S. Larsen, J. Rantanen and K. E. Johansson, *J. Pharm. Sci.*, 2017, **106**, 348–355.
- B. Yang, Y. Li, J. Lei, M. Cai, Z. Hu, Y. Shen and X. Deng, *Int. J. Pharm.*, 2023, **638**, 122893.
- A. A. Guirguis and B. L. Ebert, *Curr. Opin. Cell Biol.*, 2015, **37**, 61–67.
- A. Palumbo, J. Freeman, L. Weiss and P. Fenaux, *Expert Opin. Drug Saf.*, 2012, **11**, 107–120.
- K. Ravikumar and B. Sridhar, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.*, 2009, **65**, o502–o505.
- D. P. Konakanchi, B. Gongalla, K. B. Sikha, C. Kandaswamy, K. S. B. R. Adibhatla and V. C. Nannapaneni, WO201111053A1, 2011.
- R. S. Chen, G. W. Muller, M. S. Jaworsky, M. T. Saindane and L. M. Cameron, WO2005023192A2, 2005.
- R. Yan, H. Yang and Y. Xu, WO2011050590A1, 2011.
- R. Chennuru, P. Muthudoss, R. S. Voguri, S. Ramakrishnan, P. Vishweshwar, R. R. C. Babu and S. Mahapatra, *Cryst. Growth Des.*, 2017, **17**, 612–628.
- L. Jia, Z. Li and J. Gong, *Pharm. Dev. Technol.*, 2019, **24**, 1175–1180.
- A. Li, Z. Si, Y. Yan and X. Zhang, *J. Mol. Liq.*, 2021, **330**, 115446.
- R. Liang, Y. Zhu, Y. Wu, X. Gu and X. Zhang, *CrystEngComm*, 2022, **24**, 6357–6366.
- L. Wang, Y. Yan, X. Zhang and X. Zhou, *Int. J. Pharm.*, 2022, **613**, 121394.
- O. V. Dolomanov, L. J. Bourhis, R. J. Gildea, J. A. Howard and H. Puschmann, *J. Appl. Crystallogr.*, 2009, **42**, 339–341.
- S. N. C. Roberts, A. C. Williams, I. M. Grimsey and S. W. Booth, *J. Pharm. Biomed. Anal.*, 2002, **28**, 1149–1159.
- J. L. Crisp, S. E. Dann and C. G. Blatchford, *Eur. J. Pharm. Sci.*, 2011, **42**, 568–577.
- J. Y. Khoo, D. R. Williams and J. Y. Heng, *Drying Technol.*, 2010, **28**, 1164–1169.
- A. Joseph, C. E. Bernardes, A. S. Viana, M. F. M. Piedade and M. E. Minas da Piedade, *Cryst. Growth Des.*, 2015, **15**, 3511–3524.

