ChemComm



CORRECTION

View Article Online



Cite this: Chem. Commun., 2015 **51**, 16872

DOI: 10.1039/c5cc90503f

www.rsc.org/chemcomm

Correction: Hydrophobic pillared square grids for selective removal of CO₂ from simulated flue gas

Sameh K. Elsaidi, ^{ab} Mona H. Mohamed, ^{ac} Herbert T. Schaef, ^b Amrit Kumar, ^d Matteo Lusi, ^d Tony Pham, ^c Katherine A. Forrest, ^c Brian Space, ^c Wenqian Xu, ^e Gregory J. Halder, Jun Liu, Michael J. Zaworotko* and Praveen K. Thallapally*

Correction for 'Hydrophobic pillared square grids for selective removal of CO2 from simulated flue gas' by Sameh K. Elsaidi et al., Chem. Commun., 2015, 51, 15530-15533.

Full details of the funding for this research were not included originally. The authors would like to acknowledge that the research used Beamline 17-BM at the Advanced Photon Source, a U.S. Department of Energy (DOE) Office of Science User Facility operated for the DOE Office of Science by Argonne National Laboratory under Contract No. DE-AC02-06CH11357.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a Chemistry Department, Faculty of Science, Alexandria University, P.O. Box 426 Ibrahimia, Alexandria 21321, Egypt

^b Fundamental and Computational Science Directorate, Pacific Northwest National Laboratory, Richland, WA 99352, USA. E-mail: praveen.thallapally@pnnl.gov

^c Department of Chemistry, University of South Florida, 4202 East Fowler Avenue, CHE 205, Tampa, Florida, 33620-5250, USA

^d Department of Chemical & Environmental Sciences. University of Limerick, Limerick, Republic of Ireland

^e X-ray Science Division, Advanced Photon Source, Argonne National Laboratory, Argonne, Illinois, 60439, USA