Green Chemistry



View Article Online

CORRECTION

Check for updates

Cite this: Green Chem., 2017, **19**, 5972

Correction: Visible-light-mediated aerobic selenation of (hetero)arenes with diselenides

Qing-Bao Zhang,^a Yong-Liang Ban,^a Pan-Feng Yuan,^a Shou-Jiao Peng,^a Jian-Guo Fang,^a Li-Zhu Wu^b and Qiang Liu*^a

DOI: 10.1039/c7gc90119d

rsc.li/greenchem

Correction for 'Visible-light-mediated aerobic selenation of (hetero)arenes with diselenides' by Qing-Bao Zhang et al., Green Chem., 2017, **19**, 5559–5563.

The authors regret that there was an error in the last sentence of the paragraph above the Conclusions section of the original article, whereby "6.3 M" should read " $6.3 \mu M$ ".

The sentence should read "The antiproliferative activity of **3al** (with an IC_{50} value of 6.3 μ M for HeLa, see the ESI) is even comparable to that of AF (auranofin)".

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aState Key Laboratory of Applied Organic Chemistry, College of Chemistry and Chemical Engineering, Lanzhou University, Lanzhou 730000, P. R. China. E-mail: liuqiang@lzu.edu.cn

^bKey Laboratory of Photochemical Conversion and Optoelectronic Materials, Technical Institute of Physics and Chemistry, the Chinese Academy of Sciences, Beijing 100190, P. R. China