


 Cite this: *Med. Chem. Commun.*,  
2017, 8, 1727


## Correction: Environment-sensitive turn-on fluorescent probes for p53–MDM2 protein–protein interaction

 Tingting Liu,<sup>a</sup> Yan Jiang,<sup>b</sup> Zhenzhen Liu,<sup>a</sup> Jin Li,<sup>b</sup> Kun Fang,<sup>b</sup> Chunlin Zhuang,<sup>b</sup>  
Lupei Du,<sup>a</sup> Hao Fang,<sup>a</sup> Chunquan Sheng<sup>\*b</sup> and Minyong Li<sup>\*a</sup>

DOI: 10.1039/c7md90031g

[rsc.li/medchemcomm](http://rsc.li/medchemcomm)

 Correction for 'Environment-sensitive turn-on fluorescent probes for p53–MDM2 protein–protein interaction' by Tingting Liu *et al.*, *MedChemCommun*, 2017, DOI: 10.1039/c7md00287d.

 The authors regret an error in Scheme 1, where for probes 9–11 it should show  $n = 2-4$ . The corrected scheme is shown below.


Scheme 1

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> Department of Medicinal Chemistry, Key Laboratory of Chemical Biology (MOE), School of Pharmacy, Shandong University, Jinan, Shandong 250012, China. E-mail: [mli@sdu.edu.cn](mailto:mli@sdu.edu.cn)
<sup>b</sup> Department of Medicinal Chemistry, School of Pharmacy, Second Military Medical University, 325 Guohe Road, Shanghai 200433, China. E-mail: [shengcq@hotmail.com](mailto:shengcq@hotmail.com)
