



Cite this: DOI: 10.1039/c7sc90066j

Correction: Michael addition-based probes for ratiometric fluorescence imaging of protein S-depalmitoylases in live cells and tissues

Michael W. Beck,^a Rahul S. Kathayat,^a Candace M. Cham,^b Eugene B. Chang^b and Bryan C. Dickinson^{*a}

DOI: 10.1039/c7sc90066j

www.rsc.org/chemicalscience

Correction for 'Michael addition-based probes for ratiometric fluorescence imaging of protein S-depalmitoylases in live cells and tissues' by Michael W. Beck *et al.*, *Chem. Sci.*, 2017, DOI: 10.1039/c7sc02805a

The authors regret that there was an error in ref. 30 of the original article. The correct reference, including the two relevant journals, is presented herein as ref. 1.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

References

- 1 C. Young and C. Kihang, *Chem. Lett.*, 2012, **41**, 1611–1612; Z. Liu, X. Zhou, Y. Miao, Y. Hu, N. Kwon, X. Wu and J. Yoon, *Angew. Chem., Int. Ed.*, 2017, **56**, 5812.

^aDepartment of Chemistry, The University of Chicago, 5801 South Ellis Avenue, Chicago, Illinois, 60637, USA. E-mail: Dickinson@UChicago.edu

^bDepartment of Medicine, The University of Chicago, 5801 South Ellis Avenue, Chicago, Illinois, 60637, USA

