



Cite this: *Analyst*, 2018, **143**, 1934

## Correction: Clinical applications of infrared and Raman spectroscopy: state of play and future challenges

Matthew J. Baker,<sup>a</sup> Hugh J. Byrne,<sup>\*b</sup> John Chalmers,<sup>c</sup> Peter Gardner,<sup>d</sup> Royston Goodacre,<sup>d</sup> Alex Henderson,<sup>d</sup> Sergei G. Kazarian,<sup>e</sup> Francis L. Martin,<sup>f</sup> Julian Moger,<sup>g</sup> Nick Stone<sup>g</sup> and Josep Sulé-Suso<sup>h</sup>

DOI: 10.1039/c8an90029a

[rsc.li/analyst](http://rsc.li/analyst)

Correction for 'Clinical applications of infrared and Raman spectroscopy: state of play and future challenges' by Matthew J. Baker, *et al.*, *Analyst*, 2018, DOI: 10.1039/c7an01871a.

On the ninth page of this review article there are two errors. The correct details are as follows:

- Ninth page, left column, 9th line from the bottom: at the end of the sentence the citation numbers should read '106,108,111' instead of '103,105,108'.
- Ninth page, left column, 5th line from the bottom: the start of the sentence on that line should be 'The most recent...'

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup>WestCHEM, Technology and Innovation Centre, Department of Pure and Applied Chemistry, University of Strathclyde, 99 George Street, Glasgow G1 1RD, UK

<sup>b</sup>FOCAS Research Institute, Dublin Institute of Technology, Kevin Street, Dublin 8, Ireland. E-mail: Hugh.Byrne@dit.ie

<sup>c</sup>VS Consulting, Tame Bridge, Stokesley, TS9 5NW, UK

<sup>d</sup>Manchester Institute of Biotechnology (MIB), University of Manchester, 131 Princess Street, Manchester, M1 7DN, UK

<sup>e</sup>Department of Chemical Engineering, Imperial College London, South Kensington Campus, London, SW7 2AZ, UK

<sup>f</sup>School of Pharmacy and Biomedical Sciences, University of Central Lancashire, Preston PR1 2HE, UK

<sup>g</sup>Biomedical Physics, School of Physics and Astronomy, University of Exeter, Exeter EX4 4QL, UK

<sup>h</sup>Institute for Science and Technology in Medicine, Keele University, Guy Hilton Research Centre, Thornburrow Drive, Stoke on Trent ST4 7QB, UK

