


 CrossMark
click for updates

 Cite this: *RSC Adv.*, 2016, 6, 3624

Correction: *In situ* solution polymerization for preparation of MDI-modified graphene/hyperbranched poly(ether imide) nanocomposites and their properties

 Quantao Li,^{†ab} Wenqiu Chen,^{†ab} Wei Yan,^{ab} Quanyuan Zhang,^{ab} Changfeng Yi,^{*ab} Xianbao Wang^{ab} and Zushun Xu^{*ab}

DOI: 10.1039/c5ra90115d

www.rsc.org/advances

 Correction for '*In situ* solution polymerization for preparation of MDI-modified graphene/hyperbranched poly(ether imide) nanocomposites and their properties' by Quantao Li *et al.*, *RSC Adv.*, 2016, 6, 716–729.

The legend for Fig. 13 was not correct; the corrected version is as given below:

Fig. 13 Changes of the (a) tensile strength and elongation at break, (b) tensile modulus of the obtained two kinds of GE-MDI/HBPEI nanocomposites with increasing the content of GO-MDI.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aHubei Collaborative Innovation Center for Advanced Organic Chemical Materials, Wuhan, 430062, China. E-mail: zushunxu@hubu.edu.cn; Fax: +86 27 88665610; Tel: +86 27 88661897

^bMinistry-of-Education Key Laboratory for the Green Preparation and Application of Functional Materials, Hubei University, Wuhan 430062, China

[†] These two authors contributed equally to this work.

