Nanoscale

PAPER

Check for updates

Cite this: Nanoscale, 2021, 13, 17504

Dual-site electrocatalytic nitrate reduction to ammonia on oxygen vacancy-enriched and Pd-decorated MnO₂ nanosheets†

Yan Wang,‡^a Song Shu,‡^b Min Peng,^a Lin Hu,^a Xiaoshu Lv,^a Yu Shen,^a Haifeng Gong^a and Guangming Jiang^b*^a

Electrocatalytic nitrate reduction (NRR) represents one promising alternative to the Haber-Bosch process for NH₃ production due to the lower reaction energy barrier compared to N₂ reduction and the potential recycling of nitrogen source from nitrate wastewater. The metal oxides with oxygen vacancy (O_v) display high NH₃ selectivities in NRR (NO₂⁻/N₂ as side products), but the complexity in O_v enrichment and the inferior hydrogen adsorption on oxides make NRR an inefficient process. Herein, one superior dual-site NRR electrocatalyst that is composed of Ov-enriched MnO₂ nanosheets (MnO₂-Ov) and Pd nanoparticles (deposited on MnO₂) is constructed over the three-dimensional porous nickel foam (Pd-MnO₂-O_v/Ni foam). In a continuous-flow reaction cell, this electrode delivers a NO₃⁻-N conversion rate of 642 mg N m⁻²_{electrode} h⁻¹ and a NH₃ selectivity of 87.64% at -0.85 V vs. Ag/AgCl when feeding 22.5 mg L⁻¹ of NO₃⁻-N (0.875 mL min⁻¹), outperforming the Pd/Ni foam (369 mg N $m^{-2}_{electrode}$ h⁻¹, 85.02%) and MnO₂-O_v/Ni foam (118 mg N m⁻²_{electrode} h⁻¹, 32.25%). Increasing the feeding NO₃⁻–N concentration and flow rate to 180.0 mg L⁻¹ and 2.81 mL min⁻¹ can further lift the conversion rate to 1933 and 1171 mg N m⁻²_{electrode} h⁻¹, respectively. The combination of experimental characterizations and theoretical calculations reveal that the MnO2-Ov adsorbs, immobilizes, and activates the NO_3^- and N-intermediates, while the Pd supplies the O_v sites with sufficient adsorbed hydrogen (H*) for both the NRR and Ov refreshment. Our work presents a good example of utilizing dual-site catalysis in the highly selective conversion of NO₃⁻ to NH₃ that is important for nitrate pollution abatement, nitrogen resource recycling, as well as sustainable NH_3 production.

Received 30th July 2021, Accepted 1st October 2021 DOI: 10.1039/d1nr04962c

rsc.li/nanoscale

1. Introduction

Ammonia (NH₃) is one important raw chemical with huge demand in the fertilizer, polymer, pharmaceutical, and explosive industries.¹ It is also a carbon-free hydrogen carrier that shows promise as a substituent for H₂ fuel in the upcoming renewable energy era.² Currently, the industrial production of NH₃ relies on the Haber–Bosch process that proceeds by the reaction of N₂ and H₂ under high temperatures (500 °C) and pressures (>150 bar).³ Albeit the considerable yield, this process with the harsh reaction condition is considered to be unsustainable in the context of energy saving and environ-

mental protection. Photo-/electrocatalytic N2 fixation with H2O as the hydrogen source offers a green and sustainable way for NH₃ production, but the yield is far from satisfying due to the chemical inertness of N_2 (the triple bond energy reaches 940.95 kJ mol⁻¹).⁴⁻⁶ Recently, a novel route for NH₃ production by electrocatalytic nitrate reduction (NRR) is proposed.^{7,8} This route is considered promising as (i) the nitrate reduction to NH₃ is more energy-efficient compared to N₂ reduction,⁹ and (ii) potential recycling of the nitrogen source from environmental pollutants, such as the NO_x (one gaseous pollutant that can be readily oxidized to nitrate)⁶ and nitrite/nitrate in wastewater.¹⁰⁻¹² The catalyst is the core of the NRR system, determining both the kinetics and the product selectivity towards NH₃ rather than NO_2^{-} , N_2 , or $N_2O_2^{-13,14}$ Among the tested catalysts, the transition metal oxides (such as CuO, FeOx, and TiO2) are gaining intensive attention due to their impressive NRR performances.15-17 Some researchers evidenced that these oxides were partially reduced during NRR, forming oxygen vacancies (Ov) at the surface coupled with the low-valent metal ions (e.g. Cu⁺ in CuO-O_v, Ti^{3+} in TiO_2 -O_v).^{15,16} They then proposed from theoretical calculations that NO₃⁻ was highly inclined to be harvested



View Article Online

^aEngineering Research Center for Waste Oil Recovery Technology and Equipment, Ministry of Education, Chongqing Technology and Business University, Chongqing 400067, China. E-mail: jiangguangming@zju.edu.cn

^bCollege of Architecture and Environment, Sichuan University, Chengdu 610065, China

 $[\]dagger$ Electronic supplementary information (ESI) available. See DOI: 10.1039/ d1nr04962c

[‡]These two authors contribute equally to this work.

and immobilized at the O_v site with its oxygen atom filling in the vacancy, which restrained the migration of N-intermediates and their coupling to form N_2 or N_2O . Furthermore, such an adsorption model enabled the activation of N–O bonds, promoting NO_3^- conversion.¹⁸

Albeit the unique role of O_v in NRR has been unveiled, its function is far from being fully exploited. Two aspects can be further improved: (i) O_v enrichment in the oxide (MO_r). The formation of O_v requires the metal M of two or more oxidative valences (e.g., Ti^{3+}/Ti^{4+} in TiO_2 -O_v and Cu^+/Cu^{2+} in CuO-O_v). In general, O_v in MO_x can be readily enriched when M binds with more oxygen (*i.e.*, a larger value of x) in the initial fine oxide, owns more accessible oxidative valences, and can be reduced to the low valence under the NRR conditions.^{19,20} The Mn in MnO_2 has a valence of +4, and can be readily reduced to +2/+3 due to the corresponding positive redox potential (Table S1[†]). In this case, we believe more O_v can be readily formed in MnO₂, and the resultant MnO₂-O_v is expected to afford a better NRR performance.²¹ (ii) Sufficient supply of hydrogen (H*) for NRR and O_v refreshment. The NH₃ formation requires the H* to combine with N-intermediates, while the Ov refreshment also requires the H* to remove the oxygen/nitrogen species that fill the Ov during NRR. In general, the oxide is inferior in H* adsorption,^{22,23} and a more negative potential has to be employed to polarize the catalyst, which not only raises the energy consumption but also challenges the electrode stability (e.g., -1.3 V vs. SCE for FeNiO_x-O_v¹⁵ and -1.6 V vs. SCE for TiO₂-O_v¹⁷). The metallic palladium (Pd) is known as an excellent material for H adsorption.^{24,25} We, therefore, propose that the coupling of the oxygen-deficient oxide and Pd can perform as one robust dualsite NRR electrocatalyst with high NH3 selectivity, in which the Ov serves to harvest, immobilize, and activate the NO₃⁻, while the Pd supplies the Ov site with sufficient H* from the aqueous solution. The dual-site catalysis has collected much success in heterogenous catalytic reaction, but never reported in NRR.²⁶⁻²⁸

To confirm our hypothesis, a novel dual-site electrocatalyst that is composed of O_v -enriched MnO_2 nanosheets (MnO_2-O_v) and Pd nanoparticles (deposited on MnO_2) was constructed over the three-dimensional porous nickel foam (Pd- MnO_2-O_v /Ni foam). Its NRR performances, including the NO_3^- -N conversion rate, NH₃-N selectivity, and faradaic current efficiency, were tested in a continuous flow reactor and compared with those of Pd/Ni foam and MnO_2-O_v/Ni foam. Impacts of the NO_3^- -N feeding concentration, flow rate, solution pH, Pd loading mass, coexisting anions, and dissolved organic organisms on the NRR performances of Pd- MnO_2-O_v/Ni foam were also investigated. Finally, how the dual sites work in the selective conversion of NO_3^- to NH₃ is discussed with the aid of density functional theory (DFT) calculations.

2. Experimental methods

2.1. Materials

Analytical grade sodium nitrate (NaNO₃), sodium nitrite (NaNO₂), sodium sulfate (Na₂SO₄), ammonium sulfate

 $((NH_4)_2SO_4)$, anhydrous ethanol, sodium chloride (NaCl), humic acid, sodium hydroxide, hydrochloric acid, titanium trichloride (TiCl₃), potassium bromide (KBr), potassium bromate (KBrO₃), sulfamic acid (NH₂SO₃H), sodium carbonate (Na₂CO₃), sodium tetrachloropalladium (Na₂PdCl₄), sodium sulfite (Na₂SO₃), and potassium permanganate (KMnO₄) were obtained from the Sinopharm group chemical reagent Co., Ltd, China. The 3D porous Ni foam substrate (110 pores per linear inch, surface density: 380 g m⁻², thickness: 0.5 mm) was provided by Kunshan Tengerhui Electronic Technology Co., Ltd, China.

2.2. Synthesis of the electrode

For the synthesis of Pd-MnO₂-O_v/Ni foam electrode, a Ni foam piece with a size of 35 mm × 35 mm × 0.5 mm and pre-cleaned by ethanol was placed in a Teflon-lined stainless-steel autoclave that contains 40 mL of KMnO₄ aqueous solution (1.5 mM). The mixture was kept in an oven at 160 °C for 24 h to induce the growth of MnO₂ on the Ni foam. Once being washed with deionized water at room temperature, the as-prepared MnO₂/Ni foam was subjected to a reduction current (-8.0 mA) in 10 mM of NaCl solution for 20 min to enrich the O_v on MnO₂ (MnO₂-O_v/Ni foam, and the plotting of working potential versus reduction time can be seen in Fig. S1[†]). The as-synthesized MnO₂-O_v/Ni foam was then immediately immersed in a Na₂PdCl₄ solution (1.0 mM, 100 mL) for 4.0 h to deposit Pd on the MnO₂-O_v sheet. In comparison, the cleaned Ni foam with pre-reduction at -8.0 mA for 20 min was immersed in Na₂PdCl₄ solution (1.0 mM, 100 mL) for 4.0 h to produce the Pd/Ni foam.

2.3. NRR test

A sealed continuous-flow reaction cell with separated cathode and anode chambers by a cation-exchange membrane was customized for the NRR test. Two working electrodes (32 mm in diameter) were placed in the cathode chamber with a distance of 1.0 cm, and their working potentials were referred to the same Ag/AgCl wire (3.0 M KCl, 0.201 V vs. standard hydrogen electrode at 25 °C). One Pt foil was placed in the anode chamber as the counter electrode. The argon-saturated influent with 50 mM of Na₂SO₄ and a certain amount of NO₃⁻-N was pumped to the cathode chamber, and the NRR occurred when the effluent penetrated the working electrode. The feed in the anode chamber was only the argon-saturated 50 mM Na₂SO₄ solution, and the oxygen evolution reaction occurred on the Pt foil. The concentrations (mg N mL⁻¹) of NO₃⁻⁻ N ($C_{NO_3^{-}-N}$), NO₂⁻-N ($C_{NO_3^{-}-N}$), and NH₃-N ($C_{NH_3^{-}N}$), in the inlet and outlet flow of the cathode chamber were quantified to calculate the NO₃⁻–N conversion efficiency (η , 100%) and rate (r, mg N $m^{-2}_{electrode} h^{-1}$), the product distribution (the decreased total N mass in solution after NRR is attributed to the escape of N in terms of N₂^{15,29}), NH₃–N selectivity (S_{NH_3-N} , 100%), and the faradaic current efficiency (FE%, 100%):

$$\eta_{\rm NO_3^{-}-N} = (C_{\rm in,NO_3^{-}-N} - C_{\rm out,NO_3^{-}-N})/C_{\rm in,NO_3^{-}-N} \times 100\%$$
(1)

$$r_{\rm NO_3^{-}-N} = (C_{\rm in, NO_3^{-}-N} - C_{\rm out, NO_3^{-}-N}) \times Q/A \times 60$$
(2)

$$S_{\rm NH_3^-} = C_{\rm out, NH_3^-N} / (C_{\rm in, NO_3^-N} - C_{\rm out, NO_3^-N}) \times 100$$
(3)

$$FE\% = (n_1 \times C_{\text{out, NO}_2 - N} + n_2 \times C_{\text{out, NH}_3 - N} + n_3 \times C_{\text{out, N}_2 - N}) \times Q \times F/(M \times I) \times 10$$
(4)

$$C_{\text{out, N}_2-N} = (C_{\text{in, NO}_3^--N} - C_{\text{out, NO}_3^--N} - C_{\text{out, NO}_2^--N} - C_{\text{out, NH}_3-N})/2$$
(5)

where Q, F, M, A, and I refer to the flowing rate of the influent (mL min⁻¹), Faraday constant (96 500 C mol⁻¹), molar mass of the element N (14 000 mg mol⁻¹), geometric surface area of the electrode (m²), and current (A), respectively. n refers to the number of electrons transferred in the conversion of NO₃⁻⁻N to the corresponding nitrogen species (2, 5, and 8 for NO₂⁻⁻N, N₂-N, and NH₃-N, respectively).

2.4. DFT calculation

Spin-polarized density functional theory (DFT) calculations were carried out by the Perdew-Burke-Ernzerhof (PBE) functional within generalized gradient approximation (GGA), using the Vienna *ab initio* Simulation Package (VASP 5.4.1).³⁰⁻³² The kinetic energy cut off was set at 400 eV. The (111) facet-terminated 2×2 supercell containing 48 Pd atoms and the (001) facet-terminated supercell containing 136 atoms (including 32 Mn, 76 O, 4 K, and 24 H) were constructed to model Pd and δ -MnO₂, respectively. One oxygen atom was removed from the outermost layer of the δ -MnO₂ (001) facet to generate MnO₂- O_v . The vacuum space along the z direction was set to 15 Å, avoiding the interactions between two slab models. One layer at the bottom was fixed at the lattice position, while the remaining atomic layers and the absorbed molecules were fully relaxed. Brillouin zone integrations were performed using Monkhorst-Pack grids of $3 \times 3 \times 1$ for all the slab calculations with Gaussian smearing σ = 0.1 eV. All the structural optimizations were converged at 0.05 eV Å⁻¹. The solvation effect was precluded since the ignorable energy change was witnessed.^{33,34} Grimme's DFT-D3 method was incorporated to implement the van der Waals correction.35

The adsorption energy (E_{ads}) is defined as

$$E_{\rm ads} = E_{\rm tot} - (E_{\rm sub} + E_{\rm mol}) \tag{6}$$

where E_{tot} , E_{sub} , and E_{mol} depict the total energy of the adsorption complex, the substrate, and the isolated adsorbed molecules, respectively.

The free energies in the electrochemical reaction pathways were calculated based on the computational hydrogen electrode (CHE) model proposed by Nørskov and co-workers. The change in the Gibbs free energy (ΔG) for each reaction step is given as follows:³⁶

$$\Delta G = \Delta E + \Delta Z P E - T \Delta S + \Delta U + \Delta p H \tag{7}$$

where ΔE is the energy change between the reactant and product obtained from DFT calculations. ΔZPE is the change in zero-point energy, and *T* and ΔS denote the temperature and change of entropy, respectively. Here, *T* = 298 K was considered. ΔpH is the free energy correction of pH, calculated by $\Delta pH = kT \ln 10 \times pH$, and the pH value is zero in this work. Additionally, the Gibbs free-energy diagrams were estimated under zero potential (U = 0).

3. Results and discussion

3.1. Synthesis and characterization of the $Pd-MnO_2-O_v/Ni$ foam electrode

The Pd/MnO₂-O_v nanosheets grown on the 3D-porous Ni foam were synthesized via a three-step approach: (i) growth of the uniform MnO₂ sheet array on the skeleton of Ni foam (MnO₂/ Ni foam); (ii) enrichment of O_v on MnO₂ nanosheets *via* an electrochemical reduction method (MnO₂-O_v/Ni foam); (iii) further decoration of Pd NPs (Pd-MnO₂-O_v/Ni foam). Fig. 1a-d present the representative SEM images of Ni foam, MnO₂/Ni foam, MnO2-Ov/Ni foam, and Pd-MnO2-Ov/Ni foam. As observed, MnO2 grows on the smooth skeleton surface of Ni foam and displays a unique intersecting ribbon-like sheet structure. This structure is well preserved during the O_v construction and Pd NP decoration. The Pd NPs are evenly deposited at the sheet surface with little agglomeration. The EDS elemental mapping results in Fig. 1e further demonstrate the even distribution of Pd, Mn, O, and Ni on the skeleton of Ni foam. In Fig. 1f, the HRTEM image of the Pd-MnO₂-O_v sheet




Fig. 1 Representative SEM images of (a) Ni foam, (b) MnO_2/Ni foam, (c) MnO_2-O_v/Ni foam, and (d) $Pd-MnO_2-O_v/Ni$ foam; (e) EDS elemental mapping of Pd, Mn, O, and Ni for $Pd-MnO_2-O_v/Ni$ foam; (f) TEM image of Pd/MnO_2-O_v nanosheet (inset is the corresponding HRTEM image); (g) XRD patterns of electrodes; (h) EPR spectra and (i) high-resolution O 1s XPS spectra for different electrodes.

that is scraped from the Ni foam further evidences the intense and even deposition of Pd NPs with a mean size of 1.4 nm on the MnO_2 nanosheet (the NPs display clear lattice fringes with a consistent spacing of 0.238 nm, corresponding to the (111) facet of metallic Pd phase).³⁷ As a comparison, Pd NPs were also deposited over the Ni foam (Pd/Ni foam). The SEM image in Fig. S2a† evidences the larger and aggregated Pd particles (~20 nm) as well as some Ni(OH)₂ nanosheet assemblies. This structure is also verified by the TEM image of the particle that was scraped from the Pd/Ni foam (Fig. S2b†).

The XRD patterns of the MnO₂/Ni foam, Pd/Ni foam, and Pd-MnO₂-O_v/Ni foam in Fig. 1g point to the δ -form of MnO₂ (PDFcard #80-1098) and the metallic crystal phase of Pd (PDFcard #05-0681) in all these samples.^{38,39} No Ni(OH)₂ phase is discerned possibly due to its low content. The characteristic diffraction peaks for MnO₂ become inconspicuous in the Pd-MnO₂-O_v/Ni foam, possibly due to the crystallinity reduction of MnO₂ after the O_v introduction or the dense cover of Pd NPs. The ICP analyses reveal that the Pd mass loading on Pd-MnO₂-O_v/Ni foam and Pd/Ni foam are similar at 1.6 mg cm⁻³. The presence of O_v in the MnO₂-O_v/Ni foam, Pd/Ni foam, and Pd-MnO₂-O_v/Ni foam are evidenced by the strong EPR signal at around g = 2.0037 in their spectra (Fig. 1h) as well as the O 1s XPS peak at 530.4 eV (Fig. 1i).40 The presence of O_v on Pd/Ni foam can be ascribed to the involvement of the Ni(OH)₂ species. Fig. 1i also shows that the Pd-MnO₂-O_v/Ni foam carries a larger number of Ov than the Pd/Ni foam $(35.25\% \nu s. 26.75\%)$, consistent with our speculation that O_v is more readily formed on MnO₂.

3.2. NRR performance

The NRR performances of Pd-MnO₂-O_v/Ni foam, Pd/Ni foam, and MnO₂-O_v/Ni foam electrodes were tested and compared. Given the inherent 3D porous structure of the foam, a continuous-flow reaction cell was customized with the effluent penetrating the electrode, as schemed in Fig. 2a, which allows sufficient mass transfer of NO3-N around the active sites. Two parallel working electrodes with a distance of 1.0 cm were set to enhance the NRR. Fig. 2b plots the C/C_0 of NO₃⁻-N in the effluent as a function of electrolysis time under a working potential of -0.85 V, a flow rate of 0.875 mL min⁻¹, and a feeding NO_3^- -N concentration of 22.5 mg L⁻¹, by which the NO₃⁻-N conversion efficiency and the rate at the steady state for the electrode can be calculated. As observed, the Pd-MnO2-O_v/Ni foam affords both the largest NO₃⁻-N conversion efficiency of 90.61% and conversion rate of 642 mg N $m^{-2}_{electrode} h^{-1}$, of which the conversion rate is almost 1.7 and 5.7 times that of the Pd/Ni foam (369 mg N $m^{-2}_{\ electrode}\ h^{-1})$ and Pd-free $MnO_2\text{-}$ O_v/Ni foam (118 mg N m⁻²_{electrode} h⁻¹), respectively. As shown by the product distribution in Fig. 2c, NH₃-N is the leading product on both the Pd/Ni foam and Pd-MnO₂-O_v/Ni foam electrode with a selectivity of 85.02% and 87.64%, respectively, while only a negligible amount of NO_2 – N is tracked (3.72 and 0.25% in product). However, on MnO₂-O_v/Ni foam, only 34.5% of the NO_3^- is converted to NH_3 (another 30.2% to NO_2^- and the rest to N_2), which confirms the critical role of Pd in the




Fig. 2 (a) Schematical description of the sealed continuous-flow reaction cell; (b) plots of C/C_0 as a function of the reaction time; (c) product distribution in the outlet flow at the steady state (note that the present product distribution is an average of the ones determined during the 480 min of NRR in at least three repeated tests, the same below); (d) faradaic current efficiency for the NRR on MnO_2-O_v/Ni foam, and $Pd-MnO_2-O_v/Ni$ foam.

fast and deep reduction of NO_3^- to NH_3 . Here, the NH_3 is believed to originate from the NO_3^- conversion rather than the N_2 reduction or other impurities in the water as no NH_3 is detected once the NO_3^- -free solution is fed in the flow. Fig. 2d shows that the faradaic current efficiencies for all three electrodes are smaller than 100% due to the side hydrogen evolution reaction (HER). However, the values for the Pd/Ni foam and Pd-MnO₂-O_v/Ni foam electrodes are relatively high, approaching 70%.

Impacts of the feeding NO₃⁻-N concentration, the flowing rate, the solution pH, and the Pd loading on the NRR performances of the Pd-MnO₂-O_v/Ni foam electrode were investigated. Fig. 3a evidences the decrease in the NO₃-N conversion efficiency from 87.06% to 32.87% while the increase in the conversion rate from 642 to 1933 mg N $m^{-2}_{\ electrode}\ h^{-1}$ with the feeding NO3-N concentration rising from 22.5 to 180.0 mg L^{-1} . Fig. 3b shows that the faradaic current efficiency keeps growing with the increment in NO₃⁻-N concentration and reaches the peak of 89.5% by feeding 180 mg L^{-1} NO₃⁻-N. It is therefore suggested that the active sites are more specific to the NRR over HER with more NO₃⁻-N supplied. The NH₃ selectivity is kept at a high value of around 90% with 22.5–90.0 mg L^{-1} NO₃⁻-N in the influent (Fig. 3c), while it sharply drops to 55.45% with 180.0 mg L^{-1} NO₃⁻-N. Correspondingly, the N2 yield rises. According to the previous work, the decreased NH₃ yield and the enhanced N₂ formation can be attributed to the enlarged N-intermediate/H* (N/H) ratio on catalyst surface when feeding a larger concentration of NO₃⁻-N.^{41,42}

Fig. 3d reveals that an increase in the flow rate from 0.87 to 2.81 mL min⁻¹ reduces the NO₃⁻-N removal efficiency from 87.06% to 52.02%, but raises the NO₃⁻-N conversion rate from 642 to 1171 mg N m⁻²_{electrode} h⁻¹. This is rationalized by the




Fig. 3 Impacts of (a–c) the feeding NO_3^--N concentration, (d–f) flow rate, (g–i) pH, (j–l) Pd loading, and (m–o) co-existing anions and dissolved organics on the NO_3^--N conversion rate, faradaic current efficiency, and product distribution in NRR.

fact that under the larger flow rate, more NO_3^- pass by the electrode but stay in a shorter time. Accordingly, a larger proportion of NO_3^- incline to flow through the electrode before being reduced, leading to the increased NO_3^- residues in the effluent. Despite these, the absolute amount of the converted NO_3^- -N is increased as the active sites are feed with more NO_3^- -N under the larger flow rate. Fig. 3e and f show that with the increase in flow rate, both the faradaic current efficiency and the NH₃ selectivity in the product grow, reach the peak at 2.42 mL min⁻¹ and then decrease. Some NO_2^- -N is even detected at 2.81 mL min⁻¹. Therefore, it is suggested that the uplift of the flow rate but in a suitable range is conducive to acquire pure NH₃-N.

Fig. 3g shows that the solution pH has little effect on both the NO_3^--N conversion efficiency and rate of the electrode. This is beyond expectation as many previous reports have demonstrated that an acidic condition is beneficial to NRR by affording sufficient protons and alleviating the potential poisoning of active sites (*e.g.*, O_v and the Pd sites) by OH⁻. This inconsistency might be attributed to the overdose of active sites on the electrode when subjected to the low NO_3^--N load, which dilutes the effect of pH. Fig. 3h and i demonstrate that the faradaic current efficiency and the NH₃ selectivity are maximized at nearly neutral conditions. As observed in Fig. 3i, the drop in NH₃ selectivity primarily originates from the increased N₂ yield. The enhanced N₂ production in the acidic condition can be ascribed to the formation of $HNO_{3(aq)}$ that readily accumulates and is reduced on the catalyst in comparison to $NO_3^{-,43}$ which contributes to increasing the N/H ratio on electrode, promoting N₂ formation. The enhanced N₂ production in the alkaline condition can be attributed to the intensified poisoning of O_v by OH⁻ (Fig. S3†). As a result, the NRR primarily occurs on Pd, which, as we know, is one excellent metal to trigger the N₂ formation.⁴⁴

Fig. 3j reveals that an increment in the Pd loading boosts the NO_3^--N conversion on the electrode under a NO_3^--N feeding concentration of 22.5 mg L⁻¹, which further confirms the critical role of Pd in NO_3^--N conversion. Fig. 3k shows that faradaic current efficiency decreases under a larger Pd loading, which results from the enhanced side HER that wastes more electrons. Fig. 3l shows that the moderate Pd loading of 3.2 mg_{Pd} cm⁻³ gives rise to the poorest NH₃ selectivity. As Pd occupies the O_v sites during the deposition process, we attribute the higher NH₃ selectivity at the lower Pd loading to the larger number of O_v, which survived at the surface, promoting NH₃ formation. The higher NH₃ selectivity at the higher Pd loading is rationalized by the fact that more H* are exported to the O_v for NO_3^- reduction, and the resultant smaller N/H ratio is conducive to NH₃ formation.

Given the presence of various anions and dissolved organics in natural water, their impacts on the NRR performances of Pd–MnO₂-O_v/Ni foam electrodes have to be considered. The carbonate (CO₃²⁻, 1.0 mM), sulfite (SO₃²⁻, 3.0 mM), and chloridion (Cl⁻, 5.0 mM) are selected as the probe anions,⁴⁵ while the humic acid (3.3 mg L⁻¹) is selected to represent the dissolved organics.⁴⁶ Intriguingly, insignificant differences in the NO₃⁻–N conversion rate, faradaic current efficiency, and NH₃ selectivity are observed in Fig. 3m–o after the introduction of anions and humic acid, suggesting the relatively strong resistance of our electrode to the disturbance from natural water environments. The humic acid exhibits some detrimental effects as the NO₂⁻ residues increase to 9.87%. It hints that a lower organic content in water is conducive to the efficient and complete conversion of NO₃⁻ to NH₃.

3.3. The dual-site catalysis mechanism

As observed, the Pd–MnO₂-O_v/Ni foam delivers both the high NO₃⁻ conversion rate and NH₃ selectivity, which can be expected by the proposed dual-site reaction mechanism that the O_v site adsorbs and activates NO₃⁻ while the Pd site generates H* and exports them to the O_v site for NRR. To confirm this mechanism, DFT calculations on the adsorption energy of H*, N*, and O*, as well as the Gibbs free energy changes for the NO₃⁻ conversion to NH₃ and N₂ on MnO₂, MnO₂-O_v, and Pd surfaces, were performed. The δ -MnO₂ (001) surfaces without and with one O_v are chosen to model fine MnO₂ and MnO₂-O_v, while Pd (111) is selected as the active Pd surface. Fig. S3† reveals that the H* adsorption on MnO₂-O_v is much weaker than that on Pd, confirming the better performance of Pd in proton harvest (the over-strong H adsorption on fine

 MnO_2 can be ascribed to the formation of -OH groups. This H species is inert and cannot be used in NRR). Combining these calculation results with the poor NRR performance of the single MnO_2 -O_v in Fig. 2b, we are ascertained that the H* required for NRR is primarily provided by Pd.

Fig. 4a and b compare the Gibbs free energy changes (ΔG) of the elementary reactions occurring during the NO₃⁻ conversion to N₂ and NH₃ on Pd (111) and MnO₂-O_v (001), respectively. The N-intermediates and elementary reactions are set according to the literature.^{14,47,48} Basically, the NRR can be divided into two stages: (I) NO₃⁻ adsorption and its conversion to NO₂*, which is well-known as the rate-determining step of NRR; (II) NO₂* conversion to N₂ or NH₃, which is considered as the determinant of product selectivity. As observed, the process I on the MnO₂-O_v surface is spontaneous with an overall negative ΔG of -3.56 eV, while that on the Pd surface has to overcome an energy barrier of 0.51 eV (0.48 eV for NO₃⁻ adsorption and 0.03 eV for NO3* hydrogenation). More intriguingly, O_v is found to have the ability to grab one O atom from both NO₃* and NO₂* and complete the NO₃*-NO* conversion along with their adsorption processes. All these calculation results clearly verify that NO₃⁻ is preferred to be adsorbed and activated on MnO₂-O_v rather than the Pd site. It should be mentioned that O_v is filled by the oxygen atoms during the NO₃⁻/NO₂^{*} activation and should be regenerated under the synergy of polarization potential and H* by overcoming an energy barrier of 0.87 eV ((1.23-0.36) eV).

In stage II, the NO* on MnO₂-O_v is ready to be deeply hydrogenated to NH₃* in an energetically favored pathway of NO* \rightarrow NOH* \rightarrow N* \rightarrow NH* \rightarrow NH₂* \rightarrow NH₃* with the ΔG of all the steps displaying negative values. The N₂ formation is relatively difficult as the N*–N* pairing requires extra energy of 0.43 eV. In comparison, the NO₂* conversion to NH₃ and N₂ on Pd (111) experiences similar energy profiles, pointing to the rela-




Fig. 4 The reaction energy diagram for the conversion of NO_3^- to N_2 and NH_3 over (a) clean MnO_2 - O_v (001) and (b) Pd (111) facet; adsorption energies of (c) one oxygen atom and (d) one nitrogen atom on MnO_2 - O_v (001) and Pd (111) facets; (e) schematical illustration of the MnO_2 - O_v -Pd dual-site NRR mechanism for a high NH₃ selectivity.

tively poor product selectivity to NH_3 or N_2 on the Pd site. This is consistent with the previous reports that a mixed product of NH_3 and N_2 can be formed on Pd-based catalysts.^{49,50} Combining the calculation results with the high NH_3 selectivity of Pd-MnO₂-O_v in Fig. 2c, we are ascertained that the O_v site is the active center for the selective conversion of NO_3^- to NH_3 .

We also examined the adsorption energies of N* and O* on MnO-O_v and Pd, and the results in Fig. 4c and d reveal the much stronger adsorption of O* and N* on the O_v site of MnO₂-O_v than that on Pd. Given the linear scale of the adsorption energies for N-intermediates with that for either an oxygen or nitrogen atom,^{51,52} all the N-intermediates are believed to be preferably immobilized and reduced at the O_v site during NRR, which reduces their encountering possibilities and contributes to high NH₃ selectivity.

On the basis of all the above, we firmly believe the dual-site NRR mechanism on MnO_2-O_v-Pd , which is schematically described in Fig. 4e. The O_v serves to adsorb, immobilize, and activate the NO_3^- and N-intermediates, while Pd supplies the O_v with sufficient H* for both the NRR and O_v refreshment. Such a dual-site NRR mechanism accounts for both the efficient NRR and the high NH₃ selectivity.

4. Conclusions

This work demonstrates the superior performance of the three-dimensional porous Pd-MnO₂-O_v/Ni foam electrode for NRR. In a continuous-flow reaction cell, it delivers a substantial NO₃⁻–N conversion rate of 642 mg N $m^{-2}_{electrode} h^{-1}$ and a NH₃ selectivity of 87.64% under -0.85 V when feeding a 22.5 mg L^{-1} NO₃⁻–N solution at a rate of 0.875 mL min⁻¹, outperforming the Pd/Ni foam (369 mg N m⁻²_{electrode} h⁻¹, 84.02%) and MnO₂-O_v/Ni foam (118 mg N m⁻²_{electrode} h⁻¹, 32.25%). Combining the experimental characterizations and the theoretical calculations, we confirm the dual-site NRR process on Pd-MnO₂-O_v, in which the MnO₂-O_v serves to adsorb, immobilize, and activate the NO_3^- and the N-intermediates, while Pd supplies the Ov with sufficient H* for both the NRR and O_v refreshment. This work highlights the critical role of dual-site catalysis in the efficient and selective nitrate conversion to NH₃, paving the way for utilizing dual-site catalysis in both the nitrate pollution abatement and nitrogen resource recycling from nitrate wastewater.

Conflicts of interest

The authors declare no competing financial interest.

Acknowledgements

We acknowledge the funding support from the National Natural Science Foundation of China (2217061059 and 51978110), the Program for the Top Young Talents of Chongqing, Innovation group of new technologies for industrial pollution control of Chongqing Education Commission (CXQT19023), and Science and Technology Research Program of Chongqing Municipal Education Commission (KJQN201800829 and KJZD-K202000802).

Notes and references

- 1 L. Liu, X. Zhang, W. Xu, X. Liu, Y. Li, J. Wei, M. Gao, J. Bi, X. Lu, Z. Wang and X. Wu, *J. Agric. Food Chem.*, 2020, **68**, 3354–3361.
- 2 F. Jiao and B. Xu, Adv. Mater., 2019, 31, 1805173.
- 3 N. Lazouski, M. Chung, K. Williams, M. L. Gala and K. Manthiram, *Nat. Catal.*, 2020, **3**, 463–469.
- 4 Y. Zhao, L. Zheng, R. Shi, S. Zhang, X. Bian, F. Wu, X. Cao, G. I. N. Waterhouse and T. Zhang, *Adv. Energy Mater.*, 2020, 10, 2002199.
- 5 M. C. Kim, H. Nam, J. Choi, H. S. Kim, H. W. Lee, D. Kim, J. Kong, S. S. Han, S. Y. Lee and H. S. Park, *ACS Catal.*, 2010, **10**, 10577–10584.
- 6 G. M. Jiang, X. W. Li, M. N. Lan, T. Shen, X. S. Lv, F. Dong and S. Zhang, *Appl. Catal.*, *B*, 2017, 205, 532–540.
- 7 Y. Zeng, C. Priest, G. Wang and G. Wu, *Small Methods*, 2020, 4, 2000672.
- 8 Y. T. Wang, Y. F. Yu, R. R. Jia, C. Zhang and B. Zhang, *Natl. Sci. Rev.*, 2019, **6**, 730–738.
- 9 X. Fu, X. Zhao, X. Hu, K. He, Y. Yu, T. Li, Q. Tu, X. Qian, Q. Yue, M. R. Wasielewski and Y. Kang, *Appl. Mater. Today*, 2020, **19**, 100620.
- 10 C. Yu, X. Huang, H. Chen, H. C. J. Godfray, J. S. Wright, J. W. Hall, P. Gong, S. Ni, S. Qiao, G. Huang, Y. Xiao, J. Zhang, Z. Feng, X. Ju, P. Ciais and N. C. Stenseth, *Nature*, 2019, **567**, 516–520.
- 11 S. Wang, X. Zhang, C. Wang, X. Zhang, S. Reis, J. Xu and B. Gu, *Sci. Data*, 2020, 7, 379.
- 12 J. Wang, T. Feng, J. Chen, V. Ramalingam, Z. Li, D. M. Kabtamu, J. H. He and X. Fang, *Nano Energy*, 2021, 86, 106088.
- 13 T. Zhu, Q. Chen, P. Liao, W. Duan, S. Liang, Z. Yan and C. Feng, *Small*, 2020, **16**, 2004526.
- 14 X. D. Wang, M. Q. Zhu, G. S. Zeng, X. Liu, C. Fang and C. H. Li, *Nanoscale*, 2020, **12**, 9385–9391.
- 15 X. Chen, T. Zhang, M. Kan, D. Song, J. Jia, Y. Zhao and X. Qian, *Environ. Sci. Technol.*, 2020, 54, 13344–13353.
- 16 Y. T. Wang, W. Zhou, R. R. Jia, Y. F. Yu and B. Zhang, Angew. Chem., Int. Ed., 2020, 59, 5350–5354.
- 17 R. R. Jia, Y. T. Wang, C. H. Wang, Y. F. Ling, Y. F. Yu and B. Zhang, ACS Catal., 2020, 10, 3533–3540.
- 18 H. Hirakawa, M. Hashimoto, Y. Shiraishi and T. Hirai, J. Am. Chem. Soc., 2017, 139, 10929–10936.
- 19 D. A. Tompsett, S. C. Parker and M. S. Islam, J. Am. Chem. Soc., 2014, 136, 1418–1426.
- 20 J. Liu, Y. Wei, P.-Z. Li, P. Zhang, W. Su, Y. Sun, R. Zou and Y. Zhao, ACS Catal., 2018, 8, 3865–3874.

- 21 G. Zhu, J. Zhu, W. Li, W. Yao, R. Zong, Y. Zhu and Q. Zhang, *Environ. Sci. Technol.*, 2018, **52**, 8684–8692.
- M. Zang, N. Xu, G. Cao, Z. Chen, J. Cui, L. Gan, H. Dai,
 X. Yang and P. Wang, ACS Catal., 2018, 8, 5062–5069.
- 23 T. Zheng, W. Sang, Z. He, Q. Wei, B. Chen, H. Li, C. Cao, R. Huang, X. Yan, B. Pan, S. Zhou and J. Zeng, *Nano Lett.*, 2017, 17, 7968–7973.
- 24 Y. Y. Peng, M. Y. Cui, Z. Y. Zhang, S. Shu, X. L. Shi, J. T. Brosnahan, C. Liu, Y. L. Zhang, P. Godbold, X. M. Zhang, F. Dong, G. M. Jiang and S. Zhang, ACS Catal., 2019, 9, 10803–10811.
- 25 W. Yu, H. Jiang, J. Fang and S. Song, *Environ. Sci. Technol.*, 2021, 55, 10087–10096.
- 26 X. Li, X. Huang, S. Xi, S. Miao, J. Ding, W. Cai, S. Liu, X. Yang, H. Yang, J. Gao, J. Wang, Y. Huang, T. Zhang and B. Liu, *J. Am. Chem. Soc.*, 2018, **140**, 12469–12475.
- 27 S. Campisi, C. E. Chan-Thaw, L. E. Chinchilla, A. Chutia, G. A. Botton, K. M. H. Mohammed, N. Dimitratos, P. P. Wells and A. Villa, *ACS Catal.*, 2020, 10, 5483–5492.
- 28 N. Liu, M. Xu, Y. Yang, S. Zhang, J. Zhang, W. Wang, L. Zheng, S. Hong and M. Wei, ACS Catal., 2019, 9, 2707– 2717.
- 29 W. Duan, G. Li, Z. Lei, T. Zhu, Y. Xue, C. Wei and C. Feng, Water Res., 2019, 161, 126–135.
- 30 G. Kresse and J. Furthmüller, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1996, 54, 11169–11186.
- 31 J. P. Perdew, K. Burke and M. Ernzerhof, *Phys. Rev. Lett.*, 1996, 77, 3865–3868.
- 32 D. R. Hamann, M. Schlüter and C. Chiang, *Phys. Rev. Lett.*, 1979, **43**, 1494–1497.
- 33 X. Guo, J. Gu, S. Lin, S. Zhang, Z. Chen and S. Huang, J. Am. Chem. Soc., 2020, 142, 5709–5721.
- 34 J. H. Montoya, C. Tsai, A. Vojvodic and J. K. Norskov, *ChemSusChem*, 2015, 8, 2180–2186.
- 35 S. Grimme, J. Comput. Chem., 2006, 27, 1787-1799.
- 36 M. Bajdich, M. Garcia-Mota, A. Vojvodic, J. K. Nørskov and A. T. Bell, J. Am. Chem. Soc., 2013, 135, 13521–13530.
- 37 G. M. Jiang, X. J. Li, Y. Shen, X. L. Shi, X. S. Lv, X. M. Zhang, F. Dong, G. X. Qi and R. Liu, *J. Catal.*, 2020, 391, 414–423.
- 38 X. Fang, Y. Liu, W. Cen and Y. Cheng, *Ind. Eng. Chem. Res.*, 2020, **59**, 14606–14615.
- 39 W. Yang, Y. Zhu, F. You, L. Yan, Y. Ma, C. Lu, P. Gao, Q. Hao and W. Li, *Appl. Catal.*, B, 2018, 233, 184–193.
- 40 J. Wang, J. G. Wang, X. Qin, Y. Wang, Z. You, H. Liu and M. Shao, ACS Appl. Mater. Interfaces, 2020, 12, 34949– 34958.
- 41 S. Hamid, M. A. Kumar and W. Lee, *Appl. Catal.*, B, 2016, 187, 37–46.
- 42 P. J. Kuang, K. Natsui and Y. Einaga, *Chemospere*, 2018, 210, 524–530.
- 43 C. A. Clark, C. P. Reddy, H. Xu, K. N. Heck, G. H. Luo,
 T. P. Senftle and M. S. Wong, ACS Catal., 2019, 494– 509.
- 44 H. Shin, S. Jung, S. Bae, W. Lee and H. Kim, *Environ. Sci. Technol.*, 2014, 48, 12768–12774.

Nanoscale

- 45 Y. M. Kang, M. K. Kim and K. D. Zoh, *Chemosphere*, 2018, **204**, 148–155.
- 46 B. P. Chaplin, E. Roundy, K. A. Guy, J. R. Shapley and C. J. Werth, *Environ. Sci. Technol.*, 2006, 40, 3075– 3081.
- 47 R. Jia, Y. Wang, C. Wang, Y. Ling, Y. Yu and B. Zhang, *ACS Catal.*, 2020, **10**, 3533–3540.
- 48 J. Long, S. M. Chen, Y. L. Zhang, C. X. Guo, X. Y. Fu, D. H. Deng and J. P. Xiao, *Angew. Chem., Int. Ed.*, 2020, 59, 9711–9718.
- 49 H. Li, S. J. Guo, K. Shin, M. S. Wong and G. Henkelman, *ACS Catal.*, 2019, **9**, 7957–7966.
- 50 P. Gayen, J. Spataro, S. Avasarala, A. M. Ali, J. M. Cerrato and B. P. Chaplin, *Environ. Sci. Technol.*, 2018, **52**, 9370– 9379.
- 51 J. X. Liu, D. Richards, N. Singh and B. R. Goldsmith, *ACS Catal.*, 2019, **9**, 7052–7064.
- 52 J. P. Troutman, H. Li, A. M. Haddix, B. A. Kienzle, G. Henkelman, S. M. Humphrey and C. J. Werth, ACS *Catal.*, 2020, **10**, 7979–7989.