



Cite this: *Green Chem.*, 2025, 27, 6906

## Correction: Highly selective, catalyst-free CO<sub>2</sub> reduction in strong acid without alkali cations by a mechanical energy-induced triboelectric plasma-electrolytic system


Hui Hu, Nannan Liu, Qinglong Ru, Wei Jiang, Yongcui Yang, Kailan Ma, Lixiang Meng, Zuliang Du, Bao Zhang\* and Gang Cheng\*

DOI: 10.1039/d5gc90104a

rsc.li/greenchem

Correction for 'Highly selective, catalyst-free CO<sub>2</sub> reduction in strong acid without alkali cations by a mechanical energy-induced triboelectric plasma-electrolytic system' by Hui Hu *et al.*, *Green Chem.*, 2025, <https://doi.org/10.1039/d5gc00977d>.

The authors regret that Fig. 5 was incorrect in the original article. The correct version of Fig. 5 is given below.



**Fig. 5** Insight into the CO<sub>2</sub>RR in strong acids. (a) CO/H<sub>2</sub> evolution rate versus acids at the same concentration of H<sup>+</sup>. (b) CO/O<sub>2</sub> evolution rate in a single or split cell versus TENG rotational speed. (c) CO/H<sub>2</sub> evolution rate versus nitrate concentration. (d) CO/H<sub>2</sub> evolution rate versus H/D-labeled acid.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

Key Lab for Special Functional Materials, Ministry of Education, National & Local Joint Engineering Research Center for High-efficiency Display and Lighting Technology, School of Nanoscience and Materials Engineering, and Collaborative Innovation Center of Nano Functional Materials and Applications, Henan University, Kaifeng 475004, China. E-mail: zhangbao@henu.edu.cn, chenggang@henu.edu.cn

