

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)CrossMark
click for updatesCite this: *RSC Adv.*, 2014, 4, 64214

DOI: 10.1039/c4ra90046d


www.rsc.org/advances

Correction: Preparation, characterization and analytical application of an electrochemical laccase biosensor towards low level determination of isoprenaline in human serum samples

P. Gopal,^a T. Madhusudana Reddy,^{*a} C. Nagaraju^b and G. Narasimha^c

Correction for 'Preparation, characterization and analytical application of an electrochemical laccase biosensor towards low level determination of isoprenaline in human serum samples' by P. Gopal *et al.*, *RSC Adv.*, 2014, 4, 57591–57599.

Scheme 2 in the paper is incorrect. The correct Scheme 2 is shown below.



Scheme 2 Electrochemical redox mechanism of isoprenaline.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aElectrochemical Research Laboratory, Department of Chemistry, S.V.U. College of Sciences, Sri Venkateswara University, Tirupati-517502, Andhra Pradesh, India. E-mail: tmsreddysvu@gmail.com; Tel: +91-877-2289303

^bOrganophosphorus Research Lab, Department of Chemistry, S.V.U. College of Sciences, Sri Venkateswara University, Tirupati-517502, Andhra Pradesh, India

^cApplied Microbiology Laboratory, Department of Virology, Sri Venkateswara University, Tirupati 517502, Andhra Pradesh, India