## Journal of Materials Chemistry A



## CORRECTION

View Article Online
View Journal | View Issue



Cite this: J. Mater. Chem. A, 2014, 2, 18147

## Correction: Dye-sensitized solar cells based on organic dyes with naphtho[2,1-b:3,4-b']-dithiophene as the conjugated linker

Xiaoxu Wang,<sup>a</sup> Lei Guo,<sup>b</sup> Ping Fang Xia,<sup>b</sup> Fan Zheng,<sup>a</sup> Man Shing Wong<sup>\*b</sup> and Zhengtao Zhu<sup>\*ac</sup>

DOI: 10.1039/c4ta90160f

www.rsc.org/MaterialsA

Correction for 'Dye-sensitized solar cells based on organic dyes with naphtho[2,1-b:3,4-b'] dithiophene as the conjugated linker' by Xiaoxu Wang et al., J. Mater. Chem. A, 2013, 1, 13328–13336.

This paper is not the first time the naphtho[2,1-b:3,4-b']dithiophene is used as the  $\pi$ -spacer for metal-free organic dyes in dye-sensitized solar cells (DSSCs), therefore, the words "for the first time" in the abstract of this paper should be deleted. Prior to this paper, organic sensitizers based on naphtho[2,1-b:3,4-b']dithiophene were reported in "Embedding an electron donor or acceptor into naphtho[2,1-b:3,4-b']dithiophene based organic sensitizers for dye-sensitized solar cells".¹ In ref. 1, naphtho-[2,1-b:3,4-b']dithiophene was used as the  $\pi$ -spacer, methoxy triphenylamine was used as the electron donating group, and cyanoacrylic acid was used as the electron-withdrawing anchoring moiety. Additionally, an auxiliary electron-donating group, such as 3,4-ethylenedioxythiophene (EDOT), or an electron-withdrawing group, such as benzothiadiazole was incorporated in the sensitizers reported in ref. 1. DSSCs based on the sensitizers in ref. 1 displayed high efficiency and excellent stability. Our paper reported syntheses of a series of organic dyes using naphtho[2,1-b:3,4-b']dithiophene as the  $\pi$ -conjugation linker, with carbazole or triarylamine as the electron donor group and cyanoacrylic acid as the electron-withdrawing anchoring moiety. Dyes with two naphtho[2,1-b:3,4-b']dithiophene groups as the extended  $\pi$ -spacer were also reported in our paper.

## References

1 Q. Feng, X. Jia, G. Zhou and Z.-S. Wang, Chem. Commun., 2013, 49, 7445-7447.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>&</sup>quot;Nanoscience and Nanoengineering PhD Program, South Dakota School of Mines and Technology, Rapid City, South Dakota, 57701, USA. E-mail: zhengtao.zhu@sdsmt.edu

barintitute of Molecular Functional Materials‡, Department of Chemistry and Institute of Advanced Materials, Hong Kong Baptist University, Kowloon Tong, Hong Kong SAR,
China. E-mail: mswong@hkbu.edu.hk

<sup>\*</sup>Department of Chemistry and Applied Biological Sciences, South Dakota School of Mines and Technology, Rapid City, South Dakota, 57701, USA ‡ Areas of Excellence Scheme (AoE/P-03/08), University Grants Committee, Hong Kong.