

CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)



CrossMark  
click for updates

Cite this: *Anal. Methods*, 2015, **7**, 9713

## Correction: Sub-micron proximal probe thermal desorption and laser mass spectrometry on painting cross-sections

Shawn C. Owens,<sup>a</sup> Jacob A. Berenbeim,<sup>a</sup> Catherine Schmidt Patterson,<sup>b</sup> Eoghan P. Dillon<sup>c</sup> and M. S. de Vries<sup>\*a</sup>

Correction for 'Sub-micron proximal probe thermal desorption and laser mass spectrometry on painting cross-sections' by Shawn C. Owens *et al.*, *Anal. Methods*, 2014, **6**, 8940–8945.

An incorrect NSF grant number was cited in the 'Acknowledgments' section of this paper. Grant number CHE 1301305 is incorrect; the correct grant number is CHE 1241779.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.



<sup>a</sup>University of California Santa Barbara, Department of Chemistry and Biochemistry, Santa Barbara, CA, USA. E-mail: devries@chem.ucsb.edu; Fax: +1 805 893 4120; Tel: +1 805 893 4720

<sup>b</sup>Getty Conservation Institute, 1200 Getty Center Drive, Suite 700, Los Angeles, CA, USA. E-mail: cpatterson@getty.edu; Fax: +1 310 440 7711; Tel: +1 310 440 6232

<sup>c</sup>Anasys Instruments, 325 Chapala St, Santa Barbara, CA, USA. E-mail: eoghan@anasysinstruments.com; Fax: +1 805 730 3300; Tel: +1 805 730 3310