Cite this: *Biomater. Sci.*, 2015, **3**, 1414

Correction: Bisphosphonate-functionalized hyaluronic acid showing selective affinity for osteoclasts as a potential treatment for osteoporosis

Sujit Kootala,^a Dmitri Ossipov,^a Jeroen J. J. P. van den Beucken,^b
Sander Leeuwenburgh^b and Jöns Hilborn^{*a}

DOI: 10.1039/c5bm90034d

www.rsc.org/biomaterialsscience

Correction for 'Bisphosphonate-functionalized hyaluronic acid showing selective affinity for osteoclasts as a potential treatment for osteoporosis' by Sujit Kootala *et al.*, *Biomater. Sci.*, 2015, **3**, 1197–1207.

Previous statistical analysis of cell images was reported as students *t*-test, whereas it should read as follows:

Statistical analysis

Statistical analysis on all images leading to cell numbers was analyzed by Image J and was performed using SigmaStat (SPSS Science, Chicago, IL). Data were analyzed by two-way ANOVA, and, if a significant main effect or interaction was found, we examined it closely by performing pairwise multiple comparisons with Bonferroni's test. All values are reported as the mean $\pm$ S.D.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aDepartment of Chemistry, A Science for Life Laboratory, Polymer Chemistry Division, Uppsala University, Po Box 538, Lägerhyddsvägen 1, Uppsala, SE 75121, Sweden.
E-mail: Jons.Hilborn@kemi.uu.se; Fax: +18-471 3477; Tel: +18-471 3839

^bDepartment of Biomaterials, Radboud umc (309), PO Box 9101, 6500 HB Nijmegen, The Netherlands