PCCP



View Article Online

CORRECTION



Cite this: *Phys. Chem. Chem. Phys.,* 2015, **17**, 20425

Correction: A novel benzoxazine/cyanate ester blend with sea-island phase structures

Xiaodan Li,*^{ab} Xiaoyong Luo^b and Yi Gu*^b

Correction for 'A novel benzoxazine/cyanate ester blend with sea-island phase structures' by Xiaodan Li *et al.*, *Phys. Chem. Chem. Phys.*, 2015, DOI: 10.1039/c5cp02426a.

DOI: 10.1039/c5cp90128f

www.rsc.org/pccp

The scale bar shown in the SEM picures of Fig. 1 is incorrect and should read 10 μ m instead of 10 m. The amended version of Fig. 1 is shown below:



Fig. 1 SEM phase morphology of C-BOZ/BADCy blends: the uncured, cured at 120 °C for 10 h and etched in acetone for 0.5 h of the 5/5 blend $(a_1, a_2 \text{ and } a_3)$, the 7/3 blend $(b_1, b_2 \text{ and } b_3)$, the 8/2 blend $(c_1, c_2 \text{ and } c_3)$ and the 9/1 blend $(d_1, d_2 \text{ and } d_3)$.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a Key Laboratory of Catalysis Science and Technology of Chongqing Education Commission, College of Environment and Biological Engineering, Chongqing Technology and Business University, Chongqing, 400067, P. R. China

^b State Key Laboratory of Polymer Materials Engineering, College of Polymer Sciences and Engineering, Sichuan University, Chengdu 610065, Sichuan, P. R. China. E-mail: 12345ruby@163.com, guyi@scu.edu.cn