

## CORRECTION

[View Article Online](#)  
View Journal | View Issue



Cite this: *Energy Environ. Sci.*, 2015, 8, 2129

DOI: 10.1039/c5ee90029h

[www.rsc.org/ees](http://www.rsc.org/ees)

## Correction: Pyroelectric materials and devices for energy harvesting applications

C. R. Bowen,<sup>\*a</sup> J. Taylor,<sup>b</sup> E. LeBoulbar,<sup>ab</sup> D. Zabek,<sup>a</sup> A. Chauhan<sup>c</sup> and R. Vaish<sup>c</sup>

Correction for 'Pyroelectric materials and devices for energy harvesting applications' by C. R. Bowen *et al.*, *Energy Environ. Sci.*, 2014, 7, 3836–3856.

The unit of energy density stated in Table 2 (Comparison of operating conditions and energy densities for Olsen type cycles) should be  $\text{kJ m}^{-3}/\text{cycle}$ , and not  $\text{J m}^{-3}/\text{cycle}$ .

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> Department of Mechanical Engineering, University of Bath, Bath, BA2 7AY, UK. E-mail: [c.r.bowen@bath.ac.uk](mailto:c.r.bowen@bath.ac.uk)

<sup>b</sup> Department of Electrical and Electronic Engineering, University of Bath, Bath, BA2 7AY, UK

<sup>c</sup> School of Engineering, Indian Institute of Technology Mandi, 175 001, Himachal Pradesh, India

