

CrossMark
click for updatesCite this: *RSC Adv.*, 2015, 5, 34908

Correction: Toughening mechanism behind intriguing stress–strain curves in tensile tests of highly enhanced compatibilization of biodegradable poly(lactic acid)/poly(3-hydroxybutyrate-co-4-hydroxybutyrate) blends

Yijie Bian,^{ab} Changyu Han,^{*a} Lijing Han,^a Haijuan Lin,^{ab} Huiliang Zhang,^a Junjia Bian^a and Lisong Dong^{*a}

DOI: 10.1039/c5ra90033f

www.rsc.org/advances

Correction for 'Toughening mechanism behind intriguing stress–strain curves in tensile tests of highly enhanced compatibilization of biodegradable poly(lactic acid)/poly(3-hydroxybutyrate-co-4-hydroxybutyrate) blends' by Yijie Bian *et al.*, *RSC Adv.*, 2014, 4, 41722–41733.

Data are shown in the incorrect panels in Fig. 2 and 8. The corrected figures are shown below.




Fig. 2 DMA traces of PLA/P(3HB-co-4HB) blends, $\tan \delta$ versus temperature of (a) 70/30 blends, and (b) 30/70 blends. The E' versus temperature of (c) 70/30 blends, and (d) 30/70 blends (the insets give details of the transitions).

^aKey Laboratory of Polymer Ecomaterials, Changchun Institute of Applied Chemistry, Chinese Academy of Sciences, 5625 Renmin Street, Changchun 130022, People's Republic of China. E-mail: dongls@ciac.ac.cn; cyhan@ciac.ac.cn; Tel: +86-0431-85262890; +86-0431-85262244

^bUniversity of Chinese Academy of Sciences, No. 19A Yuquanlu, Beijing 100049, People's Republic of China




Fig. 8 Tensile stress–strain curves of (a) the 70/30 blends and (b) 30/70 blends.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.