



## IN THIS ISSUE

ISSN 2041-6539 CODEN CSHCBM 6(4) 2125–2626 (2015)



### Cover

See Dik-Lung Ma, Chung-Hang Leung *et al.*, pp. 2166–2171.  
Image reproduced by permission of Dik-Lung Ma from *Chem. Sci.*, 2015, 6, 2166.



### Inside cover

See Basile Commarieu and Jerome P. Claverie, pp. 2172–2181.  
Image reproduced by permission of Jerome P. Claverie from *Chem. Sci.*, 2015, 6, 2172.


## PERSPECTIVE

2144

### On the existence of and mechanism for microwave-specific reaction rate enhancement

Gregory B. Dudley, Ranko Richert and A. E. Stiegman\*

Microwave-specific chemical rate enhancement originates from the selective heating and accumulation of energy by solvated dipolar molecules in solution.




## MINIREVIEWS

2153

### Palladium: a future key player in the nanomedical field?

Anaëlle Dumas and Patrick Couvreur\*

Palladium nanostructures with therapeutic potential are emerging as innovative tools in the nanomedical field.



## Editorial staff

### Interim executive editor

May Copsey

### Deputy editor

Jeanne Andres

### Editorial production manager

Philippa Ross

### Development editors

Alessia Millemaggi

Cesar Palmero

### Publishing editors

Matthew Bown, Sage Bowser, Hugh Cowley,  
Ruth Dilleen, Cally Haynes, Alan Holder,  
Samantha Ivell, James Moore, Liisa Niitsoo,  
Victoria Richards, Susan Weatherby, Rachel Wood

### Publishing assistants

Natalie Ford, Bethany Johnson, Rebecca Wojturska

### Publisher

Jamie Humphrey

For queries about submitted articles please contact  
Philippa Ross, Editorial production manager, in the  
first instance. E-mail [chemicalscience@rsc.org](mailto:chemicalscience@rsc.org)

For pre-submission queries please contact

May Copsey, Interim executive editor.

E-mail [chemicalscience-rsc@rsc.org](mailto:chemicalscience-rsc@rsc.org)

Chemical Science (electronic: ISSN 2041-6539)

is published monthly by the Royal Society of  
Chemistry, Thomas Graham House, Science Park,  
Milton Road, Cambridge, CB4 0WF, UK.

Chemical Science is a Gold Open Access journal  
and all articles from 2015 onwards are free to  
read. Please email [orders@rsc.org](mailto:orders@rsc.org) to register  
your interest or contact RSC Order Department,  
Royal Society of Chemistry, Thomas Graham  
House, Science Park, Milton Road, Cambridge,  
CB4 0WF, UK

Tel +44 (0)1223 432398; E-mail [orders@rsc.org](mailto:orders@rsc.org)

Advertisement sales: Tel +44 (0) 1223 432246;

Fax +44 (0) 1223 426017; E-mail [advertising@rsc.org](mailto:advertising@rsc.org)

For marketing opportunities relating to this journal,  
contact [marketing@rsc.org](mailto:marketing@rsc.org)

# Chemical Science

[www.rsc.org/chemicalscience](http://www.rsc.org/chemicalscience)

## Editorial board

### Editor-in-chief

Daniel G. Nocera, Harvard University

### Associate editors

Alán Aspuru-Guzik, Harvard  
University  
Zhenan Bao, Stanford University  
Christopher C. Cummins,  
Massachusetts Institute of  
Technology  
Kazunari Domen, University of Tokyo

Vy Dong, University of California,  
Irvine  
Matthew Gaunt, University of  
Cambridge  
Hubert Girault, Federal Polytechnic  
School of Lausanne  
Christopher A. Hunter, University of  
Cambridge  
David A. Leigh, University of  
Manchester  
Kopin Liu, Academia Sinica

James K. McCusker, Michigan State  
University  
Wonwoo Nam, Ewha Womans  
University  
Carsten Schultz, European Molecular  
Biology Laboratory  
F. Dean Toste, University of California,  
Berkeley  
Haw Yang, Princeton University  
Jihong Yu, Jilin University

## Advisory board

Takuzo Aida, University of Tokyo  
Markus Antonietti, Max Planck  
Institute of Colloids and Interfaces  
Polly Arnold, University of Edinburgh  
Xinhe Bao, Dalian Institute of  
Chemical Physics  
Guy Bertrand, University of California,  
Los Angeles  
Jeffrey Bode, Swiss Federal Institute of  
Technology Zurich  
Christopher Chang, University of  
California, Berkeley  
Chi-Ming Che, University of Hong  
Kong  
Jason Chin, Medical Research Council  
Laboratory of Molecular Biology  
Daniel Chiu, University of Washington  
Graham Cooks, Purdue University  
Eugenio Coronado, University of  
Valencia  
Lee Cronin, University of Glasgow  
Gautam R. Desiraju, Indian Institute of  
Science, Bangalore  
James Durrant, Imperial College  
London  
Ben Feringa, University of Groningen  
Cynthia Friend, Harvard University  
Makoto Fujita, University of Tokyo  
Philip Gale, University of Southampton  
Song Gao, Peking University  
Jinlong Gong, Tianjin University  
Justin Gooding, University of New  
South Wales  
Michael Graetzel, Federal Polytechnic  
School of Lausanne  
Duncan Graham, University of  
Strathclyde  
Boxing Han, Chinese Academy of  
Sciences

Jeremy Harvey, University of Bristol  
Christy Haynes, University of  
Minnesota  
Johan Hofkens, Catholic University  
of Leuven  
Linda Hsieh-Wilson, California  
Institute of Technology  
Eric Jacobsen, Harvard University  
Takashi Kato, University of Tokyo  
Seong Keun Kim, Seoul National  
University  
Jerome Lacour, University of Geneva  
James Leighton, Columbia University  
Steve Ley, University of Cambridge  
Chao-Jun Li, McGill University  
Wenbin Lin, University of North  
Carolina  
Watson Loh, Instituto de Química  
Julie Macpherson, University of  
Warwick  
Stephen Mann, University of Bristol  
Bert Meijer, Eindhoven University of  
Technology  
Nils Metzler-Nolte, Ruhr University  
Bochum  
Scott Miller, Yale University  
Daniel Mindiola, Indiana University  
Mohammad Movassaghi,  
Massachusetts Institute of  
Technology  
Jonathan Nitschke, University of  
Cambridge  
Kyoko Nozaki, University of Tokyo  
Takashi Ooi, Nagoya University  
Rachel O'Reilly, University of Warwick  
Michel Orrit, Leiden University  
Oleg Ozerov, Texas A&M University  
Hongkun Park, Harvard University

Rasmita Raval, University of Liverpool  
Paul Reider, Princeton University  
Stuart Rowan, Case Western Reserve  
University  
Richmond Sarpong, University of  
California, Berkeley  
Gregory Scholes, University of  
Toronto  
Oliver Seitz, Humboldt University of  
Berlin  
Kay Severin, Federal Polytechnic  
School of Lausanne  
Mikiko Sodeoka, RIKEN  
Brian Stoltz, California Institute of  
Technology  
Weihong Tan, University of Florida  
He Tian, East China University of  
Science and Technology  
Zhong-Qun Tian, Xiamen University  
Andrei Tokmakoff, University of  
Chicago  
Jan Van Hest, Radboud University  
Tom Welton, Imperial College London  
Christina White, University of Illinois  
Martin Wolf, Fritz Haber Institute of  
the Max Planck Society  
Omar Yaghi, University of California,  
Los Angeles  
Vivian Yam, University of Hong Kong  
Yang Yang, University of California,  
Los Angeles  
Shu-Hong Yu, University of Science  
and Technology of China  
Qi-Lin Zhou, Nankai University

## Information for authors

Full details on how to submit material for publication  
in Chemical Science are given in the Instructions for  
Authors (available from <http://www.rsc.org/authors>).  
Submissions should be made via the journal's homepage:  
<http://www.rsc.org/chemicalscience>.

Authors may reproduce/republish portions of their  
published contribution without seeking permission  
from the RSC, provided that any such republication is  
accompanied by an acknowledgement in the form:  
(Original Citation)–Reproduced by permission of  
The Royal Society of Chemistry.

This journal is ©The Royal Society of Chemistry 2015.  
Apart from fair dealing for the purposes of research or  
private study for non-commercial purposes, or criticism  
or review, as permitted under the Copyright, Designs and

Patents Act 1988 and the Copyright and Related  
Rights Regulation 2003, this publication may only be  
reproduced, stored or transmitted, in any form or by  
any means, with the prior permission in writing of the  
Publishers or in the case of reprographic reproduction  
in accordance with the terms of licences issued by the  
Copyright Licensing Agency in the UK. US copyright law is  
applicable to users in the USA.

The Royal Society of Chemistry takes reasonable care in  
the preparation of this publication but does not accept  
liability for the consequences of any errors or omissions.

Ⓢ The paper used in this publication meets the  
requirements of ANSI/NISO Z39.48–1992  
(Permanence of Paper).  
Registered Charity No. 207890.




## MINIREVIEWS

2158

**Molecular engineering of mechanophore activity for stress-responsive polymeric materials**

Cameron L. Brown and Stephen L. Craig\*

Molecular-level design principles by which to engineer enhanced mechanophore activity are reviewed, with an emphasis on quantitative structure–activity studies determined for a family of *gem*-dihalocyclopropane mechanophores.




## EDGE ARTICLES

2166

**Label-free luminescence switch-on detection of hepatitis C virus NS3 helicase activity using a G-quadruplex-selective probe**

Ka-Ho Leung, Hong-Zhang He, Bingyong He, Hai-Jing Zhong, Sheng Lin, Yi-Tao Wang, Dik-Lung Ma\* and Chung-Hang Leung\*

A novel luminescent G-quadruplex-selective iridium(III) complex was employed in a label-free G-quadruplex-based detection assay for hepatitis C virus NS3 helicase activity.




2172

**Bypassing the lack of reactivity of *endo*-substituted norbornenes with the catalytic rectification–insertion mechanism**

Basile Commarieu and Jerome P. Claverie\*

The novel rectification–insertion mechanism for the polymerization of polar norbornenes: making alternating copolymers from a single monomer.




2182


**Bioorthogonal oxime ligation mediated *in vivo* cancer targeting**

Li Tang, Qian Yin, Yunxiang Xu, Qin Zhou, Kaimin Cai, Jonathan Yen, Lawrence W. Dobrucki and Jianjun Cheng\*

Here, we report an *in vivo* cancer targeting strategy mediated by bioorthogonal oxime ligation.



2187




### Interconvertible multiple photoluminescence color of a gold(I) isocyanide complex in the solid state: solvent-induced blue-shifted and mechano-responsive red-shifted photoluminescence

Tomohiro Seki, Taichi Ozaki, Takuma Okura, Kiyotaka Asakura, Aya Sakon, Hidehiro Uekusa\* and Hajime Ito\*

We report the first example of a mechanochromic compound that can switch between four individual types of photoluminescence in the solid state.

2196




### Enantioselective *cis*- $\beta$ -lactam synthesis by intramolecular C–H functionalization from enoldiazoacetamides and derivative donor–acceptor cyclopropenes

Xinfang Xu,\* Yongming Deng, David N. Yim, Peter Y. Zavalij and Michael P. Doyle\*

$\beta$ -Lactam derivatives are produced through donor–acceptor cyclopropene intermediates in high yield with exclusive *cis*-diastereoselectivity, and high enantiocontrol.

2202




### Steric effects and quantum interference in the inelastic scattering of NO(X) + Ar

B. Nichols, H. Chadwick, S. D. S. Gordon, C. J. Eyles, B. Hornung, M. Brouard,\* M. H. Alexander, F. J. Aoiz, A. Gijsbertsen and S. Stolte

New measurements of the differential steric effect for NO + Ar inelastic scattering highlight the importance of quantum interference.

2211



### Redefining *q*: quaternary ammonium cross sectional area (XSA) as a general descriptor for transport-limiting PTC rate approximations

S. E. Denmark\* and J. J. Henle

Several descriptors were studied in transport-rate limiting PTC, with amphiphilic cross-sectional area (XSA) identified as a single-descriptor model of rate.






2219

## Large ring-forming alkylations provide facile access to composite macrocycles

Tristan E. Rose, Kenneth V. Lawson and Patrick G. Harran\*

Friedel–Crafts cinnamylations can form unique and varied macrocycles with unmatched ease and functional group tolerance.




2224

## Plasmonic giant quantum dots: hybrid nanostructures for truly simultaneous optical imaging, photothermal effect and thermometry

N. S. Karan, A. M. Keller, S. Sampat, O. Roslyak, A. Arefin, C. J. Hanson, J. L. Casson, A. Desiredy, Y. Ghosh, A. Piryatinski, R. Iyer, H. Htoon, A. V. Malko and J. A. Hollingsworth\*

A new compact and multifunctional hybrid semiconductor–metal nanostructure is elucidated and demonstrated for real-time optical imaging, photothermal heating, and *in situ* thermometry.




2237

## Photoinduced dynamics of a cyanine dye: parallel pathways of non-radiative deactivation involving multiple excited-state twisted transients

Srigokul Upadhyayula, Vicente Nuñez, Eli M. Espinoza, Jillian M. Larsen, Duoduo Bao, Dewen Shi, Jenny T. Mac, Bahman Anvari and Valentine I. Vullev\*

A photoexcited cyanine dye deactivates via multiple non-radiative pathways, only one of which is principally responsible for quenching its fluorescence.




2252


## Thermodynamics and kinetics of DNA nanotube polymerization from single-filament measurements

Rizal F. Hariadi, Bernard Yurke and Erik Winfree\*

Single-filament measurement of the thermodynamic and kinetic parameters of DNA nanotube assembly supports a polymerization/depolymerization model sharing common features with cytoskeletal polymer models.



2268




### Thermal and optical control of electronic states in a single layer of switchable paramagnetic molecules

Giordano Poneti,<sup>\*</sup> Lorenzo Poggini, Matteo Mannini,<sup>\*</sup> Brunetto Cortigiani, Lorenzo Sorace, Edwige Otero, Philippe Sainctavit, Agnese Magnani, Roberta Sessoli and Andrea Dei

Thermally and optically induced Valence Tautomeric interconversion has been observed for a monolayer of a cobalt–dioxolene complex on gold.

2275




### Rhodium-catalyzed C–H functionalization-based approach to eight-membered lactams

Shangze Wu, Rong Zeng, Chunling Fu, Yihua Yu, Xue Zhang<sup>\*</sup> and Shengming Ma<sup>\*</sup>

Fused tricyclic skeleton in one shot: a Rh<sup>III</sup> catalyzed formal [4 + 2 + 2] cyclization of *N*-pivaloyloxybenzamides **1** with 1,6-allene-enes **2** adding two cycles to the benzene ring compatible with ambient air and moisture with a tolerance of many synthetic useful functional groups at room temperature have been developed.

2286




### Exploiting parameter space in MOFs: a 20-fold enhancement of phosphate-ester hydrolysis with UiO-66-NH<sub>2</sub>

Michael J. Katz, Su-Young Moon, Joseph E. Mondloch, M. Hassan Beyzavi, Casey J. Stephenson, Joseph T. Hupp<sup>\*</sup> and Omar K. Farha<sup>\*</sup>

Using the enzymatic mechanism of phosphoesterase as a template, we were able to modify a metal–organic framework such that the hydrolysis rates were 50 times faster than previously demonstrated with UiO-66.

2292



### A catalytic chiral gel microfluidic reactor assembled via dynamic covalent chemistry

Haoliang Liu, Juan Feng, Jianyong Zhang,<sup>\*</sup> Philip W. Miller,<sup>\*</sup> Liuping Chen and Cheng-Yong Su<sup>\*</sup>

A novel dynamic covalent gel strategy is reported to immobilize an asymmetric catalyst within the channels of a microfluidic flow reactor.




2297

### Task-specific ionic liquid and CO<sub>2</sub>-cocatalysed efficient hydration of propargylic alcohols to $\alpha$ -hydroxy ketones

Yanfei Zhao, Zhenzhen Yang, Bo Yu, Hongye Zhang, Huanjun Xu, Leiduan Hao, Buxing Han and Zhimin Liu\*

Task-specific ionic liquid and CO<sub>2</sub>-cocatalysed efficient hydration of propargylic alcohols to  $\alpha$ -hydroxy ketones.




2302

### Extreme red shifted SERS nanotags

Matthew A. Bedics, Hayleigh Kearns, Jordan M. Cox, Sam Mabbott, Fatima Ali, Neil C. Shand, Karen Faulds, Jason B. Benedict, Duncan Graham\* and Michael R. Detty\*

Extreme red-shifted nanotags have been developed and they provide effective SERS with picomolar detection limits when excited at 1280 nm.




2307

### Tandem trimer pyrrole-imidazole polyamide probes targeting 18 base pairs in human telomere sequences

Yusuke Kawamoto, Asuka Sasaki, Kaori Hashiya, Satoru Ide, Toshikazu Bando,\* Kazuhiro Maeshima\* and Hiroshi Sugiyama\*

The novel tandem trimer pyrrole-imidazole polyamide probe targeting 18 bp in telomeric repeats visualized telomeres in human cells selectively.

### Targeting 18 bp in Human Telomeres




2313


### Flaws in foldamers: conformational uniformity and signal decay in achiral helical peptide oligomers

Bryden A. F. Le Bailly, Liam Byrne, Vincent Diemer, Mohammadali Foroozandeh, Gareth A. Morris and Jonathan Clayden\*

The conformational influence of a single stereogenic centre in an otherwise achiral oligomer behaves as a signal that decays with distance.



2323




### Successive light-induced two electron transfers in a Ru–Fe supramolecular assembly: from Ru–Fe(II)–OH<sub>2</sub> to Ru–Fe(IV)–oxo

C. Herrero, A. Quaranta, M. Sircoglou, K. Sénéchal-David, A. Baron, I. Marin, C. Buron, J.-P. Baltaze, W. Leibl,\* A. Aukauloo\* and F. Banse\*

A Ru<sup>II</sup>–Fe<sup>II</sup> chromophore–catalyst assembly performs the visible-light activation of a metal-bound water molecule to form a metal oxo species responsible for the oxidation of a substrate.

2328




### Magnetic anisotropy of endohedral lanthanide ions: paramagnetic NMR study of MSc<sub>2</sub>N@C<sub>80</sub>-I<sub>h</sub> with M running through the whole 4f row

Y. Zhang, D. Krylov, M. Rosenkranz, S. Schiemenz and A. A. Popov\*

Paramagnetic and variable temperature <sup>13</sup>C and <sup>45</sup>Sc nuclear magnetic resonance studies are performed for nitride clusterfullerenes MSc<sub>2</sub>N@C<sub>80</sub> with icosahedral I<sub>h</sub>(7) carbon cage, where M runs through all lanthanides forming nitride clusters.

2342




### Ruthenium-caged antisense morpholinos for regulating gene expression in zebrafish embryos

Julianne C. Griepenburg, Teresa L. Rapp, Patrick J. Carroll, James Eberwine and Ivan J. Dmochowski\*

Ruthenium photolinkers provide a versatile method of using visible light to control structure and function of biopolymers.

2347



### Modulation of inherent dynamical tendencies of the bisabolyl cation via preorganization in epi-isozizaene synthase

Ryan P. Pemberton, Krystina C. Ho and Dean J. Tantillo\*

The relative importance of various factors controlling the product distribution for a terpene synthase are elucidated through a combination of quantum chemical, dynamics and automated docking calculations.






2354

### Highly bent crystals formed by restrained $\pi$ -stacked columns connected via alkylene linkers with variable conformations

Chih-Ming Chou, Shunpei Nobusue, Shohei Saito,\*  
Daishi Inoue, Daisuke Hashizume  
and Shigehiro Yamaguchi\*

Highly bent organic crystals are reproducibly prepared using a structurally restrained macrocyclic  $\pi$ -conjugated system with two flexible linkers. The appropriate length of the linkers to produce a void within the macrocycle is key to the observed bending of the crystals.




2360

### Engineering a FRET strategy to achieve a ratiometric two-photon fluorescence response with a large emission shift and its application to fluorescence imaging

Lin Yuan,\* Fangping Jin, Zebing Zeng,\* Chengbin Liu,  
Shenglian Luo and Jishan Wu

A FRET strategy was applied to develop a ratiometric two-photon fluorescent probe with a large emission shift for imaging in cells and tissues.




2366

### N-Heterocyclic carbene catalysed redox isomerisation of esters to functionalised benzaldehydes

Lisa Candish, Alison Levens and David W. Lupton\*

N-Heterocyclic carbene catalysed redox isomerisation with reduction about the carbonyl has been developed in the transformation of trienyl esters to tetrasubstituted benzaldehydes.




2371


### Dynamical effects on the magnetic properties of dithiazolyl bistable materials

Sergi Vela, Mercè Deumal, Motoyuki Shiga, Juan J. Novoa  
and Jordi Ribas-Arino\*

Using 1,3,5-trithia-2,4,6-triazapentalenyl material as a proof of concept, we demonstrate that vibrations of radicals can play a prime role in defining the magnetic properties of certain organic magnets.



2382




### Development of solvent-free synthesis of hydrogen-bonded supramolecular polyurethanes

Kelly. A. Houton, George M. Burslem and Andrew. J. Wilson\*

A solvent free ball-milling method for the synthesis of small molecule and oligomeric carbamates is described that is applicable to supramolecular polymer synthesis.

2389




### Unravelling the correlation between metal induced aggregation and cellular uptake/subcellular localization of Znsalen: an overlooked rule for design of luminescent metal probes

Juan Tang, Yuan-Bo Cai, Jing Jing and Jun-Long Zhang\*

We demonstrate the importance of speciation of luminescent metal complexes in water on biological behaviours such as cellular uptake and subcellular localization.

2398




### Competitive formation of homocircuit [3]rotaxanes in synthetically useful yields in the bipyridine-mediated active template CuAAC reaction

Edward A. Neal and Stephen M. Goldup\*

We demonstrate that, depending on reaction conditions, [2]rotaxanes are produced in essentially quantitative yield in the AT-CuAAC reaction regardless of macrocycle size, and hard to access doubly threaded [3]rotaxanes can be synthesised in up to 50% isolated yield in a four component coupling step.

2405



### Rapid water oxidation electrocatalysis by a ruthenium complex of the tripodal ligand tris(2-pyridyl)phosphine oxide

Andrew G. Walden and Alexander J. M. Miller\*

A ruthenium complex of the tripodal ligand tris(2-pyridyl)-phosphine oxide exhibits rapid water oxidation electrocatalysis over a wide pH range.




2411

### Long-range two-photon scattering spectroscopy ruler for screening prostate cancer cells

Sudarson Sekhar Sinha, Dilip K. Paul, Rajashekhar Kanchanapally, Avijit Pramanik, Suhash Reddy Chavva, Bhanu Priya Viraka Nellore, Stacy J. Jones and Paresch Chandra Ray\*

Development of a long-range TPS ruler for the screening of prostate cancer cells with sensitivity of 5 cells per mL level is demonstrated.




2419

### Two-photon sensitive protecting groups operating via intramolecular electron transfer: uncaging of GABA and tryptophan

Karolina A. Korzycka, Philip M. Bennett, Eduardo Jose Cueto-Diaz, Geoffrey Wicks, Mikhail Drobizhev, Mireille Blanchard-Desce, Aleksander Rebane and Harry L. Anderson\*

We present a modular approach to photo-labile protecting groups based on photoinduced electron transfer, providing high sensitivity to two-photon excitation.




2427

### Phenalenyl-fused porphyrins with different ground states

Wangdong Zeng, Sangsu Lee, Minjung Son, Masatoshi Ishida, Ko Furukawa, Pan Hu, Zhe Sun, Dongho Kim\* and Jishan Wu\*

Fusion of one or two phenalenyl units onto the porphyrin core led to biradicaloids with different ground state, physical property and chemical reactivity.




2434


### Stereocontrolled protein surface recognition using chiral oligoamide proteomimetic foldamers

Valeria Azzarito, Jennifer A. Miles, Julie Fisher, Thomas A. Edwards, Stuart L. Warriner and Andrew J. Wilson\*

An oligoamide helix mimicking foldamer with well-defined conformation is shown to recognize its target protein *hDM2* in a manner that depends upon the composition, spatial projection and stereochemistry of functional groups appended to the scaffold.



2444




### Self-assembled trinuclear arsenic and antimony macrobicycles

Mary S. Collins, Robert Y. Choi, Lev N. Zakharov, Lori A. Watson, Benjamin P. Hay and Darren W. Johnson\*

Six new macrobicyclic  $\text{Pn}_3\text{L}_2\text{Cl}_3$  complexes ( $\text{Pn} = \text{As}, \text{Sb}$ ) were synthesized by self-assembly of a three-fold symmetric trithiol and  $\text{PnCl}_3$ .

2449




### Target profiling of an antimetastatic RAPTA agent by chemical proteomics: relevance to the mode of action

Maria V. Babak, Samuel M. Meier, Kilian V. M. Huber, Jóhannes Reynisson, Anton A. Legin, Michael A. Jakupec, Alexander Roller, Alexey Stukalov, Manuela Gridling, Keiryn L. Bennett, Jacques Colinge, Walter Berger, Paul J. Dyson, Giulio Superti-Furga, Bernhard K. Keppler and Christian G. Hartinger\*

The RAPTA pharmacophore was linked to beads to identify its biomolecular targets in cancer cells.

2457




### Elucidating organ-specific metabolic toxicity chemistry from electrochemiluminescent enzyme/DNA arrays and bioreactor bead-LC-MS/MS

Dhanuka P. Wasalathanthri, Dandan Li, Donghui Song, Zhifang Zheng, Dharaminder Choudhary, Ingela Jansson, Xiuling Lu, John B. Schenkman and James F. Rusling\*

Combining electrochemiluminescent array and bioreactor bead-LC-MS/MS featuring metabolic enzyme-DNA films provide an efficient, comprehensive approach to simultaneously elucidate metabolic DNA damage chemistries at different human organs for potential new drugs.

2469



### Graphene–DNAzyme junctions: a platform for direct metal ion detection with ultrahigh sensitivity

Li Gao, Le-Le Li, Xiaolong Wang, Peiwen Wu, Yang Cao, Bo Liang, Xin Li, Yuanwei Lin, Yi Lu\* and Xuefeng Guo\*

We describe a method of creating graphene–DNAzyme junctions capable of directly detecting paramagnetic  $\text{Cu}^{2+}$  with femtomolar sensitivity and high selectivity.






2474

### Re-evaluating the Cu K pre-edge XAS transition in complexes with covalent metal–ligand interactions

Neil C. Tomson,<sup>\*</sup> Kamille D. Williams, Xuliang Dai, Stephen Sproules, Serena DeBeer, Timothy H. Warren<sup>\*</sup> and Karl Wieghardt<sup>\*</sup>

Covalent metal–ligand interactions can lead to Cu K pre-edge transitions that result from metal-to-ligand charge transfer, instead of 1s → 3d, character.




2488

### Intermolecular carbene S–H insertion catalysed by engineered myoglobin-based catalysts

Vikas Tyagi, Rachel B. Bonn and Rudi Fasan<sup>\*</sup>

The first example of a biocatalytic strategy for the synthesis of thioethers via an intermolecular carbene S–H insertion reaction is reported.




2495

### Copper doped ceria porous nanostructures towards a highly efficient bifunctional catalyst for carbon monoxide and nitric oxide elimination

Shanlong Li, Nengli Wang, Yonghai Yue, Guangsheng Wang, Zhao Zu and Yu Zhang<sup>\*</sup>

Cu<sup>2+</sup> doped CeO<sub>2</sub> porous nanomaterials were synthesized by calcining CeCu–MOF nanocrystals. They exhibited a superior bifunctional catalytic performance for CO oxidation and selective catalytic reduction of NO.




2501

### Identifying lead hits in catalyst discovery by screening and deconvoluting complex mixtures of catalyst components


Eléna Wolf, Edward Richmond and Joseph Moran<sup>\*</sup>

A combinatorial screening strategy is described that exploits complex mixtures of precatalysts and ligands to rapidly uncover lead *in situ* generated catalysts.





2506




### Extending *N*-heterocyclic carbene ligands into the third dimension: a new type of hybrid phosphazane/NHC system

Torsten Roth, Vladislav Vasilenko, Callum G. M. Benson, Hubert Wadepohl, Dominic S. Wright\* and Lutz H. Gade\*

A new type of hybrid phosph(III)azane/NHC system is described in which a phosphazane  $P_2N_2$  ring provides unique opportunities for modifying the electronic and steric character of these carbenes.

2511




### Template- and surfactant-free synthesis of ultrathin $CeO_2$ nanowires in a mixed solvent and their superior adsorption capability for water treatment

Xiao-Fang Yu, Jian-Wei Liu, Huai-Ping Cong, Lei Xue, Muhammad Nadeem Arshad, Hassan A. Albar, Tariq R. Sobahi, Qiang Gao and Shu-Hong Yu\*

Ultrathin  $CeO_2$  nanowires can be prepared by a one-step refluxing approach in a mixed solvent without any templates or surfactants, and exhibit excellent adsorption capabilities in water treatment.

2516




### Tuning fluorocarbon adsorption in new isorecticular porous coordination frameworks for heat transformation applications

Rui-Biao Lin, Tai-Yang Li, Hao-Long Zhou, Chun-Ting He, Jie-Peng Zhang\* and Xiao-Ming Chen

We report adsorption behaviors of a typical fluorocarbon R22 ( $CHClF_2$ ) in a new series of isorecticular porous coordination frameworks  $[Zn_4O(bpz)_2(ldc)]$ .

2522



### Turning it off! Disfavouring hydrogen evolution to enhance selectivity for CO production during homogeneous $CO_2$ reduction by cobalt-terpyridine complexes

Noémie Elgrishi, Matthew B. Chambers and Marc Fontecave\*

Understanding the activity and selectivity of molecular catalysts for  $CO_2$  reduction to fuels is an important scientific endeavour in addressing the growing global energy demand.




2532

### Computational study of the mechanism and selectivity of ruthenium-catalyzed hydroamidations of terminal alkynes

Bholanath Maity, Lukas J. Gooßen\* and Debasis Koley\*

Density functional theory calculations were performed to elucidate the mechanism of the ruthenium-catalyzed hydroamidation of terminal alkynes, a powerful and sustainable method for the stereoselective synthesis of enamides.




2553

### Mechanical and optical properties of ultralarge flakes of a metal–organic framework with molecular thickness

Cristina Hermosa, Benjamin R. Horrocks, José I. Martínez, Fabiola Liscio, Julio Gómez-Herrero\* and Félix Zamora\*

The red emission on isolated 2d-mof flakes with areas of square microns and molecular thicknesses (from single up to ca. 50 layers) has been characterized. Free-standing flakes have also been produced and their mechanical and optical properties studied.




2559

### Synthesis and reactivity of cyclo-tetra(stibinophosphonium) tetracations: redox and coordination chemistry of phosphine–antimony complexes

Saurabh S. Chitnis, Alasdair P. M. Robertson, Neil Burford\*, Jan J. Weigand\* and Roland Fischer

Reactions of trialkylphosphines with antimony(III) triflates yield *catena*-antimony(I) cations revealing a new reductive elimination/oxidative coupling reaction for P–Sb coordination complexes.




2575


### Pattern-based detection of anion pollutants in water with DNA polyfluorophores

Hyukin Kwon, Wei Jiang and Eric T. Kool\*

Eight fluorescent DNA-like oligomers bound to Y(III) or Zn(II) and attached to microbeads were able to distinguish 17 anions at micromolar concentrations in water.



2584




### A dual-response BODIPY-based fluorescent probe for the discrimination of glutathione from cysteine and homocysteine

Feiyi Wang, Li Zhou, Chunchang Zhao,\* Rui Wang, Qiang Fei, Sihang Luo, Zhiqian Guo, He Tian and Wei-Hong Zhu\*

By employing a dual response approach, distinguishable fluorescence signals are initiated by GSH-mediated and Cys/Hcy-induced cascade reactions, thus allowing selective detection.

2590




### Enantioselective synthesis of D-α-amino amides from aliphatic aldehydes

Kenneth E. Schwietzer and Jeffrey N. Johnston\*

Bromonitromethane is used in a phase transfer-catalysed enantioselective aza-Henry reaction, leading to D-amino amide bearing an alkyl chain.

2596




### Controlled levels of protein modification through a chromatography-mediated bioconjugation

Richard L. Kwant, Jake Jaffe, Peter J. Palmere and Matthew B. Francis\*

This article introduces a method to control levels of protein modification through a chromatography-mediated bioconjugation.

2602



### High-throughput imaging assay of multiple proteins via target-induced DNA assembly and cleavage

Chen Zong, Jie Wu, Mengmeng Liu, Feng Yan and Huangxian Ju\*

A versatile imaging strategy integrated with target-induced DNA assembly and cleavage was designed for an assay for multiple proteins.




2608

### A mechanically interlocked molecular system programmed for the delivery of an anticancer drug

Romain Barat, Thibaut Legigan, Isabelle Tranoy-Opalinski, Brigitte Renoux, Elodie Péraudeau, Jonathan Clarhaut, Pauline Poinot, Antony E. Fernandes, Vincent Aucagne, David A. Leigh and Sébastien Papot\*

The development of mechanically interlocked molecular systems programmed to operate autonomously in biological environments is an emerging field of research with potential medicinal applications.



2614

### Compact, hydrophilic, lanthanide-binding tags for paramagnetic NMR spectroscopy

M. D. Lee, C.-T. Loh, J. Shin, S. Chhabra, M. L. Dennis, G. Otting, J. D. Swarbrick\* and B. Graham\*

The design, synthesis and evaluation of four novel lanthanide-binding tags for paramagnetic NMR spectroscopy are reported.

