

## IN THIS ISSUE

ISSN 2041-6539 CODEN CSHCBM 6(6) 3273–3636 (2015)



**Cover**  
See V. P. Ananikov *et al.*,  
pp. 3302–3313.  
Image reproduced by  
permission of V. P. Ananikov  
from *Chem. Sci.*,  
2015, 6, 3302.



**Inside cover**  
See Gilmar F. Salgado *et al.*,  
pp. 3314–3320.  
Image reproduced by  
permission of  
Gilmar F. Salgado from  
*Chem. Sci.*, 2015, 6, 3314.  
Image modified with  
permission from the original  
"Boat in Storm" by Artem  
Rhads Cheboha.


## PERSPECTIVE

3289

### van der Waals dispersion interactions in molecular materials: beyond pairwise additivity

Anthony M. Reilly and Alexandre Tkatchenko\*

In this perspective we discuss recent advances in the understanding of collective and many-body van der Waals interactions and their role and impact for molecular materials.




## EDGE ARTICLES

3302

### Spatial imaging of carbon reactivity centers in Pd/C catalytic systems

E. O. Pentsak, A. S. Kashin, M. V. Polynski, K. O. Kvashnina, P. Glatzel and V. P. Ananikov\*

In the present study state-of-the-art experimental techniques involving ultra high resolution SEM/STEM microscopy (1 Å resolution), high brilliance X-ray absorption spectroscopy and theoretical calculations on truly nanoscale systems were utilized to reveal the role of carbon centers in the formation and nature of Pd/C catalytic materials.



## Editorial staff

### Interim executive editor

May Copsey

### Deputy editor

Jeanne Andres

### Editorial production manager

Philippa Ross

### Development editors

Alessia Millemaggi  
Cesar Palmero

### Publishing editors

Matthew Bown, Sage Bowser, Hugh Cowley,  
Ruth Dilleen, Cally Haynes, Alan Holder,  
Samantha Ivell, James Moore, Liisa Niitsoo,  
Victoria Richards, Susan Weatherby, Rachel Wood

### Publishing assistants

Natalie Ford, Bethany Johnson, Rebecca Wojturska

### Publisher

Jamie Humphrey

For queries about submitted articles please contact  
Philippa Ross, Editorial production manager, in the  
first instance. E-mail [chemicalscience@rsc.org](mailto:chemicalscience@rsc.org)

For pre-submission queries please contact  
May Copsey, Interim executive editor.  
E-mail [chemicalscience-rsc@rsc.org](mailto:chemicalscience-rsc@rsc.org)

Chemical Science (electronic: ISSN 2041-6539)  
is published monthly by the Royal Society of  
Chemistry, Thomas Graham House, Science Park,  
Milton Road, Cambridge, CB4 0WF, UK.

Chemical Science is a Gold Open Access journal  
and all articles from 2015 onwards are free to  
read. Please email [orders@rsc.org](mailto:orders@rsc.org) to register  
your interest or contact RSC Order Department,  
Royal Society of Chemistry, Thomas Graham  
House, Science Park, Milton Road, Cambridge,  
CB4 0WF, UK

Tel +44 (0)1223 432398; E-mail [orders@rsc.org](mailto:orders@rsc.org)

Advertisement sales: Tel +44 (0) 1223 432246;  
Fax +44 (0) 1223 426017; E-mail [advertising@rsc.org](mailto:advertising@rsc.org)

For marketing opportunities relating to this journal,  
contact [marketing@rsc.org](mailto:marketing@rsc.org)

# Chemical Science

[www.rsc.org/chemicalscience](http://www.rsc.org/chemicalscience)

## Editorial board

### Editor-in-chief

Daniel G. Nocera, Harvard University

### Associate editors

Alán Aspuru-Guzik, Harvard  
University  
Zhenan Bao, Stanford University  
Christopher C. Cummins,  
Massachusetts Institute of  
Technology  
Kazunari Domen, University of Tokyo

Vy Dong, University of California,  
Irvine  
Matthew Gaunt, University of  
Cambridge  
Hubert Girault, Federal Polytechnic  
School of Lausanne  
Christopher A. Hunter, University of  
Cambridge  
David A. Leigh, University of  
Manchester  
Kopin Liu, Academia Sinica

James K. McCusker, Michigan State  
University  
Wonwoo Nam, Ewha Womans  
University  
Carsten Schultz, European Molecular  
Biology Laboratory  
F. Dean Toste, University of California,  
Berkeley  
Haw Yang, Princeton University  
Jihong Yu, Jilin University

## Advisory board

Takuzo Aida, University of Tokyo  
Markus Antonietti, Max Planck  
Institute of Colloids and Interfaces  
Polly Arnold, University of Edinburgh  
Xinhe Bao, Dalian Institute of  
Chemical Physics  
Guy Bertrand, University of California,  
Los Angeles  
Jeffrey Bode, Swiss Federal Institute of  
Technology Zurich  
Christopher Chang, University of  
California, Berkeley  
Chi-Ming Che, University of Hong  
Kong  
Jason Chin, Medical Research Council  
Laboratory of Molecular Biology  
Daniel Chiu, University of Washington  
Graham Cooks, Purdue University  
Eugenio Coronado, University of  
Valencia  
Lee Cronin, University of Glasgow  
Gautam R. Desiraju, Indian Institute of  
Science, Bangalore  
James Durrant, Imperial College  
London  
Ben Feringa, University of Groningen  
Cynthia Friend, Harvard University  
Makoto Fujita, University of Tokyo  
Philip Gale, University of Southampton  
Song Gao, Peking University  
Jinlong Gong, Tianjin University  
Justin Gooding, University of New  
South Wales  
Michael Graetzel, Federal Polytechnic  
School of Lausanne  
Duncan Graham, University of  
Strathclyde  
Boxing Han, Chinese Academy of  
Sciences

Jeremy Harvey, University of Bristol  
Christy Haynes, University of  
Minnesota  
Johan Hofkens, Catholic University  
of Leuven  
Linda Hsieh-Wilson, California  
Institute of Technology  
Eric Jacobsen, Harvard University  
Takashi Kato, University of Tokyo  
Seong Keun Kim, Seoul National  
University  
Jerome Lacour, University of Geneva  
James Leighton, Columbia University  
Steve Ley, University of Cambridge  
Chao-Jun Li, McGill University  
Wenbin Lin, University of North  
Carolina  
Watson Loh, Instituto de Quimica  
Julie Macpherson, University of  
Warwick  
Stephen Mann, University of Bristol  
Bert Meijer, Eindhoven University of  
Technology  
Nils Metzler-Nolte, Ruhr University  
Bochum  
Scott Miller, Yale University  
Daniel Minciola, Indiana University  
Mohammad Movassaghi,  
Massachusetts Institute of  
Technology  
Jonathan Nitschke, University of  
Cambridge  
Kyoko Nozaki, University of Tokyo  
Takashi Ooi, Nagoya University  
Rachel O'Reilly, University of Warwick  
Michel Orrit, Leiden University  
Oleg Ozerov, Texas A&M University  
Hongkun Park, Harvard University

Rasmita Raval, University of Liverpool  
Paul Reider, Princeton University  
Stuart Rowan, Case Western Reserve  
University  
Richmond Sarpong, University of  
California, Berkeley  
Gregory Scholes, University of  
Toronto  
Oliver Seitz, Humboldt University of  
Berlin  
Kay Severin, Federal Polytechnic  
School of Lausanne  
Mikiko Sodeoka, RIKEN  
Brian Stoltz, California Institute of  
Technology  
Weihong Tan, University of Florida  
He Tian, East China University of  
Science and Technology  
Zhong-Qun Tian, Xiamen University  
Andrei Tokmakoff, University of  
Chicago  
Jan Van Hest, Radboud University  
Tom Welton, Imperial College London  
Christina White, University of Illinois  
Martin Wolf, Fritz Haber Institute of  
the Max Planck Society  
Omar Yaghi, University of California,  
Los Angeles  
Vivian Yam, University of Hong Kong  
Yang Yang, University of California,  
Los Angeles  
Shu-Hong Yu, University of Science  
and Technology of China  
Qi-Lin Zhou, Nankai University

## Information for authors

Full details on how to submit material for publication  
in Chemical Science are given in the Instructions for  
Authors (available from <http://www.rsc.org/authors>).  
Submissions should be made via the journal's homepage:  
<http://www.rsc.org/chemicalscience>.

Authors may reproduce/republish portions of their  
published contribution without seeking permission  
from the RSC, provided that any such republication is  
accompanied by an acknowledgement in the form:  
(Original Citation)–Reproduced by permission of  
The Royal Society of Chemistry.

This journal is ©The Royal Society of Chemistry 2015.  
Apart from fair dealing for the purposes of research or  
private study for non-commercial purposes, or criticism  
or review, as permitted under the Copyright, Designs and

Patents Act 1988 and the Copyright and Related  
Rights Regulation 2003, this publication may only be  
reproduced, stored or transmitted, in any form or by  
any means, with the prior permission in writing of the  
Publishers or in the case of reprographic reproduction  
in accordance with the terms of licences issued by the  
Copyright Licensing Agency in the UK. US copyright law is  
applicable to users in the USA.

The Royal Society of Chemistry takes reasonable care in  
the preparation of this publication but does not accept  
liability for the consequences of any errors or omissions.

© The paper used in this publication meets the  
requirements of ANSI/NISO Z39.48–1992  
(Permanence of Paper).  
Registered Charity No. 207890.




3314

### G-quadruplex DNA and ligand interaction in living cells using NMR spectroscopy

Gilmar F. Salgado,\* Christian Cazenave, Abdelaziz Kerkour and Jean-Louis Mergny

Using in-cell NMR spectroscopy to probe ligand binding to a G-quadruplex nucleic acid.




3321

### Oxide-supported Ir nanodendrites with high activity and durability for the oxygen evolution reaction in acid PEM water electrolyzers

Hyung-Suk Oh, Hong Nhan Nong, Tobias Reier, Manuel Gliech and Peter Strasser\*

Ir nanodendrites (Ir-ND) supported on antimony doped tin oxide (ATO) show enhanced catalytic activity and stability for oxygen evolution reaction (OER) in polymer electrolyte membrane (PEM) water electrolyzers.




3329

### Boronic acids facilitate rapid oxime condensations at neutral pH

Pascal Schmidt, Cedric Stress and Dennis Gillingham\*

We report here the discovery and development of boron-assisted oxime formation as a powerful connective reaction for chemical biology.




3334


### Nanopipettes: probes for local sample analysis

Anumita Saha-Shah, Anna E. Weber, Jonathan A. Karty, Steven J. Ray, Gary M. Hieftje and Lane A. Baker\*

Nanopipettes are demonstrated as probes for local mass spectrometric analysis with potential for small-scale extraction of analytes from single cells, tissue and organisms.



3342




### A supramolecular strategy for tuning the energy level of naphthalenediimide: Promoted formation of radical anions with extraordinary stability

Qiao Song, Fei Li, Zhiqiang Wang and Xi Zhang\*

We report a supramolecular strategy to promote the formation of naphthalenediimide radical anions with extraordinary stability through tuning the energy level of naphthalenediimide.

3347




### Using the gravitational energy of water to generate power by separation of charge at interfaces

Yajuan Sun, Xu Huang and Siowling Soh\*

When water droplets (e.g., from rain) flow down a solid surface due to gravity, they can generate power.

3354

Molecular Weight Determination	Internal Calibration Curve (ICC)	External Calibration Curve (ECC)
Accurate MWs	✓	✓
High Temp-range	✓	✓
Reusable	✗	✓
One Internal Reference is sufficient	✗	✓
Easy Adjustment on Geometry	✗	✓
Normalized Diffusion Coefficients	✗	✓




### Accurate molecular weight determination of small molecules via DOSY-NMR by using external calibration curves with normalized diffusion coefficients

Roman Neufeld and Dietmar Stalke\*

We describe a novel development of MW-determination by using an external calibration curve approach with normalized diffusion coefficients.

3365



### In situ activation and monitoring of the evolution of the intracellular caspase family

Lei Zhang, Jianping Lei,\* Jintong Liu, Fengjiao Ma and Huangxian Ju\*

An integrated nano-platform is designed to achieve *in situ* activation, monitoring and signal feedback of the caspase family evolution from upstream to downstream.




3373

### Nitrite reduction by copper through ligand-mediated proton and electron transfer

Cameron M. Moore and Nathaniel K. Szymczak\*

A copper complex featuring a proton-responsive tripodal ligand reduces nitrite *via* a proton/electron transfer process, which parallels copper nitrite reductase.




3378

### Spying on the boron–boron triple bond using spin–spin coupling measured from $^{11}\text{B}$ solid-state NMR spectroscopy

Frédéric A. Perras, William C. Ewing, Theresa Dellermann, Julian Böhnke, Stefan Ullrich, Thomas Schäfer, Holger Braunschweig\* and David L. Bryce\*

Boron–boron  $J$  coupling constants provide new insight into the nature of the boron–boron triple bond.




3383

### A convergent total synthesis of ouabagenin

Ken Mukai, Satoshi Kasuya, Yuki Nakagawa, Daisuke Urabe and Masayuki Inoue\*

A convergent total synthesis of ouabagenin, an aglycon of cardenolide glycoside ouabain, was achieved by assembly of the AB-ring, D-ring and butenolide moieties.




3388


### Polymeric materials that convert local fleeting signals into global macroscopic responses

Hyungwoo Kim, Matthew S. Baker and Scott T. Phillips\*

Polymers that support self-propagating reactions are used to create materials that change global wetting properties in response to specific fleeting, local stimuli.



3393




### Self-organisation of dodeca-dendronized fullerene into supramolecular discs and helical columns containing a nanowire-like core

Sebastiano Guerra, Julien lehl, Michel Holler, Mihai Peterca, Daniela A. Wilson, Benjamin E. Partridge, Shaodong Zhang, Robert Deschenaux,\* Jean-François Nierengarten\* and Virgil Percec\*

$C_{60}$  dendronized with 12 chiral or achiral self-assembling dendrons form discs with  $C_{60}$  at their centre that self-organise into helical columns with a nanowire-like core.

3402




### Diindeno[1,2-b:2',1'-n]perylene: a closed shell related Chichibabin's hydrocarbon, the synthesis, molecular packing, electronic and charge transport properties

Kamal Sbagoud, Masashi Mamada,\* Jérôme Marrot, Shizuo Tokito, Abderrahim Yassar\* and Michel Frigoli\*

A fixed Chichibabin's hydrocarbon CHI1 shows a closed shell configuration with a broad absorption from 400 up to 900 nm.

3410




### Nickel-catalyzed reductive cleavage of aryl alkyl ethers to arenes in absence of external reductant

Mamoru Tobisu,\* Toshifumi Morioka, Akimichi Ohtsuki and Naoto Chatani\*

A nickel catalyst for reductive cleavage of aryl ethers in the absence of an external reductant is developed. The alkoxy group of the substrate serves as an internal reductant.

3415



### Pd-catalyzed asymmetric hydrogenation of fluorinated aromatic pyrazol-5-ols via capture of active tautomers

Zhang-Pei Chen, Mu-Wang Chen, Lei Shi, Chang-Bin Yu and Yong-Gui Zhou

Here we explore a novel strategy for asymmetric hydrogenation of aromatic pyrazol-5-ols via capture of the active tautomers.




3420

### Hydration of guanidinium depends on its local environment

Sven Heiles, Richard J. Cooper, Matthew J. DiTucci and Evan R. Williams\*

Infrared spectroscopy of guanidinium confined in gaseous nanodrops shows hydration depends on local environment and lends new insights into its effectiveness as a protein denaturant.




3430

### An extended Tolerance Factor approach for organic–inorganic perovskites

Gregor Kieslich,\* Shijing Sun and Anthony K. Cheetham\*

Tolerance Factors of possible hybrid perovskites are calculated for over 2500 amine-metal-anion permutations of the periodic table.




3434

### Mixed-ligand complexes of paddlewheel dinuclear molybdenum as hydrodehalogenation catalysts for polyhaloalkanes

Hayato Tsurugi,\* Akio Hayakawa, Shun Kando, Yoshitaka Sugino and Kazushi Mashima\*

A mixed-ligated dimolybdenum complex Mo<sub>2</sub>(OAc)<sub>2</sub>[CH(NAr)<sub>2</sub>]<sub>2</sub> in combination with 1-methyl-3,6-bis(trimethylsilyl)-1,4-cyclohexadiene and <sup>n</sup>Bu<sub>4</sub>NCl exhibited high catalytic activity for hydrodehalogenation reactions.




3440

### Biosynthesis of trioxacarcin revealing a different starter unit and complex tailoring steps for type II polyketide synthase

Mei Zhang, Xian-Feng Hou, Li-Hua Qi, Yue Yin, Qing Li, Hai-Xue Pan, Xin-Ya Chen and Gong-Li Tang\*

Different starter unit and complex tailoring steps for type II polyketide synthase in trioxacarcin biosynthesis.



3448

**Accessible Products**


Glycoside Stereochemistry	β-manno	Glycoside Functionality	2-benzyloxy
	α-gluco		2-acyloxy
	β-gluco		2-deoxy
			2-azido

**Sugar silanes: versatile reagents for stereocontrolled glycosylation via intramolecular aglycone delivery**

Jordan T. Walk, Zachary A. Buchan  
and John Montgomery\*

A new method for the intramolecular glycosylation of alcohols is described.


3454

**Extending the biocatalytic scope of regiocomplementary flavin-dependent halogenase enzymes**

Sarah A. Shepherd, Chinnan Karthikeyan,  
Jonathan Latham, Anna-Winona Struck, Mark  
L. Thompson, Binuraj R. K. Menon, Matthew Q. Styles,  
Colin Levy, David Leys and Jason Micklefield\*

Targeted mutagenesis increases the activity and alters the regioselectivity of flavin-dependent halogenases.


3461

**Generation of 1,2-azaboretidines via reduction of ADC borane adducts**

H. Braunschweig,\* A. Gackstatter, T. Kupfer, T. Scheller,  
F. Hupp, A. Damme, N. Arnold and W. C. Ewing

ADC borane adducts  $RBX_2 \cdot ADC$  ( $R = \text{Mes, Dur}$ ;  $X = \text{Cl, Br}$ ;  $ADC = :C(NiPr_2)_2$ ) have been prepared and reduced by  $KC_8$  to afford air stable 1,2-azaboretidines with high selectivity.

3466

**Stable porphyrin Zr and Hf metal-organic frameworks featuring 2.5 nm cages: high surface areas, SCSC transformations and catalyses**

Jun Zheng, Mingyan Wu,\* Feilong Jiang, Weiping Su\*  
and Maochun Hong

Two isostructural porphyrin Zr and Hf metal-organic frameworks (FJI-H6 and FJI-H7) are rationally synthesized, and are constructed from 2.5 nm cubic cages.




3471

### Bottom-up on-crystal in-chip formation of a conducting salt and a view of its restructuring: from organic insulator to conducting "switch" through microfluidic manipulation

Josep Puigmartí-Luis,<sup>\*</sup> Markos Paradinas, Elena Bailo, Romen Rodríguez-Trujillo, Raphael Pfattner, Carmen Ocal<sup>\*</sup> and David B. Amabilino<sup>\*</sup>

The chemical modification of an immobilized single crystal in a fluid cell is reported, whereby a material with switching functions is generated with reagent in the stream.




3478

### What causes extended layering of ionic liquids on the mica surface?

Xiao Gong, Andrew Kozbial and Lei Li<sup>\*</sup>

The adsorbed water on the mica surface is the key to the extended layering of ILs.




3483

### Three-phase junction for modulating electron–hole migration in anatase–rutile photocatalysts

Wei-Na Zhao, Sheng-Cai Zhu, Ye-Fei Li and Zhi-Pan Liu<sup>\*</sup>

Theory resolves the anatase–rutile phase junction structure and characterizes its role in photocatalysis as a *single-way valve* modulating electron–hole separation.




3495

### Designing efficient photochromic dithienylethene dyads


Arnaud Fihey and Denis Jacquemin<sup>\*</sup>

The impact of chemical substitution on the optical properties of *ca.* 30 dithienylethene (DTE) dyads is investigated with first-principles approaches, with the aim to provide useful guidelines for obtaining more efficient DTE multimers.



3505

Soft HA capsules    Stiff HA capsules




### The role of capsule stiffness on cellular processing

Huanli Sun, Edgar H. H. Wong, Yan Yan, Jiwei Cui, Qiong Dai, Junling Guo, Greg G. Qiao\* and Frank Caruso\*

A systematic and quantitative study on the role of capsule stiffness in cellular processing was performed using hyaluronic acid capsules with tunable stiffness constructed via continuous assembly of polymers.

3515




### Can the study of self-assembly in solution lead to a good model for the nucleation pathway? The case of tolfenamic acid.

W. Du, A. J. Cruz-Cabeza, S. Woutersen, R. J. Davey\* and Q. Yin

To further our understanding of the role of solution chemistry in directing nucleation processes new experimental and computational data are presented on the solution and crystallisation chemistry of tolfenamic acid (TA), a benchmark polymorphic compound.

3525




### Polymorph crystal packing effects on charge transfer emission in the solid state

Xiaoyan He, Andrew C. Benniston,\* Hanna Saarenpää, Helge Lemmetyinen, Nikolia V. Tkachenko\* and Ulrich Baisch

Condensation of 1,8-naphthalic anhydride with *N,N*-(dimethylamino)aniline produced the donor-acceptor compound **DMIM**, which crystallised from a chloroform–diethyl ether mixture to afford two different coloured crystal polymorphs.

3533



### Mutual stabilisation between $M^II_4L_6$ tetrahedra and $M^II X_4^{2-}$ metallate guests

Imogen A. Riddell, Tanya K. Ronson and Jonathan R. Nitschke\*

A series of  $[M^II X_4]^{2-} \subset M^II_4 L_6$  host–guest complexes are formed through the mutual stabilisation of the host and guest complexes; neither the host nor guest is stable in the absence of the other.




3538

### Aggregation-induced emission and aggregation-promoted photochromism of bis(diphenylmethylene)dihydroacenes

Zikai He, Liang Shan, Ju Mei, Hong Wang, Jacky W. Y. Lam, Herman H. Y. Sung, Ian D. Williams, Xiao Gu, Qian Miao\* and Ben Zhong Tang\*

Solid-state photochromism was found in bis(diphenylmethylene)dihydro-tetracene, caused by photocyclization of the embedded *cis*-stilbene motifs.




3544

### Addressing, amplifying and switching DNAzyme functions by electrochemically-triggered release of metal ions

Lina Freage, Alexander Trifonov, Ran Tel-Vered, Eyal Golub, Fuan Wang, John S. McCaskill and Itamar Willner\*

The addressable potential-controlled release of metal ions into electrolyte solutions containing mixtures of nucleic acids leads to the metal ion-guided generation of different DNAzymes and to the activation of DNA cascades.




3550

### Enantioselective synthesis of bicyclo[3.n.1]alkanes by chiral phosphoric acid-catalyzed desymmetrizing Michael cyclizations

Alan R. Burns, Amaël G. E. Madec, Darryl W. Low, Iain D. Roy and Hon Wai Lam\*

2,2-Disubstituted cyclic 1,3-diketones containing a tethered electron-deficient alkene undergo chiral phosphoric acid-catalyzed desymmetrizing Michael cyclizations to give bridged bicyclic products in high enantioselectivities.




3556


### A universal platform for building molecular logic circuits based on a reconfigurable three-dimensional DNA nanostructure

Kaiyu He, Yong Li, Binbin Xiang, Peng Zhao, Yufang Hu, Yan Huang, Wang Li, Zhou Nie\* and Shouzhao Yao

Integrating multiple components of a logic device into a 3D DNA nanoprism provides a universal platform for constructing diverse logic gates.



3565




### Can acyclic conformational control be achieved via a sulfur–fluorine *gauche* effect?

C. Thiehoff, M. C. Holland, C. Daniliuc, K. N. Houk\* and R. Gilmour\*

Herein detailed conformational analyses of  $\beta$ -fluorosulfides, -sulfoxides and -sulfones are disclosed, thus extending the scope of the fluorine *gauche* effect to the 3<sup>rd</sup> Period (X = SR, SOR, SO<sub>2</sub>R;  $\phi_{\text{FCCS}} \approx 60^\circ$ ).

3572




### Edge overgrowth of spiral bimetallic hydroxides ultrathin-nanosheets for water oxidation

Bing Ni and Xun Wang\*

We have synthesized spiral ultrathin-nanosheets with overgrown edges of NiFe, CoNi and CoFe bimetallic hydroxides which show excellent performance for the OER.

3577




### Two dimensional inorganic electride-promoted electron transfer efficiency in transfer hydrogenation of alkynes and alkenes

Ye Ji Kim, Sun Min Kim, Eun Jin Cho, Hideo Hosono, Jung Woon Yang\* and Sung Wng Kim\*

A simple and highly efficient transfer hydrogenation of alkynes and alkenes by using a two-dimensional electride, dicalcium nitride ( $[\text{Ca}_2\text{N}]^+ \cdot e^-$ ), as an electron transfer agent is disclosed.

3582



### Fluoride binding to an organoboron wire controls photoinduced electron transfer

Jing Chen and Oliver S. Wenger\*

The efficiency of organoboron wires as mediators of long-range electron transfer can be controlled by anion binding.




3593

### Controlling the activity of quorum sensing autoinducers with light

J. P. Van der Berg, W. A. Velema, W. Szymanski, A. J. M. Driessen\* and B. L. Feringa\*

Bacteria use Quorum Sensing (QS) to organize into communities and synchronize gene expression. Here we report on a method to externally interfere with QS system using light.




3599

### Enantioselective and diastereoselective azo-coupling/iminium-cyclizations: a unified strategy for the total syntheses of (–)-psychotriasine and (+)-pestalazine B

Qi Li, Tingting Xia, Licheng Yao, Haiteng Deng\* and Xuebin Liao\*

We report a unified strategy for the total syntheses of (–)-psychotriasine and (+)-pestalazine B based on the advanced intermediates of 3 $\alpha$ -amino-hexahydropyrrolo-[2,3-*b*]indole.




3606

### A prochelator peptide designed to use heterometallic cooperativity to enhance metal ion affinity

Bruno Alies, Jacob D. Wiener and Katherine J. Franz\*

A peptide has been designed so that its chelating affinity for one type of metal ion regulates its affinity for a second, different type of metal ion.




3611


### Asymmetric C–H functionalization of cyclopropanes using an isoleucine-NH<sub>2</sub> bidentate directing group

Jinhee Kim, Mikyung Sim, Namhoon Kim and Sungwoo Hong\*

The use of an Ile-NH<sub>2</sub> auxiliary can provide excellent levels of asymmetric induction in the Pd(II)-catalyzed C(sp<sup>3</sup>)-H functionalization of cyclopropanes.



3617




### Combining triazole ligation and enzymatic glycosylation on solid phase simplifies the synthesis of very long glycoprotein analogues

Mathieu Galibert, Véronique Piller, Friedrich Piller, Vincent Aucagne\* and Agnès F. Delmas

Solid phase chemical ligation followed by enzymatic glycosylation exploits the advantages of a solid support to minimize the purification steps, constituting a promising approach for the synthesis of complex glycoproteins.

3624



### Tuning the reactivity of mononuclear nonheme manganese(IV)-oxo complexes by triflic acid

Junying Chen, Heejung Yoon, Yong-Min Lee, Mi Sook Seo, Ritimukta Sarangi, Shunichi Fukuzumi\* and Wonwoo Nam\*

Binding of two HOFt molecules to  $Mn^{IV}(O)$  species resulted in contrasting effects on the reactivities in oxygen atom transfer and H-atom transfer reactions.

## CORRECTION

3633

### Correction: Cobalt co-catalysis for cross-electrophile coupling: diarylmethanes from benzyl mesylates and aryl halides

Laura K. G. Ackerman, Lukiana L. Anka-Lufford, Marina Naodovic and Daniel J. Weix\*

## RETRACTION

3634

### Retraction: Homonuclear bond activation using a stable *N,N'*-diamidocarbene

Kelly M. Wiggins, Jonathan P. Moerdyk and Christopher W. Bielawski\*

