
Chemical Science

www.rsc.org/chemicalscience

The Royal Society of Chemistry is the world's leading chemistry community. Through our high impact journals and publications we connect the world with the chemical sciences and invest the profits back into the chemistry community.

IN THIS ISSUE

ISSN 2041-6539 CODEN CSHCBM 6(9) 5095-5312 (2015)



Cover

See John S. Fossey, Paula M. Mendes et al., pp. 5114-5119. Image reproduced by permission of Paula M. Mendes from Chem. Sci., 2015, 6, 5114.



Inside cover

See Ian F. Hermans. Gavin F. Painter et al., pp. 5120-5127. Image reproduced by permission of Gavin F. Painter from Chem. Sci., 2015, 6, 5120.

MINIREVIEW

5105

Configurationally stable, enantioenriched organometallic nucleophiles in stereospecific Pd-catalyzed cross-coupling reactions: an alternative approach to asymmetric synthesis

Chao-Yuan Wang, Joseph Derosa and Mark R. Biscoe*

Several research groups have recently developed methods to employ configurationally stable, enantioenriched organometallic nucleophiles in stereospecific Pd-catalyzed cross-coupling reactions.

$$\begin{array}{c} \text{LPd}^{\parallel}(\text{Ar})\text{X} \\ \text{R}^{1} \\ \text{R}^{2} \\ \text{R}^{3} \\ \text{M} = \text{B, Sn} \\ \text{M} = \text{B, Sn} \\ \\ \text{LPd}^{\parallel}(\text{Ar})\text{X} \\ \\ \text{LPd}^{\parallel}(\text{Ar})\text{X} \\ \\ \text{LPd}^{\parallel}(\text{Ar})\text{X} \\ \\ \text{LPdAr} \\ \\ \text{LPdAr} \\ \\ \text{LPdAr} \\ \\ \text{S}_{E}^{2} \text{ (inversion)} \\ \\ \text{R}^{1} \\ \\ \text{R}^{2} \\ \\ \text{R}^{2} \\ \\ \text{R}^{2} \\ \\ \text{LPdAr} \\ \\ \text{LPdAr} \\ \\ \text{S}_{E}^{2} \text{ (inversion)} \\ \\ \text{R}^{1} \\ \\ \text{R}^{2} \\ \\ \text{R}^{2} \\ \\ \text{LPdAr} \\ \\ \text{S}_{E}^{2} \text{ (inversion)} \\ \\ \text{R}^{1} \\ \\ \text{R}^{2} \\ \\ \text{R}^{2} \\ \\ \text{LPdAr} \\ \\ \text{S}_{E}^{2} \text{ (inversion)} \\ \\ \text{R}^{1} \\ \\ \text{R}^{2} \\ \\ \text{R}^{2} \\ \\ \text{LPdAr} \\ \\ \text{S}_{E}^{2} \text{ (inversion)} \\ \\ \text{R}^{1} \\ \\ \text{R}^{2} \\ \\ \text{R}^{3} \\ \\ \text{R}^{3} \\ \\ \text{R}^{4} \\ \\ \text{R}^{3} \\ \\ \text{R}^{4} \\ \\ \text{R}^{3} \\ \\ \text{R}^{4} \\ \\ \text{R}^{4} \\ \\ \text{R}^{3} \\ \\ \text{R}^{4} \\$$


EDGE ARTICLES

5114

Selective glycoprotein detection through covalent templating and allosteric click-imprinting

Alexander Stephenson-Brown, Aaron L. Acton, Jon A. Preece, John S. Fossey* and Paula M. Mendes*

A hierarchical bottom-up route exploiting reversible covalent interactions with boronic acids and so-called click chemistry for selective glycoprotein detection is described. The self-assembled and imprinted surfaces confer high binding affinities, nanomolar sensitivity, exceptional glycoprotein specificity and selectivity.



Editorial staff

Executive editor

May Copsey

Deputy editor

Jeanne Andres

Editorial production manager

Catherine Bacon

Development editors

MIna Roussenova

Publishing editors

Nelly Berg, Matthew Bown, Sage Bowser, Hugh Cowley, Alan Holder, Samantha Ivell. James Moore, Liisa Niitsoo, Victoria Richards, Susan Weatherby, Rachel Wood

Publishing assistants

Natalie Ford, Bethany Johnson, Rebecca Wojturska

Publisher

Jamie Humphrey

For gueries about submitted articles please contact Catherine Bacon, Editorial production manager, in the first instance. E-mail chemicalscience@rsc.org

For pre-submission queries please contact May Copsey, Executive editor. E-mail chemicalscience-rsc@rsc.org

Milton Road, Cambridge, CB4 0WF, UK.

Chemical Science (electronic: ISSN 2041-6539) is published monthly by the Royal Society of Chemistry, Thomas Graham House, Science Park,

Chemical Science is a Gold Open Access journal and all articles from 2015 onwards are free to read. Please email orders@rsc.org to register your interest or contact RSC Order Department, Royal Society of Chemistry, Thomas Graham House, Science Park, Milton Road, Cambridge, CB4 OWF, UK

Tel +44 (0)1223 432398; E-mail orders@rsc.org

Advertisement sales: Tel +44 (0) 1223 432246; Fax +44 (0) 1223 426017; E-mail advertising@rsc.org

For marketing opportunities relating to this journal, contact marketing@rsc.org

Chemical Science

www.rsc.org/chemicalscience

Editorial board

Editor-in-chief

Daniel G. Nocera, Harvard University

Associate editors

Alán Aspuru-Guzik, Harvard University Zhenan Bao, Stanford University Christopher C. Cummins, Massachusetts Institute of Technology

Kazunari Domen, University of Tokyo

Vy Dong, University of California.

Matthew Gaunt, University of Cambridge

Hubert Girault, Federal Polytechnic School of Lausanne

Christopher A. Hunter, University of Cambridge

David A. Leigh, University of Manchester

Kopin Liu, Academia Sinica

James K. McCusker, Michigan State University

Wonwoo Nam, Ewha Womans University

Carsten Schultz, European Molecular Biology Laboratory

F. Dean Toste, University of California, Berkeley

Haw Yang, Princeton University Jihong Yu, Jilin University

Advisory board

Takuzo Aida, University of Tokyo Markus Antonietti, Max Planck Institute of Colloids and Interfaces Polly Arnold, University of Edinburgh Xinhe Bao, Dalian Institute of Chemical Physics

Guy Bertrand, University of California, Los Angeles

Technology Zurich Christopher Chang, University of

California, Berkeley Chi-Ming Che, University of Hong

Jason Chin, Medical Research Council Laboratory of Molecular Biology Daniel Chiu, University of Washington Graham Cooks, Purdue University Eugenio Coronado, University of

Valencia Lee Cronin, University of Glasgow James Durrant, Imperial College London

Ben Feringa, University of Groningen Cynthia Friend, Harvard University Makoto Fujita, University of Tokyo Philip Gale, University of Southampton Song Gao, Peking University

Jinlong Gong, Tianjin University Justin Gooding, University of New South Wales

Michael Graetzel, Federal Polytechnic School of Lausanne Duncan Graham, University of

Strathclvde Buxing Han, Chinese Academy of Sciences

Jeremy Harvey, University of Bristol

Christy Haynes, University of Minnesota

Johan Hofkens, Catholic University of Leuven Linda Hseih-Wilson, California

Institute of Technology Eric Jacobsen, Harvard University Takashi Kato, University of Tokyo Jeffrey Bode, Swiss Federal Institute of Seong Keun Kim, Seoul National

> Jerome Lacour, University of Geneva James Leighton, Columbia University Steve Ley, University of Cambridge Chao-Jun Li, McGill University Wenbin Lin, University of North

Carolina Watson Loh, Instituto de Química Julie Macpherson, University of Warwick

Stephen Mann, University of Bristol

Bert Meijer, Eindhoven University of Technology
Nils Metzler-Nolte, Ruhr University

Bochum

Scott Miller, Yale University Daniel Mindiola, Indiana University Mohammad Movassaghi, Massachusetts Institute of Technology Jonathan Nitschke, University of

Cambridge Kyoko Nozaki, University of Tokyo Takashi Ooi, Nagoya University Rachel O'Reilly, University of Warwick Michel Orrit, Leiden University

Oleg Ozerov, Texas A&M University Hongkun Park, Harvard University

Rasmita Raval, University of Liverpool Paul Reider, Princeton University Stuart Rowan, Case Western Reserve

University Richmond Sarpong, University of California, Berkeley

Gregory Scholes, University of

Oliver Seitz, Humboldt University of

Kay Severin, Federal Polytechnic School of Lausanne Mikiko Sodeoka, RIKEN

Brian Stoltz, California Institute of Technology Weihong Tan, University of Florida

He Tian, East China University of Science and Technology Zhong-Qun Tian, Xiamen University

Andrei Tokmakoff, University of Chicago Jan Van Hest, Radboud University

Tom Welton, Imperial College London Christina White, University of Illinois Martin Wolf, Fritz Haber Institute of the Max Planck Society

Omar Yaghi, University of California, Los Angeles Vivian Yam, University of Hong Kong

Yang Yang, University of California, Los Angeles

Shu-Hong Yu, University of Science and Technology of China Qi-Lin Zhou, Nankai University

Information for authors

Full details on how to submit material for publication in Chemical Science are given in the Instructions for Authors (available from http://www.rsc.org/authors). Submissions should be made via the journal's homepage: http://www.rsc.org/chemicalscience.

Authors may reproduce/republish portions of their published contribution without seeking permission from the RSC, provided that any such republication is accompanied by an acknowledgement in the form: (Original Citation)-Reproduced by permission of The Royal Society of Chemistry.

This journal is [®]The Royal Society of Chemistry 2015. Apart from fair dealing for the purposes of research or private study for non-commercial purposes, or criticism or review, as permitted under the Copyright, Designs and

Patents Act 1988 and the Copyright and Related Rights Regulation 2003, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the Publishers or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency in the UK. US copyright law is applicable to users in the USA.

The Royal Society of Chemistry takes reasonable care in the preparation of this publication but does not accept liability for the consequences of any errors or omissions.

⊗ The paper used in this publication meets the requirements of ANSI/NISO Z39.48–1992 (Permanence of Paper).

Registered Charity No. 207890.






5120

NKT cell-dependent glycolipid-peptide vaccines with potent anti-tumour activity

Regan J. Anderson, Benjamin J. Compton, Ching-wen Tang, Astrid Authier-Hall, Colin M. Hayman, Gene W. Swinerd, Renata Kowalczyk, Paul Harris, Margaret A. Brimble, David S. Larsen, Olivier Gasser, Robert Weinkove, Ian F. Hermans* and Gavin F. Painter*

Glycolipid—peptide conjugates designed to release vaccine components within target cells ensuring potent CD1d dependent T cell responses.




5128

Triple aryne—tetrazine reaction enabling rapid access to a new class of polyaromatic heterocycles

Sung-Eun Suh, Stephanie A. Barros and David M. Chenoweth*

We report the triple aryne—tetrazine reaction for rapid access to a new class of dibenzocinnoline heteroaromatics.




5133

Fluorescence spectroscopy and microscopy as tools for monitoring redox transformations of uranium in biological systems

Debbie L. Jones, Michael B. Andrews, Adam N. Swinburne, Stanley W. Botchway, Andrew D. Ward, Jonathan R. Lloyd and Louise S. Natrajan*

Luminescence spectroscopy, microscopy and lifetime image mapping offers new insights into the bioreduction of *Geobacter sulfurreducens* with uranyl.





5139

Biomimetic *versus* enzymatic high-potential electrocatalytic reduction of hydrogen peroxide on a functionalized carbon nanotube electrode

Bertrand Reuillard, Solène Gentil, Marie Carrière, Alan Le Goff* and Serge Cosnier

We report the non-covalent functionalization of a multi-walled carbon nanotube (MWCNT) electrode with a biomimetic model of the horseradish peroxidase (HRP) active site.





5144


Moisture stable LUMO lowered by > 0.6 eV Large Stokes shifts Deep red / NIR emission Excellent ϕ_1 in the solid state Good OLED performance

Enhancing electron affinity and tuning band gap in donor-acceptor organic semiconductors by benzothiadiazole directed C-H borylation

D. L. Crossley, I. A. Cade, E. R. Clark, A. Escande, M. J. Humphries, S. M. King, I. Vitorica-Yrezabal, M. J. Ingleson* and M. L. Turner*

Electrophilic borylation using BCl_3 and benzothiadiazole to direct the C-H functionalisation of an adjacent aromatic unit produces fused boracyclic materials with minimally changed HOMO energies but significantly reduced LUMO energies.

5152




Methanol-to-hydrocarbons conversion over MoO₃/H-ZSM-5 catalysts prepared *via* lower temperature calcination: a route to tailor the distribution and evolution of promoter Mo species, and their corresponding catalytic properties

B. Liu, L. France, C. Wu, Z. Jiang, V. L. Kuznetsov, H. A. Al-Megren, M. Al-Kinany, S. A. Aldrees, T. Xiao* and P. P. Edwards*

A series of MoO_3/H -ZSM-5 catalysts were prepared *via* calcination at a lower-than-usual temperature and evaluated.

5164




Enantioselective palladium(0)-catalyzed intramolecular cyclopropane functionalization: access to dihydroquinolones, dihydroisoquinolones and the BMS-791325 ring system

J. Pedroni, T. Saget, P. A. Donets and N. Cramer*

Enantioselective palladium(0)-catalyzed C-H arylations of cyclopropanes provide efficient access to dihydroquinolones, dihydroisoquinolones and the BMS-791325 indolobenzazepine core.

5172



Water stabilization of Zr₆-based metal-organic frameworks *via* solvent-assisted ligand incorporation

Pravas Deria, Yongchul G. Chung, Randall Q. Snurr, Joseph T. Hupp* and Omar K. Farha*


Water stability in metal—organic frameworks (MOFs) is critical for several practical applications; we report here fundamental understanding how capillary forces induce damage to MOFs and highlight that metal node functionalization as a strategy to create vapor-stable and recyclable MOFs.

5177

CO₂ induced phase transitions in diamine-appended metal-organic frameworks

Bess Vlaisavljevich, Samuel O. Odoh, Sondre K. Schnell, Allison L. Dzubak, Kyuho Lee, Nora Planas, Jeffrey B. Neaton, Laura Gagliardi* and Berend Smit*

Using a combination of density functional theory and lattice models, we study the effect of CO2 adsorption in an amine functionalized metal-organic framework.




5186

Impacts of gold nanoparticle charge and ligand type on surface binding and toxicity to Gram-negative and Gram-positive bacteria

Z. Vivian Feng,* Ian L. Gunsolus, Tian A. Qiu, Katie R. Hurley, Lyle H. Nyberg, Hilena Frew, Kyle P. Johnson, Ariane M. Vartanian, Lisa M. Jacob, Samuel E. Lohse, Marco D. Torelli, Robert J. Hamers, Catherine J. Murphy and Christy L. Haynes*

Higher cationic charge density on nanoparticles is correlated with higher toxicity to bacteria.




5197

Redox reaction induced Ostwald ripening for sizeand shape-focusing of palladium nanocrystals

Zhaorui Zhang, Zhenni Wang, Shengnan He, Chaoqi Wang, Mingshang Jin* and Yadong Yin*

Size- and shape-focusing of palladium nanocrystals have been successfully achieved through the Ostwald ripening process induced by a redox reaction.




5204

Facet selectivity in gold binding peptides: exploiting interfacial water structure

Louise B. Wright, J. Pablo Palafox-Hernandez. P. Mark Rodger,* Stefano Corni* and Tiffany R. Walsh*

We demonstrate that surface hydration is a key factor in dictating the free energy of non-covalent peptide-materials recognition.



5215




Beyond a solvent: the roles of 1-butyl-3methylimidazolium chloride in the acid-catalysis for cellulose depolymerisation

Heitor Fernando Nunes de Oliveira, Christophe Farès and Roberto Rinaldi*

1-Butyl-3-methylimidazolium chloride plays other roles in the acid-catalysed depolymerisation of cellulose rather than being `merely' a solvent for the biopolymer. The ionic liquid species enhances the Hammett acidity of the catalyst, thus improving the kinetics of cellulose depolymerisation.

5225

Photosensitized unstrained C-C cleavage




Directed radical fluorination

Unstrained C-C bond activation and directed fluorination through photocatalytically-generated radical cations

Cody Ross Pitts, Michelle Sheanne Bloom, Desta Doro Bume, Qinze Arthur Zhang and Thomas Lectka*

Unstrained C–C activation *via* putative radical cation formation promotes a directed radical fluorination event using Selectfluor, catalytic 9-fluorenone, and light.

5230




A soluble molecular variant of the semiconducting silicondiselenide

Kartik Chandra Mondal, Sudipta Roy, Birger Dittrich,* Bholanath Maity, Sayan Dutta, Debasis Koley,* Suresh Kumar Vasa, Rasmus Linser, Sebastian Dechert and Herbert W. Roesky*

Silicondiselenide is a semiconductor and exists as an insoluble polymer ($SiSe_2$)_n which is prepared by reacting elemental silicon with selenium powder in the temperature range of 400–850 °C.

5235



An inhibitor of ubiquitin conjugation and aggresome formation

Heeseon An and Alexander V. Statsyuk*


An inhibitor of ubiquitin activating E1 enzyme inhibits ubiquitin conjugation and aggresome formation.

5246

Fluorine teams up with water to restore inhibitor activity to mutant BPTI

Shijie Ye, Bernhard Loll, Allison Ann Berger, Ulrike Mülow, Claudia Alings, Markus Christian Wahl and Beate Koksch*

Fluorinated derivatives of aminobutyric acid engage in unique interactions with structural waters within the BPTI/trypsin interface and restore inhibitor activity.




5255

Vibrational properties and bonding nature of Sb₂Se₃ and their implications for chalcogenide materials

Volker L. Deringer, Ralf P. Stoffel, Matthias Wuttig and Richard Dronskowski*

There is more to chemical bonding in chalcogenides than the shortest, strongest bonds, as revealed by microscopic quantum-chemical descriptors.




5263

Self-assembly of a mesoporous ZnS/mediating interface/CdS heterostructure with enhanced visible-light hydrogen-production activity and excellent stability

Kui Li, Rong Chen, Shun-Li Li, Min Han, Shuai-Lei Xie, Jian-Chun Bao,* Zhi-Hui Dai and Ya-Qian Lan*

We designed and successfully fabricated a ZnS/CdS 3D mesoporous heterostructure with a mediating $Zn_{1-x}Cd_xS$ interface.




5269

Heterometallic titanium—gold complexes inhibit renal cancer cells in vitro and in vivo

Jacob Fernández-Gallardo, Benelita T. Elie, Tanmoy Sadhukha, Swayam Prabha, Mercedes Sanaú, Susan A. Rotenberg, Joe W. Ramos* and María Contel*

Heterometallic compounds as anticancer agents demonstrating *in vivo* potential for the first time. Titanocenegold derivatives: promising candidates for renal cancer.




5284

Overcoming aggregation in indium salen catalysts for isoselective lactide polymerization

D. C. Aluthge, J. M. Ahn and P. Mehrkhodavandi*

A methodology for controlling aggregation in highly active and isoselective indium catalysts for the ring opening polymerization of racemic lactide is reported.

5293




Coordination diversity in hydrogen-bonded homoleptic fluoride-alcohol complexes modulates reactivity

Keary M. Engle, Lukas Pfeifer, George W. Pidgeon, Guy T. Giuffredi, Amber L. Thompson, Robert S. Paton, John M. Brown and Véronique Gouverneur*

The X-ray structures of fourteen novel fluoride—alcohol complexes with tetrabutylammonium as the counterion show coordination diversity varying from four to two depending on the steric bulk of the alcohol.

5303



Cucurbit[8]uril directed stimuli-responsive supramolecular polymer brushes for dynamic surface engineering

Chi Hu, Feng Tian, Yu Zheng, Cindy Soo Yun Tan, Kevin R. West and Oren A. Scherman*

Dual stimuli-responsive supramolecular polymer brushes are attached to the surface with cucurbit[8]uril-rotaxanes for dynamic surface engineering.