


 Cite this: *Soft Matter*, 2015, 11, 7440

DOI: 10.1039/c5sm90154e

www.rsc.org/softmatter

Correction: Cationic surface functionalization of cellulose nanocrystals

 Merima Hasani,^a Emily D. Cranston,^b Gunnar Westman^a and Derek G. Gray^{*b}

 Correction for 'Cationic surface functionalization of cellulose nanocrystals' by Merima Hasani *et al.*, *Soft Matter*, 2008, 4, 2238–2244.

In our paper the statement on p. 2240, under desulfation procedure, that the sulfate ester groups were “removed completely by hydrolysis to functionalization. . .” is unjustified. This statement was based on a titrimetric method, but the sulfate ester group may not have been converted to acid-form prior to titration, as required for valid results. The extent of desulfation is thus not known. The main results and conclusions regarding the cationic surface functionalization of cellulose nanocrystals are unaffected.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a Department of Chemical and Biological Engineering, Chalmers University of Technology, Göteborg, 412 96, Sweden

^b Department of Chemistry, Pulp and Paper Research Center, McGill University, Montréal, Québec, Canada, H3A 2A7. E-mail: derek.gray@mcgill.ca; Tel: +1 514-398-6182

