Cite this: *J. Mater. Chem. C*, 2015, **3**, 8272

DOI: 10.1039/c5tc90133b

www.rsc.org/MaterialsC

Correction: Di-amidosils with tunable structure, morphology and emission quantum yield: the role of hydrogen bonding

S. C. Nunes,^{*ab} J. Hümmer,^b V. T. Freitas,^c R. A. S. Ferreira,^c L. D. Carlos,^c P. Almeida^a and V. de Zea Bermudez^{*bd}

Correction for 'Di-amidosils with tunable structure, morphology and emission quantum yield: the role of hydrogen bonding' by S. C. Nunes *et al.*, *J. Mater. Chem. C*, 2015, **3**, 6844–6861.

The units used in the Synthesis section on lines 11 and 34 of page 6846 of the manuscript are incorrect. "THF solution containing py (127 mL; 1.56 mmol)" should be "THF solution containing py (127 μ L; 1.56 mmol)" and "(288 mL) (molar ratio APTES:H₂O:CH₃CH₂OH = 1:2:4)" should be "(288 μ L) (molar ratio APTES:H₂O:CH₃CH₂OH = 1:2:4)".

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a Chemistry Department and CICS – Health Sciences Research Centre, University of Beira Interior, 6200-001 Covilhã, Portugal. E-mail: snunes@ubi.pt;

Fax: +351-275-319730; Tel: +351-275-319730

^b Chemistry Department, University of Trás-os-Montes e Alto Douro, 5000-801 Vila Real, Portugal. E-mail: vbermude@utad.pt; Fax: +351-259-350480; Tel: +351-259-350253

^c Physics Department and CICECO (Aveiro Institute of Materials), University of Aveiro, 3810-193 Aveiro, Portugal

^d CQ-VR, University of Trás-os-Montes e Alto Douro, 5001-801 Vila Real, Portugal