

CORRECTION

[View Article Online](#)[View Journal](#) | [View Issue](#)Cite this: *Analyst*, 2016, **141**, 5900**Correction: Measuring the effects of fractionated radiation therapy in a 3D prostate cancer model system using SERS nanosensors**Victoria L. Camus,^a Grant D. Stewart,^{†b} William H. Nailon,^c Duncan B. McLaren^d and Colin J. Campbell^{*a}

DOI: 10.1039/c6an90079h

www.rsc.org/analystCorrection for 'Measuring the effects of fractionated radiation therapy in a 3D prostate cancer model system using SERS nanosensors' by Victoria L. Camus, *et al.*, *Analyst*, 2016, **141**, 5056–5061.

The authors regret that one of the authors, Grant D. Stewart, was incorrectly shown as Grant Stewart, whose affiliation details were also incorrect. The corrected list of authors and affiliations for this paper is as shown above.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aSchool of Chemistry, University of Edinburgh, Edinburgh, EH9 3FJ, UK. E-mail: colin.campbell@ed.ac.uk^bEdinburgh Urological Cancer Group, Institute of Genetics and Molecular Medicine, University of Edinburgh, Edinburgh, EH4 2XU, UK^cEdinburgh Radiation Research Collaborative, Oncology Physics, Western General Hospital, Edinburgh EH4 2U, UK^dEdinburgh Radiation Research Collaborative, Edinburgh Cancer Centre, Western General Hospital, Edinburgh EH4 2U, UK[†]Current address: Academic Urology Group, University of Cambridge, Addenbrooke's Hospital, Cambridge Biomedical Campus, Cambridge, CB2 0QQ, UK.