

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)



Cite this: *Biomater. Sci.*, 2016, **4**, 1524

DOI: 10.1039/c6bm90040b
www.rsc.org/biomaterialsscience

Correction: Bottom-up fabrication of artery-mimicking tubular co-cultures in collagen-based microchannel scaffolds

A. Tan,* K. Fujisawa, Y. Yukawa and Y. T. Matsunaga*

Correction for 'Bottom-up fabrication of artery-mimicking tubular co-cultures in collagen-based microchannel scaffolds' by A. Tan, *et al.*, *Biomater. Sci.*, 2016, DOI: 10.1039/c6bm00340k.

In the Acknowledgements section Dr Haruko Takahashi was incorrectly named as Dr Haruko Fujimoto. The last sentence of the Acknowledgements section should have read as follows: The authors also acknowledge Dr Masato Ibuki (Yasuyuki Sakai Laboratory, the University of Tokyo) and Ms Eri Otsuka (Matsunaga Laboratory, the University of Tokyo) for technical assistance in the BF-5 biosensor analytical experiments, and Mr Yasuhiro Okawa, Dr Koji Fujimoto (Dai Nippon Printing Co., Ltd), and Dr Haruko Takahashi (Matsunaga Laboratory, the University of Tokyo) for their technical assistances in the PDMS device fabrication.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.