



Cite this: *Phys. Chem. Chem. Phys.*,  
2016, 18, 8244

## Correction: Stability of thin film glasses of toluene and ethylbenzene formed by vapor deposition: an *in situ* nanocalorimetric study

Edgar Leon-Gutierrez,<sup>a</sup> Alfonso Sepúlveda,<sup>a</sup> Gemma Garcia,<sup>a</sup>  
Maria Teresa Clavaguera-Mora<sup>a</sup> and Javier Rodríguez-Viejo<sup>\*ab</sup>

DOI: 10.1039/c6cp90023b

www.rsc.org/pccp

Correction for 'Stability of thin film glasses of toluene and ethylbenzene formed by vapor deposition: an *in situ* nanocalorimetric study' by Edgar Leon-Gutierrez *et al.*, *Phys. Chem. Chem. Phys.*, 2010, 12, 14693–14698.

In the original article, we reported values of the limiting fictive temperature for toluene and ethylbenzene that were abnormally high due to an underestimation of the heat capacity during the glass transition (Fig. 5 of the paper). As explained in detail elsewhere (ref. 1), the procedure used to extract the heat capacity of thick films slightly underestimated the maximum of the glass transition, which upon integration to obtain the enthalpy, resulted in high values of the limiting fictive temperature,  $T_f'$ , by about 3–7 K. We have performed a new set of measurements and calculations that slightly modify our previous values of  $T_f'$ , although the main conclusions of the manuscript remain unchanged. Fig. 1 shows  $T_f'$  versus deposition temperature for this new set of nanocalorimetric measurements on toluene carried out at ultrafast heating rates of  $3 \times 10^4 \text{ K s}^{-1}$ .




Fig. 1 Limiting fictive temperatures of toluene glasses grown at several deposition temperatures.

## Acknowledgements

We thank J. Ràfols-Ribé, C. Rodríguez-Tinoco and M. González-Silveira from the Nanomaterials and Microsystem Groups at UAB for the new measurements.

<sup>a</sup> Nanomaterials and Microsystems Group, Physics Department, Universitat Autònoma de Barcelona, 08913 Bellaterra, Spain

<sup>b</sup> MATGAS Research Center, Campus UAB, 08193 Bellaterra, Spain. E-mail: javier.rodriguez@uab.es



The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

## References

- 1 A. F. Lopeandía and J. Rodríguez-Viejo, Quasi-adiabatic, membrane-based, highly sensitive fast scanning nanocalorimetry, in *Fast Scanning Calorimetry*, ed. V. Mathot and C. Schick, Springer International Publishing AG, 2016.

