

CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)



Cite this: *Catal. Sci. Technol.*, 2016,  
6, 8375

DOI: 10.1039/c6cy90107g

[www.rsc.org/catalysis](http://www.rsc.org/catalysis)

## Correction: Alkaline versatile peroxidase by directed evolution

David Gonzalez-Perez,<sup>a</sup> Ivan Mateljak,<sup>a</sup> Eva Garcia-Ruiz,<sup>b</sup> Francisco J. Ruiz-Dueñas,<sup>c</sup> Angel T. Martinez<sup>c</sup> and Miguel Alcalde<sup>\*a</sup>

Correction for 'Alkaline versatile peroxidase by directed evolution' by David Gonzalez-Perez *et al.*, *Catal. Sci. Technol.*, 2016, **6**, 6625–6636.

The authors regret that Table 2 appears incorrectly in the original version of this article. A corrected version of Table 2, which features an additional row, is displayed below.

**Table 2** Kinetic parameters with Mn<sup>2+</sup>, VA and RB5

Mutant	Kinetic constants	Mn <sup>2+</sup>	VA	RB5
BB-8	$K_m$ (mM)	56 ± 10	24.7 ± 1.9	0.021 ± 0.001
	$k_{cat}$ (s <sup>-1</sup> )	70 ± 8	21.3 ± 0.9	20.4 ± 0.4
	$k_{cat}/K_m$ (mM <sup>-1</sup> s <sup>-1</sup> )	1.25 ± 0.08	0.86 ± 0.02	950 ± 30
2-1B	$K_m$ (mM)	4.3 ± 0.3	7.14 ± 0.6	0.0055 ± 0.0006
	$k_{cat}$ (s <sup>-1</sup> )	98 ± 2	2.9 ± 0.1	9.4 ± 0.4
	$k_{cat}/K_m$ (mM <sup>-1</sup> s <sup>-1</sup> )	23 ± 1	0.4 ± 0.02	1700 ± 140

Kinetics were estimated in 100 mM citrate-phosphate-borate buffer at pH 3.5 containing 0.1 mM H<sub>2</sub>O<sub>2</sub> and for Mn<sup>2+</sup> in 100 mM sodium tartrate buffer at pH 5.0.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> Department of Biocatalysis, Institute of Catalysis, CSIC, 28049 Madrid, Spain. E-mail: malcalde@icp.csic.es; Fax: +34 915854760; Tel: +34 915854806

<sup>b</sup> Department of Chemical and Biomolecular Engineering, University of Illinois at Urbana-Champaign, Urbana, IL 61801, USA

<sup>c</sup> Center for Biological Investigations, CSIC, Ramiro de Maeztu 9, 28040 Madrid, Spain

